SYNTHETIC TEST DOCUMENT · FICTIONAL PATIENT · NOT A REAL MEDICAL RECORD

Synthetic Pathology Pty Ltd
Level 2, 5 Placeholder Rd, Macquarie Park NSW 2113
NATA Accreditation 0000 · Ph 1300 000 000

PATHOLOGY REPORT

Patient: Casey FICTIONAL **DOB:** 03/02/1951
MRN: SO-100219 **Lab no:** 26-4371120

Collected: 06/10/2026 09:10

Full blood count

Test	Result	Units	Reference range	
Haemoglobin	**118**	g/L	130–180	**L**
White cell count	9.4	x10^9/L	4.0–11.0	
Neutrophils	6.8	x10^9/L	2.0–7.5	
Platelets	388	x10^9/L	150–400	

Electrolytes, urea, creatinine

Test	Result	Units	Reference range	
Sodium	136	mmol/L	135–145	
Creatinine	**126**	umol/L	60–110	**H**
eGFR	**49**	mL/min/1.73m2	>59	**L**
Corrected calcium	2.48	mmol/L	2.10–2.60	

Liver function tests

Test	Result	Units	Reference range	
Bilirubin	11	umol/L	<20	
ALT	28	U/L	<45	
AST	31	U/L	<35	
ALP	**162**	U/L	30–110	**H**
Albumin	**31**	g/L	35–50	**L**

Diabetes

Test	Result	Units	Reference range	
HbA1c	**7.4**	%	<6.5	**H**