

```
Admin@Vivobook MINGW64 ~/OneDrive/Pulpit
$ mkdir cwiczenia

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit
$ cd cwiczenia/

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia
$ mkdir IO


Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia
$ cd IO

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO
$ |
```

```
Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO
$ git init
Initialized empty Git repository in C:/Users/Admin/OneDrive/Pulpit/cwiczenia/IO/.git/
```

```
Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git config user.name
JakubLatawiec
```

```
Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git config user.email
106024697+JakubLatawiec@users.noreply.github.com
```



The screenshot shows a terminal window with a GNU nano 7.1 text editor. The editor is editing a file named `main.cpp`. The code in the file is a simple C++ program that prints "Hello World!". The editor's status bar at the bottom shows various keyboard shortcuts for editing and navigation.

```
GNU nano 7.1 main.cpp Modified
#include <iostream>

int main()
{
    std::cout << "Hello World!";
    return 0;
}
```

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location M-U Undo M-A Set Mark M-] To Bracket
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^Q Where Was

```
Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        main.cpp

nothing added to commit but untracked files present (use "git add" to track)
```

```
Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git add .
warning: in the working copy of 'main.cpp', LF will be replaced by CRLF the next time Git touches it
```

```
Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   main.cpp
```

```
Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git log
fatal: your current branch 'master' does not have any commits yet
```

```
Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git commit -m "First commit"
[master (root-commit) c2ebc2c] First commit
 1 file changed, 7 insertions(+)
 create mode 100644 main.cpp

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git log
commit c2ebc2c4d6374ad8691c9624741e2c4b0f7b3ce1 (HEAD -> master)
Author: JakubLatawiec <106024697+JakubLatawiec@users.noreply.github.com>
Date:   Tue Dec 12 12:41:17 2023 +0100

    First commit

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git status
On branch master
nothing to commit, working tree clean
```

```

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ nano main.cpp

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   main.cpp

no changes added to commit (use "git add" and/or "git commit -a")

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git add .
warning: in the working copy of 'main.cpp', LF will be replaced by CRLF the next time Git touches it

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git commit -m "Changed main.cpp"
[master 929738d] Changed main.cpp
 1 file changed, 1 insertion(+), 1 deletion(-)

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git status
On branch master
nothing to commit, working tree clean

```

```

GNU nano 7.1 main.cpp Modified
#include <iostream>

int main()
{
    std::cout << "Witaj świecie!\n";
    std::cout << "Jest git!";
    return 0;
}

^G Help      ^O Write Out  ^W Where Is   ^K Cut        ^T Execute    ^C Location   M-U Undo     M-A Set Mark  M-] To Bracket
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_/ Go To Line M-E Redo     M-6 Copy      ^Q Where Was

```

```

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git add .
warning: in the working copy of 'main.cpp', LF will be replaced by CRLF the next time Git touches it

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   main.cpp

```

```
GNU nano 7.1 Struktura.cpp Modified
#include <iostream>

struct Struktura
{
    std::string nazwisko;
    std::string imie;
    int grupa;
}

^G Help      ^O Write Out  ^W Where Is  ^K Cut       ^T Execute   ^C Location  M-U Undo    M-A Set Mark M-] To Bracket
^X Exit      ^R Read File  ^\ Replace   ^U Paste     ^J Justify   ^/ Go To Line M-E Redo    M-6 Copy     ^Q Where Was
```

```
GNU nano 7.1 main.cpp Modified
#include <iostream>
#include "Struktura.cpp"

int main()
{
    std::cout << "Witaj świecie!\n";
    std::cout << "Jest git";
    Struktura s;
    s.nazwisko = "Latawiec";
    s.imie = "Jakub";
    s.grupa = 4;
    return 0;
}

^G Help      ^O Write Out  ^W Where Is  ^K Cut       ^T Execute   ^C Location  M-U Undo    M-A Set Mark M-] To Bracket
^X Exit      ^R Read File  ^\ Replace   ^U Paste     ^J Justify   ^/ Go To Line M-E Redo    M-6 Copy     ^Q Where Was
```

```

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:   main.cpp

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   main.cpp

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Struktura.cpp

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git add .
warning: in the working copy of 'main.cpp', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Struktura.cpp', LF will be replaced by CRLF the next time Git touches it

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git commit -m "Struktura added"
[master 08a9095] Struktura added
 2 files changed, 15 insertions(+), 1 deletion(-)
 create mode 100644 Struktura.cpp

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git status
On branch master
nothing to commit, working tree clean

```

```

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ rm Struktura.cpp

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    Struktura.cpp

```

```

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git add .

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git commit -m "Struktura deleted"
[master c23630d] Struktura deleted
 1 file changed, 8 deletions(-)
 delete mode 100644 Struktura.cpp

Admin@Vivobook MINGW64 ~/OneDrive/Pulpit/cwiczenia/IO (master)
$ git status
On branch master
nothing to commit, working tree clean

```