

Azure Subscription Vending and Onboarding

Project Implementation & Evidence Report

This document describes the Azure configuration and onboarding activities evidenced by the supplied Azure portal screenshots. It focuses on identity-based onboarding, resource-group access, resource provisioning, storage configuration, policy compliance, and cost governance.

Prepared from the provided project screenshots

Environment references visible in the screenshots: Azure for Students, rg-vending-development, Azure-Developers

1. Project Overview

The screenshots provide evidence of an Azure onboarding workflow in which users are managed through a dedicated Microsoft Entra security group, the group receives Contributor access at the development resource-group scope, project resources are provisioned, storage is configured, Azure Policy is used for governance, and a monthly budget is configured for cost monitoring.

2. Implementation Flow


The evidence can be read as the following sequence:

- Identify and manage the Azure-Developers security group.
- Search for and verify the user identity to be onboarded.
- Use group membership as the access-management mechanism.
- Assign Contributor access to the development resource group.
- Verify the project resource group and provisioned storage resource.
- Configure storage security and private containers.
- Apply and review Azure Policy compliance.
- Configure a monthly budget for cost governance.

Important scope note

The supplied screenshots demonstrate the Azure-side configuration and onboarding evidence shown in the portal. They do not, by themselves, show the full upstream automation or the initial creation of an Azure subscription. Accordingly, this report describes only what is visible in the supplied evidence.

Step 1: Azure Groups Overview



The Azure portal Groups overview shows the tenant-level group management area. The screen provides the starting point for reviewing existing groups and confirms that group-based access management is part of the onboarding setup.

- Tenant/group management is being handled through Microsoft Entra ID in the Azure portal.
- The overview exposes group inventory and management functions such as members, settings, activity, and troubleshooting.
- This establishes the identity-management foundation for controlled onboarding.

Step 2: Reviewing the Group Inventory


The screenshot shows the Microsoft Azure portal interface. The top navigation bar includes the Microsoft Azure logo, a search bar, and a user profile. The main content area is titled 'Groups | All groups' and shows a list of 20,488 groups found. The list is organized into columns: Name, Object Id, Group type, and Membership type. The 'Healthcare Analytics with Real-Time Monitoring' group is highlighted. The bottom of the screen shows the Windows taskbar with various application icons and the system clock.

Name	Object Id	Group type	Membership type
CSE-AZURE-LAB-GROUP	218ad886-4baa-4cd7d-a9f3-286c48a61785	Security	Assigned
CSE-AZURE-LAB-GROUP-300	bdf12fc2-40e1-4293-a0fc-a8c4ab477f59	Security	Assigned
Healthcare Analytics with Real-Time Monitoring	265fe08e-86c7-4378-a0c1-766496acd810	Security	Assigned
lab-grp	78e0be01-6a56-405b-ab19-555504f3b09d	Security	Assigned
Predictive Stock Price Monitoring	a9faa9f3-2c62-461e-82e1-e8cb6d960027	Security	Assigned
Retail_Store_Performance_Insights	130e7005-d504-44ab-a6a1-b3cd3e83342b	Security	Assigned
& nest	36a39b91-e2d5-462d-9e37-bb1e6204ff4e	Microsoft 365	Assigned

The All groups page displays the available security and Microsoft 365 groups. This step is used to locate the onboarding group and verify the type and membership model before assigning access.

- The portal lists groups with identifiers, group type, and membership information.
- The screenshot shows a large existing group inventory, so selecting the correct project group is important for access governance.
- The Azure-Developers group is subsequently used in the onboarding flow.


Step 3: Azure-Developers – Members



The Azure-Developers group is opened in Microsoft Entra ID and its Members blade is reviewed. The screen shows the current direct-members state and the available member-management controls.

- The group is being used as the access boundary for the development environment.
- The Members blade provides the controls needed to add, remove, or review users.
- The screenshot shows the group-membership area before/while onboarding users.

Step 4: Selecting a User for Onboarding



The user-selection screen is used to search the directory and select the identity that needs development-environment access. The screenshot shows directory search results across users, groups, devices, and enterprise applications.

- Directory search is used to identify the required user account.
- The selected identity is shown with its user principal name, helping verify that the correct account is being onboarded.
- This supports controlled, identity-based access rather than assigning access to an unknown account.

Step 5: Confirming the User Identity

Add members

Try changing or adding filters if you don't see what you're looking for.

Search ⓘ

azure

×

155 results found

All

Users

Groups

Devices

Enterprise applications

	Name	User principal name
☒	PA Pujith Azure	somapujithkrishna07@gmail.com

The search result is narrowed to the intended user account. The visible user principal name provides a confirmation point before the identity is added to the Azure-Developers group.

- The user record is visible in the directory results.
- The account can be verified before completing the group-membership change.
- This step reduces the risk of granting access to the wrong identity.

Step 6: Reviewing Roles and Administrators

The screenshot shows the Microsoft Azure portal interface. At the top, the header includes the Microsoft Azure logo, a search bar, and user information for '2400032180@kjuniversi... K J UNIVERSITY (KJUNIVERSITY.IN)'. The main content area is titled 'Azure-Developers | Roles and administrators'. On the left, a navigation pane lists various options: Overview, Diagnose and solve problems, Manage (Properties, Members, Owners), Roles and administrators (selected), Administrative units, Group memberships, Applications, Licenses, Azure role assignments, and Activity. The main pane displays a message: 'To create custom roles, your organization needs Microsoft Entra ID Premium P1 or P2. Start a free trial.' Below this, the 'Administrative roles' section explains their purpose and provides a link to 'Learn more'. A search bar with the placeholder 'Search by name or description' and buttons for 'Assignable: Yes' and 'Add filters' are present. A table with columns 'Role', 'Description', 'Privileged', 'Ass...', and 'Type' is shown, but it contains the text 'No roles found'.

The Roles and administrators blade for Azure-Developers is reviewed to understand whether administrative roles are assigned to the group. The page separates directory-level administrative roles from the group's Azure role assignments.

- The screen provides a dedicated area for privileged Microsoft Entra roles.
- The screenshot shows no roles found in the displayed role list.
- Keeping privileged roles separate from normal resource access supports least-privilege administration.

Step 7: Azure Role Assignment – Contributor


The screenshot shows the Azure portal interface. The top navigation bar includes the Microsoft Azure logo, a search bar, and a user profile. The left sidebar contains a navigation menu with options like Overview, Diagnose and solve problems, Manage, Properties, Members, Owners, Roles and administrators, Administrative units, Group memberships, Applications, Licenses, Azure role assignments, Activity, and Help. The main content area is titled 'Azure-Developers | Azure role assignments'. It shows a table with one role assignment: Contributor, assigned to the Azure-Developers group, with no condition shown. The table has columns for Role, Resource Name, Resource Type, Assigned To, and Condition. The resource name is 'rg-vending-development' and the resource type is 'Resource Group'.

Role	Resource Name	Resource Type	Assigned To	Condition
Contributor	rg-vending-development	Resource Group	Azure-Developers	None

The Azure role assignments blade shows the project access assignment for the Azure-Developers group. The visible assignment is the Contributor role on the project resource group.

- Subscription scope shown: Azure for Students.
- Role: Contributor.
- Resource: rg-vending-development (Resource Group).
- Assigned to: Azure-Developers, with no condition shown in the screenshot.


Step 8: Project Resource Group



The resource-group view shows rg-vending-development and its resources. This is the Azure resource boundary used for the development environment in the screenshots.

- The resource group is visible under the Azure for Students subscription.
- The location shown is East US.
- The resource list includes an Azure Storage account, demonstrating that resources are being organized under the project resource group.

Step 9: All Groups – Locating the Project Group



The screenshot shows the Microsoft Azure portal interface for the 'All groups' view. The left sidebar contains a navigation menu with 'All groups' selected. The main content area displays a table of groups with the following columns: Name, Object ID, Group type, and Membership type. The table lists several groups, including 'CSE-AZURE-LAB-GROUP', 'CSE-AZURE-LAB-GROUP-300', 'Healthcare Analytics with Real-Time Monitoring', 'lab-grp', 'Predictive Stock Price Monitoring', and 'Retail_Store_Performance_Insights'. A search bar and filters are visible at the top of the list.

Name	Object ID	Group type	Membership type
CSE-AZURE-LAB-GROUP	218ad886-4baa-4c7d-a9f3-286c48a61785	Security	Assigned
CSE-AZURE-LAB-GROUP-300	bdf12fc2-40e1-4293-a0fc-a8c4ab477f59	Security	Assigned
Healthcare Analytics with Real-Time Monitoring	265fe08e-86c7-4378-a0c1-766496acc810	Security	Assigned
lab-grp	78e0be01-6a68-405b-ab19-555504f3b09d	Security	Assigned
Predictive Stock Price Monitoring	a9faa6f3-2c62-461e-82e1-e8cb6d960027	Security	Assigned
Retail_Store_Performance_Insights	130e7005-d504-44ab-a6a1-b3cd3e83342b	Security	Assigned

The All groups view is used to locate and verify the Azure-Developers group among the tenant's security groups. This provides a directory-level checkpoint before opening the group and reviewing its configuration.

- The portal displays the tenant's group inventory with group name, object ID, group type, and membership type.
- Azure-Developers is part of the security-group based access model used by the project.
- The view provides a central place to locate the group before managing its members and Azure permissions.

Step 10: Azure-Developers Group Configuration

The screenshot shows the Microsoft Azure portal interface. At the top, there's a navigation bar with the Microsoft Azure logo, a search bar, and a user profile. Below the navigation bar, the breadcrumb trail indicates the current location: Home > K L University | Groups > Groups | All groups. The main heading is 'Azure-Developers' with a sub-label 'Group'. A left-hand navigation pane lists various options: Overview (selected), Diagnose and solve problems, Manage (with a dropdown arrow), Properties, Members, Owners, Roles and administrators, Administrative units, Group memberships, Applications, Licenses, Azure role assignments, Activity, and Help. The main content area is titled 'Overview' and contains a 'Basic information' section. This section features a blue square icon with a white 'A' and the text 'Azure-Developers' followed by 'Users requiring development environment access'. Below this, a table-like structure displays group details:

Membership type	Assigned	Total direct members	7
Source	Cloud	User(s)	7
Type	Security	Group(s)	0
Object ID	c02ccf92-ad23-486e-8950-e8a617f9418b	Device(s)	0
Created on	9/26/2026, 11:00 PM	Other(s)	0

At the bottom of the main content area, there is a 'Feed' section which is currently empty. A small note at the bottom left of the page states: 'Add or remove favorites by pressing: Ctrl+Shift+F'.

The Azure-Developers group overview documents the purpose of the group and its configuration. The description identifies it as a group for users requiring development-environment access.

- Group type shown: Security.
- Membership type shown: Assigned.
- The group is associated with the development access model.
- The page also provides the group object ID and creation information for traceability.

Step 11: Azure-Developers – Member List

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

2400032180@kluniversity...
K L UNIVERSITY (KLUNIVERSITY.IN)

Home > K L University | Groups > Groups | All groups > Azure-Developers

Azure-Developers | Members

Group

+ Add members Bulk operations Refresh Manage view Remove Got feedback?

Search Add filter


7 group members found

☐	Name ↑	Type	Email	User type
☐	AS Aadit Shivam Vibhute - VAAVE	User	aadit.shivam@vaave.com	Guest
☐	AS AEDUL RAHMAN SHAIK	User	2600032005@kluniversity.in	Member
☐	AS abhignya.dr02	User	abhignya.dr02@gmail.com	Guest
☐	AM ADABALA MURALI VEERA SRI SAI	User	klef2200030745@kluniversity.in	Member
☐	AM Adusumalli Mounika	User	25914090117@kluniversity.in	Member
☐	A AKASAPURAJEEV	User	klef2100031198@kluniversity.in	Member
☒	PA Pujith Azure	User	somapujithkrishna07@gmail.com	Guest

The Members blade shows the users associated with Azure-Developers. This provides evidence that project users were onboarded through group membership.

- The list contains multiple users with their user principal names and user types.
- The screenshot includes both Member and Guest user types.
- Using a group centralizes access management and makes future onboarding/offboarding easier.

Step 12: Contributor Assignment at Resource-Group Scope



The screenshot shows the Microsoft Azure portal interface. The top navigation bar includes the Microsoft Azure logo, a search bar, and a Copilot button. The breadcrumb trail indicates the path: Home > K L University | Groups > Groups | All groups > Azure-Developers. The main heading is 'Azure-Developers | Azure role assignments'. A left-hand navigation pane lists various management options, with 'Azure role assignments' selected. The main content area displays a message about permissions and a table of role assignments. The table has columns for Role, Resource Name, Resource Type, Assigned To, and Condition. One assignment is listed: Contributor role on the 'rg-vending-development' resource group, assigned to the 'Azure-Developers' group, with no conditions. The subscription is 'Azure for Students'.

Role	Resource Name	Resource Type	Assigned To	Condition
Contributor	rg-vending-development	Resource Group	Azure-Developers	None

The Azure role assignments page confirms the access granted to Azure-Developers at the resource-group scope.

- Role: Contributor.
- Resource: rg-vending-development.
- Resource type: Resource Group.
- Subscription shown: Azure for Students.
- The assignment is displayed without a condition.

Step 13: Resource Group Inventory

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

2400032180@kluniversity...
K L UNIVERSITY (KLUNIVERSITY.IN)

Home > Resource Manager

Resource Manager | Resource groups

Search

Create Manage view Refresh Export to CSV Open query Assign tags Analyze Add to service group Group by none

Filter for any field... Subscription equals all Location equals all Add filter

☐	Name	Subscription	Location
☐	rg-vending-development	Azure for Students	East US

Showing 1 - 1 of 1. Display count: auto

Give feedback

Add or remove favorites by pressing Ctrl+Shift+F

The Resource groups page provides a subscription-level view of the project resource group. It confirms the project resource group exists and is associated with the Azure for Students subscription.

- Resource group: rg-vending-development.
- Subscription: Azure for Students.
- Location shown: East US.
- The portal indicates one matching resource group in the displayed filtered view.

Step 14: Storage Resource Provisioning

The screenshot displays the Microsoft Azure Storage Center interface. The top navigation bar includes the Microsoft Azure logo, a search bar, and a Copilot button. The main header shows 'Storage center | Blob Storage' for 'K L University (kluniversity.in)'. Below the header, there are three tabs: 'Summary', 'Resources', and 'Settings'. The 'Resources' tab is active, showing a list of storage accounts. The left sidebar contains a navigation menu with options like 'Overview', 'All storage resources', 'Object storage', 'File storage', 'Block storage', and 'Data management'. The main content area shows a table of storage accounts with columns: Name, Type, Kind, Resource Group, Location, Subscription, and Defender for storage. One storage account is listed: 'azurevendingmounika01' of type 'Storage account' and kind 'StorageV2', located in 'India South Central' under the 'Azure for Students' subscription. The table also includes a 'Defender for storage' column showing 'Not protected'. The bottom of the interface shows 'Showing 1 - 1 of 1. Display count: auto' and a 'Give feedback' link.

Name	Type	Kind	Resource Group	Location	Subscription	Defender for storage
azurevendingmounika01	Storage account	StorageV2	rg-vending-dav...	India South Cen...	Azure for Studa...	Not protected

The Storage Center view shows the storage account created within the project environment. This is part of the resource provisioning evidence for the development workload.

- Storage account shown: azurevendingmounika01.
- Resource group: rg-vending-development.
- Account type shown as StorageV2.
- Location shown: India South Central.
- Subscription shown: Azure for Students.

Step 15: Storage Account Configuration

The screenshot displays the Azure portal interface for a storage account. The top navigation bar shows the Microsoft Azure logo, a search bar, and the user profile. The main content area is titled 'Storage account' and shows the account name 'azurevendingmounika01'. Below this, there are tabs for 'Overview', 'Properties', 'Monitoring', 'Capabilities (6)', 'Recommendations (0)', 'Tutorials', and 'Tools + SDKs'. The 'Overview' tab is selected, showing a list of properties for the storage account. The 'Properties' tab is also visible, showing a list of settings for the storage account. The 'Security' tab is also visible, showing a list of security settings for the storage account.

Property	Value
Resource group	rg-vending-development
Location	indiasouthcentral
Subscription	Azure for Students
Subscription ID	c86c5577-d68c-4fac-950b-96f60baa3e39
Disk state	Available
Tags	CostCenter: CC1001, Environment: Development
Performance	Standard
Replication	Locally redundant storage (LRS)
Account kind	StorageV2 (general purpose v2)
Provisioning state	Succeeded
Created	27/09/2026, 00:38:32

Service	Setting	Value
Blob service	Hierarchical namespace	Disabled
	Default access tier	Hot
	Blob anonymous access	Disabled
	Blob soft delete	Enabled (7 days)
	Container soft delete	Enabled (7 days)
Security	Require secure transfer for REST API operations	Enabled
	Storage account key access	Enabled
	Minimum TLS version	Version 1.2
	Infrastructure encryption	Disabled

The storage account overview provides the detailed configuration and security posture visible in the project environment.

- Performance: Standard; replication: Locally-redundant storage (LRS).
- Provisioning state: Succeeded.
- Environment tag: Development; Costcenter tag: C01001.
- Minimum TLS version: 1.2.
- Blob anonymous access is disabled.
- Blob soft delete and container soft delete are enabled for 7 days.
- Secure transfer is required; storage account key access is enabled in the displayed configuration.

Step 16: Storage Containers

The screenshot shows the Azure portal interface for the storage account 'azurevendingmounika01'. The 'Containers' blade is active, displaying a table of storage containers. The table has the following columns: Name, Last modified, Anonymous access level, and Lease state. Two containers are listed: 'slogs' and 'demo'. The 'demo' container is selected, indicated by a blue checkmark in the selection column. The left sidebar shows the navigation menu with 'Containers' highlighted under 'Data storage'.

Name	Last modified	Anonymous access level	Lease state
slogs	27/09/2026, 00:38:57	Private	Available
demo	27/09/2026, 00:41:30	Private	Available

The Containers blade confirms that storage containers were created under the project storage account. The visible containers are configured with private anonymous access.

- Two containers are visible in the screenshot.
- Anonymous access level is Private for the displayed containers.
- This provides a controlled storage structure within the project resource group.

Step 17: Blob Content in the Project Container

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

2400032190@kuniversi...
K L UNIVERSITY (KLUNIVERSITY.IN)

Home > azurevendingmounika01 | Containers

demo
Container

Search

+ Add Directory ↑ Upload 🔒 Change access level ↻ Refresh 🗑️ Delete 📄 Copy 📄 Paste 🔄 Rename ⚙️ Acquire lease ⚙️ Break lease ⋮

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

demo

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 1 items


☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☐	Azure Subscription Vending and...	27/09/2025, 00:43:11	Hot (Inferred)	Block blob	45 B	Available

Add or remove favorites by pressing Ctrl+Shift+F

The selected container view shows project content stored as a block blob. The screen also shows the authentication method used to access the container.

- The container contains a blob associated with Azure subscription vending/onboarding content.
- The blob type is Block blob and the access tier shown is Hot.
- The displayed authentication method is Access key, with an option to switch to a Microsoft Entra user account.


Step 18: Azure Policy Overview



The Azure Policy overview is used to monitor and govern resource configuration at the Azure environment level. The screenshot shows policy assignments related to tagging and allowed resource types.

- Policy governance is enabled at the displayed scope.
- The overview includes policies for tag inheritance, required project tags, and allowed resource types.
- The dashboard shows an overall compliance view for the configured assignments.

Step 19: Policy Compliance



The Policy Compliance page provides evidence that the displayed policy assignments are compliant at the shown scope.

- Scope shown: Azure for Students.
- Overall resource compliance is displayed as 100% in the screenshot.
- The visible policies include an allowed-resource-deployment policy and Require-Project-tag.
- Both displayed policies show compliant status for the resources in the view.

Step 20: Budget and Cost Governance

The screenshot displays the Microsoft Azure Cost Management interface. The top navigation bar includes the Microsoft Azure logo, a search bar, and user information. The main header shows the path 'Home > Cost Management: Nimmala Mounika'. Below this, the 'Cost Management: Nimmala Mounika | Budgets' page is active, with a 'Billing account' sub-header. The left sidebar lists various navigation options, with 'Budgets' highlighted. The main content area features a table of budgets. The table has columns for Name, Scope, Reset period, Creation date, Expiration date, Budget, Forecasted, and Evaluate. A single budget entry, 'MyAzureBudget', is listed with a scope of '57f08496-4cec-40a6...', a monthly reset period, a creation date of 9/1/2026, an expiration date of 8/31/2028, a budget of \$5.00, and a forecasted value of \$0.00. The bottom of the page includes a footer note: 'Add or remove favorites by pressing Ctrl+Shift+F'.

Name	Scope	Reset period	Creation date	Expiration date	Budget	Forecasted	Evaluate
MyAzureBudget	57f08496-4cec-40a6...	Monthly	9/1/2026	8/31/2028	\$5.00	\$0.00	

The Cost Management Budgets page shows a project budget configured for cost monitoring. This is the financial-governance component of the onboarding setup.

- Budget name shown: MyAzureBudget.
- Reset period: Monthly.
- Budget amount: \$500.
- The displayed forecasted value is \$0.00 at the time of the screenshot.
- The budget screen provides the basis for monitoring project spend and setting cost-control alerts.