# Cosc 31112 visual programming

Group project – Group 07

# **Table of Contents**

1.INTRODUCTION	2
2.ABSTRACT	3
3.PROBLEM DEFINITION	4
4.OBJECTIVES	5
5.FUNCTIONAL AND NON-FUNCTIONAL REQUIRENMENTS	5
5.1. FUNCTIONAL REQUIRENMENTS	5
5.2.NON-FUNCTIONAL REQUIRENMENTS	5
6.DESIGN OF THE SYSTEM	6
6.2.Class Diagram	7
6.3. SEQUENCE DIAGRAM	8
6.4.ER DIAGRAM	9
6.5. DATABASE DESIGN	9
7. TOOLS USED IN DESIGN AND DEVELOPMENT	11
8. INITIAL PLAN VS ACTUAL PLAN	11
9. DESIGN OF EACH FORMS	12
10. IMPLEMENTATION AND CODING	20
11.WORK CONTRIBUTION TABLE	148
12. FUTURE ENHANCEMENT	149
13. CONCLUSION	149

#### 1.INTRODUCTION

This movie ticket booking system project is an example of our group's commitment to completely transform how audiences buy tickets and theater managers handle seat reservations. Providing a seamless and effective platform for this procedure is essential in the current digital era.

The goals, successes, and potential outcomes of our initiative are described in this report.

#### 2.ABSTRACT

The Movie Ticket Booking System is a comprehensive software program created to simplify and improve the experience of going to the movies for patrons and theater staff. The system responds to the growing need for online ticket purchasing in the digital age by giving consumers a quick and easy way to browse, choose, and purchase movie tickets while giving administrators the ability to manage seat reservations and movie databases with ease.

The primary features, goals, functional and non-functional requirements, tools used in its design and development, and an in-depth study of the movie ticket booking system are all included in this paper. In order to shed light on the project's development, we will also talk about the initial plan in comparison to the actual implementation. The report also highlights the contributions made by each member, the difficulties encountered during development, and the important lessons the project team gained.

Customers and theater administrators are the two main user roles that the movie ticket booking system serves. Customers can log in to browse movie genres, view movies, watch trailers, and get comprehensive movie information before reserving and paying securely. On the other side, administrators have the power to control seat bookings, update the movie database, manage user accounts, and produce in-depth reports.

The architecture of the system ensures seamless communication between users, administrators, and the database, ensuring the dependability, correctness, and security of the data. Additionally, the addition of a payment procedure improves the user experience by enabling users to go easily from choosing their favorite seats to processing safe online payments.

The Movie Ticket Booking System marks a significant advancement in the modernization of the film business by delivering moviegoers a user-friendly, effective, and convenient platform and giving theater managers strong management tools. The technology is ready to meet the changing needs of moviegoers because to its adaptability and possibility for future improvements.

#### 3.PROBLEM DEFINITION

Moviegoers frequently experience substantial hassles and inefficiencies in the present system for booking movie tickets, while theater operators struggle with operational issues. Long lines, a lack of information about seat availability, and a laborious manual booking process all burdens for moviegoers. Theater managers struggle to properly manage ticket reservations, frequently using manual tracking techniques.

Our system for purchasing movie tickets attempts to address these urgent problems by giving moviegoers a streamlined, user-friendly, and effective platform for purchasing tickets. Additionally, it gives theater managers the tools they need to efficiently handle reservations for seats and streamline theater operations. The system also aims to improve the movie-watching experience by providing viewers with access to in-depth movie information and trailers on a single practical platform.

By addressing these issues, our initiative seeks to improve the ease of use for users and manageability for theater staff while purchasing movie tickets, ultimately reviving the movie industry's approach to ticket sales.

#### **4.OBJECTIVES**

- ✓ To develop a user-centered platform that makes it simple for users to purchase movie tickets.
- ✓ Minimize manual work and streamline seat booking and management for theater managers.
- ✓ To improve the experience of watching movies by offering comprehensive movie information and trailers.

# 5.FUNCTIONAL AND NON-FUNCTIONAL REQUIRENMENTS 5.1. FUNCTIONAL REQUIRENMENTS

- ✓ User registration and login
- ✓ Simple system for choosing and booking seats.
- ✓ Dynamic movie category selection
- ✓ Real-time movie details retrieval from a centralized database.

## 5.2.NON-FUNCTIONAL REQUIRENMENTS

- ✓ System with high performance to manage peak load periods.
- ✓ Strong security procedures to safeguard user information.
- ✓ The capacity to scale to meet an increasing user base.
- ✓ [scalability]
- ✓ A user-friendly and aesthetically pleasing interface for an enhanced user experienced

# **6.DESIGN OF THE SYSTEM 6.1.USE CASE DIAGRAM**




FIGURE 1:USE CASE DIAGRAM

#### **6.2.Class Diagram**




FIGURE 2:CLASS DIAGRAM

#### **6.3. SEQUENCE DIAGRAM** Booking Seat Movie Payment Admin System Database Management System \_\_\_\_ Login \_\_\_\_\_ \_\_\_ Login \_\_\_\_ \_\_\_ Browse Categories \_\_\_\_ \_ Select Category \_\_\_\_ \_ View Movies \_\_\_\_\_ \_ Select Movie \_\_\_\_ \_\_ Book Seat \_\_\_ — Check Seat Availability —— — Seat Availability — \_\_ Fetch Movie Details \_\_ \_\_\_ Movie Details \_ C Display Movie Details — Confirm Booking \_\_ \_ Make Payment -— Payment Confirmation – \_ Reserve Seat \_ \_ Confirmation \_ ← Booking Confirmation — — Logout ——— \_ Logout \_ Booking Seat Movie Payment O User Admin Management Database System System

FIGURE 3:SEQUENCE DIAGRAM

#### 6.4.ER DIAGRAM




FIGURE 4:ER DIAGRAM

#### 6.5. DATABASE DESIGN

#### 6.5.1. ENTITIES AND THEIR ATTRIBUTES

#### 1.movie details table:

- Movie name
- Plot summary
- Director
- Top cast

#### 2.ticket details table:

- Id
- Name
- Contact number.
- Email

- Select date
- Selected date
- Selected time
- Movie name
- Ticket price
- Quantity
- Total price

#### 6.5.2. DATABASE RELATIONSHIPS

- User (Customer) and Admin have a one-to-many relationship with Booking (users can make multiple bookings, admins can create bookings on behalf of customers).
- Category has a one-to-many relationship with Movie (one category can have multiple movies).
- User and Payment have a one-to-many relationship (a user can make multiple payments).
- Booking and Payment have a one-to-one or one-to-many relationship, depending on your design (a booking can have one or multiple associated payments).

#### 6.5.3. CONSIDERATION

- Implement data validation to ensure data integrity, checking for distinct usernames and legitimate email addresses, among other things.
- Security: Use salting and hashing methods to store passwords safely. Safeguard private information, such as user and payment details.
- Normalization: To reduce data redundancy and boost productivity, make sure the database is appropriately normalized.
- To ensure the atomicity and consistency of processes, particularly while processing payments, use database transactions.
- Backup and recovery: Create regular database backups to guard against data loss and put recovery processes in place.
- Test the database design carefully to make sure it adheres to the specifications and performs as intended.
- Consider future scalability requirements as your system may need to grow.

#### 7. TOOLS USED IN DESIGN AND DEVELOPMENT

1. **Visual studio**: for application development

2. **SQL server**: for database management

3. **C# programming language**: for application logic

4. **.NET:** for web development


#### 8. INITIAL PLAN VS ACTUAL PLAN

Our project closely followed the original plan, with a few tactical changes based on changing requirements and best practices in the industry.


Improvements to the user interface, the addition of new features, and the refinement of testing procedures were the main areas where the original plan was altered in response to changing project requirements and the dynamic nature of software development.

# 9. DESIGN OF EACH FORMS


Login Form




#### Movie details form




#### Action form




#### Romance form




# Family form




#### Horror movie




#### Movie details




# Seats booking form



## Customer details



# Receipt form



#### 10. IMPLEMENTATION AND CODING

**Action form** 

```
namespace CRUD_Test
  partial class Action
    /// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed;
otherwise, false.</param>
    protected override void Dispose(bool disposing)
      if (disposing && (components != null))
      {
        components.Dispose();
      }
      base.Dispose(disposing);
    }
    #region Windows Form Designer generated code
    /// <summary>
```

```
/// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
      System.ComponentModel.ComponentResourceManager resources = new
System.ComponentModel.ComponentResourceManager(typeof(Action));
      this.panel1 = new System.Windows.Forms.Panel();
      this.button4 = new System.Windows.Forms.Button();
      this.button2 = new System.Windows.Forms.Button();
      this.button3 = new System.Windows.Forms.Button();
      this.btnJohnWick3 = new System.Windows.Forms.Button();
      this.label1 = new System.Windows.Forms.Label();
      this.menuStrip1 = new System.Windows.Forms.MenuStrip();
      this.homeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
      this.closeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
      this.pictureBox5 = new System.Windows.Forms.PictureBox();
      this.pictureBox4 = new System.Windows.Forms.PictureBox();
      this.pictureBox3 = new System.Windows.Forms.PictureBox();
      this.pictureBox2 = new System.Windows.Forms.PictureBox();
      this.pictureBox1 = new System.Windows.Forms.PictureBox();
      this.panel1.SuspendLayout();
      this.menuStrip1.SuspendLayout();
      ((System.ComponentModel.ISupportInitialize)(this.pictureBox5)).BeginInit();
      ((System.ComponentModel.ISupportInitialize)(this.pictureBox4)).BeginInit();
      ((System.ComponentModel.ISupportInitialize)(this.pictureBox3)).BeginInit();
      ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).BeginInit();
      ((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).BeginInit();
      this.SuspendLayout();
```

```
// panel1
      //
       this.panel1.BackColor = System.Drawing.Color.FloralWhite;
       this.panel1.Controls.Add(this.pictureBox5);
       this.panel1.Controls.Add(this.button4);
       this.panel1.Controls.Add(this.button2);
       this.panel1.Controls.Add(this.button3);
       this.panel1.Controls.Add(this.btnJohnWick3);
       this.panel1.Controls.Add(this.label1);
       this.panel1.Controls.Add(this.pictureBox4);
       this.panel1.Controls.Add(this.pictureBox3);
       this.panel1.Controls.Add(this.pictureBox2);
       this.panel1.Controls.Add(this.pictureBox1);
       this.panel1.Controls.Add(this.menuStrip1);
       this.panel1.Location = new System.Drawing.Point(0, 3);
       this.panel1.Name = "panel1";
       this.panel1.Size = new System.Drawing.Size(1009, 517);
       this.panel1.TabIndex = 0;
      //
      // button4
      //
       this.button4.BackColor = System.Drawing.Color.CadetBlue;
       this.button4.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button4.ForeColor = System.Drawing.Color.White;
       this.button4.Location = new System.Drawing.Point(764, 411);
       this.button4.Name = "button4";
       this.button4.Size = new System.Drawing.Size(174, 36);
```

//

```
this.button4.TabIndex = 9;
      this.button4.Text = "Trailer";
      this.button4.UseVisualStyleBackColor = false;
      //
      // button2
      //
      this.button2.BackColor = System.Drawing.Color.CadetBlue;
      this.button2.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.button2.ForeColor = System.Drawing.Color.White;
      this.button2.Location = new System.Drawing.Point(520, 411);
      this.button2.Name = "button2";
      this.button2.Size = new System.Drawing.Size(169, 36);
      this.button2.TabIndex = 8;
      this.button2.Text = "Trailer";
      this.button2.UseVisualStyleBackColor = false;
      //
      // button3
      //
      this.button3.BackColor = System.Drawing.Color.CadetBlue;
      this.button3.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.button3.ForeColor = System.Drawing.Color.White;
      this.button3.Location = new System.Drawing.Point(276, 411);
      this.button3.Name = "button3";
      this.button3.Size = new System.Drawing.Size(177, 36);
      this.button3.TabIndex = 7;
      this.button3.Text = "Trailer";
      this.button3.UseVisualStyleBackColor = false;
```

```
//
      // btnJohnWick3
      //
      this.btnJohnWick3.BackColor = System.Drawing.Color.CadetBlue;
      this.btnJohnWick3.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.btnJohnWick3.ForeColor = System.Drawing.Color.White;
      this.btnJohnWick3.Location = new System.Drawing.Point(53, 411);
      this.btnJohnWick3.Name = "btnJohnWick3";
      this.btnJohnWick3.Size = new System.Drawing.Size(167, 36);
      this.btnJohnWick3.TabIndex = 5;
      this.btnJohnWick3.Text = "Trailer";
      this.btnJohnWick3.UseVisualStyleBackColor = false;
      this.btnJohnWick3.Click += new System.EventHandler(this.btnJohnWick3 Click);
      //
      // label1
      //
      this.label1.AutoSize = true;
      this.label1.BackColor = System.Drawing.Color.Transparent;
      this.label1.Font = new System.Drawing.Font("Palatino Linotype", 19.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.label1.ForeColor = System.Drawing.Color.CadetBlue;
      this.label1.Location = new System.Drawing.Point(283, 57);
      this.label1.Name = "label1";
      this.label1.Size = new System.Drawing.Size(439, 46);
      this.label1.TabIndex = 4;
      this.label1.Text = "Action / Adventure Movies";
      //
      // menuStrip1
```

```
//
      this.menuStrip1.BackColor = System.Drawing.Color.FloralWhite;
      this.menuStrip1.ImageScalingSize = new System.Drawing.Size(20, 20);
      this.menuStrip1.Items.AddRange(new System.Windows.Forms.ToolStripItem[] {
      this.homeToolStripMenuItem,
      this.closeToolStripMenuItem});
      this.menuStrip1.Location = new System.Drawing.Point(0, 0);
      this.menuStrip1.Name = "menuStrip1";
      this.menuStrip1.Size = new System.Drawing.Size(1009, 32);
      this.menuStrip1.TabIndex = 10;
      this.menuStrip1.Text = "menuStrip1";
      //
      // homeToolStripMenuItem
      //
      this.homeToolStripMenuItem.Font = new System.Drawing.Font("Palatino
Linotype", 10.8F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point,
((byte)(0)));
      this.homeToolStripMenuItem.Name = "homeToolStripMenuItem";
      this.homeToolStripMenuItem.Size = new System.Drawing.Size(74, 28);
      this.homeToolStripMenuItem.Text = "Home";
      this.homeToolStripMenuItem.Click += new
System.EventHandler(this.homeToolStripMenuItem Click);
      //
      // closeToolStripMenuItem
      //
      this.closeToolStripMenuItem.Font = new System.Drawing.Font("Palatino
Linotype", 10.8F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point,
((byte)(0));
      this.closeToolStripMenuItem.Name = "closeToolStripMenuItem";
      this.closeToolStripMenuItem.Size = new System.Drawing.Size(70, 28);
```

```
this.closeToolStripMenuItem.Text = "Close";
      this.closeToolStripMenuItem.Click += new
System.EventHandler(this.closeToolStripMenuItem_Click);
      //
      // pictureBox5
      //
      this.pictureBox5.Image = global::CRUD_Test.Properties.Resources.download__1_;
      this.pictureBox5.Location = new System.Drawing.Point(880, 3);
      this.pictureBox5.Name = "pictureBox5";
      this.pictureBox5.Size = new System.Drawing.Size(113, 75);
      this.pictureBox5.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
      this.pictureBox5.TabIndex = 11;
      this.pictureBox5.TabStop = false;
      //
      // pictureBox4
      //
      this.pictureBox4.Image = global::CRUD_Test.Properties.Resources._4;
      this.pictureBox4.Location = new System.Drawing.Point(764, 135);
      this.pictureBox4.Name = "pictureBox4";
      this.pictureBox4.Size = new System.Drawing.Size(174, 241);
      this.pictureBox4.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
      this.pictureBox4.TabIndex = 3;
      this.pictureBox4.TabStop = false;
      this.pictureBox4.Click += new System.EventHandler(this.pictureBox4 Click);
      //
      // pictureBox3
      //
```

```
this.pictureBox3.Image = global::CRUD Test.Properties.Resources. 3;
      this.pictureBox3.Location = new System.Drawing.Point(520, 135);
      this.pictureBox3.Name = "pictureBox3";
      this.pictureBox3.Size = new System.Drawing.Size(169, 241);
      this.pictureBox3.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
      this.pictureBox3.TabIndex = 2;
      this.pictureBox3.TabStop = false;
      this.pictureBox3.Click += new System.EventHandler(this.pictureBox3_Click);
      //
      // pictureBox2
      //
      this.pictureBox2.Image = global::CRUD_Test.Properties.Resources._2;
      this.pictureBox2.Location = new System.Drawing.Point(276, 135);
      this.pictureBox2.Name = "pictureBox2";
      this.pictureBox2.Size = new System.Drawing.Size(177, 241);
      this.pictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
      this.pictureBox2.TabIndex = 1;
      this.pictureBox2.TabStop = false;
      this.pictureBox2.Click += new System.EventHandler(this.pictureBox2_Click);
      //
      // pictureBox1
      //
      this.pictureBox1.Image = global::CRUD_Test.Properties.Resources._1;
      this.pictureBox1.Location = new System.Drawing.Point(53, 135);
      this.pictureBox1.Name = "pictureBox1";
      this.pictureBox1.Size = new System.Drawing.Size(167, 241);
```

```
this.pictureBox1.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
      this.pictureBox1.TabIndex = 0;
      this.pictureBox1.TabStop = false;
      this.pictureBox1.Click += new System.EventHandler(this.pictureBox1_Click);
      //
      // Action
      //
      this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
      this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
      this.ClientSize = new System.Drawing.Size(1005, 515);
      this.Controls.Add(this.panel1);
      this.ForeColor = System.Drawing.Color.Transparent;
      this.Icon = ((System.Drawing.Icon)(resources.GetObject("$this.Icon")));
      this.MainMenuStrip = this.menuStrip1;
      this.Name = "Action";
      this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
      this.Text = "Action";
      this.panel1.ResumeLayout(false);
      this.panel1.PerformLayout();
      this.menuStrip1.ResumeLayout(false);
      this.menuStrip1.PerformLayout();
      ((System.ComponentModel.ISupportInitialize)(this.pictureBox5)).EndInit();
      ((System.ComponentModel.ISupportInitialize)(this.pictureBox4)).EndInit();
      ((System.ComponentModel.ISupportInitialize)(this.pictureBox3)).EndInit();
      ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
      ((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).EndInit();
      this.ResumeLayout(false);
```

```
}
    #endregion
    private System. Windows. Forms. Panel panel1;
    private System.Windows.Forms.Button btnJohnWick3;
    private System.Windows.Forms.Label label1;
    private System.Windows.Forms.PictureBox pictureBox4;
    private System. Windows. Forms. Picture Box picture Box 3;
    private System.Windows.Forms.PictureBox pictureBox2;
    private System.Windows.Forms.Button button4;
    private System.Windows.Forms.Button button2;
    private System.Windows.Forms.Button button3;
    private System.Windows.Forms.PictureBox pictureBox1;
    private System.Windows.Forms.MenuStrip menuStrip1;
    private System.Windows.Forms.ToolStripMenuItem homeToolStripMenuItem;
    private System.Windows.Forms.ToolStripMenuItem closeToolStripMenuItem;
    private System. Windows. Forms. Picture Box picture Box 5;
Action details form
namespace CRUD_Test
  partial class ActionDetails
  {
```

```
/// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed;
otherwise, false.</param>
    protected override void Dispose(bool disposing)
      if (disposing && (components != null))
      {
        components.Dispose();
      base.Dispose(disposing);
    }
    #region Windows Form Designer generated code
    /// <summary>
    /// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
      System.ComponentModel.ComponentResourceManager resources = new
System.ComponentModel.ComponentResourceManager(typeof(ActionDetails));
```

```
this.label1 = new System.Windows.Forms.Label();
this.label2 = new System.Windows.Forms.Label();
this.label3 = new System.Windows.Forms.Label();
this.label4 = new System.Windows.Forms.Label();
this.txtMovieName = new System.Windows.Forms.TextBox();
this.dsAction1 = new CRUD_Test.DsAction();
this.txtSummary = new System.Windows.Forms.TextBox();
this.txtDirector = new System.Windows.Forms.TextBox();
this.txtTopCast = new System.Windows.Forms.TextBox();
this.sqlSelectCommand1 = new System.Data.SqlClient.SqlCommand();
this.sqlConnection1 = new System.Data.SqlClient.SqlConnection();
this.sqlInsertCommand1 = new System.Data.SqlClient.SqlCommand();
this.sqlDataAdapter1 = new System.Data.SqlClient.SqlDataAdapter();
this.btnPrev = new System.Windows.Forms.Button();
this.btnLoad = new System.Windows.Forms.Button();
this.btnNext = new System.Windows.Forms.Button();
this.label5 = new System.Windows.Forms.Label();
this.menuStrip1 = new System.Windows.Forms.MenuStrip();
this.homeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
this.closeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
this.pictureBox2 = new System.Windows.Forms.PictureBox();
((System.ComponentModel.ISupportInitialize)(this.dsAction1)).BeginInit();
this.menuStrip1.SuspendLayout();
((System. Component Model. IS upport Initialize) (this.picture Box 2)). Begin Init();\\
this.SuspendLayout();
//
// label1
//
```

```
this.label1.AutoSize = true;
       this.label1.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label1.ForeColor = System.Drawing.Color.White;
       this.label1.Location = new System.Drawing.Point(34, 105);
       this.label1.Name = "label1";
       this.label1.Size = new System.Drawing.Size(145, 27);
       this.label1.TabIndex = 0;
      this.label1.Text = "Movie Name : ";
      //
      // label2
      //
      this.label2.AutoSize = true;
       this.label2.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label2.ForeColor = System.Drawing.Color.White;
       this.label2.Location = new System.Drawing.Point(34, 175);
       this.label2.Name = "label2";
       this.label2.Size = new System.Drawing.Size(156, 27);
       this.label2.TabIndex = 1;
       this.label2.Text = "Plot Summary : ";
      //
      // label3
      //
      this.label3.AutoSize = true;
       this.label3.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label3.ForeColor = System.Drawing.Color.White;
       this.label3.Location = new System.Drawing.Point(34, 487);
```

```
this.label3.Name = "label3";
      this.label3.Size = new System.Drawing.Size(103, 27);
      this.label3.TabIndex = 2;
      this.label3.Text = "Director : ";
      //
      // label4
      //
      this.label4.AutoSize = true;
      this.label4.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.label4.ForeColor = System.Drawing.Color.White;
      this.label4.Location = new System.Drawing.Point(34, 551);
      this.label4.Name = "label4";
      this.label4.Size = new System.Drawing.Size(109, 27);
      this.label4.TabIndex = 3;
      this.label4.Text = "Top Cast : ";
      //
      // txtMovieName
      //
      this.txtMovieName.BackColor = System.Drawing.Color.FloralWhite;
      this.txtMovieName.DataBindings.Add(new
System.Windows.Forms.Binding("Text", this.dsAction1, "ActionDB.Movie_Name", true));
      this.txtMovieName.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.txtMovieName.Location = new System.Drawing.Point(219, 105);
      this.txtMovieName.Multiline = true;
      this.txtMovieName.Name = "txtMovieName";
      this.txtMovieName.Size = new System.Drawing.Size(431, 38);
      this.txtMovieName.TabIndex = 4;
```

```
//
      // dsAction1
      //
      this.dsAction1.DataSetName = "DsAction";
      this.dsAction1.SchemaSerializationMode =
System.Data.SchemaSerializationMode.IncludeSchema;
      //
      // txtSummary
      //
      this.txtSummary.BackColor = System.Drawing.Color.FloralWhite;
      this.txtSummary.DataBindings.Add(new System.Windows.Forms.Binding("Text",
this.dsAction1, "ActionDB.Plot_Summary", true));
      this.txtSummary.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.txtSummary.Location = new System.Drawing.Point(219, 166);
      this.txtSummary.Multiline = true;
      this.txtSummary.Name = "txtSummary";
      this.txtSummary.Size = new System.Drawing.Size(536, 302);
      this.txtSummary.TabIndex = 5;
      //
      // txtDirector
      //
      this.txtDirector.BackColor = System.Drawing.Color.FloralWhite;
      this.txtDirector.DataBindings.Add(new System.Windows.Forms.Binding("Text",
this.dsAction1, "ActionDB.Director", true));
      this.txtDirector.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.txtDirector.Location = new System.Drawing.Point(219, 487);
      this.txtDirector.Multiline = true;
      this.txtDirector.Name = "txtDirector";
```

```
this.txtDirector.Size = new System.Drawing.Size(246, 30);
      this.txtDirector.TabIndex = 6;
      //
      // txtTopCast
      //
      this.txtTopCast.BackColor = System.Drawing.Color.FloralWhite;
      this.txtTopCast.DataBindings.Add(new System.Windows.Forms.Binding("Text",
this.dsAction1, "ActionDB.Top_cast", true));
      this.txtTopCast.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.txtTopCast.Location = new System.Drawing.Point(219, 540);
      this.txtTopCast.Multiline = true;
      this.txtTopCast.Name = "txtTopCast";
      this.txtTopCast.Size = new System.Drawing.Size(546, 68);
      this.txtTopCast.TabIndex = 7;
      //
      // sqlSelectCommand1
      //
      this.sqlSelectCommand1.CommandText = "SELECT ActionDB.*\r\nFROM
ActionDB";
      this.sqlSelectCommand1.Connection = this.sqlConnection1;
      //
      // sqlConnection1
      //
      this.sqlConnection1.ConnectionString = "Data
Source=localhost\\SQLEXPRESS;Initial Catalog=SandunDB;Integrated Security=Tru" +
  "e":
      this.sqlConnection1.FireInfoMessageEventOnUserErrors = false;
      //
      // sqlInsertCommand1
```

```
//
      this.sqlInsertCommand1.CommandText = "INSERT INTO [ActionDB]
([Movie_Name], [Plot_Summary], [Director], [Top_cast]) VAL'' +
  "UES (@Movie Name, @Plot Summary, @Director, @Top cast)";
      this.sqlInsertCommand1.Connection = this.sqlConnection1;
      this.sqlInsertCommand1.Parameters.AddRange(new
System.Data.SqlClient.SqlParameter[] {
      new System.Data.SqlClient.SqlParameter("@Movie Name",
System.Data.SqlDbType.VarChar, 0, "Movie Name"),
      new System.Data.SqlClient.SqlParameter("@Plot_Summary",
System.Data.SqlDbType.VarChar, 0, "Plot Summary"),
      new System.Data.SqlClient.SqlParameter("@Director",
System.Data.SqlDbType.VarChar, 0, "Director"),
      new System.Data.SqlClient.SqlParameter("@Top_cast",
System.Data.SqlDbType.VarChar, 0, "Top_cast")});
      //
      // sqlDataAdapter1
      //
      this.sqlDataAdapter1.InsertCommand = this.sqlInsertCommand1;
      this.sqlDataAdapter1.SelectCommand = this.sqlSelectCommand1;
      this.sqlDataAdapter1.TableMappings.AddRange(new
System.Data.Common.DataTableMapping[] {
      new System.Data.Common.DataTableMapping("Table", "ActionDB", new
System.Data.Common.DataColumnMapping[] {
            new System.Data.Common.DataColumnMapping("Movie Name",
"Movie Name"),
            new System.Data.Common.DataColumnMapping("Plot_Summary",
"Plot Summary"),
            new System.Data.Common.DataColumnMapping("Director", "Director"),
            new System.Data.Common.DataColumnMapping("Top_cast",
"Top_cast")})});
      //
```

```
// btnPrev
      //
      this.btnPrev.BackColor = System.Drawing.Color.FloralWhite;
      this.btnPrev.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.btnPrev.Location = new System.Drawing.Point(128, 633);
      this.btnPrev.Name = "btnPrev";
      this.btnPrev.Size = new System.Drawing.Size(128, 35);
      this.btnPrev.TabIndex = 8;
      this.btnPrev.Text = "Prev";
      this.btnPrev.UseVisualStyleBackColor = false;
      this.btnPrev.Click += new System.EventHandler(this.btnPrev_Click);
      //
      // btnLoad
      //
      this.btnLoad.BackColor = System.Drawing.Color.FloralWhite;
      this.btnLoad.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.btnLoad.Location = new System.Drawing.Point(294, 633);
      this.btnLoad.Name = "btnLoad";
      this.btnLoad.Size = new System.Drawing.Size(132, 35);
      this.btnLoad.TabIndex = 9;
      this.btnLoad.Text = "Load";
      this.btnLoad.UseVisualStyleBackColor = false;
      this.btnLoad.Click += new System.EventHandler(this.btnLoad Click);
      //
      // btnNext
      //
      this.btnNext.BackColor = System.Drawing.Color.FloralWhite;
```

```
this.btnNext.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.btnNext.Location = new System.Drawing.Point(456, 633);
      this.btnNext.Name = "btnNext";
      this.btnNext.Size = new System.Drawing.Size(135, 35);
      this.btnNext.TabIndex = 10;
      this.btnNext.Text = "Next";
      this.btnNext.UseVisualStyleBackColor = false;
      this.btnNext.Click += new System.EventHandler(this.btnNext_Click);
      //
      // label5
      //
      this.label5.AutoSize = true;
      this.label5.BackColor = System.Drawing.Color.Transparent;
      this.label5.Font = new System.Drawing.Font("Times New Roman", 19.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
      this.label5.ForeColor = System.Drawing.Color.White;
      this.label5.Location = new System.Drawing.Point(287, 36);
      this.label5.Name = "label5";
      this.label5.Size = new System.Drawing.Size(220, 37);
      this.label5.TabIndex = 11;
      this.label5.Text = " Movie Details";
      //
      // menuStrip1
      //
      this.menuStrip1.BackColor = System.Drawing.Color.FloralWhite;
      this.menuStrip1.ImageScalingSize = new System.Drawing.Size(20, 20);
      this.menuStrip1.Items.AddRange(new System.Windows.Forms.ToolStripItem[] {
      this.homeToolStripMenuItem,
```

```
this.closeToolStripMenuItem});
      this.menuStrip1.Location = new System.Drawing.Point(0, 0);
      this.menuStrip1.Name = "menuStrip1";
      this.menuStrip1.Size = new System.Drawing.Size(800, 31);
      this.menuStrip1.TabIndex = 12;
      this.menuStrip1.Text = "menuStrip1";
      //
      // homeToolStripMenuItem
      //
      this.homeToolStripMenuItem.Font = new System.Drawing.Font("Palatino
Linotype", 10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point,
((byte)(0));
      this.homeToolStripMenuItem.Name = "homeToolStripMenuItem";
      this.homeToolStripMenuItem.Size = new System.Drawing.Size(70, 27);
      this.homeToolStripMenuItem.Text = "Home";
      this.homeToolStripMenuItem.Click += new
System.EventHandler(this.homeToolStripMenuItem_Click);
      //
      // closeToolStripMenuItem
      //
      this.closeToolStripMenuItem.Font = new System.Drawing.Font("Palatino
Linotype", 10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point,
((byte)(0)));
      this.closeToolStripMenuItem.Name = "closeToolStripMenuItem";
      this.closeToolStripMenuItem.Size = new System.Drawing.Size(66, 27);
      this.closeToolStripMenuItem.Text = "Close";
      this.closeToolStripMenuItem.Click += new
System.EventHandler(this.closeToolStripMenuItem Click);
      //
      // pictureBox2
```

```
//
      this.pictureBox2.Image = global::CRUD_Test.Properties.Resources.download__1_;
      this.pictureBox2.Location = new System.Drawing.Point(687, 0);
      this.pictureBox2.Name = "pictureBox2";
      this.pictureBox2.Size = new System.Drawing.Size(113, 75);
      this.pictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
      this.pictureBox2.TabIndex = 13;
      this.pictureBox2.TabStop = false;
      //
      // ActionDetails
      //
      this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
      this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
      this.BackColor = System.Drawing.Color.CadetBlue;
      this.ClientSize = new System.Drawing.Size(800, 690);
      this.Controls.Add(this.pictureBox2);
      this.Controls.Add(this.menuStrip1);
      this.Controls.Add(this.label5);
      this.Controls.Add(this.btnNext);
      this.Controls.Add(this.btnLoad);
      this.Controls.Add(this.btnPrev);
      this.Controls.Add(this.txtTopCast);
      this.Controls.Add(this.txtDirector);
      this.Controls.Add(this.txtSummary);
      this.Controls.Add(this.txtMovieName);
      this.Controls.Add(this.label4);
      this.Controls.Add(this.label3);
      this.Controls.Add(this.label2);
```

```
this.Controls.Add(this.label1);
  this.Icon = ((System.Drawing.Icon)(resources.GetObject("$this.Icon")));
  this.Name = "ActionDetails";
  this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
  this.Text = "Movies Details";
  ((System.ComponentModel.ISupportInitialize)(this.dsAction1)).EndInit();
  this.menuStrip1.ResumeLayout(false);
  this.menuStrip1.PerformLayout();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
  this.ResumeLayout(false);
  this.PerformLayout();
#endregion
private System. Windows. Forms. Label label 1;
private System.Windows.Forms.Label label2;
private System.Windows.Forms.Label label3;
private System. Windows. Forms. Label label 4;
private System.Windows.Forms.TextBox txtMovieName;
private System. Windows. Forms. TextBox txtSummary;
private System.Windows.Forms.TextBox txtDirector;
private System.Windows.Forms.TextBox txtTopCast;
private System.Data.SqlClient.SqlCommand sqlSelectCommand1;
private System.Data.SqlClient.SqlConnection sqlConnection1;
private System.Data.SqlClient.SqlCommand sqlInsertCommand1;
private System.Data.SqlClient.SqlDataAdapter sqlDataAdapter1;
```

```
private DsAction dsAction1;
    private System. Windows. Forms. Button btnPrev;
    private System.Windows.Forms.Button btnLoad;
    private System.Windows.Forms.Button btnNext;
    private System. Windows. Forms. Label label 5;
    private System. Windows. Forms. MenuStrip menuStrip1;
    private System. Windows. Forms. ToolStripMenuItem homeToolStripMenuItem;
    private System. Windows. Forms. ToolStripMenuItem closeToolStripMenuItem;
    private System.Windows.Forms.PictureBox pictureBox2;
  }
Customer details form
namespace CRUD_Test
  partial class CustomerD
    /// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed; otherwise,
false.</param>
    protected override void Dispose(bool disposing)
      if (disposing && (components != null))
         components.Dispose();
      base.Dispose(disposing);
    #region Windows Form Designer generated code
```

```
/// <summary>
    /// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
       this.components = new System.ComponentModel.Container();
       System.ComponentModel.ComponentResourceManager resources = new
System.ComponentModel.ComponentResourceManager(typeof(CustomerD));
       this.label1 = new System.Windows.Forms.Label();
       this.txtNameCustomer = new System.Windows.Forms.TextBox();
       this.txtCustomerNo = new System.Windows.Forms.TextBox();
       this.label2 = new System.Windows.Forms.Label();
       this.btnAccept = new System.Windows.Forms.Button();
       this.btnExit = new System.Windows.Forms.Button();
       this.errorProvider = new System.Windows.Forms.ErrorProvider(this.components);
       this.label3 = new System.Windows.Forms.Label();
       this.pictureBox2 = new System.Windows.Forms.PictureBox();
       ((System.ComponentModel.ISupportInitialize)(this.errorProvider)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).BeginInit();
       this.SuspendLayout();
      //
      // label1
       //
       this.label1.Anchor =
((System.Windows.Forms.AnchorStyles)((((System.Windows.Forms.AnchorStyles.Top |
System. Windows. Forms. Anchor Styles. Bottom)
       | System.Windows.Forms.AnchorStyles.Left)
       | System.Windows.Forms.AnchorStyles.Right)));
       this.label1.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label1.ForeColor = System.Drawing.SystemColors.Control;
       this.label1.Location = new System.Drawing.Point(12, 116);
       this.label1.Name = "label1";
       this.label1.Size = new System.Drawing.Size(289, 90);
       this.label1.TabIndex = 0;
       this.label1.Text = "Customer ID and Seats No \r \ (xxxx - 2,3)\r \ ";
      // txtNameCustomer
       this.txtNameCustomer.Font = new System.Drawing.Font("Microsoft Sans Serif", 12F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.txtNameCustomer.Location = new System.Drawing.Point(288, 116);
       this.txtNameCustomer.Name = "txtNameCustomer";
       this.txtNameCustomer.Size = new System.Drawing.Size(257, 30);
```

```
this.txtNameCustomer.TabIndex = 1;
      // txtCustomerNo
      this.txtCustomerNo.Font = new System.Drawing.Font("Microsoft Sans Serif", 12F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.txtCustomerNo.Location = new System.Drawing.Point(288, 195);
       this.txtCustomerNo.Name = "txtCustomerNo";
       this.txtCustomerNo.Size = new System.Drawing.Size(257, 30);
      this.txtCustomerNo.TabIndex = 3:
      //
      // label2
       this.label2.Anchor =
((System.Windows.Forms.AnchorStyles)((((System.Windows.Forms.AnchorStyles.Top |
System. Windows. Forms. Anchor Styles. Bottom)
       System.Windows.Forms.AnchorStyles.Left)
       | System.Windows.Forms.AnchorStyles.Right)));
       this.label2.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label2.ForeColor = System.Drawing.SystemColors.Control;
       this.label2.Location = new System.Drawing.Point(12, 195);
       this.label2.Name = "label2";
       this.label2.Size = new System.Drawing.Size(225, 70);
       this.label2.TabIndex = 2;
       this.label2.Text = "Customer No";
      // btnAccept
      this.btnAccept.BackColor = System.Drawing.Color.FloralWhite;
       this.btnAccept.Font = new System.Drawing.Font("Palatino Linotype", 16.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnAccept.ForeColor = System.Drawing.Color.CadetBlue;
       this.btnAccept.Location = new System.Drawing.Point(165, 253);
       this.btnAccept.Name = "btnAccept";
       this.btnAccept.Size = new System.Drawing.Size(198, 57);
       this.btnAccept.TabIndex = 4;
       this.btnAccept.Text = "Accept";
       this.btnAccept.UseVisualStyleBackColor = false;
             this.btnAccept.Click += new System.EventHandler(this.btnAccept_Click);
             //
             // btnExit
             this.btnExit.BackColor = System.Drawing.Color.IndianRed;
             this.btnExit.Font = new System.Drawing.Font("Microsoft Sans Serif", 12F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
            this.btnExit.Location = new System.Drawing.Point(474, 336);
            this.btnExit.Name = "btnExit";
```

```
this.btnExit.Size = new System.Drawing.Size(96, 35);
            this.btnExit.TabIndex = 5;
            this.btnExit.Text = "Exit";
            this.btnExit.UseVisualStyleBackColor = false;
            this.btnExit.Click += new System.EventHandler(this.btnExit_Click);
            // errorProvider
            //
            this.errorProvider.ContainerControl = this;
            // label3
            //
            this.label3.AutoSize = true;
            this.label3.BackColor = System.Drawing.Color.Transparent;
            this.label3.Font = new System.Drawing.Font("Palatino Linotype", 16.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0));
            this.label3.ForeColor = System.Drawing.Color.White;
            this.label3.Location = new System.Drawing.Point(170, 33);
            this.label3.Name = "label3";
            this.label3.Size = new System.Drawing.Size(238, 38);
            this.label3.TabIndex = 6;
            this.label3.Text = "Customer Details";
            //
            // pictureBox2
            //
            this.pictureBox2.Image =
global::CRUD_Test.Properties.Resources.download__1_;
            this.pictureBox2.Location = new System.Drawing.Point(503, 12);
            this.pictureBox2.Name = "pictureBox2";
            this.pictureBox2.Size = new System.Drawing.Size(113, 75);
            this.pictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
            this.pictureBox2.TabIndex = 7;
            this.pictureBox2.TabStop = false;
            // CustomerD
            this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
            this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
            this.BackColor = System.Drawing.Color.CadetBlue;
            this.ClientSize = new System.Drawing.Size(619, 419);
            this.Controls.Add(this.pictureBox2);
            this.Controls.Add(this.label3);
            this.Controls.Add(this.btnExit);
            this.Controls.Add(this.btnAccept);
            this.Controls.Add(this.txtCustomerNo);
            this.Controls.Add(this.label2);
            this.Controls.Add(this.txtNameCustomer);
            this.Controls.Add(this.label1);
            this.Icon = ((System.Drawing.Icon)(resources.GetObject("$this.Icon")));
            this.Name = "CustomerD";
            this.StartPosition =
System.Windows.Forms.FormStartPosition.CenterScreen;
            this.Text = "Customer";
((System.ComponentModel.ISupportInitialize)(this.errorProvider)).EndInit();
((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
```

```
this.ResumeLayout(false);
            this.PerformLayout();
        }
        #endregion
        private System.Windows.Forms.Label label1;
        public System.Windows.Forms.TextBox txtNameCustomer;
        public System.Windows.Forms.TextBox txtCustomerNo;
        private System.Windows.Forms.Label label2;
        private System.Windows.Forms.Button btnAccept;
        private System.Windows.Forms.Button btnExit;
        private System.Windows.Forms.ErrorProvider errorProvider;
        private System.Windows.Forms.Label label3;
        private System.Windows.Forms.PictureBox pictureBox2;
    }
}
Family form
namespace CRUD_Test
  partial class Family
    /// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed; otherwise,
false.</param>
    protected override void Dispose(bool disposing)
      if (disposing && (components != null))
```

```
components.Dispose();
      base.Dispose(disposing);
    #region Windows Form Designer generated code
    /// <summary>
    /// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
      System.ComponentModel.ComponentResourceManager resources = new
System.ComponentModel.ComponentResourceManager(typeof(Family));
       this.panel1 = new System.Windows.Forms.Panel();
       this.button4 = new System.Windows.Forms.Button();
       this.button2 = new System.Windows.Forms.Button();
       this.button3 = new System.Windows.Forms.Button();
       this.btnJohnWick3 = new System.Windows.Forms.Button();
       this.label1 = new System.Windows.Forms.Label();
       this.menuStrip1 = new System.Windows.Forms.MenuStrip();
       this.homeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
       this.closeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
       this.pictureBox2 = new System.Windows.Forms.PictureBox();
       this.pictureBoxF4 = new System.Windows.Forms.PictureBox();
       this.pictureBoxF3 = new System.Windows.Forms.PictureBox();
       this.pictureBoxF2 = new System.Windows.Forms.PictureBox();
```

```
this.pictureBoxF1 = new System.Windows.Forms.PictureBox();
this.panel1.SuspendLayout();
this.menuStrip1.SuspendLayout();
((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.pictureBoxF4)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.pictureBoxF3)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.pictureBoxF2)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.pictureBoxF1)).BeginInit();
this.SuspendLayout();
//
// panel1
//
this.panel1.BackColor = System.Drawing.Color.FloralWhite;
this.panel1.Controls.Add(this.pictureBox2);
this.panel1.Controls.Add(this.button4);
this.panel1.Controls.Add(this.button2);
this.panel1.Controls.Add(this.button3);
this.panel1.Controls.Add(this.btnJohnWick3);
this.panel1.Controls.Add(this.label1);
this.panel1.Controls.Add(this.pictureBoxF4);
this.panel1.Controls.Add(this.pictureBoxF3);
this.panel1.Controls.Add(this.pictureBoxF2);
this.panel1.Controls.Add(this.pictureBoxF1);
this.panel1.Controls.Add(this.menuStrip1);
this.panel1.Location = new System.Drawing.Point(-5, 3);
this.panel1.Name = "panel1";
this.panel1.Size = new System.Drawing.Size(1026, 526);
this.panel1.TabIndex = 1;
```

```
//
       // button4
       //
       this.button4.BackColor = System.Drawing.Color.CadetBlue;
       this.button4.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button4.ForeColor = System.Drawing.Color.White;
       this.button4.Location = new System.Drawing.Point(764, 411);
       this.button4.Name = "button4";
       this.button4.Size = new System.Drawing.Size(174, 36);
       this.button4.TabIndex = 9;
       this.button4.Text = "Trailer";
       this.button4.UseVisualStyleBackColor = false;
       //
       // button2
       //
       this.button2.BackColor = System.Drawing.Color.CadetBlue;
       this.button2.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button2.ForeColor = System.Drawing.Color.White;
       this.button2.Location = new System.Drawing.Point(520, 411);
       this.button2.Name = "button2";
       this.button2.Size = new System.Drawing.Size(169, 36);
       this.button2.TabIndex = 8;
       this.button2.Text = "Trailer";
       this.button2.UseVisualStyleBackColor = false;
       //
       // button3
       //
```

```
this.button3.BackColor = System.Drawing.Color.CadetBlue;
       this.button3.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button3.ForeColor = System.Drawing.Color.White;
       this.button3.Location = new System.Drawing.Point(276, 411);
       this.button3.Name = "button3";
       this.button3.Size = new System.Drawing.Size(177, 36);
       this.button3.TabIndex = 7;
       this.button3.Text = "Trailer";
       this.button3.UseVisualStyleBackColor = false;
       //
      // btnJohnWick3
      //
       this.btnJohnWick3.BackColor = System.Drawing.Color.CadetBlue;
       this.btnJohnWick3.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnJohnWick3.ForeColor = System.Drawing.Color.White;
       this.btnJohnWick3.Location = new System.Drawing.Point(53, 411);
       this.btnJohnWick3.Name = "btnJohnWick3";
       this.btnJohnWick3.Size = new System.Drawing.Size(167, 36);
       this.btnJohnWick3.TabIndex = 5;
       this.btnJohnWick3.Text = "Trailer";
       this.btnJohnWick3.UseVisualStyleBackColor = false;
      //
      // label1
      //
       this.label1.AutoSize = true;
       this.label1.BackColor = System.Drawing.Color.Transparent;
```

```
this.label1.Font = new System.Drawing.Font("Palatino Linotype", 19.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label1.ForeColor = System.Drawing.Color.CadetBlue;
       this.label1.Location = new System.Drawing.Point(382, 57);
       this.label1.Name = "label1";
       this.label1.Size = new System.Drawing.Size(251, 46);
       this.label1.TabIndex = 4;
       this.label1.Text = "Family Movies";
       //
      // menuStrip1
       //
       this.menuStrip1.BackColor = System.Drawing.Color.FloralWhite;
       this.menuStrip1.ImageScalingSize = new System.Drawing.Size(20, 20);
       this.menuStrip1.Items.AddRange(new System.Windows.Forms.ToolStripItem[] {
       this.homeToolStripMenuItem,
       this.closeToolStripMenuItem});
       this.menuStrip1.Location = new System.Drawing.Point(0, 0);
       this.menuStrip1.Name = "menuStrip1";
       this.menuStrip1.Size = new System.Drawing.Size(1026, 31);
       this.menuStrip1.TabIndex = 10;
       this.menuStrip1.Text = "menuStrip1";
      //
      // homeToolStripMenuItem
       //
       this.homeToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.homeToolStripMenuItem.Name = "homeToolStripMenuItem";
       this.homeToolStripMenuItem.Size = new System.Drawing.Size(70, 27);
       this.homeToolStripMenuItem.Text = "Home";
```

```
this.homeToolStripMenuItem.Click += new
System.EventHandler(this.homeToolStripMenuItem_Click);
      //
      // closeToolStripMenuItem
      //
       this.closeToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.closeToolStripMenuItem.Name = "closeToolStripMenuItem";
       this.closeToolStripMenuItem.Size = new System.Drawing.Size(66, 27);
       this.closeToolStripMenuItem.Text = "Close";
       this.closeToolStripMenuItem.Click += new
System.EventHandler(this.closeToolStripMenuItem_Click);
      //
      // pictureBox2
       //
       this.pictureBox2.Image = global::CRUD_Test.Properties.Resources.download__1_;
       this.pictureBox2.Location = new System.Drawing.Point(910, 3);
       this.pictureBox2.Name = "pictureBox2";
       this.pictureBox2.Size = new System.Drawing.Size(113, 75);
       this.pictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox2.TabIndex = 11;
       this.pictureBox2.TabStop = false;
       //
      // pictureBoxF4
       //
       this.pictureBoxF4.Image = global::CRUD_Test.Properties.Resources._42;
       this.pictureBoxF4.Location = new System.Drawing.Point(764, 135);
       this.pictureBoxF4.Name = "pictureBoxF4";
       this.pictureBoxF4.Size = new System.Drawing.Size(174, 241);
```

```
this.pictureBoxF4.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxF4.TabIndex = 3;
       this.pictureBoxF4.TabStop = false;
       this.pictureBoxF4.Click += new System.EventHandler(this.pictureBoxF4_Click);
      //
      // pictureBoxF3
       //
       this.pictureBoxF3.Image = global::CRUD_Test.Properties.Resources._32;
       this.pictureBoxF3.Location = new System.Drawing.Point(520, 135);
       this.pictureBoxF3.Name = "pictureBoxF3";
       this.pictureBoxF3.Size = new System.Drawing.Size(169, 241);
       this.pictureBoxF3.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxF3.TabIndex = 2;
       this.pictureBoxF3.TabStop = false;
       this.pictureBoxF3.Click += new System.EventHandler(this.pictureBoxF3_Click);
      //
      // pictureBoxF2
      //
       this.pictureBoxF2.Image = global::CRUD_Test.Properties.Resources._22;
       this.pictureBoxF2.Location = new System.Drawing.Point(276, 135);
       this.pictureBoxF2.Name = "pictureBoxF2";
       this.pictureBoxF2.Size = new System.Drawing.Size(177, 241);
       this.pictureBoxF2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxF2.TabIndex = 1;
       this.pictureBoxF2.TabStop = false;
       this.pictureBoxF2.Click += new System.EventHandler(this.pictureBoxF2_Click);
```

```
//
      // pictureBoxF1
      //
       this.pictureBoxF1.Image = global::CRUD_Test.Properties.Resources._13;
       this.pictureBoxF1.Location = new System.Drawing.Point(53, 135);
       this.pictureBoxF1.Name = "pictureBoxF1";
       this.pictureBoxF1.Size = new System.Drawing.Size(167, 241);
       this.pictureBoxF1.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxF1.TabIndex = 0;
       this.pictureBoxF1.TabStop = false;
       this.pictureBoxF1.Click += new System.EventHandler(this.pictureBoxF1_Click);
      //
      // Family
      //
       this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
       this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
       this.ClientSize = new System.Drawing.Size(1020, 535);
       this.Controls.Add(this.panel1);
       this.Icon = ((System.Drawing.Icon)(resources.GetObject("$this.Icon")));
       this.Name = "Family";
       this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
       this.Text = "Family";
       this.panel1.ResumeLayout(false);
       this.panel1.PerformLayout();
       this.menuStrip1.ResumeLayout(false);
       this.menuStrip1.PerformLayout();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBoxF4)).EndInit();
```

```
((System.ComponentModel.ISupportInitialize)(this.pictureBoxF3)).EndInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBoxF2)).EndInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBoxF1)).EndInit();
       this.ResumeLayout(false);
    #endregion
    private System. Windows. Forms. Panel panel1;
    private System.Windows.Forms.Button button4;
    private System. Windows. Forms. Button button2;
    private System. Windows. Forms. Button button3;
    private System. Windows. Forms. Button btn John Wick 3;
    private System. Windows. Forms. Label label1;
    private System.Windows.Forms.PictureBox pictureBoxF4;
    private System. Windows. Forms. PictureBox pictureBoxF3;
    private System.Windows.Forms.PictureBox pictureBoxF2;
    private System.Windows.Forms.PictureBox pictureBoxF1;
    private System. Windows. Forms. MenuStrip menuStrip1;
    private System. Windows. Forms. Tool Strip MenuItem home Tool Strip MenuItem;
    private System.Windows.Forms.ToolStripMenuItem closeToolStripMenuItem;
    private System. Windows. Forms. PictureBox pictureBox2;
Horror form
namespace CRUD_Test
```

```
partial class Horror
    /// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed; otherwise,
false.</param>
    protected override void Dispose(bool disposing)
       if (disposing && (components != null))
         components.Dispose();
       base.Dispose(disposing);
    #region Windows Form Designer generated code
    /// <summary>
    /// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
```

```
System.ComponentModel.ComponentResourceManager resources = new
System.ComponentModel.ComponentResourceManager(typeof(Horror));
       this.panel1 = new System.Windows.Forms.Panel();
       this.pictureBox2 = new System.Windows.Forms.PictureBox();
       this.button4 = new System.Windows.Forms.Button();
       this.button2 = new System.Windows.Forms.Button();
       this.button3 = new System.Windows.Forms.Button();
       this.btnJohnWick3 = new System.Windows.Forms.Button();
       this.label1 = new System.Windows.Forms.Label();
       this.pictureBoxH4 = new System.Windows.Forms.PictureBox();
       this.pictureBoxH3 = new System.Windows.Forms.PictureBox();
       this.pictureBoxH2 = new System.Windows.Forms.PictureBox();
       this.pictureBoxH1 = new System.Windows.Forms.PictureBox();
       this.menuStrip1 = new System.Windows.Forms.MenuStrip();
       this.homeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
       this.closeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
       this.panel1.SuspendLayout();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBoxH4)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBoxH3)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBoxH2)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBoxH1)).BeginInit();
       this.menuStrip1.SuspendLayout();
       this.SuspendLayout();
      //
      // panel1
       this.panel1.BackColor = System.Drawing.Color.FloralWhite;
```

```
this.panel1.Controls.Add(this.button4);
       this.panel1.Controls.Add(this.button2);
       this.panel1.Controls.Add(this.button3);
       this.panel1.Controls.Add(this.btnJohnWick3);
       this.panel1.Controls.Add(this.label1);
       this.panel1.Controls.Add(this.pictureBoxH4);
       this.panel1.Controls.Add(this.pictureBoxH3);
       this.panel1.Controls.Add(this.pictureBoxH2);
       this.panel1.Controls.Add(this.pictureBoxH1);
       this.panel1.Controls.Add(this.menuStrip1);
       this.panel1.Location = new System.Drawing.Point(3, 0);
       this.panel1.Name = "panel1";
       this.panel1.Size = new System.Drawing.Size(1009, 517);
       this.panel1.TabIndex = 1;
       //
       // pictureBox2
       //
       this.pictureBox2.Image = global::CRUD_Test.Properties.Resources.download__1_;
       this.pictureBox2.Location = new System.Drawing.Point(893, 0);
       this.pictureBox2.Name = "pictureBox2";
       this.pictureBox2.Size = new System.Drawing.Size(113, 75);
       this.pictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox2.TabIndex = 11;
       this.pictureBox2.TabStop = false;
       //
       // button4
       //
```

this.panel1.Controls.Add(this.pictureBox2);

```
this.button4.BackColor = System.Drawing.Color.CadetBlue;
       this.button4.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button4.ForeColor = System.Drawing.Color.White;
       this.button4.Location = new System.Drawing.Point(764, 411);
       this.button4.Name = "button4";
       this.button4.Size = new System.Drawing.Size(174, 36);
       this.button4.TabIndex = 9;
       this.button4.Text = "Trailer";
       this.button4.UseVisualStyleBackColor = false;
       //
       // button2
       //
       this.button2.BackColor = System.Drawing.Color.CadetBlue;
       this.button2.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button2.ForeColor = System.Drawing.Color.White;
       this.button2.Location = new System.Drawing.Point(520, 411);
       this.button2.Name = "button2";
       this.button2.Size = new System.Drawing.Size(169, 36);
       this.button2.TabIndex = 8;
       this.button2.Text = "Trailer";
       this.button2.UseVisualStyleBackColor = false;
       //
       // button3
       //
       this.button3.BackColor = System.Drawing.Color.CadetBlue;
       this.button3.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
```

```
this.button3.ForeColor = System.Drawing.Color.White;
       this.button3.Location = new System.Drawing.Point(276, 411);
       this.button3.Name = "button3";
       this.button3.Size = new System.Drawing.Size(177, 36);
       this.button3.TabIndex = 7;
       this.button3.Text = "Trailer";
       this.button3.UseVisualStyleBackColor = false;
      //
      // btnJohnWick3
       this.btnJohnWick3.BackColor = System.Drawing.Color.CadetBlue;
       this.btnJohnWick3.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnJohnWick3.ForeColor = System.Drawing.Color.White;
       this.btnJohnWick3.Location = new System.Drawing.Point(53, 411);
       this.btnJohnWick3.Name = "btnJohnWick3";
       this.btnJohnWick3.Size = new System.Drawing.Size(167, 36);
       this.btnJohnWick3.TabIndex = 5;
       this.btnJohnWick3.Text = "Trailer";
       this.btnJohnWick3.UseVisualStyleBackColor = false;
      //
      // label1
       //
       this.label1.AutoSize = true;
       this.label1.BackColor = System.Drawing.Color.Transparent;
       this.label1.Font = new System.Drawing.Font("Times New Roman", 19.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label1.ForeColor = System.Drawing.Color.CadetBlue;
       this.label1.Location = new System.Drawing.Point(357, 57);
```

```
this.label1.Name = "label1";
       this.label1.Size = new System.Drawing.Size(231, 37);
       this.label1.TabIndex = 4;
       this.label1.Text = "Horror Movies";
      //
      // pictureBoxH4
       //
       this.pictureBoxH4.Image = global::CRUD_Test.Properties.Resources._43;
       this.pictureBoxH4.Location = new System.Drawing.Point(764, 135);
       this.pictureBoxH4.Name = "pictureBoxH4";
       this.pictureBoxH4.Size = new System.Drawing.Size(174, 241);
       this.pictureBoxH4.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxH4.TabIndex = 3;
       this.pictureBoxH4.TabStop = false;
       this.pictureBoxH4.Click += new System.EventHandler(this.pictureBoxH4_Click);
      //
      // pictureBoxH3
      //
       this.pictureBoxH3.Image = global::CRUD_Test.Properties.Resources._33;
       this.pictureBoxH3.Location = new System.Drawing.Point(520, 135);
       this.pictureBoxH3.Name = "pictureBoxH3";
       this.pictureBoxH3.Size = new System.Drawing.Size(169, 241);
       this.pictureBoxH3.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxH3.TabIndex = 2;
       this.pictureBoxH3.TabStop = false;
       this.pictureBoxH3.Click += new System.EventHandler(this.pictureBoxH3_Click);
      //
```

```
// pictureBoxH2
       this.pictureBoxH2.Image = global::CRUD_Test.Properties.Resources._23;
       this.pictureBoxH2.Location = new System.Drawing.Point(276, 135);
       this.pictureBoxH2.Name = "pictureBoxH2";
       this.pictureBoxH2.Size = new System.Drawing.Size(177, 241);
       this.pictureBoxH2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxH2.TabIndex = 1;
       this.pictureBoxH2.TabStop = false;
       this.pictureBoxH2.Click += new System.EventHandler(this.pictureBoxH2_Click);
      //
      // pictureBoxH1
      //
       this.pictureBoxH1.Image = global::CRUD_Test.Properties.Resources._14;
       this.pictureBoxH1.Location = new System.Drawing.Point(53, 135);
       this.pictureBoxH1.Name = "pictureBoxH1";
       this.pictureBoxH1.Size = new System.Drawing.Size(167, 241);
       this.pictureBoxH1.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxH1.TabIndex = 0;
       this.pictureBoxH1.TabStop = false;
       this.pictureBoxH1.Click += new System.EventHandler(this.pictureBoxH1 Click);
      //
      // menuStrip1
      //
       this.menuStrip1.BackColor = System.Drawing.Color.FloralWhite;
       this.menuStrip1.ImageScalingSize = new System.Drawing.Size(20, 20);
       this.menuStrip1.Items.AddRange(new System.Windows.Forms.ToolStripItem[] {
```

```
this.homeToolStripMenuItem,
       this.closeToolStripMenuItem});
       this.menuStrip1.Location = new System.Drawing.Point(0, 0);
       this.menuStrip1.Name = "menuStrip1";
       this.menuStrip1.Size = new System.Drawing.Size(1009, 31);
       this.menuStrip1.TabIndex = 10;
       this.menuStrip1.Text = "menuStrip1";
      //
      // homeToolStripMenuItem
      //
       this.homeToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.homeToolStripMenuItem.Name = "homeToolStripMenuItem";
       this.homeToolStripMenuItem.Size = new System.Drawing.Size(70, 27);
       this.homeToolStripMenuItem.Text = "Home";
       this.homeToolStripMenuItem.Click += new
System.EventHandler(this.homeToolStripMenuItem Click);
      //
      // closeToolStripMenuItem
      //
       this.closeToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.closeToolStripMenuItem.Name = "closeToolStripMenuItem";
       this.closeToolStripMenuItem.Size = new System.Drawing.Size(66, 27);
       this.closeToolStripMenuItem.Text = "Close";
       this.closeToolStripMenuItem.Click += new
System.EventHandler(this.closeToolStripMenuItem_Click);
      //
      // Horror
      //
```

```
this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
  this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
  this.ClientSize = new System.Drawing.Size(1007, 510);
  this.Controls.Add(this.panel1);
  this.Icon = ((System.Drawing.Icon)(resources.GetObject("$this.Icon")));
  this.Name = "Horror";
  this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
  this.Text = "Horror";
  this.panel1.ResumeLayout(false);
  this.panel1.PerformLayout();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBoxH4)).EndInit();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBoxH3)).EndInit();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBoxH2)).EndInit();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBoxH1)).EndInit();
  this.menuStrip1.ResumeLayout(false);
  this.menuStrip1.PerformLayout();
  this.ResumeLayout(false);
#endregion
private System. Windows. Forms. Panel panel 1;
private System. Windows. Forms. Button button 4;
private System. Windows. Forms. Button button 2;
private System.Windows.Forms.Button button3;
private System. Windows. Forms. Button btn John Wick 3;
```

```
private System. Windows. Forms. Label label 1;
    private System.Windows.Forms.PictureBox pictureBoxH4;
    private System.Windows.Forms.PictureBox pictureBoxH3;
    private System.Windows.Forms.PictureBox pictureBoxH2;
    private System. Windows. Forms. PictureBox pictureBoxH1;
    private System.Windows.Forms.MenuStrip menuStrip1;
    private System.Windows.Forms.ToolStripMenuItem homeToolStripMenuItem;
    private System.Windows.Forms.ToolStripMenuItem closeToolStripMenuItem;
    private System.Windows.Forms.PictureBox pictureBox2;
Login form
namespace CRUD_Test
  partial class Login
    /// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed; otherwise,
false.</param>
    protected override void Dispose(bool disposing)
```

```
if (disposing && (components != null))
         components.Dispose();
      base.Dispose(disposing);
    #region Windows Form Designer generated code
    /// <summary>
    /// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
      System.ComponentModel.ComponentResourceManager resources = new
System.ComponentModel.ComponentResourceManager(typeof(Login));
       this.panel1 = new System.Windows.Forms.Panel();
       this.label4 = new System.Windows.Forms.Label();
       this.btnExit = new System.Windows.Forms.Button();
       this.btnLogin = new System.Windows.Forms.Button();
       this.label1 = new System.Windows.Forms.Label();
       this.cmbType = new System.Windows.Forms.ComboBox();
       this.txtPassword = new System.Windows.Forms.TextBox();
       this.label3 = new System.Windows.Forms.Label();
       this.txtName = new System.Windows.Forms.TextBox();
       this.label2 = new System.Windows.Forms.Label();
       this.pictureBox2 = new System.Windows.Forms.PictureBox();
```

```
this.pictureBox1 = new System.Windows.Forms.PictureBox();
this.panel1.SuspendLayout();
((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).BeginInit();
((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).BeginInit();
this.SuspendLayout();
//
// panel1
//
this.panel1.BackColor = System.Drawing.Color.FloralWhite;
this.panel1.Controls.Add(this.pictureBox2);
this.panel1.Controls.Add(this.label4);
this.panel1.Controls.Add(this.btnExit);
this.panel1.Controls.Add(this.btnLogin);
this.panel1.Controls.Add(this.label1);
this.panel1.Controls.Add(this.cmbType);
this.panel1.Controls.Add(this.txtPassword);
this.panel1.Controls.Add(this.label3);
this.panel1.Controls.Add(this.txtName);
this.panel1.Controls.Add(this.label2);
this.panel1.Location = new System.Drawing.Point(12, 53);
this.panel1.Name = "panel1";
this.panel1.Size = new System.Drawing.Size(438, 581);
this.panel1.TabIndex = 1;
//
// label4
//
this.label4.AutoSize = true;
this.label4.BackColor = System.Drawing.Color.Transparent;
```

```
this.label4.Font = new System.Drawing.Font("Times New Roman", 24F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label4.ForeColor = System.Drawing.Color.CadetBlue;
       this.label4.Location = new System.Drawing.Point(138, 46);
       this.label4.Name = "label4";
       this.label4.Size = new System.Drawing.Size(154, 45);
       this.label4.TabIndex = 11;
       this.label4.Text = "LOGIN";
       //
       // btnExit
       //
       this.btnExit.BackColor = System.Drawing.Color.IndianRed;
       this.btnExit.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnExit.ForeColor = System.Drawing.Color.White;
       this.btnExit.Location = new System.Drawing.Point(313, 527);
       this.btnExit.Name = "btnExit";
       this.btnExit.Size = new System.Drawing.Size(93, 36);
       this.btnExit.TabIndex = 10;
       this.btnExit.Text = "EXIT";
       this.btnExit.UseVisualStyleBackColor = false;
       this.btnExit.Click += new System.EventHandler(this.btnExit_Click);
       //
      // btnLogin
       //
       this.btnLogin.BackColor = System.Drawing.Color.CadetBlue;
       this.btnLogin.Font = new System.Drawing.Font("Times New Roman", 13.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnLogin.ForeColor = System.Drawing.Color.White;
```

```
this.btnLogin.Location = new System.Drawing.Point(123, 383);
       this.btnLogin.Name = "btnLogin";
       this.btnLogin.Size = new System.Drawing.Size(178, 50);
       this.btnLogin.TabIndex = 9;
       this.btnLogin.Text = "LOGIN";
       this.btnLogin.UseVisualStyleBackColor = false;
       this.btnLogin.Click += new System.EventHandler(this.btnLogin_Click);
       //
       // label1
       //
       this.label1.AutoSize = true;
       this.label1.BackColor = System.Drawing.Color.Transparent;
       this.label1.Font = new System.Drawing.Font("Palatino Linotype", 13.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label1.Location = new System.Drawing.Point(27, 302);
       this.label1.Name = "label1";
       this.label1.Size = new System.Drawing.Size(149, 31);
       this.label1.TabIndex = 8;
       this.label1.Text = "Select Type :";
       //
       // cmbType
       //
       this.cmbType.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.cmbType.FormattingEnabled = true;
       this.cmbType.Items.AddRange(new object[] {
       "admin",
       "user" });
       this.cmbType.Location = new System.Drawing.Point(185, 302);
```

```
this.cmbType.Name = "cmbType";
       this.cmbType.Size = new System.Drawing.Size(184, 28);
       this.cmbType.TabIndex = 7;
       // txtPassword
       //
       this.txtPassword.AllowDrop = true;
       this.txtPassword.Font = new System.Drawing.Font("Microsoft Sans Serif", 13.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.txtPassword.Location = new System.Drawing.Point(185, 224);
       this.txtPassword.Name = "txtPassword";
       this.txtPassword.PasswordChar = '*';
       this.txtPassword.Size = new System.Drawing.Size(211, 34);
       this.txtPassword.TabIndex = 5;
       //
       // label3
       //
       this.label3.AutoSize = true;
       this.label3.BackColor = System.Drawing.Color.Transparent;
       this.label3.Font = new System.Drawing.Font("Palatino Linotype", 13.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label3.Location = new System.Drawing.Point(32, 227);
       this.label3.Name = "label3";
       this.label3.Size = new System.Drawing.Size(144, 31);
       this.label3.TabIndex = 4;
       this.label3.Text = "Password: ";
       //
       // txtName
       //
```

```
this.txtName.Font = new System.Drawing.Font("Microsoft Sans Serif", 13.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.txtName.Location = new System.Drawing.Point(185, 146);
       this.txtName.Name = "txtName";
       this.txtName.Size = new System.Drawing.Size(211, 34);
       this.txtName.TabIndex = 3;
       //
      // label2
       //
       this.label2.AutoSize = true:
       this.label2.BackColor = System.Drawing.Color.Transparent;
       this.label2.Font = new System.Drawing.Font("Palatino Linotype", 13.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label2.Location = new System.Drawing.Point(25, 146);
       this.label2.Name = "label2";
       this.label2.Size = new System.Drawing.Size(151, 31);
       this.label2.TabIndex = 1;
       this.label2.Text = "User Name : ";
       //
       // pictureBox2
       //
       this.pictureBox2.Image = global::CRUD_Test.Properties.Resources.download__1_;
       this.pictureBox2.Location = new System.Drawing.Point(322, 0);
       this.pictureBox2.Name = "pictureBox2";
       this.pictureBox2.Size = new System.Drawing.Size(113, 84);
       this.pictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox2.TabIndex = 2;
       this.pictureBox2.TabStop = false;
```

```
//
      // pictureBox1
      //
       this.pictureBox1.Image =
global::CRUD_Test.Properties.Resources.Popcorn_and_movie_reel;
       this.pictureBox1.Location = new System.Drawing.Point(443, 53);
       this.pictureBox1.Name = "pictureBox1";
       this.pictureBox1.Size = new System.Drawing.Size(479, 581);
       this.pictureBox1.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox1.TabIndex = 0;
       this.pictureBox1.TabStop = false;
      //
      // Login
      //
       this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 18F);
       this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
       this.ClientSize = new System.Drawing.Size(934, 687);
       this.Controls.Add(this.panel1);
       this.Controls.Add(this.pictureBox1);
       this.Font = new System.Drawing.Font("Palatino Linotype", 7.8F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.FormBorderStyle = System.Windows.Forms.FormBorderStyle.FixedDialog;
       this.Icon = ((System.Drawing.Icon)(resources.GetObject("$this.Icon")));
       this.Name = "Login";
       this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
       this.Text = "KUSS - Movie Ticket Booking Sysytem";
       this.panel1.ResumeLayout(false);
       this.panel1.PerformLayout();
```

```
((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).EndInit();
       this.ResumeLayout(false);
    #endregion
    private System.Windows.Forms.PictureBox pictureBox1;
    private System. Windows. Forms. Panel panel1;
    private System. Windows. Forms. Label label4;
    private System. Windows. Forms. Button btnExit;
    private System. Windows. Forms. Button btnLogin;
    private System. Windows. Forms. Label label1;
    private System. Windows. Forms. ComboBox cmbType;
    private System. Windows. Forms. TextBox txtPassword;
    private System. Windows. Forms. Label label3;
    private System. Windows. Forms. TextBox txtName;
    private System. Windows. Forms. Label label2;
    private System. Windows. Forms. PictureBox pictureBox2;
Movies form
namespace CRUD_Test
  partial class Movies
```

```
/// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed; otherwise,
false.</param>
    protected override void Dispose(bool disposing)
       if (disposing && (components != null))
         components.Dispose();
       base.Dispose(disposing);
    #region Windows Form Designer generated code
    /// <summary>
    /// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
```

```
System.ComponentModel.ComponentResourceManager resources = new
System.ComponentModel.ComponentResourceManager(typeof(Movies));
       this.panel1 = new System.Windows.Forms.Panel();
       this.pictureBox6 = new System.Windows.Forms.PictureBox();
       this.label1 = new System.Windows.Forms.Label();
       this.pictureBox1 = new System.Windows.Forms.PictureBox();
       this.menuStrip1 = new System.Windows.Forms.MenuStrip();
       this.loginToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
       this.closeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
       this.panel2 = new System.Windows.Forms.Panel();
       this.btnMoviesDetails = new System.Windows.Forms.Button();
       this.btnHorror = new System.Windows.Forms.Button();
       this.btnFamily = new System.Windows.Forms.Button();
       this.btnRomance = new System.Windows.Forms.Button();
       this.btnAction = new System.Windows.Forms.Button();
       this.label5 = new System.Windows.Forms.Label();
       this.label4 = new System.Windows.Forms.Label();
       this.label3 = new System.Windows.Forms.Label();
       this.label2 = new System.Windows.Forms.Label();
       this.pictureBox5 = new System.Windows.Forms.PictureBox();
       this.pictureBox4 = new System.Windows.Forms.PictureBox();
       this.pictureBox3 = new System.Windows.Forms.PictureBox();
       this.pictureBox2 = new System.Windows.Forms.PictureBox();
       this.panel1.SuspendLayout();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox6)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).BeginInit();
       this.menuStrip1.SuspendLayout();
       this.panel2.SuspendLayout();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox5)).BeginInit();
```

```
((System.ComponentModel.ISupportInitialize)(this.pictureBox4)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox3)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).BeginInit();
       this.SuspendLayout();
       //
       // panel1
       //
       this.panel1.BackColor = System.Drawing.Color.FloralWhite;
       this.panel1.Controls.Add(this.pictureBox6);
       this.panel1.Controls.Add(this.label1);
       this.panel1.Controls.Add(this.pictureBox1);
       this.panel1.Controls.Add(this.menuStrip1);
       this.panel1.Location = new System.Drawing.Point(-2, 1);
       this.panel1.Name = "panel1";
       this.panel1.Size = new System.Drawing.Size(973, 389);
       this.panel1.TabIndex = 0;
       //
       // pictureBox6
       //
       this.pictureBox6.Image = global::CRUD_Test.Properties.Resources.download__1_;
       this.pictureBox6.Location = new System.Drawing.Point(848, 0);
       this.pictureBox6.Name = "pictureBox6";
       this.pictureBox6.Size = new System.Drawing.Size(113, 75);
       this.pictureBox6.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox6.TabIndex = 3;
       this.pictureBox6.TabStop = false;
       //
       // label1
```

```
//
       this.label1.AutoSize = true;
       this.label1.BackColor = System.Drawing.Color.FloralWhite;
       this.label1.Font = new System.Drawing.Font("Times New Roman", 22.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label1.ForeColor = System.Drawing.Color.CadetBlue;
       this.label1.Location = new System.Drawing.Point(324, 32);
       this.label1.Name = "label1";
       this.label1.Size = new System.Drawing.Size(321, 42);
       this.label1.TabIndex = 1;
       this.label1.Text = "Select the Category";
       //
      // pictureBox1
      //
       this.pictureBox1.Image = global::CRUD_Test.Properties.Resources.people;
       this.pictureBox1.Location = new System.Drawing.Point(35, 81);
       this.pictureBox1.Name = "pictureBox1";
       this.pictureBox1.Size = new System.Drawing.Size(898, 307);
       this.pictureBox1.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox1.TabIndex = 0;
       this.pictureBox1.TabStop = false;
      //
      // menuStrip1
      //
       this.menuStrip1.BackColor = System.Drawing.Color.FloralWhite;
       this.menuStrip1.ImageScalingSize = new System.Drawing.Size(20, 20);
       this.menuStrip1.Items.AddRange(new System.Windows.Forms.ToolStripItem[] {
       this.loginToolStripMenuItem,
```

```
this.closeToolStripMenuItem});
       this.menuStrip1.Location = new System.Drawing.Point(0, 0);
       this.menuStrip1.Name = "menuStrip1";
       this.menuStrip1.Size = new System.Drawing.Size(973, 31);
       this.menuStrip1.TabIndex = 2;
       this.menuStrip1.Text = "menuStrip1";
      //
      // loginToolStripMenuItem
      //
       this.loginToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.loginToolStripMenuItem.Name = "loginToolStripMenuItem";
       this.loginToolStripMenuItem.Size = new System.Drawing.Size(67, 27);
       this.loginToolStripMenuItem.Text = "Login";
       this.loginToolStripMenuItem.Click += new
System.EventHandler(this.loginToolStripMenuItem_Click);
      //
      // closeToolStripMenuItem
       this.closeToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.closeToolStripMenuItem.Name = "closeToolStripMenuItem";
       this.closeToolStripMenuItem.Size = new System.Drawing.Size(66, 27);
       this.closeToolStripMenuItem.Text = "Close";
       this.closeToolStripMenuItem.Click += new
System.EventHandler(this.closeToolStripMenuItem_Click);
      //
      // panel2
      //
       this.panel2.BackColor = System.Drawing.Color.FloralWhite;
```

```
this.panel2.Controls.Add(this.btnMoviesDetails);
       this.panel2.Controls.Add(this.btnHorror);
       this.panel2.Controls.Add(this.btnFamily);
       this.panel2.Controls.Add(this.btnRomance);
       this.panel2.Controls.Add(this.btnAction);
       this.panel2.Controls.Add(this.label5);
       this.panel2.Controls.Add(this.label4);
       this.panel2.Controls.Add(this.label3);
       this.panel2.Controls.Add(this.label2);
       this.panel2.Controls.Add(this.pictureBox5);
       this.panel2.Controls.Add(this.pictureBox4);
       this.panel2.Controls.Add(this.pictureBox3);
       this.panel2.Controls.Add(this.pictureBox2);
       this.panel2.Location = new System.Drawing.Point(-2, 384);
       this.panel2.Name = "panel2";
       this.panel2.Size = new System.Drawing.Size(976, 414);
       this.panel2.TabIndex = 1;
       //
       // btnMoviesDetails
       //
       this.btnMoviesDetails.BackColor = System.Drawing.Color.DarkKhaki;
       this.btnMoviesDetails.Font = new System.Drawing.Font("Palatino Linotype", 10.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnMoviesDetails.ForeColor = System.Drawing.Color.White;
       this.btnMoviesDetails.Location = new System.Drawing.Point(266, 361);
       this.btnMoviesDetails.Name = "btnMoviesDetails";
       this.btnMoviesDetails.Size = new System.Drawing.Size(421, 42);
       this.btnMoviesDetails.TabIndex = 11;
       this.btnMoviesDetails.Text = "Movies Details";
```

```
this.btnMoviesDetails.UseVisualStyleBackColor = false;
       this.btnMoviesDetails.Click += new System.EventHandler(this.btnMoviesDetails_Click);
      //
      // btnHorror
       //
       this.btnHorror.BackColor = System.Drawing.Color.CadetBlue;
       this.btnHorror.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnHorror.ForeColor = System.Drawing.Color.White;
       this.btnHorror.Location = new System.Drawing.Point(787, 307);
       this.btnHorror.Name = "btnHorror";
       this.btnHorror.Size = new System.Drawing.Size(130, 37);
       this.btnHorror.TabIndex = 11;
       this.btnHorror.Text = "SELECT";
       this.btnHorror.UseVisualStyleBackColor = false;
       this.btnHorror.Click += new System.EventHandler(this.btnHorror_Click);
      //
      // btnFamily
      //
       this.btnFamily.BackColor = System.Drawing.Color.CadetBlue;
       this.btnFamily.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnFamily.ForeColor = System.Drawing.Color.White;
       this.btnFamily.Location = new System.Drawing.Point(538, 307);
       this.btnFamily.Name = "btnFamily";
       this.btnFamily.Size = new System.Drawing.Size(130, 37);
       this.btnFamily.TabIndex = 10;
       this.btnFamily.Text = "SELECT";
       this.btnFamily.UseVisualStyleBackColor = false;
```

```
this.btnFamily.Click += new System.EventHandler(this.btnFamily_Click);
      //
      // btnRomance
       this.btnRomance.BackColor = System.Drawing.Color.CadetBlue;
       this.btnRomance.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnRomance.ForeColor = System.Drawing.Color.White;
       this.btnRomance.Location = new System.Drawing.Point(301, 307);
       this.btnRomance.Name = "btnRomance";
       this.btnRomance.Size = new System.Drawing.Size(130, 37);
       this.btnRomance.TabIndex = 9;
       this.btnRomance.Text = "SELECT";
       this.btnRomance.UseVisualStyleBackColor = false;
       this.btnRomance.Click += new System.EventHandler(this.btnRomance_Click);
      //
      // btnAction
      //
       this.btnAction.BackColor = System.Drawing.Color.CadetBlue;
       this.btnAction.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnAction.ForeColor = System.Drawing.Color.White;
       this.btnAction.Location = new System.Drawing.Point(60, 307);
       this.btnAction.Name = "btnAction";
       this.btnAction.Size = new System.Drawing.Size(130, 37);
       this.btnAction.TabIndex = 8;
       this.btnAction.Text = "SELECT";
       this.btnAction.UseVisualStyleBackColor = false;
       this.btnAction.Click += new System.EventHandler(this.btnAction_Click);
```

```
//
       // label5
       //
       this.label5.AutoSize = true;
       this.label5.BackColor = System.Drawing.Color.Transparent;
       this.label5.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label5.ForeColor = System.Drawing.Color.CadetBlue;
       this.label5.Location = new System.Drawing.Point(803, 16);
       this.label5.Name = "label5";
       this.label5.Size = new System.Drawing.Size(75, 27);
       this.label5.TabIndex = 7;
       this.label5.Text = "Horror";
       //
       // label4
       //
       this.label4.AutoSize = true;
       this.label4.BackColor = System.Drawing.Color.Transparent;
       this.label4.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label4.ForeColor = System.Drawing.Color.CadetBlue;
       this.label4.Location = new System.Drawing.Point(561, 16);
       this.label4.Name = "label4";
       this.label4.Size = new System.Drawing.Size(74, 27);
       this.label4.TabIndex = 6;
       this.label4.Text = "Family";
       //
       // label3
       //
```

```
this.label3.AutoSize = true;
       this.label3.BackColor = System.Drawing.Color.FloralWhite;
       this.label3.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label3.ForeColor = System.Drawing.Color.CadetBlue;
       this.label3.Location = new System.Drawing.Point(308, 16);
       this.label3.Name = "label3";
       this.label3.Size = new System.Drawing.Size(96, 27);
       this.label3.TabIndex = 5;
       this.label3.Text = "Romance";
       this.label3.Click += new System.EventHandler(this.label3_Click);
       //
       // label2
       //
       this.label2.AutoSize = true;
       this.label2.BackColor = System.Drawing.Color.Transparent;
       this.label2.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label2.ForeColor = System.Drawing.Color.CadetBlue;
       this.label2.Location = new System.Drawing.Point(30, 20);
       this.label2.Name = "label2";
       this.label2.Size = new System.Drawing.Size(186, 27);
       this.label2.TabIndex = 4;
       this.label2.Text = "Action / Adventure";
       //
       // pictureBox5
       //
       this.pictureBox5.Image =
global::CRUD_Test.Properties.Resources.medium_cover__1_1;
```

```
this.pictureBox5.Location = new System.Drawing.Point(761, 50);
       this.pictureBox5.Name = "pictureBox5";
       this.pictureBox5.Size = new System.Drawing.Size(172, 236);
       this.pictureBox5.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox5.TabIndex = 3;
       this.pictureBox5.TabStop = false;
      //
      // pictureBox4
      //
       this.pictureBox4.Image = global::CRUD_Test.Properties.Resources.medium_cover__1_;
       this.pictureBox4.Location = new System.Drawing.Point(515, 50);
       this.pictureBox4.Name = "pictureBox4";
       this.pictureBox4.Size = new System.Drawing.Size(182, 236);
       this.pictureBox4.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox4.TabIndex = 2;
       this.pictureBox4.TabStop = false;
      //
      // pictureBox3
      //
       this.pictureBox3.Image = global::CRUD_Test.Properties.Resources.medium_cover1;
       this.pictureBox3.Location = new System.Drawing.Point(276, 50);
       this.pictureBox3.Name = "pictureBox3";
       this.pictureBox3.Size = new System.Drawing.Size(177, 236);
       this.pictureBox3.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox3.TabIndex = 1;
       this.pictureBox3.TabStop = false;
```

```
//
      // pictureBox2
      //
       this.pictureBox2.Image = global::CRUD_Test.Properties.Resources.medium_cover;
       this.pictureBox2.Location = new System.Drawing.Point(35, 50);
       this.pictureBox2.Name = "pictureBox2";
       this.pictureBox2.Size = new System.Drawing.Size(173, 236);
       this.pictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox2.TabIndex = 0;
       this.pictureBox2.TabStop = false;
      //
      // Movies
      //
       this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
       this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
       this.ClientSize = new System.Drawing.Size(971, 799);
       this.Controls.Add(this.panel2);
       this.Controls.Add(this.panel1);
       this.FormBorderStyle = System.Windows.Forms.FormBorderStyle.FixedDialog;
       this.Icon = ((System.Drawing.Icon)(resources.GetObject("$this.Icon")));
       this.MainMenuStrip = this.menuStrip1;
       this.Name = "Movies";
       this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
       this.Text = "Movies";
       this.panel1.ResumeLayout(false);
       this.panel1.PerformLayout();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox6)).EndInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).EndInit();
```

```
this.menuStrip1.ResumeLayout(false);
  this.menuStrip1.PerformLayout();
  this.panel2.ResumeLayout(false);
  this.panel2.PerformLayout();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBox5)).EndInit();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBox4)).EndInit();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBox3)).EndInit();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
  this.ResumeLayout(false);
#endregion
private System. Windows. Forms. Panel panel 1;
private System.Windows.Forms.PictureBox pictureBox1;
private System. Windows. Forms. Label label 1;
private System. Windows. Forms. Panel panel2;
private System.Windows.Forms.PictureBox pictureBox5;
private System. Windows. Forms. PictureBox pictureBox4;
private System.Windows.Forms.PictureBox pictureBox3;
private System.Windows.Forms.PictureBox pictureBox2;
private System. Windows. Forms. Label label5;
private System. Windows. Forms. Label label4;
private System. Windows. Forms. Label label3;
private System. Windows. Forms. Label label2;
private System. Windows. Forms. Button btnHorror;
private System. Windows. Forms. Button btn Family;
```

```
private System. Windows. Forms. Button btnRomance;
    private System. Windows. Forms. Button btnAction;
    private System. Windows. Forms. Button btn Movies Details;
    private System.Windows.Forms.MenuStrip menuStrip1;
    private System.Windows.Forms.ToolStripMenuItem loginToolStripMenuItem;
    private System.Windows.Forms.ToolStripMenuItem closeToolStripMenuItem;
    private System. Windows. Forms. PictureBox pictureBox6;
}
Receipt form
namespace CRUD_Test
  partial class Receipt
    /// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed; otherwise,
false.</param>
    protected override void Dispose(bool disposing)
       if (disposing && (components != null))
```

```
components.Dispose();
      base.Dispose(disposing);
    #region Windows Form Designer generated code
    /// <summary>
    /// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
      System.ComponentModel.ComponentResourceManager resources = new
System.ComponentModel.ComponentResourceManager(typeof(Receipt));
       this.label1 = new System.Windows.Forms.Label();
       this.label2 = new System.Windows.Forms.Label();
       this.label3 = new System.Windows.Forms.Label();
       this.label4 = new System.Windows.Forms.Label();
       this.label5 = new System.Windows.Forms.Label();
       this.label6 = new System.Windows.Forms.Label();
       this.label7 = new System.Windows.Forms.Label();
       this.label8 = new System.Windows.Forms.Label();
       this.button1 = new System.Windows.Forms.Button();
       this.lblTitle = new System.Windows.Forms.Label();
       this.lbIID = new System.Windows.Forms.Label();
       this.lblName = new System.Windows.Forms.Label();
       this.lblCategory = new System.Windows.Forms.Label();
```

```
this.lblQTY = new System.Windows.Forms.Label();
       this.lblTotal = new System.Windows.Forms.Label();
       this.pictureBox2 = new System.Windows.Forms.PictureBox();
       this.pictureBox1 = new System.Windows.Forms.PictureBox();
       this.pictureBox3 = new System.Windows.Forms.PictureBox();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox3)).BeginInit();
       this.SuspendLayout();
       //
       // label1
       //
       this.label1.AutoSize = true:
       this.label1.BackColor = System.Drawing.Color.Transparent;
       this.label1.Font = new System.Drawing.Font("Palatino Linotype", 13.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label1.ForeColor = System.Drawing.SystemColors.ActiveCaptionText;
       this.label1.Location = new System.Drawing.Point(217, 22);
       this.label1.Name = "label1";
       this.label1.Size = new System.Drawing.Size(223, 31);
       this.label1.TabIndex = 0;
       this.label1.Text = "Booking Confirmed";
       //
       // label2
       //
       this.label2.AutoSize = true;
       this.label2.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label2.ForeColor = System.Drawing.SystemColors.Control;
```

```
this.label2.Location = new System.Drawing.Point(153, 91);
       this.label2.Name = "label2";
       this.label2.Size = new System.Drawing.Size(118, 27);
       this.label2.TabIndex = 1;
       this.label2.Text = "Movie Title";
       //
       // label3
       //
       this.label3.AutoSize = true:
       this.label3.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label3.ForeColor = System.Drawing.SystemColors.Control;
       this.label3.Location = new System.Drawing.Point(53, 260);
       this.label3.Name = "label3";
       this.label3.Size = new System.Drawing.Size(36, 20);
       this.label3.TabIndex = 2;
       this.label3.Text = "ID :";
       //
       // label4
       //
       this.label4.AutoSize = true:
       this.label4.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label4.ForeColor = System.Drawing.SystemColors.Control;
       this.label4.Location = new System.Drawing.Point(53, 313);
       this.label4.Name = "label4";
       this.label4.Size = new System.Drawing.Size(141, 20);
       this.label4.TabIndex = 3;
       this.label4.Text = "Castomer Name:";
```

```
//
       // label5
       //
       this.label5.AutoSize = true;
       this.label5.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label5.ForeColor = System.Drawing.SystemColors.Control;
       this.label5.Location = new System.Drawing.Point(53, 199);
       this.label5.Name = "label5";
       this.label5.Size = new System.Drawing.Size(86, 20);
       this.label5.TabIndex = 4;
       this.label5.Text = "Category:";
       //
       // label6
       //
       this.label6.AutoSize = true:
       this.label6.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label6.ForeColor = System.Drawing.SystemColors.Control;
       this.label6.Location = new System.Drawing.Point(389, 325);
       this.label6.Name = "label6";
       this.label6.Size = new System.Drawing.Size(81, 20);
       this.label6.TabIndex = 5;
       this.label6.Text = "Quantity:";
       //
       // label7
       //
       this.label7.AutoSize = true;
```

```
this.label7.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label7.ForeColor = System.Drawing.SystemColors.Control;
       this.label7.Location = new System.Drawing.Point(387, 398);
       this.label7.Name = "label7";
       this.label7.Size = new System.Drawing.Size(130, 20);
       this.label7.TabIndex = 6;
       this.label7.Text = "Total Price : Rs.";
       //
       // label8
       //
       this.label8.AutoSize = true:
       this.label8.BackColor = System.Drawing.Color.Transparent;
       this.label8.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label8.ForeColor = System.Drawing.SystemColors.Control;
       this.label8.Location = new System.Drawing.Point(75, 476);
       this.label8.Name = "label8";
       this.label8.Size = new System.Drawing.Size(119, 22);
       this.label8.TabIndex = 7;
       this.label8.Text = "Thank You!!";
       //
       // button1
       //
       this.button1.BackColor = System.Drawing.Color.FloralWhite;
       this.button1.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button1.ForeColor = System.Drawing.Color.CadetBlue;
       this.button1.Location = new System.Drawing.Point(79, 523);
```

```
this.button1.Name = "button1";
       this.button1.Size = new System.Drawing.Size(132, 40);
       this.button1.TabIndex = 8;
       this.button1.Text = "Print";
       this.button1.UseVisualStyleBackColor = false;
       //
       // lblTitle
       //
       this.lblTitle.AutoSize = true:
       this.lblTitle.Font = new System.Drawing.Font("Microsoft Sans Serif", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.lblTitle.ForeColor = System.Drawing.SystemColors.Control;
       this.lblTitle.Location = new System.Drawing.Point(310, 91);
       this.lblTitle.Name = "lblTitle";
       this.lblTitle.Size = new System.Drawing.Size(0, 25);
       this.lblTitle.TabIndex = 9;
       //
       // lblID
       //
       this.lblID.AutoSize = true;
       this.lbIID.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.lbIID.ForeColor = System.Drawing.SystemColors.Control;
       this.lbIID.Location = new System.Drawing.Point(201, 260);
       this.lblID.Name = "lblID";
       this.lbIID.Size = new System.Drawing.Size(0, 20);
       this.lblID.TabIndex = 10;
       //
       // lblName
```

```
//
       this.lblName.AutoSize = true;
       this.lblName.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.lblName.ForeColor = System.Drawing.SystemColors.Control;
       this.lblName.Location = new System.Drawing.Point(218, 313);
       this.lblName.Name = "lblName";
       this.lblName.Size = new System.Drawing.Size(0, 20);
       this.lblName.TabIndex = 11;
      //
      // lblCategory
       //
       this.lblCategory.AutoSize = true;
       this.lblCategory.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.lblCategory.ForeColor = System.Drawing.SystemColors.Control;
       this.lblCategory.Location = new System.Drawing.Point(201, 199);
       this.lblCategory.Name = "lblCategory";
       this.lblCategory.Size = new System.Drawing.Size(0, 20);
       this.lblCategory.TabIndex = 12;
      //
      // lblQTY
      //
       this.lblQTY.AutoSize = true;
       this.lblQTY.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.lblQTY.ForeColor = System.Drawing.SystemColors.Control;
       this.lblQTY.Location = new System.Drawing.Point(506, 325);
       this.lblQTY.Name = "lblQTY";
```

```
this.lblQTY.Size = new System.Drawing.Size(0, 20);
       this.lblQTY.TabIndex = 13;
       //
       // lblTotal
       //
       this.lblTotal.AutoSize = true;
       this.lblTotal.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.lblTotal.ForeColor = System.Drawing.SystemColors.Control;
       this.lblTotal.Location = new System.Drawing.Point(537, 398);
       this.lblTotal.Name = "lblTotal";
       this.lblTotal.Size = new System.Drawing.Size(0, 20);
       this.lblTotal.TabIndex = 14;
       //
       // pictureBox2
       //
       this.pictureBox2.Image = global::CRUD_Test.Properties.Resources.barcode__1_;
       this.pictureBox2.Location = new System.Drawing.Point(510, 523);
       this.pictureBox2.Name = "pictureBox2";
       this.pictureBox2.Size = new System.Drawing.Size(214, 63);
       this.pictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox2.TabIndex = 16;
       this.pictureBox2.TabStop = false;
       //
       // pictureBox1
       //
       this.pictureBox1.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.pictureBox1.Image = global::CRUD_Test.Properties.Resources.barcode;
```

```
this.pictureBox1.Location = new System.Drawing.Point(417, 143);
       this.pictureBox1.Name = "pictureBox1";
       this.pictureBox1.Size = new System.Drawing.Size(132, 146);
       this.pictureBox1.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox1.TabIndex = 15;
       this.pictureBox1.TabStop = false;
      //
      // pictureBox3
      //
       this.pictureBox3.Image = global::CRUD_Test.Properties.Resources.download__1_;
       this.pictureBox3.Location = new System.Drawing.Point(611, 0);
       this.pictureBox3.Name = "pictureBox3";
       this.pictureBox3.Size = new System.Drawing.Size(113, 84);
       this.pictureBox3.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox3.TabIndex = 17;
       this.pictureBox3.TabStop = false;
      //
      // Receipt
      //
       this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 18F);
       this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
       this.BackColor = System.Drawing.Color.CadetBlue;
       this.ClientSize = new System.Drawing.Size(729, 608);
       this.Controls.Add(this.pictureBox3);
       this.Controls.Add(this.pictureBox2);
       this.Controls.Add(this.pictureBox1);
       this.Controls.Add(this.lblTotal);
```

```
this.Controls.Add(this.lblQTY);
       this.Controls.Add(this.lblCategory);
       this.Controls.Add(this.lblName);
       this.Controls.Add(this.lblID);
       this.Controls.Add(this.lblTitle);
       this.Controls.Add(this.button1);
       this.Controls.Add(this.label8);
       this.Controls.Add(this.label7);
       this.Controls.Add(this.label6);
       this.Controls.Add(this.label5);
       this.Controls.Add(this.label4);
       this.Controls.Add(this.label3);
       this.Controls.Add(this.label2);
       this.Controls.Add(this.label1);
       this.Font = new System.Drawing.Font("Palatino Linotype", 7.8F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.FormBorderStyle = System.Windows.Forms.FormBorderStyle.FixedDialog;
       this.Icon = ((System.Drawing.Icon)(resources.GetObject("$this.Icon")));
       this.Name = "Receipt";
       this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
       this.Text = "Receipt";
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).EndInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox3)).EndInit();
       this.ResumeLayout(false);
       this.PerformLayout();
```

## #endregion

```
private System. Windows. Forms. Label label2;
    private System. Windows. Forms. Label label3;
    private System. Windows. Forms. Label label4;
    private System. Windows. Forms. Label label5;
    private System. Windows. Forms. Label label6;
    private System. Windows. Forms. Label label7;
    private System. Windows. Forms. Label label8;
    private System. Windows. Forms. Button button 1;
    private System. Windows. Forms. Label lblTitle;
    private System. Windows. Forms. Label lblID;
    private System. Windows. Forms. Label lblName;
    private System. Windows. Forms. Label lblCategory;
    private System.Windows.Forms.Label lblQTY;
    private System. Windows. Forms. Label lblTotal;
    private System.Windows.Forms.PictureBox pictureBox1;
    private System.Windows.Forms.PictureBox pictureBox2;
    private System. Windows. Forms. PictureBox pictureBox3;
Romance form
namespace CRUD_Test
  partial class Romance
```

private System. Windows. Forms. Label label1;

```
/// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed; otherwise,
false.</param>
    protected override void Dispose(bool disposing)
       if (disposing && (components != null))
         components.Dispose();
       base.Dispose(disposing);
    #region Windows Form Designer generated code
    /// <summary>
    /// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
```

```
System.ComponentModel.ComponentResourceManager resources = new
System.ComponentModel.ComponentResourceManager(typeof(Romance));
       this.panel1 = new System.Windows.Forms.Panel();
       this.pictureBox2 = new System.Windows.Forms.PictureBox();
       this.menuStrip1 = new System.Windows.Forms.MenuStrip();
       this.homeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
       this.closeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
       this.button4 = new System.Windows.Forms.Button();
       this.button2 = new System.Windows.Forms.Button();
       this.button1 = new System.Windows.Forms.Button();
       this.pictureBoxR4 = new System.Windows.Forms.PictureBox();
       this.pictureBoxR3 = new System.Windows.Forms.PictureBox();
       this.pictureBoxR2 = new System.Windows.Forms.PictureBox();
       this.button3 = new System.Windows.Forms.Button();
       this.label1 = new System.Windows.Forms.Label();
       this.pictureBoxR1 = new System.Windows.Forms.PictureBox();
       this.panel1.SuspendLayout();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).BeginInit();
       this.menuStrip1.SuspendLayout();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBoxR4)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBoxR3)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBoxR2)).BeginInit();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBoxR1)).BeginInit();
       this.SuspendLayout();
      //
      // panel1
      //
       this.panel1.BackColor = System.Drawing.Color.FloralWhite;
       this.panel1.Controls.Add(this.pictureBox2);
```

```
this.panel1.Controls.Add(this.menuStrip1);
       this.panel1.Controls.Add(this.button4);
       this.panel1.Controls.Add(this.button2);
       this.panel1.Controls.Add(this.button1);
       this.panel1.Controls.Add(this.pictureBoxR4);
       this.panel1.Controls.Add(this.pictureBoxR3);
       this.panel1.Controls.Add(this.pictureBoxR2);
       this.panel1.Controls.Add(this.button3);
       this.panel1.Controls.Add(this.label1);
       this.panel1.Controls.Add(this.pictureBoxR1);
       this.panel1.Location = new System.Drawing.Point(1, 2);
       this.panel1.Name = "panel1";
       this.panel1.Size = new System.Drawing.Size(994, 510);
       this.panel1.TabIndex = 0;
       //
       // pictureBox2
       //
       this.pictureBox2.Image = global::CRUD_Test.Properties.Resources.download__1_;
       this.pictureBox2.Location = new System.Drawing.Point(878, 10);
       this.pictureBox2.Name = "pictureBox2";
       this.pictureBox2.Size = new System.Drawing.Size(113, 75);
       this.pictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox2.TabIndex = 16;
       this.pictureBox2.TabStop = false;
       //
       // menuStrip1
       //
       this.menuStrip1.BackColor = System.Drawing.Color.FloralWhite;
```

```
this.menuStrip1.ImageScalingSize = new System.Drawing.Size(20, 20);
       this.menuStrip1.Items.AddRange(new System.Windows.Forms.ToolStripItem[] {
       this.homeToolStripMenuItem,
       this.closeToolStripMenuItem});
       this.menuStrip1.Location = new System.Drawing.Point(0, 0);
       this.menuStrip1.Name = "menuStrip1";
       this.menuStrip1.Size = new System.Drawing.Size(994, 31);
       this.menuStrip1.TabIndex = 15;
       this.menuStrip1.Text = "menuStrip1";
      //
      // homeToolStripMenuItem
      //
       this.homeToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.homeToolStripMenuItem.Name = "homeToolStripMenuItem";
       this.homeToolStripMenuItem.Size = new System.Drawing.Size(70, 27);
       this.homeToolStripMenuItem.Text = "Home";
       this.homeToolStripMenuItem.Click += new
System.EventHandler(this.homeToolStripMenuItem_Click);
      //
      // closeToolStripMenuItem
      //
       this.closeToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.closeToolStripMenuItem.Name = "closeToolStripMenuItem";
       this.closeToolStripMenuItem.Size = new System.Drawing.Size(66, 27);
       this.closeToolStripMenuItem.Text = "Close";
       this.closeToolStripMenuItem.Click += new
System.EventHandler(this.closeToolStripMenuItem Click);
      //
```

```
// button4
       //
       this.button4.BackColor = System.Drawing.Color.CadetBlue;
       this.button4.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button4.ForeColor = System.Drawing.Color.White;
       this.button4.Location = new System.Drawing.Point(780, 426);
       this.button4.Name = "button4";
       this.button4.Size = new System.Drawing.Size(167, 36);
       this.button4.TabIndex = 14;
       this.button4.Text = "Trailer";
       this.button4.UseVisualStyleBackColor = false;
       //
       // button2
       //
       this.button2.BackColor = System.Drawing.Color.CadetBlue;
       this.button2.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button2.ForeColor = System.Drawing.Color.White;
       this.button2.Location = new System.Drawing.Point(546, 426);
       this.button2.Name = "button2";
       this.button2.Size = new System.Drawing.Size(167, 36);
       this.button2.TabIndex = 13;
       this.button2.Text = "Trailer";
       this.button2.UseVisualStyleBackColor = false;
       //
       // button1
       //
       this.button1.BackColor = System.Drawing.Color.CadetBlue;
```

```
this.button1.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button1.ForeColor = System.Drawing.Color.White;
       this.button1.Location = new System.Drawing.Point(303, 426);
       this.button1.Name = "button1";
       this.button1.Size = new System.Drawing.Size(167, 36);
       this.button1.TabIndex = 12;
       this.button1.Text = "Trailer";
       this.button1.UseVisualStyleBackColor = false;
      //
      // pictureBoxR4
       //
       this.pictureBoxR4.Image = global::CRUD_Test.Properties.Resources._41;
       this.pictureBoxR4.Location = new System.Drawing.Point(780, 142);
       this.pictureBoxR4.Name = "pictureBoxR4";
       this.pictureBoxR4.Size = new System.Drawing.Size(167, 241);
       this.pictureBoxR4.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxR4.TabIndex = 11;
       this.pictureBoxR4.TabStop = false;
       this.pictureBoxR4.Click += new System.EventHandler(this.pictureBoxR4_Click);
      //
      // pictureBoxR3
       //
       this.pictureBoxR3.Image = global::CRUD_Test.Properties.Resources._31;
       this.pictureBoxR3.Location = new System.Drawing.Point(546, 142);
       this.pictureBoxR3.Name = "pictureBoxR3";
       this.pictureBoxR3.Size = new System.Drawing.Size(167, 241);
```

```
this.pictureBoxR3.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxR3.TabIndex = 10;
       this.pictureBoxR3.TabStop = false;
       this.pictureBoxR3.Click += new System.EventHandler(this.pictureBoxR3_Click);
      //
      // pictureBoxR2
       //
       this.pictureBoxR2.Image = global::CRUD_Test.Properties.Resources._21;
       this.pictureBoxR2.Location = new System.Drawing.Point(303, 142);
       this.pictureBoxR2.Name = "pictureBoxR2";
       this.pictureBoxR2.Size = new System.Drawing.Size(167, 241);
       this.pictureBoxR2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxR2.TabIndex = 9;
       this.pictureBoxR2.TabStop = false;
       this.pictureBoxR2.Click += new System.EventHandler(this.pictureBoxR2_Click);
      //
      // button3
      //
       this.button3.BackColor = System.Drawing.Color.CadetBlue;
       this.button3.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button3.ForeColor = System.Drawing.Color.White;
       this.button3.Location = new System.Drawing.Point(58, 426);
       this.button3.Name = "button3";
       this.button3.Size = new System.Drawing.Size(167, 36);
       this.button3.TabIndex = 8;
       this.button3.Text = "Trailer";
```

```
this.button3.UseVisualStyleBackColor = false;
      //
      // label1
       this.label1.AutoSize = true;
       this.label1.BackColor = System.Drawing.Color.Transparent;
       this.label1.Font = new System.Drawing.Font("Palatino Linotype", 19.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label1.ForeColor = System.Drawing.Color.CadetBlue;
       this.label1.Location = new System.Drawing.Point(358, 50);
       this.label1.Name = "label1";
       this.label1.Size = new System.Drawing.Size(287, 46);
       this.label1.TabIndex = 5;
       this.label1.Text = "Romance Movies";
      //
      // pictureBoxR1
      //
       this.pictureBoxR1.Image = global::CRUD_Test.Properties.Resources._12;
       this.pictureBoxR1.Location = new System.Drawing.Point(58, 142);
       this.pictureBoxR1.Name = "pictureBoxR1";
       this.pictureBoxR1.Size = new System.Drawing.Size(167, 241);
       this.pictureBoxR1.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBoxR1.TabIndex = 1;
       this.pictureBoxR1.TabStop = false;
       this.pictureBoxR1.Click += new System.EventHandler(this.pictureBoxR1_Click);
      //
      // Romance
      //
```

```
this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
  this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
  this.ClientSize = new System.Drawing.Size(991, 508);
  this.Controls.Add(this.panel1);
  this.Icon = ((System.Drawing.Icon)(resources.GetObject("$this.Icon")));
  this.Name = "Romance";
  this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
  this.Text = "Romance";
  this.panel1.ResumeLayout(false);
  this.panel1.PerformLayout();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
  this.menuStrip1.ResumeLayout(false);
  this.menuStrip1.PerformLayout();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBoxR4)).EndInit();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBoxR3)).EndInit();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBoxR2)).EndInit();
  ((System.ComponentModel.ISupportInitialize)(this.pictureBoxR1)).EndInit();
  this.ResumeLayout(false);
#endregion
private System. Windows. Forms. Panel panel 1;
private System.Windows.Forms.PictureBox pictureBoxR1;
private System. Windows. Forms. Label label 1;
private System.Windows.Forms.Button button3;
private System. Windows. Forms. Button button 4;
```

```
private System. Windows. Forms. Button button 2;
    private System.Windows.Forms.Button button1;
    private System.Windows.Forms.PictureBox pictureBoxR4;
    private System. Windows. Forms. Picture Box picture Box R3;
    private System. Windows. Forms. PictureBox pictureBoxR2;
    private System.Windows.Forms.MenuStrip menuStrip1;
    private System.Windows.Forms.ToolStripMenuItem homeToolStripMenuItem;
    private System.Windows.Forms.ToolStripMenuItem closeToolStripMenuItem;
    private System.Windows.Forms.PictureBox pictureBox2;
Seats booking form
namespace CRUD_Test
  partial class SeatsBooking
    /// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed; otherwise,
false.</param>
    protected override void Dispose(bool disposing)
```

```
if (disposing && (components != null))
        components.Dispose();
      base.Dispose(disposing);
    #region Windows Form Designer generated code
    /// <summary>
    /// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
      System.ComponentModel.ComponentResourceManager resources = new
System.ComponentModel.ComponentResourceManager(typeof(SeatsBooking));
      this.panel1 = new System.Windows.Forms.Panel();
      this.cmbMovieTitle = new System.Windows.Forms.ComboBox();
      this.lblFilmTitle = new System.Windows.Forms.Label();
      this.label1 = new System.Windows.Forms.Label();
      this.menuStrip1 = new System.Windows.Forms.MenuStrip();
      this.homeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
      this.loginToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
      this.panel2 = new System.Windows.Forms.Panel();
      this.groupBox1 = new System.Windows.Forms.GroupBox();
      this.lstCustomers = new System.Windows.Forms.ListBox();
      this.panel3 = new System.Windows.Forms.Panel();
```

```
this.groupBox2 = new System.Windows.Forms.GroupBox();
this.button37 = new System.Windows.Forms.Button();
this.btnClose = new System.Windows.Forms.Button();
this.btnTikketCalculation = new System.Windows.Forms.Button();
this.btnOrder = new System.Windows.Forms.Button();
this.lblTotalPrice = new System.Windows.Forms.Label();
this.lblPrice = new System.Windows.Forms.Label();
this.label3 = new System.Windows.Forms.Label();
this.label2 = new System.Windows.Forms.Label();
this.panel4 = new System.Windows.Forms.Panel();
this.groupBox3 = new System.Windows.Forms.GroupBox();
this.button1 = new System.Windows.Forms.Button();
this.pnChair = new System.Windows.Forms.TableLayoutPanel();
this.pictureBox2 = new System.Windows.Forms.PictureBox();
this.panel1.SuspendLayout();
this.menuStrip1.SuspendLayout();
this.panel2.SuspendLayout();
this.groupBox1.SuspendLayout();
this.panel3.SuspendLayout();
this.groupBox2.SuspendLayout();
this.panel4.SuspendLayout();
this.groupBox3.SuspendLayout();
((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).BeginInit();
this.SuspendLayout();
//
// panel1
//
this.panel1.Controls.Add(this.pictureBox2);
```

```
this.panel1.Controls.Add(this.cmbMovieTitle);
this.panel1.Controls.Add(this.lblFilmTitle);
this.panel1.Controls.Add(this.label1);
this.panel1.Controls.Add(this.menuStrip1);
this.panel1.Dock = System.Windows.Forms.DockStyle.Top;
this.panel1.Location = new System.Drawing.Point(0, 0);
this.panel1.Name = "panel1";
this.panel1.Size = new System.Drawing.Size(1015, 100);
this.panel1.TabIndex = 0;
//
// cmbMovieTitle
//
this.cmbMovieTitle.FormattingEnabled = true;
this.cmbMovieTitle.Items.AddRange(new object[] {
"John Wick 3",
"The Dark Knight",
"Black Panther",
"Inception",
"Passengers",
"Beauty and the Beast",
"Aladdin",
"Me Before You",
"Teenager Mutant Ninja Turtles: Mutant Mayhem",
"The Secret Kingdom",
"The Quest For Tom Sawyer\'s Gold",
"Asterix & Obelix: The Middle Kingdom",
"Evil Dead Rise",
"The Last Voyage Of The Demeter",
```

```
"Knock At The Cabin",
       "Insidious : The Red Door" });
       this.cmbMovieTitle.Location = new System.Drawing.Point(129, 59);
       this.cmbMovieTitle.Name = "cmbMovieTitle";
       this.cmbMovieTitle.Size = new System.Drawing.Size(198, 28);
       this.cmbMovieTitle.TabIndex = 3;
       //
       // lblFilmTitle
       //
       this.lblFilmTitle.AutoSize = true;
       this.lblFilmTitle.BackColor = System.Drawing.Color.Transparent;
       this.lblFilmTitle.Font = new System.Drawing.Font("Palatino Linotype", 10.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.lblFilmTitle.ForeColor = System.Drawing.Color.Transparent;
       this.lblFilmTitle.Location = new System.Drawing.Point(1, 59);
       this.lblFilmTitle.Name = "lblFilmTitle";
       this.lblFilmTitle.Size = new System.Drawing.Size(122, 24);
       this.lblFilmTitle.TabIndex = 1;
       this.lblFilmTitle.Text = "Movie Name:";
       //
       // label1
       //
       this.label1.BackColor = System.Drawing.Color.CadetBlue;
       this.label1.Dock = System.Windows.Forms.DockStyle.Fill;
       this.label1.Font = new System.Drawing.Font("Times New Roman", 22.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label1.ForeColor = System.Drawing.Color.White;
       this.label1.Location = new System.Drawing.Point(0, 31);
       this.label1.Name = "label1";
```

```
this.label1.Size = new System.Drawing.Size(1015, 69);
       this.label1.TabIndex = 0;
       this.label1.Text = "Seats Booking";
       this.label1.TextAlign = System.Drawing.ContentAlignment.MiddleCenter;
      //
      // menuStrip1
      //
       this.menuStrip1.BackColor = System.Drawing.Color.FloralWhite;
       this.menuStrip1.ImageScalingSize = new System.Drawing.Size(20, 20);
       this.menuStrip1.Items.AddRange(new System.Windows.Forms.ToolStripItem[] {
       this.homeToolStripMenuItem,
       this.loginToolStripMenuItem});
       this.menuStrip1.Location = new System.Drawing.Point(0, 0);
       this.menuStrip1.Name = "menuStrip1";
       this.menuStrip1.Size = new System.Drawing.Size(1015, 31);
       this.menuStrip1.TabIndex = 2;
       this.menuStrip1.Text = "menuStrip1";
      //
      // homeToolStripMenuItem
      //
      this.homeToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.homeToolStripMenuItem.Name = "homeToolStripMenuItem";
       this.homeToolStripMenuItem.Size = new System.Drawing.Size(70, 27);
       this.homeToolStripMenuItem.Text = "Home";
       this.homeToolStripMenuItem.Click += new
System.EventHandler(this.homeToolStripMenuItem_Click);
      //
      // loginToolStripMenuItem
```

```
//
       this.loginToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.loginToolStripMenuItem.Name = "loginToolStripMenuItem";
       this.loginToolStripMenuItem.Size = new System.Drawing.Size(67, 27);
       this.loginToolStripMenuItem.Text = "Login";
       this.loginToolStripMenuItem.Click += new
System.EventHandler(this.loginToolStripMenuItem_Click);
      //
      // panel2
      //
       this.panel2.Controls.Add(this.groupBox1);
       this.panel2.Dock = System.Windows.Forms.DockStyle.Left;
       this.panel2.Location = new System.Drawing.Point(0, 100);
       this.panel2.Name = "panel2";
       this.panel2.Size = new System.Drawing.Size(200, 656);
       this.panel2.TabIndex = 1;
      //
      // groupBox1
      //
       this.groupBox1.BackColor = System.Drawing.Color.CadetBlue;
       this.groupBox1.Controls.Add(this.lstCustomers);
       this.groupBox1.Dock = System.Windows.Forms.DockStyle.Fill;
       this.groupBox1.Font = new System.Drawing.Font("Microsoft Sans Serif", 12F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.groupBox1.ForeColor = System.Drawing.Color.White;
       this.groupBox1.Location = new System.Drawing.Point(0, 0);
       this.groupBox1.Name = "groupBox1";
       this.groupBox1.Size = new System.Drawing.Size(200, 656);
```

```
this.groupBox1.TabIndex = 0;
       this.groupBox1.TabStop = false;
       this.groupBox1.Text = "Info Customer";
      // lstCustomers
       //
       this.lstCustomers.BackColor = System.Drawing.Color.FloralWhite;
       this.lstCustomers.Dock = System.Windows.Forms.DockStyle.Fill;
       this.lstCustomers.FormattingEnabled = true;
       this.lstCustomers.ItemHeight = 25;
       this.lstCustomers.Location = new System.Drawing.Point(3, 26);
       this.lstCustomers.Name = "lstCustomers";
       this.lstCustomers.Size = new System.Drawing.Size(194, 627);
       this.lstCustomers.TabIndex = 0;
       this.lstCustomers.SelectedIndexChanged += new
System.EventHandler(this.lstCustomers_SelectedIndexChanged);
      //
      // panel3
       //
       this.panel3.Controls.Add(this.groupBox2);
       this.panel3.Dock = System.Windows.Forms.DockStyle.Bottom;
       this.panel3.Location = new System.Drawing.Point(200, 545);
       this.panel3.Name = "panel3";
       this.panel3.Size = new System.Drawing.Size(815, 211);
       this.panel3.TabIndex = 2;
      //
      // groupBox2
       this.groupBox2.BackColor = System.Drawing.Color.CadetBlue;
```

```
this.groupBox2.Controls.Add(this.button37);
       this.groupBox2.Controls.Add(this.btnClose);
       this.groupBox2.Controls.Add(this.btnTikketCalculation);
       this.groupBox2.Controls.Add(this.btnOrder);
       this.groupBox2.Controls.Add(this.lblTotalPrice);
       this.groupBox2.Controls.Add(this.lblPrice);
       this.groupBox2.Controls.Add(this.label3);
       this.groupBox2.Controls.Add(this.label2);
       this.groupBox2.Dock = System.Windows.Forms.DockStyle.Fill;
       this.groupBox2.Location = new System.Drawing.Point(0, 0);
       this.groupBox2.Name = "groupBox2";
       this.groupBox2.Size = new System.Drawing.Size(815, 211);
       this.groupBox2.TabIndex = 0;
       this.groupBox2.TabStop = false;
       //
       // button37
       //
       this.button37.BackColor = System.Drawing.Color.FloralWhite;
       this.button37.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button37.Location = new System.Drawing.Point(201, 146);
       this.button37.Name = "button37";
       this.button37.Size = new System.Drawing.Size(164, 53);
       this.button37.TabIndex = 37;
       this.button37.Text = "Receipt";
       this.button37.UseVisualStyleBackColor = false;
       this.button37.Click += new System.EventHandler(this.button37_Click);
       //
       // btnClose
```

```
//
       this.btnClose.Anchor =
((System.Windows.Forms.AnchorStyles)((((System.Windows.Forms.AnchorStyles.Top |
System.Windows.Forms.AnchorStyles.Bottom)
       | System.Windows.Forms.AnchorStyles.Left)
       | System.Windows.Forms.AnchorStyles.Right)));
       this.btnClose.BackColor = System.Drawing.Color.FloralWhite;
       this.btnClose.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnClose.Location = new System.Drawing.Point(28, 146);
       this.btnClose.Name = "btnClose";
       this.btnClose.Size = new System.Drawing.Size(127, 53);
       this.btnClose.TabIndex = 6;
       this.btnClose.Text = "Close";
       this.btnClose.UseVisualStyleBackColor = false;
       this.btnClose.Click += new System.EventHandler(this.btnClose_Click);
      //
      // btnTikketCalculation
      //
       this.btnTikketCalculation.BackColor = System.Drawing.Color.FloralWhite;
       this.btnTikketCalculation.Font = new System.Drawing.Font("Microsoft Sans Serif",
10.2F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnTikketCalculation.Location = new System.Drawing.Point(412, 146);
       this.btnTikketCalculation.Name = "btnTikketCalculation";
       this.btnTikketCalculation.Size = new System.Drawing.Size(150, 53);
       this.btnTikketCalculation.TabIndex = 5;
       this.btnTikketCalculation.Text = "Ticket Cansalation";
       this.btnTikketCalculation.UseVisualStyleBackColor = false;
       this.btnTikketCalculation.Click += new
System.EventHandler(this.btnTikketCalculation_Click);
```

```
//
       // btnOrder
       //
       this.btnOrder.BackColor = System.Drawing.Color.FloralWhite;
       this.btnOrder.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.btnOrder.Location = new System.Drawing.Point(610, 146);
       this.btnOrder.Name = "btnOrder";
       this.btnOrder.Size = new System.Drawing.Size(153, 53);
       this.btnOrder.TabIndex = 4;
       this.btnOrder.Text = "Book Now";
       this.btnOrder.UseVisualStyleBackColor = false;
       this.btnOrder.Click += new System.EventHandler(this.btnOrder_Click);
       //
       // lblTotalPrice
       this.lblTotalPrice.BorderStyle = System.Windows.Forms.BorderStyle.Fixed3D;
       this.lblTotalPrice.ForeColor = System.Drawing.Color.FloralWhite;
       this.lblTotalPrice.Location = new System.Drawing.Point(248, 78);
       this.lblTotalPrice.Name = "lblTotalPrice";
       this.lblTotalPrice.Size = new System.Drawing.Size(554, 42);
       this.lblTotalPrice.TabIndex = 3;
       this.lblTotalPrice.Text = "Price":
       this.lblTotalPrice.TextAlign = System.Drawing.ContentAlignment.MiddleRight;
       //
       // lblPrice
       this.lblPrice.BorderStyle = System.Windows.Forms.BorderStyle.Fixed3D;
       this.lblPrice.ForeColor = System.Drawing.Color.FloralWhite;
```

```
this.lblPrice.Location = new System.Drawing.Point(248, 13);
       this.lblPrice.Name = "lblPrice";
       this.lblPrice.Size = new System.Drawing.Size(554, 42);
       this.lblPrice.TabIndex = 2;
       this.lblPrice.Text = "Price";
       this.lblPrice.TextAlign = System.Drawing.ContentAlignment.MiddleRight;
       //
       // label3
       //
       this.label3.Font = new System.Drawing.Font("Palatino Linotype", 10.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label3.ForeColor = System.Drawing.Color.White;
       this.label3.Location = new System.Drawing.Point(22, 78);
       this.label3.Name = "label3";
       this.label3.Size = new System.Drawing.Size(199, 42);
       this.label3.TabIndex = 1;
       this.label3.Text = "Total Price :
                                           Rs.";
       this.label3.TextAlign = System.Drawing.ContentAlignment.MiddleLeft;
       //
       // label2
       //
       this.label2.Font = new System.Drawing.Font("Palatino Linotype", 10.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label2.ForeColor = System.Drawing.Color.White;
       this.label2.Location = new System.Drawing.Point(22, 13);
       this.label2.Name = "label2";
       this.label2.Size = new System.Drawing.Size(220, 42);
       this.label2.TabIndex = 0;
       this.label2.Text = "Price :
                                          Rs.";
```

```
this.label2.TextAlign = System.Drawing.ContentAlignment.MiddleLeft;
//
// panel4
this.panel4.Controls.Add(this.groupBox3);
this.panel4.Dock = System.Windows.Forms.DockStyle.Fill;
this.panel4.Location = new System.Drawing.Point(200, 100);
this.panel4.Name = "panel4";
this.panel4.Size = new System.Drawing.Size(815, 445);
this.panel4.TabIndex = 3;
//
// groupBox3
//
this.groupBox3.BackColor = System.Drawing.Color.CadetBlue;
this.groupBox3.Controls.Add(this.button1);
this.groupBox3.Controls.Add(this.pnChair);
this.groupBox3.Dock = System.Windows.Forms.DockStyle.Fill;
this.groupBox3.Location = new System.Drawing.Point(0, 0);
this.groupBox3.Name = "groupBox3";
this.groupBox3.Size = new System.Drawing.Size(815, 445);
this.groupBox3.TabIndex = 0;
this.groupBox3.TabStop = false;
//
// button1
//
this.button1.BackColor = System.Drawing.Color.FloralWhite;
this.button1.Location = new System.Drawing.Point(163, 0);
this.button1.Name = "button1";
```

```
this.button1.Size = new System.Drawing.Size(485, 30);
       this.button1.TabIndex = 4;
       this.button1.Text = "Screen";
       this.button1.UseVisualStyleBackColor = false;
      //
      // pnChair
      //
       this.pnChair.BackColor = System.Drawing.Color.Gainsboro;
       this.pnChair.ColumnCount = 10;
       this.pnChair.ColumnStyles.Add(new
System. Windows. Forms. ColumnStyle (System. Windows. Forms. SizeType. Percent, 10F));
       this.pnChair.ColumnStyles.Add(new
System. Windows. Forms. ColumnStyle (System. Windows. Forms. SizeType. Percent, 10F));
       this.pnChair.ColumnStyles.Add(new
System. Windows. Forms. ColumnStyle (System. Windows. Forms. SizeType. Percent, 10F));
       this.pnChair.ColumnStyles.Add(new
System. Windows. Forms. ColumnStyle(System. Windows. Forms. SizeType. Percent, 10F));
       this.pnChair.ColumnStyles.Add(new
System.Windows.Forms.ColumnStyle(System.Windows.Forms.SizeType.Percent, 10F));
       this.pnChair.ColumnStyles.Add(new
System.Windows.Forms.ColumnStyle(System.Windows.Forms.SizeType.Percent, 10F));
       this.pnChair.ColumnStyles.Add(new
System. Windows. Forms. ColumnStyle (System. Windows. Forms. SizeType. Percent, 10F));
       this.pnChair.ColumnStyles.Add(new
System. Windows. Forms. ColumnStyle (System. Windows. Forms. SizeType. Percent, 10F));
       this.pnChair.ColumnStyles.Add(new
System.Windows.Forms.ColumnStyle(System.Windows.Forms.SizeType.Percent, 10F));
       this.pnChair.ColumnStyles.Add(new
System.Windows.Forms.ColumnStyle(System.Windows.Forms.SizeType.Percent, 10F));
       this.pnChair.Dock = System.Windows.Forms.DockStyle.Fill;
       this.pnChair.Location = new System.Drawing.Point(3, 22);
       this.pnChair.Name = "pnChair";
```

```
this.pnChair.RowCount = 10;
       this.pnChair.RowStyles.Add(new
System. Windows. Forms. RowStyle (System. Windows. Forms. Size Type. Percent, 10F));
       this.pnChair.RowStyles.Add(new
System. Windows. Forms. RowStyle (System. Windows. Forms. Size Type. Percent, 10F));
       this.pnChair.RowStyles.Add(new
System.Windows.Forms.RowStyle(System.Windows.Forms.SizeType.Percent, 10F));
       this.pnChair.RowStyles.Add(new
System.Windows.Forms.RowStyle(System.Windows.Forms.SizeType.Percent, 10F));
       this.pnChair.RowStyles.Add(new
System. Windows. Forms. RowStyle (System. Windows. Forms. Size Type. Percent, 10F));
       this.pnChair.RowStyles.Add(new
System. Windows. Forms. RowStyle (System. Windows. Forms. Size Type. Percent, 10F));
       this.pnChair.RowStyles.Add(new
System.Windows.Forms.RowStyle(System.Windows.Forms.SizeType.Percent, 10F));
       this.pnChair.RowStyles.Add(new
System.Windows.Forms.RowStyle(System.Windows.Forms.SizeType.Percent, 10F));
       this.pnChair.RowStyles.Add(new
System.Windows.Forms.RowStyle(System.Windows.Forms.SizeType.Percent, 10F));
       this.pnChair.RowStyles.Add(new
System.Windows.Forms.RowStyle(System.Windows.Forms.SizeType.Percent, 10F));
       this.pnChair.Size = new System.Drawing.Size(809, 420);
       this.pnChair.TabIndex = 0;
      //
      // pictureBox2
      //
       this.pictureBox2.BackColor = System.Drawing.Color.CadetBlue;
       this.pictureBox2.Image = global::CRUD_Test.Properties.Resources.download__1_;
       this.pictureBox2.Location = new System.Drawing.Point(899, 3);
       this.pictureBox2.Name = "pictureBox2";
       this.pictureBox2.Size = new System.Drawing.Size(113, 75);
```

```
this.pictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox2.TabIndex = 4;
       this.pictureBox2.TabStop = false;
      //
      // SeatsBooking
       this.AutoScaleDimensions = new System.Drawing.SizeF(10F, 20F);
       this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
       this.BackColor = System.Drawing.Color.CadetBlue;
       this.ClientSize = new System.Drawing.Size(1015, 756);
       this.Controls.Add(this.panel4);
       this.Controls.Add(this.panel3);
       this.Controls.Add(this.panel2);
       this.Controls.Add(this.panel1);
       this.Font = new System.Drawing.Font("Microsoft Sans Serif", 10F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.Icon = ((System.Drawing.Icon)(resources.GetObject("$this.Icon")));
       this.MainMenuStrip = this.menuStrip1;
       this.Margin = new System.Windows.Forms.Padding(4);
       this.Name = "SeatsBooking";
       this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
       this.Text = "Seats Booking";
       this.Load += new System.EventHandler(this.Form4_Load);
       this.panel1.ResumeLayout(false);
       this.panel1.PerformLayout();
       this.menuStrip1.ResumeLayout(false);
       this.menuStrip1.PerformLayout();
       this.panel2.ResumeLayout(false);
```

```
this.groupBox1.ResumeLayout(false);
  this.panel3.ResumeLayout(false);
  this.groupBox2.ResumeLayout(false);
  this.panel4.ResumeLayout(false);
  this.groupBox3.ResumeLayout(false);
  ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
  this.ResumeLayout(false);
#endregion
private System. Windows. Forms. Panel panel1;
private System. Windows. Forms. Label label 1;
private System. Windows. Forms. Panel panel2;
private System.Windows.Forms.GroupBox groupBox1;
private System. Windows. Forms. ListBox lstCustomers;
private System. Windows. Forms. Panel panel 3;
private System.Windows.Forms.GroupBox groupBox2;
private System. Windows. Forms. Label lblPrice;
private System. Windows. Forms. Label label3;
private System. Windows. Forms. Label label2;
private System. Windows. Forms. Label lblTotalPrice;
private System. Windows. Forms. Button btnClose;
private System. Windows. Forms. Button btnTikketCalculation;
private System. Windows. Forms. Button btnOrder;
private System. Windows. Forms. Panel panel 4;
private System. Windows. Forms. GroupBox groupBox3;
```

```
private System. Windows. Forms. Table Layout Panel pn Chair;
    private System. Windows. Forms. Button button 37;
    private System. Windows. Forms. Label lblFilmTitle;
    private System.Windows.Forms.MenuStrip menuStrip1;
    private System.Windows.Forms.ToolStripMenuItem homeToolStripMenuItem;
    private System. Windows. Forms. ComboBox cmbMovieTitle;
    private System.Windows.Forms.Button button1;
    private System.Windows.Forms.ToolStripMenuItem loginToolStripMenuItem;
    private System.Windows.Forms.PictureBox pictureBox2;
Ticket booking form
namespace CRUD_Test
  partial class TicketBooking
    /// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed; otherwise,
false.</param>
    protected override void Dispose(bool disposing)
```

```
if (disposing && (components != null))
         components.Dispose();
      base.Dispose(disposing);
    #region Windows Form Designer generated code
    /// <summary>
    /// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
      System.ComponentModel.ComponentResourceManager resources = new
System.ComponentModel.ComponentResourceManager(typeof(TicketBooking));
       this.label1 = new System.Windows.Forms.Label();
       this.label2 = new System.Windows.Forms.Label();
       this.label3 = new System.Windows.Forms.Label();
       this.label4 = new System.Windows.Forms.Label();
       this.txtID = new System.Windows.Forms.TextBox();
       this.txtName = new System.Windows.Forms.TextBox();
       this.txtEmail = new System.Windows.Forms.TextBox();
       this.button1 = new System.Windows.Forms.Button();
       this.StudentRecordDataGridView = new System.Windows.Forms.DataGridView();
       this.menuStrip1 = new System.Windows.Forms.MenuStrip();
       this.fileToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
```

```
this.moviesToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
       this.closeToolStripMenuItem = new System.Windows.Forms.ToolStripMenuItem();
       this.label5 = new System.Windows.Forms.Label();
       this.txtContactNo = new System.Windows.Forms.TextBox();
       this.label6 = new System.Windows.Forms.Label();
       this.label7 = new System.Windows.Forms.Label();
       this.label8 = new System.Windows.Forms.Label();
       this.label9 = new System.Windows.Forms.Label();
       this.label10 = new System.Windows.Forms.Label();
       this.label11 = new System.Windows.Forms.Label();
       this.label12 = new System.Windows.Forms.Label();
       this.cmbTime = new System.Windows.Forms.ComboBox();
       this.cmbCategory = new System.Windows.Forms.ComboBox();
       this.cmbMovie = new System.Windows.Forms.ComboBox();
       this.txtPrice = new System.Windows.Forms.TextBox();
       this.txtQty = new System.Windows.Forms.TextBox();
       this.txtTotal = new System.Windows.Forms.TextBox();
       this.dateTimePicker1 = new System.Windows.Forms.DateTimePicker();
       this.button2 = new System.Windows.Forms.Button();
       this.pictureBox2 = new System.Windows.Forms.PictureBox();
((System.ComponentModel.ISupportInitialize)(this.StudentRecordDataGridView)).BeginInit();
       this.menuStrip1.SuspendLayout();
      ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).BeginInit();
      this.SuspendLayout();
      //
      // label1
       this.label1.AutoSize = true:
```

```
this.label1.BackColor = System.Drawing.Color.Transparent;
       this.label1.Font = new System.Drawing.Font("Times New Roman", 19.8F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label1.ForeColor = System.Drawing.Color.White;
       this.label1.Location = new System.Drawing.Point(372, 0);
       this.label1.Name = "label1";
       this.label1.Size = new System.Drawing.Size(327, 37);
       this.label1.TabIndex = 0;
       this.label1.Text = "Movie Ticket Booking";
       //
       // label2
       //
       this.label2.AutoSize = true;
       this.label2.BackColor = System.Drawing.Color.Transparent;
       this.label2.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.label2.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label2.Location = new System.Drawing.Point(24, 102);
       this.label2.Name = "label2";
       this.label2.Size = new System.Drawing.Size(42, 22);
       this.label2.TabIndex = 1;
       this.label2.Text = "ID :";
       //
      // label3
       //
       this.label3.AutoSize = true:
       this.label3.BackColor = System.Drawing.Color.Transparent;
       this.label3.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
```

```
this.label3.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label3.Location = new System.Drawing.Point(24, 164);
       this.label3.Name = "label3";
       this.label3.Size = new System.Drawing.Size(71, 22);
       this.label3.TabIndex = 2;
       this.label3.Text = "Name :";
       //
       // label4
       //
       this.label4.AutoSize = true;
       this.label4.BackColor = System.Drawing.Color.Transparent;
       this.label4.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.label4.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label4.Location = new System.Drawing.Point(24, 315);
       this.label4.Name = "label4";
       this.label4.Size = new System.Drawing.Size(70, 22);
       this.label4.TabIndex = 3;
       this.label4.Text = "Email:";
      //
       // txtID
       //
       this.txtID.BackColor = System.Drawing.SystemColors.ControlDarkDark;
       this.txtID.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.txtID.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.txtID.Location = new System.Drawing.Point(171, 100);
       this.txtID.Name = "txtID";
```

```
this.txtID.Size = new System.Drawing.Size(185, 27);
       this.txtID.TabIndex = 4;
      //
      // txtName
      //
       this.txtName.BackColor = System.Drawing.SystemColors.ControlDarkDark;
       this.txtName.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.txtName.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.txtName.Location = new System.Drawing.Point(171, 164);
       this.txtName.Name = "txtName";
       this.txtName.Size = new System.Drawing.Size(185, 27);
       this.txtName.TabIndex = 5;
      //
      // txtEmail
       this.txtEmail.BackColor = System.Drawing.SystemColors.ControlDarkDark;
       this.txtEmail.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.txtEmail.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.txtEmail.Location = new System.Drawing.Point(171, 313);
       this.txtEmail.Name = "txtEmail";
       this.txtEmail.Size = new System.Drawing.Size(185, 27);
       this.txtEmail.TabIndex = 6;
      //
      // button1
      //
       this.button1.BackColor = System.Drawing.Color.CadetBlue;
```

```
this.button1.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button1.ForeColor = System.Drawing.Color.White;
       this.button1.Location = new System.Drawing.Point(579, 299);
       this.button1.Name = "button1";
       this.button1.Size = new System.Drawing.Size(156, 54);
       this.button1.TabIndex = 7;
       this.button1.Text = "BOOK NOW";
       this.button1.UseVisualStyleBackColor = false;
       this.button1.Click += new System.EventHandler(this.button1_Click);
      //
      // StudentRecordDataGridView
      //
       this.StudentRecordDataGridView.BackgroundColor = System.Drawing.Color.CadetBlue;
       this.StudentRecordDataGridView.BorderStyle =
System.Windows.Forms.BorderStyle.Fixed3D;
       this.StudentRecordDataGridView.ColumnHeadersHeightSizeMode =
System.Windows.Forms.DataGridViewColumnHeadersHeightSizeMode.AutoSize;
       this.StudentRecordDataGridView.Location = new System.Drawing.Point(12, 531);
       this.StudentRecordDataGridView.Name = "StudentRecordDataGridView";
       this.StudentRecordDataGridView.RowHeadersWidth = 51;
       this.StudentRecordDataGridView.RowTemplate.Height = 24;
       this.StudentRecordDataGridView.Size = new System.Drawing.Size(1055, 169);
       this.StudentRecordDataGridView.TabIndex = 8;
      //
      // menuStrip1
      //
       this.menuStrip1.BackColor = System.Drawing.Color.FloralWhite;
       this.menuStrip1.ImageScalingSize = new System.Drawing.Size(20, 20);
```

```
this.menuStrip1.Items.AddRange(new System.Windows.Forms.ToolStripItem[] {
       this.fileToolStripMenuItem,
       this.moviesToolStripMenuItem,
       this.closeToolStripMenuItem});
       this.menuStrip1.Location = new System.Drawing.Point(0, 0);
       this.menuStrip1.Name = "menuStrip1";
       this.menuStrip1.Size = new System.Drawing.Size(1079, 35);
       this.menuStrip1.TabIndex = 9;
       this.menuStrip1.Text = "menuStrip1";
      //
      // fileToolStripMenuItem
      //
       this.fileToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.fileToolStripMenuItem.Name = "fileToolStripMenuItem";
       this.fileToolStripMenuItem.Size = new System.Drawing.Size(82, 31);
       this.fileToolStripMenuItem.Text = "Home";
       this.fileToolStripMenuItem.Click += new
System.EventHandler(this.fileToolStripMenuItem_Click);
      //
      // moviesToolStripMenuItem
       this.moviesToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
12F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.moviesToolStripMenuItem.Name = "moviesToolStripMenuItem";
       this.moviesToolStripMenuItem.Size = new System.Drawing.Size(93, 31);
       this.moviesToolStripMenuItem.Text = "Movies";
       this.moviesToolStripMenuItem.Click += new
System.EventHandler(this.moviesToolStripMenuItem Click);
      //
```

```
// closeToolStripMenuItem
      //
       this.closeToolStripMenuItem.Font = new System.Drawing.Font("Palatino Linotype",
12F, System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.closeToolStripMenuItem.Name = "closeToolStripMenuItem";
       this.closeToolStripMenuItem.Size = new System.Drawing.Size(76, 31);
       this.closeToolStripMenuItem.Text = "Close";
       this.closeToolStripMenuItem.Click += new
System.EventHandler(this.closeToolStripMenuItem_Click);
      // label5
      //
       this.label5.AutoSize = true:
       this.label5.BackColor = System.Drawing.Color.Transparent;
       this.label5.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.label5.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label5.Location = new System.Drawing.Point(24, 240);
       this.label5.Name = "label5";
       this.label5.Size = new System.Drawing.Size(117, 22);
       this.label5.TabIndex = 10;
       this.label5.Text = "Contact No:";
       //
      // txtContactNo
       this.txtContactNo.BackColor = System.Drawing.SystemColors.ControlDarkDark;
       this.txtContactNo.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.txtContactNo.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.txtContactNo.Location = new System.Drawing.Point(171, 240);
```

```
this.txtContactNo.Name = "txtContactNo";
       this.txtContactNo.Size = new System.Drawing.Size(185, 27);
       this.txtContactNo.TabIndex = 11;
       //
       // label6
       //
       this.label6.AutoSize = true:
       this.label6.BackColor = System.Drawing.Color.Transparent;
       this.label6.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.label6.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label6.Location = new System.Drawing.Point(24, 383);
       this.label6.Name = "label6";
       this.label6.Size = new System.Drawing.Size(122, 22);
       this.label6.TabIndex = 12;
       this.label6.Text = "Select Date :";
      //
       // label7
       //
       this.label7.BackColor = System.Drawing.Color.Transparent;
       this.label7.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.label7.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label7.Location = new System.Drawing.Point(487, 105);
       this.label7.Name = "label7";
       this.label7.Size = new System.Drawing.Size(196, 28);
       this.label7.TabIndex = 13;
       this.label7.Text = "Select the Category :\r\n";
       //
```

```
// label8
       //
       this.label8.BackColor = System.Drawing.Color.Transparent;
       this.label8.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.label8.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label8.Location = new System.Drawing.Point(487, 171);
       this.label8.Name = "label8";
       this.label8.Size = new System.Drawing.Size(157, 28);
       this.label8.TabIndex = 14;
       this.label8.Text = "Movie Name :";
       //
       // label9
       //
       this.label9.AutoSize = true;
       this.label9.BackColor = System.Drawing.Color.Transparent;
       this.label9.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.label9.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label9.Location = new System.Drawing.Point(471, 392);
       this.label9.Name = "label9";
       this.label9.Size = new System.Drawing.Size(124, 22);
       this.label9.TabIndex = 15;
       this.label9.Text = "Ticket Price:";
       //
       // label10
       //
       this.label10.AutoSize = true;
       this.label10.BackColor = System.Drawing.Color.Transparent;
```

```
this.label10.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.label10.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label10.Location = new System.Drawing.Point(471, 472);
       this.label10.Name = "label10";
       this.label10.Size = new System.Drawing.Size(134, 22);
       this.label10.TabIndex = 16;
       this.label10.Text = "Total Amount : \r\n";
       //
       // label11
       //
       this.label11.AutoSize = true;
       this.label11.BackColor = System.Drawing.Color.Transparent;
       this.label11.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.label11.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.label11.Location = new System.Drawing.Point(487, 245);
       this.label11.Name = "label11";
       this.label11.Size = new System.Drawing.Size(144, 22);
       this.label11.TabIndex = 17;
       this.label11.Text = "Ticket Quantity:";
       //
       // label12
       //
       this.label12.AutoSize = true:
       this.label12.BackColor = System.Drawing.Color.Transparent;
       this.label12.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.label12.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
```

```
this.label12.Location = new System.Drawing.Point(23, 466);
       this.label12.Name = "label12";
       this.label12.Size = new System.Drawing.Size(123, 22);
       this.label12.TabIndex = 18;
       this.label12.Text = "Select Time:";
      //
      // cmbTime
       //
       this.cmbTime.BackColor = System.Drawing.SystemColors.ControlDarkDark;
       this.cmbTime.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.cmbTime.FormattingEnabled = true;
       this.cmbTime.Items.AddRange(new object[] {
       "8.00AM - 10.00AM",
       "12.00PM - 2.00PM",
       "6.00PM - 8.00PM"});
       this.cmbTime.Location = new System.Drawing.Point(171, 464);
       this.cmbTime.Name = "cmbTime";
       this.cmbTime.Size = new System.Drawing.Size(185, 28);
       this.cmbTime.TabIndex = 19;
      //
      // cmbCategory
       //
       this.cmbCategory.BackColor = System.Drawing.SystemColors.ControlDarkDark;
       this.cmbCategory.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.cmbCategory.FormattingEnabled = true;
       this.cmbCategory.Items.AddRange(new object[] {
       "Action",
```

```
"Romance",
       "Family",
       "Horror" });
       this.cmbCategory.Location = new System.Drawing.Point(689, 103);
       this.cmbCategory.Name = "cmbCategory";
       this.cmbCategory.Size = new System.Drawing.Size(368, 28);
       this.cmbCategory.TabIndex = 20;
       this.cmbCategory.SelectedIndexChanged += new
System.EventHandler(this.cmbCategory_SelectedIndexChanged);
      //
      // cmbMovie
      //
      this.cmbMovie.BackColor = System.Drawing.SystemColors.ControlDarkDark;
       this.cmbMovie.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.cmbMovie.FormattingEnabled = true;
       this.cmbMovie.Items.AddRange(new object[] {
       "John Wick 3",
       "The Dark Knight",
       "Black Panther",
       "Inception",
       "Passengers",
       "Beauty and the Beast",
       "Aladdin",
       "Me Before You",
       "Teenager Mutant Ninja Turtles: Mutant Mayhem",
       "The Secret Kingdom",
       "The Quest For Tom Sawyer\'s Gold",
       "Asterix & Obelix: The Middle Kingdom",
```

```
"Evil Dead Rise",
       "The Last Voyage Of The Demeter",
       "Knock At The Cabin",
       "Insidious: The Red Door" });
       this.cmbMovie.Location = new System.Drawing.Point(689, 171);
       this.cmbMovie.Name = "cmbMovie";
       this.cmbMovie.Size = new System.Drawing.Size(368, 28);
       this.cmbMovie.TabIndex = 21;
      //
      // txtPrice
       //
       this.txtPrice.BackColor = System.Drawing.SystemColors.ControlDarkDark;
       this.txtPrice.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.txtPrice.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.txtPrice.Location = new System.Drawing.Point(689, 392);
       this.txtPrice.Name = "txtPrice";
       this.txtPrice.Size = new System.Drawing.Size(190, 27);
       this.txtPrice.TabIndex = 23;
      //
      // txtQty
      //
       this.txtQty.BackColor = System.Drawing.SystemColors.ControlDarkDark;
       this.txtQty.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.txtQty.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.txtQty.Location = new System.Drawing.Point(689, 240);
       this.txtQty.Name = "txtQty";
       this.txtQty.Size = new System.Drawing.Size(190, 27);
```


```
this.txtQty.TabIndex = 24;
      //
      // txtTotal
       this.txtTotal.BackColor = System.Drawing.SystemColors.ControlDarkDark;
       this.txtTotal.BorderStyle = System.Windows.Forms.BorderStyle.FixedSingle;
       this.txtTotal.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.txtTotal.Location = new System.Drawing.Point(689, 464);
       this.txtTotal.Name = "txtTotal":
       this.txtTotal.Size = new System.Drawing.Size(190, 27);
       this.txtTotal.TabIndex = 25;
      //
      // dateTimePicker1
       this.dateTimePicker1.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.dateTimePicker1.Format = System.Windows.Forms.DateTimePickerFormat.Short;
       this.dateTimePicker1.Location = new System.Drawing.Point(171, 383);
       this.dateTimePicker1.Name = "dateTimePicker1";
       this.dateTimePicker1.Size = new System.Drawing.Size(185, 27);
       this.dateTimePicker1.TabIndex = 26;
      //
      // button2
      //
       this.button2.BackColor = System.Drawing.Color.CadetBlue;
       this.button2.Font = new System.Drawing.Font("Microsoft Sans Serif", 10.2F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, ((byte)(0)));
       this.button2.ForeColor = System.Drawing.Color.White;
```


```
this.button2.Location = new System.Drawing.Point(818, 299);
       this.button2.Name = "button2";
       this.button2.Size = new System.Drawing.Size(158, 54);
       this.button2.TabIndex = 27;
       this.button2.Text = "RECIPT";
       this.button2.UseVisualStyleBackColor = false;
       this.button2.Click += new System.EventHandler(this.button2_Click);
       //
      // pictureBox2
      //
       this.pictureBox2.Image = global::CRUD_Test.Properties.Resources.download__1_;
       this.pictureBox2.Location = new System.Drawing.Point(966, 0);
       this.pictureBox2.Name = "pictureBox2";
       this.pictureBox2.Size = new System.Drawing.Size(113, 75);
       this.pictureBox2.SizeMode =
System.Windows.Forms.PictureBoxSizeMode.StretchImage;
       this.pictureBox2.TabIndex = 28;
       this.pictureBox2.TabStop = false;
      //
      // TicketBooking
      //
       this.AutoScaleDimensions = new System.Drawing.SizeF(8F, 16F);
       this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
       this.BackColor = System.Drawing.Color.Silver;
       this.BackgroundImage = global::CRUD_Test.Properties.Resources.mhvghfh;
       this.ClientSize = new System.Drawing.Size(1079, 712);
       this.Controls.Add(this.pictureBox2);
       this.Controls.Add(this.button2);
       this.Controls.Add(this.dateTimePicker1);
```


```
this.Controls.Add(this.txtTotal);
this.Controls.Add(this.txtQty);
this.Controls.Add(this.txtPrice);
this.Controls.Add(this.cmbMovie);
this.Controls.Add(this.cmbCategory);
this.Controls.Add(this.cmbTime);
this.Controls.Add(this.label12);
this.Controls.Add(this.label11);
this.Controls.Add(this.label10);
this.Controls.Add(this.label9);
this.Controls.Add(this.label8);
this.Controls.Add(this.label7);
this.Controls.Add(this.label6);
this.Controls.Add(this.txtContactNo);
this.Controls.Add(this.label5);
this.Controls.Add(this.StudentRecordDataGridView);
this.Controls.Add(this.button1);
this.Controls.Add(this.txtEmail);
this.Controls.Add(this.txtName);
this.Controls.Add(this.txtID);
this.Controls.Add(this.label4);
this.Controls.Add(this.label3);
this.Controls.Add(this.label2);
this.Controls.Add(this.label1);
this.Controls.Add(this.menuStrip1);
this.FormBorderStyle = System.Windows.Forms.FormBorderStyle.Fixed3D;
this.Icon = ((System.Drawing.Icon)(resources.GetObject("$this.Icon")));
this.MainMenuStrip = this.menuStrip1;
```

```
this.Name = "TicketBooking";
       this.StartPosition = System.Windows.Forms.FormStartPosition.CenterScreen;
       this.Text = "Ticket Booking";
       this.Load += new System.EventHandler(this.Form1_Load);
((System.ComponentModel.ISupportInitialize)(this.StudentRecordDataGridView)).EndInit();
       this.menuStrip1.ResumeLayout(false);
       this.menuStrip1.PerformLayout();
       ((System.ComponentModel.ISupportInitialize)(this.pictureBox2)).EndInit();
       this.ResumeLayout(false);
       this.PerformLayout();
    #endregion
    private System. Windows. Forms. Label label 1;
    private System. Windows. Forms. Label label2;
    private System. Windows. Forms. Label label3;
    private System. Windows. Forms. Label label4;
    private System.Windows.Forms.TextBox txtID;
    private System. Windows. Forms. TextBox txtName;
    private System. Windows. Forms. TextBox txtEmail;
    private System.Windows.Forms.Button button1;
    private System.Windows.Forms.DataGridView StudentRecordDataGridView;
    private System. Windows. Forms. MenuStrip menuStrip1;
    private System. Windows. Forms. Tool Strip MenuItem file Tool Strip MenuItem;
    private System.Windows.Forms.ToolStripMenuItem moviesToolStripMenuItem;
    private System. Windows. Forms. Label label5;
```

```
private System. Windows. Forms. TextBox txtContactNo;
private System. Windows. Forms. Label label6;
private System. Windows. Forms. Label label7;
private System. Windows. Forms. Label label8;
private System. Windows. Forms. Label label9;
private System. Windows. Forms. Label label 10;
private System. Windows. Forms. Label label 11;
private System. Windows. Forms. Label label 12;
private System. Windows. Forms. ComboBox cmbTime;
private System. Windows. Forms. ComboBox cmbCategory;
private System. Windows. Forms. ComboBox cmbMovie;
private System. Windows. Forms. TextBox txtPrice;
private System.Windows.Forms.TextBox txtQty;
private System. Windows. Forms. TextBox txtTotal;
private System.Windows.Forms.DateTimePicker dateTimePicker1;
private System.Windows.Forms.Button button2;
private System. Windows. Forms. Tool Strip MenuItem close Tool Strip MenuItem;
private System.Windows.Forms.PictureBox pictureBox2;
```







## 11.WORK CONTRIBUTION TABLE

Team member	Role and responsibilities
PS/2019/052	Database setup and managment, Testing and debugging, Payment form, Customer details form UI design.
PS/2019/124	Documentation and Reporting,testing and debugging,UI design of movie category forms
PS/2019/127[Team leader]	Database setup and managent,Data Integration and logic,Testing and debugging,Main login form,seat booking form ,Reciept form UI design
PS/2019/192	Documentation and Reporting, testing and debugging, UI design of ticket booking form and movie details forms.

Challenges faced	Lessons learned
Database connectivity complexities	Importance of rigorous testing
UI/UX refinements	Iterative development is key
Scope creep and time constraints	Effective communication is vital
Identifying and fixing bugs	Continuous improvement

## 12. FUTURE ENHANCEMENT

- Integration with well-known online payment processors to ensure smooth transactions.
- Enhanced user profiles, preferences, and suggestions that are especially for you.
- Integration with social media sites to promote discussion and movie sharing.
- creation of a specific mobile application for easy smartphone ticket buying.
- updates on seat availability in real-time and an interactive seating diagram.

## 13. CONCLUSION

In conclusion, our project to develop a system for purchasing cinema tickets has accomplished its goals and successfully solved the difficulties that were raised. The technology aims to improve both the user and theater administrators' efficiency when it comes to purchasing movie tickets. We will surely use the knowledge gained from this initiative to direct our future work as we continue to innovate and improve the system.

