



Klarna Payments for SFRA

Version 24.2.0



Table of Contents

1.	Summary	5
2.	Component Overview	6
2.1.	Functional Overview.....	6
2.2.	Locales	8
2.3.	Use Cases	9
2.3.1.	Enable Klarna Payments Across International Sites (NA, EU, OC).....	9
2.3.2.	Multitude of Payment Options for Customers	9
2.3.3.	Authorize and Place Klarna Order in Checkout	10
2.3.4.	Refusal of Klarna Payments on Payment Method – Authorization	12
2.3.5.	Klarna Payment Option Not Available for Current Purchase - Billing Page	13
2.3.6.	Klarna Payments Not Available - Checkout	14
2.3.7.	Handling Notifications.....	14
2.3.8.	Virtual Cards Settlements	15
2.3.9.	Auto-Capture.....	20
2.3.10.	Widget Customizations	20
2.3.11.	Customizing Payment Method Name	21
2.3.12.	Klarna On-Site Messaging	22
2.3.13.	Klarna Express Button	28
2.3.14.	Klarna Payment Method Based Promotions	31
2.3.15.	Price Adjustment Taxation Handling	32

2.3.16.	Buy Online, Pickup in Store (BOPIS).....	33
2.3.17.	Configuration Support for Service Rate Limits	34
2.3.18.	Klarna Subscriptions	35
2.3.19.	Klarna Express Checkout	40
2.4.	Compatibility.....	44
2.5.	Privacy, Payment.....	44
2.5.1.	GDPR Compliance.....	44
2.5.2.	EMD (Extra Merchant Data)	45
2.5.3.	PCI-DSS Compliance	50
3.	Implementation Guide	51
3.1.	Setup of Business Manager.....	51
3.1.1.	Cartridge Upload & Assignment.....	51
3.1.2.	Metadata Import.....	52
3.1.3.	Build Klarna JS & CSS.....	52
3.2.	Configuration	53
3.3.	Extended Controllers.....	56
3.4.	Template Updates	57
3.5.	Jobs.....	57
3.5.1.	Job “OrderCleanUp” (Optional)	57
3.5.2.	Job “RecurringOrders”.....	61
3.6.	Custom Code	62
3.6.1.	<code>app_storefront_base\cartridge\client\default\js\checkout\checkout.js</code> (optional) ...	62
3.6.2.	<code>app_storefront_base\cartridge\client\default\js\cart\cart.js</code> (required).....	63
3.7.	Integration with Other Payment Cartridges	64
3.8.	External Interfaces.....	65
4.	Testing.....	65
5.	Operations, Maintenance	66
5.1.	Data Storage	66
5.1.1.	System Object Extensions.....	66

5.1.2.	Custom Objects	75
5.1.3.	Session Attributes & Cookies	82
5.1.4.	Library.....	83
5.1.5.	Services	84
5.2.	Logs.....	84
5.3.	Availability	84
5.4.	Failover/Recovery Process.....	84
5.5.	Support	84
5.5.1.	Merchant Support.....	85
6.	User Guide	86
6.1.	Roles, Responsibilities	86
6.2.	Storefront Functionality	87
7.	Known Issues	93
8.	Release History	94
9.	Additional Information	97
9.1.	Klarna API Information.....	97
9.1.1.	Live Environment	97
9.1.2.	Testing Environment.....	98
9.2.	Generate Key Pair and Key Id for Virtual Card Settlements (VCN)	98
9.3.	Decrypt VCN Card Details	101
9.4.	Update KlarnaCountries Definition	102

1. Summary

The **Klarna Payments SFRA cartridge** enables integration of Klarna Payment solution on Commerce Cloud Storefront. The integration provides merchants the flexibility to offer choice of multiple Klarna Payment products on the Commerce Cloud checkout.

This document contains the instructions for a developer to install the cartridge and integrate it on the Salesforce Commerce Cloud site. The cartridge is fully compatible with the Storefront Reference Architecture (SFRA).

Merchant teams are required also to configure the cartridge with the valid merchant credentials and site configurations in Commerce Cloud Business Manager to enable Klarna payments methods in the checkout.

The integration consists of an archive, which contains the following contents:

- Cartridge called “int_klarna_payments” and “int_klarna_payments_sfra” to be imported.
- A site-template archive containing new attributes and settings.
- This document for SFRA (Klarna Payments SFRA Integration Guide).
- The integration is based on the SFRA demo store provided by Commerce Cloud.

It is a requirement that Merchant sign a contract for integration support and production go-live with Klarna.

Klarna offers a playground (test) environment, so the integration can be tested before switching to the Klarna production environment. Based on the contract, Klarna shall provide assistance with integration and testing prior to sign-off for go-live.

2. Component Overview

2.1. Functional Overview

Key Features:

- Integrate Klarna Payments using best practices on international sites based (markets in North America, Europe, Oceania)
- Enable multiple payment products for customer in Pay Now, Pay Later and Pay Over Time categories
- Fast integration/go-live with virtual card-based integration approach for settlement
- Handle Notification: pending status updates (reject/accept) for suspected orders post review
- Site managers can customize the Klarna Payments widget styling displayed in checkout, to match the style guide of merchant website(s)
- GDPR (EU) compliant checkout flow
- Multi Shipping Address support
- Supports Klarna authorize with finalize for Bank Transfer methods (Pay Now)
- Enable Onsite Messaging placements on PDP, Cart, Header, Footer, and dedicated Info page
- Enable Klarna's Express Button on Cart page (*US) for faster checkout
- BOPIS (Buy Online, Pickup in Store) support including extra merchant data
- Support for Klarna Payment Method based promotions
- Support for adjusted price promotions with Gross Tax Policy
- Support disabling Payment method for authorization rejection
- Support Auto-Capture
- Support for custom service rate limits configuration

Klarna Payment cartridge makes use of the Klarna Payments JSON REST API and a JavaScript SDK to integrate on the storefront. Klarna Payment enables consumers to choose from the different payment method products offered by Klarna. Multiple Klarna products are available within the categories “Pay Now”, “Pay Later” and “Pay Over Time”. The cartridge integration displays payment options via a widget (iframe) added inline on the billing page, referred to as

Klarna widget or just “the widget”. The widget with information about the payment method is displayed to the customer when the individual clicks on the Klarna payment method.

Customers can authorize the payment after reviewing the payment method terms and clicking Place Order button. The Klarna order is created, and customer is re-directed to the confirmation page.

Orders successfully placed with Klarna return a Fraud Status: ACCEPTED and displayed in Business manager (BM).

With ACCEPTED status, order creation in SCC proceeds as usual. Klarna payment status is saved in a custom attribute with id kpFraudStatus in the PaymentTransaction system object, and can be seen in BM on the order details Payment tab as below:

Merchant Tools > Ordering > Orders > Order: 00005307(RefArchGlobal)

General Attributes **Payment** Notes History

Payment Information for Order '00005307'

Order Total:	£25.19
Amount Paid:	£0.00
Balance Due:	£25.19
Invoice Number:	00024502
Payment Status:	Paid
Payment Method:	KLARNA_PAYMENTS Processor: KLARNA_PAYMENTS Transaction: 40ab1ccf-1a51-266b-98a2-0d00fb59261d Amount: £25.19 Klarna Payment Category ID: pay_over_time Klarna Payment Category Name: Buy now, pay later Fraud Status: ACCEPTED

<< Back to List

Figure 1 Klarna Payment Details in BM

An alternate flow when PENDING status is returned for Klarna order creation, the SCC order creation proceeds with modified statuses. If later a Klarna notification with updated fraud status FRAUD_RISK_ACCEPTED is returned, SCC order status is updated and returns to the usual flow. Klarna payment status is saved in a custom attribute with id kpFraudStatus in the PaymentTransaction system object, and can be seen in BM on the order details Payment tab as below:

Payment Information for Order '00005338'

<u>Order Total:</u>	£191.99
<u>Amount Paid:</u>	£0.00
<u>Balance Due:</u>	£191.99
<u>Invoice Number:</u>	00024524
<u>Payment Status:</u>	Paid
<u>Payment Method:</u>	KLARNA_PAYMENTS Processor: KLARNA_PAYMENTS Transaction: 08aef0f0-22f0-2138-9334-978b637d74dc Amount: £191.99 Klarna Payment Category ID: pay_over_time Klarna Payment Category Name: Buy now, pay later Fraud Status: FRAUD_RISK_ACCEPTED

[**<< Back to List**](#)

Figure 2 Klarna Payment Details in BM

2.2. Locales

The cartridge supports most locales including:

- English
- German
- Danish
- Spanish
- Finnish
- French
- Italian
- Dutch
- Polish
- Mexican

For a list of more [supported](#) locales, contact Klarna.

2.3. Use Cases

2.3.1. Enable Klarna Payments Across International Sites (NA, EU, OC)

Klarna Payments on SFRA can be configured independently on each site by locale.

2.3.2. Multitude of Payment Options for Customers

On the checkout billing step, configured Klarna payment options are dynamically loaded based on customer's cart information and the payment method categories returned for the current Klarna session.

The screen below shows an example of the payment options displayed in the Checkout billing step:




Figure 3 Payment Option




Figure 4 Payment Option

When customer selects (clicks) payment method, a widget with additional information of the Klarna product is displayed as shown above.

Note: The payment methods displayed are based on market availability and/or contractual agreement with Klarna.

2.3.3. Authorize and Place Klarna Order in Checkout

Cartridge provides best practice implementation and options to include Extra Merchant Data (EMD) to optimize acceptance rate for Klarna Payment (methods) products. This includes customer info and (Buy Online, Pickup in Store) BOPIS details included as merchant data when custom site preference “attachments” is enabled for the site. The EMD data sent can be extended but should be reviewed case by case and optimized and validated based on merchant data & privacy requirements prior to go-live.

The customer’s information (personally identifiable information) is sent once customer chooses a Klarna payment method and authorizes (clicks: “Continue to Place Order”). The required customer information facilitates assessment and verification of customer data to display payments method options available for the customer.

When customer clicks “Continue to Place Order” button, the authorization is initiated, and a successful authorization takes customer to summary page. Note that customer may be prompted for additional information prior to completion of authorization based on the payment method selected and market. If the authorization is not successful (“approved = false”), then the customer will stay on the billing page, the “Continue to Place Order” button will be disabled and depending on the Business Manager settings the payment option may be hidden or grayed out (refer to section 2.3.4 Refusal of Klarna Payments on Payment Method – Authorization).

In some cases, the Pay Now payment category requires additional “finalize” call to be triggered when the customer clicks on the “Place Order” button in the review page. This is needed to ensure that the funds will be transferred (e.g.: Bank Transfer payment methods which initiate fund transfer) only when the customer has decided to place the order on the merchant site.

Please, note that in such cases cookie called “**selectedKlarnaPaymentCategory**” is set in the customer’s browser. This cookie contains the selected payment method from the previous step and is used to initialize the “finalize” call to Klarna.

For more information regarding the authorize & finalize calls, refer to the developer documentation [here](#)




Figure 5 Finalize call screen

The Klarna Order is only placed prior to final step before SFCC order is created.

Successful payment authorizations (Klarna Payments authorization status: APPROVED) followed by placement of Klarna and SCC orders leads to a “Paid” order payment status and “Ready for Export” export status. Refused and pending Klarna Payment orders (Klarna Payments order statuses REJECTED and PENDING) lead to a “Not Paid” order payment status, and “Not Exported” export status.

In case of VCN settlement errors, Klarna orders are cancelled and SFCC orders are failed and set to a “Not Exported” export status.

When customers have selected Klarna payment option as a payment method for the order, successfully authorized the amount on order and later return to the billing page to choose a different payment method that is non-Klarna payment method. In such scenarios, when customer authorizes (non-Klarna payment method) and reaches the review page – automatic **“cancelAuthorization”** call will be triggered to release the authorized funds (Klarna related) & free up the available purchase amount for this customer.

Merchants have the option to utilize this function to cancel prior authorization when required for specific use-cases apart from the above scenario. If enabled, the checkout flow should be tested thoroughly as part of integration, considering the valid checkout scenarios (e.g. relevant Klarna

session flow, Klarna payment method switching, order amount updates, checkout with external payment method, etc.).

```
36 server.get('SaveAuth', function (req, res) {  
37   var KlarnaSessionManager = require('../cartridge/scripts/common/klarnaSessionManager');  
38   var processor = require('../cartridge/scripts/payments/processor');  
39  
40   var token = req.httpHeaders['x-auth'];  
41   var finalizeRequired = req.httpHeaders['finalize-required'];  
42  
43   // Cancel any previous authorizations  
44   // processor.cancelAuthorization();  
45  
46   var klarnaSessionManager = new KlarnaSessionManager();  
47   klarnaSessionManager.saveAuthorizationToken(token, finalizeRequired);  
48  
49   res.statusCode = 200;  
50 });  
51 };
```

Figure 6 Cancel Authorization Call

2.3.4. Refusal of Klarna Payments on Payment Method – Authorization

Upon selecting one of Klarna's options as the payment method on billing step of checkout and based on the customer information provided, Klarna Payments can be refused as a payment method.

If the payment method was rejected with “**show_form=false**” & “**approved=false**” (i.e., hard reject), the merchant has the option to choose what happens with the payment option display in Billing page using BM preference “Hide Payment Methods on Deny” (**kpRejectedMethodDisplay**):

No – Leave the payment visible to the customers

Hide – The payment option will be hidden from customer

Grey Out – The payment option will be greyed out and not clickable

Please note that reloading the page will show the denied Klarna payment method again.




Figure 7 Denied Order Popup




Figure 8 Greyed Out Payment Option

2.3.5. *Klarna Payment Option Not Available for Current Purchase - Billing Page*

The customer is presented with an appropriate message in the Klarna widget when customer attempts to choose Klarna in the billing step.




Figure 9 Option Not Available

2.3.6. *Klarna Payments Not Available - Checkout*

If Klarna API is not available or the site/storefront is not applicable, Klarna is not presented as a payment option in the billing page. It is recommended that Klarna session must not be created when customer chooses a non-Klarna market or merchant store, as well as in cases when merchants have multicurrency storefront with basket currency that is not supported by Karna.

2.3.7. *Handling Notifications*

In scenarios where the Klarna Order has been created but instead of immediately accepting the order, the Klarna is flagged for additional review. This results in Commerce Cloud order staying in “Created” status with Fraud Status: PENDING. This order is marked with EXPORT_STATUS_NOTEEXPORTED, confirmation status NOTCONFIRMED and NOTPAID.

For Klarna orders with Fraud Status PENDING, once review is complete, updates are sent to the pre-configured notification_url on the merchant Commerce Cloud site. The updated Fraud status depends on the fraud screening, the returned Fraud Status (e.g., FRAUD_RISK_ACCEPTED) is displayed in BM. The push notification is repeatedly sent (up-to 24 hours, every 10 mins) until the POST request is acknowledged with a 200 response.

Klarna sends one of the following event types in the notification to SFCC to update risk status: FRAUD_RISK_ACCEPTED, FRAUD_RISK_REJECTED, FRAUD_RISK_STOPPED.

The notification updates are generally received within 4-24 hours. The order’s payment transaction is updated (see **kpFraudStatus**). This can be seen in BM on the order details Payment tab as below:

Payment Information for Order '00005338'

Order Total:	£191.99
Amount Paid:	£0.00
Balance Due:	£191.99
Invoice Number:	00024524
Payment Status:	Paid
Payment Method:	KLARNA_PAYMENTS Processor: KLARNA_PAYMENTS Transaction: 08aef0f0-22f0-2138-9334-978b637d74dc Amount: £191.99 Klarna Payment Category ID: pay_over_time Klarna Payment Category Name: Buy now, pay later Fraud Status: FRAUD_RISK_ACCEPTED

[**<< Back to List**](#)

Figure 10 Fraud Status in Payment Details

If the order is “FRAUD_RISK_ACCEPTED” upon notification, the order will be placed in SFCC (order status changes to OPEN). The order is marked with status CONFIRMATION_STATUS_CONFIRMED and export status EXPORT_STATUS_READY. If the order was placed with auto-capture, the payment status will be set to PAYMENT_STATUS_PAID and the full order amount will be captured.

If the order is “FRAUD_RISK_REJECTED” or “FRAUD_RISK_STOPPED” upon notification, the order is failed (FAIL) in SFCC.

Note: The Klarna pending functionality availability is dependent on markets and enabled based on the contractual agreement with Klarna.

2.3.8. Virtual Cards Settlements

This option is disabled by default. However, if standard order management is not a reasonable option for a Klarna integration, then Klarna’s Merchant Card Service based virtual card solution may be utilized via site preference “**kpVCNEnabled**”:




Figure 11 VCN Enablement Setting

The virtual card (see note) is issued against an Klarna order, for the purpose of capturing the Klarna authorized order amount using the standard card rails.

When a customer places an order, the order is first booked in SFCC. Once an order has been accepted by Klarna, the Klarna cartridge integration creates a virtual card-based settlement, utilizing the merchant card services (MCSv3) API.

Once a settlement has been created (virtual card returned), the encrypted card details are saved in SFCC and can be later utilized by the merchant OMS platform or custom PSP integration to authorize the virtual card until the Klarna order is valid. On successful fulfillment of the order, the funds on the virtual card maybe captured. (For delays in capture, or other special use cases, please speak with the Klarna Key Account Manager in advance). While Klarna is the original payment method of the order, the order amount will be settled with the merchant using the issued virtual credit card instead of direct bank account transfer.

Please review the procedures with Klarna team for details of settlement process using virtual cards.

Refer to the below code in “**scripts/payments/processor.js**” and update accordingly to the integrated cards processor.

Note: If the Klarna order has a “**fraud_status**” of “PENDING”, action is not taken on the order until receiving Klarna’s push notification that the “**fraud_status**” has changed to “**FRAUD_RISK_ACCEPTED**”.

The virtual card issued is limited to 1 single successful authorization per order for a given MID

For decrypting the credit card details refer to **9.3 Decrypt VCN Card Details**.

```

118 /**
119 * Call Credit Card Authorization Hook (for VCN settlement)
120 *.param-{dw.order.order} order DW Order
121 *.@returns-{processorResult} authorizationResult
122 */
123
124 @function callCreditCardAuthorizationHook(order) {
125     ...var processorResult = null;
126     ...var paymentInstrument = order.getPaymentInstruments(PAYMENT_METHOD)[0];
127     ...var paymentProcessor = PaymentMgr
128         .getPaymentMethod(paymentInstrument.paymentMethod)
129         .paymentProcessor();
130     ...var transactionID = paymentInstrument.getPaymentTransaction().getTransactionID();
131
132     ...var hook = 'app.payment.processor.' + CREDIT_CARD_PROCESSOR_ID;
133     ...if (!HookMgr.hasHook(hook)) {
134         throw new Error('File of app.payment.processor.' + CREDIT_CARD_PROCESSOR_ID + ' hook is missing or the hook is not configured')
135     }
136
137     ...processorResult = HookMgr.callHook('app.payment.processor.' + CREDIT_CARD_PROCESSOR_ID, 'Authorize', transactionID,
138     ...paymentInstrument, paymentProcessor);
139
140 }

```

Figure 12 Credit Card Authorization Call

To utilize virtual card integration option the merchant should:

- Enable VCN option in Site Preferences as shown above
- Enter the VCN Public Key ID. Unique UUIDv4 value, which should be different for playground testing and Production (live site)




Figure 13 VCN Public Key ID

- Generate a 4096-bit RSA key pair (Refer to section Generate Key Pair and Key Id for Virtual Card Settlements). Set the custom preference “**vcnPublicKey**” with the value of the public key without the header and footer lines (begin and end public key) and the custom preference “**vcnPrivateKey**” with the value of the private key without the header and footer lines (begin and end private key)




Figure 14 VCN Public & Private Keys

- Update the VCN settlement retry setting “**kpVCNRetryEnabled**”. By default, this is disabled. However, if enabled and in cases when a VCN creation error is returned, the application will retry the settlement request once again with `order_id` as the idempotency key.
 - Finally, you need to send the generated unique `key_id` + public key combination in JWK format to Klarna prior to testing and go-live. It will be used to encrypt the aes key which is used for encrypting the pci data on Klarna side when settlement request is made. After confirmation from Klarna that the key has been successfully added to your merchant profile you would be able to use virtual card-based settlement option for Klarna payment methods

If enabled and fully configured, virtual card settlement request is made successfully. For orders placed with the VCN settlement option, the related custom attributes are shown below:

Merchant Tools > Ordering > Orders > Order: 00049309(RefArch)

General Attributes Payment Notes History

Attributes for Order '00049309'

On this page you can edit the attributes of the order. Fields with a red asterisk (*) are mandatory. Click **Apply** to save changes. Click **Reset** to revert your changes.

Klarna Payments	
Klarna Payments Order ID:	72bf2c96-6523-2add-8c50-f2af87712019
Is VCN Used:	<input checked="" type="checkbox"/>
VCN Card ID:	befbb0e9-5e98-4e39-9c00-75aba0c3372b

[<< Back to List](#)

Figure 15 VCN Details in Order

If required, the additional virtual card details can be assigned to this group in Administration > Site Development > System Object Types > select “Order”. In the Attribute Grouping tab select Klarna_Payments and click on “edit”. Assign the new attributes and save the data.

Administration > Site Development > System Object Types > Order - Attribute Groups > Klarna Payments

Object Type 'Order' - Attribute Definition Assignments

On this page you can assign existing attribute definitions to your attribute group.

Assign Attribute Definition						
ID*	ID	Name	Type	Attribute Settings	Sorting	
<input type="checkbox"/>	kpoOrderID	Klarna Payments Order ID	String			
<input type="checkbox"/>	kplIsVCN	Is VCN Used	Boolean			
<input type="checkbox"/>	kplVCNcardID	VCN Card ID	String			
<input type="checkbox"/>	kplVCNHolder	VCN Holder	String			
<input type="checkbox"/>	kplVCNBrand	VCN Brand	String			
<input type="checkbox"/>	kplVCNPIData	VCN PCI Data	String			
<input type="checkbox"/>	kplVCNIV	VCN Initialization Vector	String			
<input type="checkbox"/>	kplVCNAESKey	VCN AES Key	Text			

[Unassign](#)

[<< Back](#)

Figure 16 Full List of VCN Attributes

Please work with Klarna Account Manager and Delivery contact in advance to select the appropriate virtual card product based on your business requirements and use-cases. You can find information [here](#) around other use cases supported.

Important Note!

DO NOT SAVE DECRYPTED PCI DATA ON THE SERVER. It is the responsibility of the merchant to ensure PCI-DSS compliance and to ensure the card data is handled securely in co-ordination with required partners/Payment Service Provider/Acquirer. Please review in advance the order export details required for virtual card-based Klarna orders. Any historical

decrypted PCI data should also be expunged, regardless of the validity date (see section **3.5.1** Job “OrderCleanUp”).

2.3.9. Auto-Capture

Auto-capture is enabled via a site preference “**kpAutoCapture**” located in “**Klarna_Payments**” preference group.

When the preference is enabled (disabled by default), a full amount capture is attempted. If the capture is successful, the SFCC order’s payment transaction is marked as Paid, and viewable in the Business Manager.

The order will be marked as “*Captured*” in the Klarna’s Merchant Portal

Merchant reference I Klarna reference
00029205 BJJGHH9P1

Created Jun 25, 2019, 5:00 PM Expires Jul 23, 2019, 5:00 AM Merchant ID K500726

Customer

Shipping address

Angela Gill
4939 Wyatt Street
West Palm Beach
SW42 4RG Florida
GB

Tel
01222 555 555

Email
ivan.zanев@tryzens.com

Edit shipping address

Billing address

Additional Info

Order lines (2)

Qty	Item	Reference	Unit price	Discount	Tax	Amount
1	Black Flat Front Wool Suit	7505187030...	191.99	0.00	5% 9.14	191.99
1	Наземен транспорт	GBP001	7.99	0.00	5% 0.38	7.99

PAYMENT DETAILS

Initial Payment Method
Statement
Resend statement

ORDER TOTAL £199.98

Captured £199.98
Refunded £0.00
Not Captured £0.00

CUSTOMER BILLED £199.98

Activity Log

- Jun 25, 2019, 5:00 PM Order acknowledged Via API
- Jun 25, 2019, 5:00 PM Captured: £199.98 Via API
- Jun 25, 2019, 5:00 PM Order placed: £199.98

Figure 17 Order Details in Klarna Portal

If the capture is unsuccessful, an error will be logged in the custom error log. The setting must be reviewed with Klarna delivery team before testing and go-live.

Note: Auto-capture is possible for orders when VCN is not enabled!

2.3.10. Widget Customizations

Note: The merchant will need a configured Klarna Payments account.

The merchant can style the Klarna Payments widget (skin), to match the marketing and branding needs of their store. The list with the graphic elements that can be customized out of the box through site preferences are listed below:

"color_details" (site preference kpColorDetails): "#C0FFEE"
"color_button" (site preference kpColorButton): "#C0FFEE"
"color_button_text" (site preference kpColorButtonText): "#C0FFEE"
"color_checkbox" (site preference kpColorCheckbox): "#C0FFEE"
"color_checkbox_checkmark" (site preference kpCheckboxCheckmark): "#C0FFEE"
"color_header"(site preference kpColorHeader): "#C0FFEE"
"color_link"(site preference kpColorLink): "#C0FFEE"
"color_border"(site preference kpColorBorder): "#C0FFEE"
"color_border_selected"(site preference kpBorderSelected): "#C0FFEE"
"color_text"(site preference kpColorText): "#C0FFEE"
"color_text_secondary"(site preference kpColorTextSecondary): "#C0FFEE"
"radius_border"(site preference kpRadiusBorder): "0px"

2.3.11. Customizing Payment Method Name

The payment method name “*Klarna Payments*” may be customized via the “*Merchant Tools > Ordering > Payment Methods*” section in Business Manager.

The screenshot below shows the “*Klarna*” method selected and the administrator choosing a language from the drop-down.




Figure 18 Customize Payment Name

The payment method name would then be visible in the mini summary & confirmation screens, the confirmation emails and My Account Order Details section.

Order Number: 00055604			
Payment Information			
Billing Address Testperson-de Approved Vogelhüttendeich 123 Hamburg, HH 21107 Germany Phone: +494086687781	Payment Method Rechnung und Ratenkauf <small>Klarna order reference: roaa2465-33dd-2ee0-b3f9-5a038dbe0a71</small> Amount: 108,79 €	Payment Total Subtotal 112 Order Discount - 11 € Shipping Ground 7,99 Order Total: 108	
Shipment#1			
Item	Quantity	Price	Shipping To
Straight Fit Shorts	1	112,00 €	Testperson-de Approved

Figure 19 Payment Method Name in Email

2.3.12. Klarna On-Site Messaging

On-site messaging is a platform that enables you to add tailored messaging to your website. With On-site messaging you can let shoppers know about the different payment options you have available as they browse your site. By using Klarna, customers have access to our flexible payment options in the checkout; On-site messaging is a great way to let them know even before they decide to buy.

The Klarna Payment cartridge provides multiple options in the standard implementation based on the reference architecture:

- Product Page and Cart based promotions
- Sitewide
 - Top Banner strip
 - Footer logo
- Custom Info-page

Klarna On-Site Messaging (OSM) is configured by site and by locale via the **KlarnaCountries** custom object.

To configure the OSM settings for a locale, you must visit “**Merchant Tools – Custom Object Editor**” and search for **KlarnaCountries** custom object. Select the country Key, e.g. “US” .

In the custom country specific configuration, provide a valid locale for the OSM tag based on the country being configured.

The OSM Data Client ID and Data keys required are available in Klarna Merchant Portal within the On-site Messaging App:




Figure 20 OSM Settings in BM




Figure 21OSM Settings in BM (cont.)

To enable Placement tag for the Cart Page, the “Cart Placement Data Key” must be filled with Data Key value and the “Cart Placement Tag Enabled” must be checked. To customize the Cart Placement – theme could be selected and/or custom CSS entered in “Cart Placement Custom Styling” attribute using the placement id - **#osm-cart-placement**.

Note: Cart placements amount must be [updated](#) and latest Klarna credit offering placement (where required) displayed to customer when order line quantity is updated on cart page.
Refer to [3.6.2 app_storefront_base\cartridge\client\default\js\cart\cart.js](#) (required)

To enable Placement tag for the PDP Page, the “PDP Placement Data Key” must be filled with Data Key value and the “PDP Placement Tag Enabled” must be checked. To customize the PDP Placement – theme could be selected and/or custom CSS entered in “PDP Placement Custom Styling” attribute using the placement id - **#osm-pdp-placement**.

To enable Placement tag for header, the “Header Placement Data Key” must be filled with Data Key value and the “Header Placement Tag Enabled” must be checked. To customize the Header Placement – theme could be selected and/or custom CSS entered in “Header Placement Custom Styling” attribute using the placement id - **#osm-header-placement**.

To enable Placement tag for footer, the “Footer Placement Data Key” must be filled with Data Key value and the “Footer Placement Tag Enabled” must be checked. To customize the Footer

Placement Tag – theme could be selected and/or custom CSS entered in “Footer Placement Custom Styling” attribute using the placement id - **#osm-footer-placement**.

To enable Placement tag for the Info Page, the “Info Page Placement Data Key” must be filled with Data Key value and the “Info Page Placement Tag Enabled” must be checked. To customize the Info Page Placement Tag – theme could be selected and/or custom CSS entered in “Info Page Placement Custom Styling” attribute using the placement id - **#osm-info-page-placement**.

In Library URL, please input the full URL to the On-Site Messaging JavaScript Library.

In On-Site Messaging Environment please select the corresponding environment playground for test or production.

In On-site messaging Data Client ID, please input the On-Site Messaging Data client ID value.

On-site messaging Data locale, please input the valid On-Site Messaging Data locale.

All the placements can be customized with custom CSS using the placement component id – in the brackets of attribute name. The customization value should be wrapped in <style> element:




Figure 22 OSM Placements CSS customization

CSS customizations are available only for the new OSM library version.

Please follow Klarna guidance for placement styling - <https://docs.klarna.com/on-site-messaging/in-depth-knowledge/styling-on-site-messaging-with-css/>.

For Canada only, please update “Data Inline Enabled on PDP/Cart placement (Canada only)” value as follows:

- For PayBright enabled payment methods – set to true.
- For Klarna enabled payment methods – set to false.




Figure 23 On-Site Messaging Enabled on Cart Page




Figure 24 On-Site Messaging Enabled on PDP Page

In addition to the above, if you wish to display the dedicated (custom) Klarna info OSM page you can use the following controller endpoint **“KlarnaPayments-InfoPage”**. For example, you should update the **“footer-about”** content asset to include this line of code as shown on the screenshot.

```
<li><a href="$url('KlarnaPayments-InfoPage')$" title="Go to Klarna Info">Klarna  
Info</a></li>
```



Figure 25 Footer Asset Update




Figure 26 On-Site Messaging Enabled on Footer and link to Klarna Info Page




Figure 27 On-Site Messaging Enabled on Header & dedicated Klarna Info Page

For more information regarding OSM customizations and best practices, please refer to the Klarna [Developer/ Docs](#)

Integration Best practice + information about Klarna Branding and Co-marketing options here.

Note: It is the merchant's responsibility to ensure that user content is collected when required for OSM placements for your local market to abide by the legal requirement. e.g., [EU cookie-guide](#) in Klarna Merchant Portal

2.3.13. Klarna Express Button

The cartridge supports the **Klarna Express button (KEB)** on the standard Cart page and mini-Cart.

By enabling Klarna's Express button on the cart page of your website, shoppers can choose to log into their (*or sign up for a*) Klarna account and have their personal details pre-filled in the checkout. Klarna's payment method will be pre-selected for the shopper. In [supported](#) markets, Klarna's network of shoppers benefit from a pre-filled checkout experience, which also includes first time shoppers on a merchant storefront.




Figure 28 Klarna Express Button on Cart Page




Figure 29 Klarna Express Button clicked Cart Page




Figure 30 Klarna Express Button user credentials input actions

Once the credentials have been provided and the shopper has successfully authenticated with their Klarna account, they are redirected to the checkout page with relevant details pre-populated and Klarna Payment (e.g.: “Pay in 4”) method pre-selected on the billing page.

The screenshot shows a Klarna checkout interface. On the left, there's a 'Shipping' section with an address for 'John Doe' at 'Lombard St 10, Beverly Hills, CA 90210' and a phone number '+16173279035'. Below that is a 'Payment' section with a 'Billing Address' dropdown set to the same address, and fields for 'Email' ('someone@example.com') and 'Phone Number' ('+16173279035'). A 'Klarna' button indicates '4 interest-free payments'. On the right, an 'Order Summary' table shows a subtotal of \$289.99, shipping of \$15.99, sales tax of \$15.30, and a total of \$321.28. Below it, a product summary for a 'Black Single Pleat Athletic Fit Wool Suit' is shown, detailing color (Black), size (38), and quantity (1) at a price of \$289.99. At the bottom, a note says 'Trusted by over 15 million Americans.' and a note about continuing to accept Klarna Shopping Service, Privacy Policy, Pay Later in 4 terms, and requesting electronic communication. A 'Next: Place Order' button is at the bottom.

Figure 31 Checkout details prefilled and Klarna Pay in 4 selected

For storefronts with custom checkout design or address field validations, please ensure that the authenticated users address data is populated without modification to ensure the Klarna Payment method authorization is completed successfully.

Note: On re-direct, in the standard checkout, any existing email ID and phone number are updated with the latest provided by the shopper

2.3.14. Klarna Payment Method Based Promotions

As of B2C 20.7 release, merchants can include payment methods as qualifier for product, order & shipping promotions.

OOTB when such promotion is set up to use a payment method as qualifier, the total order amount will be visible to the customer once they reach the review page. This means that the Klarna authorization call will be made for larger amount than the final one.

To address this issue, once the customer clicks on any of the payment options in the billing section – a call will be made to the backend. This will re-calculate the basket totals if any promotions are applicable and will update the Klarna session details. As a result, the Klarna iframe widgets and the mini summary section on the storefront will update to show the final order details.

When the selected payment method is non-Klarna one, this logic should be customized by the merchant to handle any 3rd party payment integrations.

2.3.15. Price Adjustment Taxation Handling

OOTB the Klarna API calls will send the product / shipping method details and the relevant discounts as separate lines items as shown below:

```
"order_lines": [
  {
    "type": "discount",
    "name": "5 Off Ties Promotion",
    "reference": "682875540326M_5_off_ties_promotion",
    "quantity": 1,
    "merchant_data": "5ties",
    "unit_price": -500,
    "tax_rate": 500,
    "total_amount": -500,
    "total_tax_amount": 0,
    "total_discount_amount": 0,
    "product_url": null,
    "image_url": null
  },
  {
    "type": "physical",
    "name": "Checked Silk Tie",
    "reference": "682875540326M",
    "quantity": 1,
    "merchant_data": "",
    "unit_price": 1919,
    "tax_rate": 500,
    "total_amount": 1919,
    "total_tax_amount": 68,
    "total_discount_amount": 0,
  }
]
```

Figure 32 Line Items with Default Taxation Setting

In some cases, merchants using gross taxation might enable the “Tax Products and Shipping Only Based on Adjusted Price” preference under “Merchant Tools > Site Preferences > Pricing and Promotion” where the price adjustments are not taxed.

The setting, called “**kpPromoTaxation**” has been introduced, where merchants should update this to match the promotion setting below:

- price (Based on Price) – The product, shipping and their discounts will be sent as separate lines. This is the default setting.

- adjustment (Based on Adjusted Price) – When this is selected, the product or shipping method line item will be sent with attribute “total_amount” matching the prorated price and attribute “total_discount_amount” – matching the total sum of all discounts for this item.

```

"order_lines": [
  {
    "type": "physical",
    "name": "Checked Silk Tie",
    "reference": "682875540326M",
    "quantity": 1,
    "merchant_data": "",
    "unit_price": 1919,
    "tax_rate": 2200,
    "total_amount": 1419,
    "total_tax_amount": 256,
    "total_discount_amount": 500,
    ...
  }
]
  
```

Figure 33 Line Items with "Based on Adj." Taxation Setting

Note: Enabling this setting is not required for storefronts with net taxation as the tax is not included in the products base price. The total order sales tax is sent as a separate line item to Klarna and not on product/shipping line-item level.

2.3.16. Buy Online, Pickup in Store (BOPIS)

When store pickup has been enabled on the storefront, the integration will send stores details to Klarna in the authorization request and when placing the Klarna order. Store information is not sent prior the interaction of the customer with the Klarna payment method widgets.

The store address(es) is always included in the EMD attachment “other_delivery_address” when applicable.

The address included on the shipping address in the Klarna order with store pick-up, is as below:

- Orders that have 1 or more store pickup shipments (no home delivery address), the first store shipment details will be set as the shipping address
- Order with store pick-up(s) and home delivery shipment, home delivery address will be used as the shipping address in the Klarna calls
- If the order contains no store pickups, no information is sent in “other_delivery_addresses” attribute

{

```

"attachment": {
    "content_type": "application/vnd.klarna.internal.emd-v2+json",
    "body": {
        "other_delivery_address": [
            {
                "shipping_method": "store pick-up",
                "shipping_type": "normal",
                "first_name": "Test",
                "last_name": "Customer",
                "street_address": "1487 Bay St",
                "street_number": "",
                "postal_code": "01109",
                "city": "Springfield",
                "country": "US"
            }
        ]
    }
}

```

For more information on the options refer [here](#)

2.3.17. Configuration Support for Service Rate Limits

Klarna Payment API sets rate limits by operation (session creation, order creation, etc) to maintain a high quality of service for all its customers. A merchant has the flexibility to request higher rate limits for a specific duration. The duration of such events may last the period of high traffic events (e.g.: Flash sales or Holiday shopping). To enable these agreed rate limits, the service rate limits feature can be utilized.

The Service ID (e.g.: klarna.http.createSession) and Service Profile (e.g.: klarna.http.createSession) for default operations are included in the meta file.

Select All	Name	Type	Profile
<input type="checkbox"/>	int_braintree.http.xml.payment.Braintree	HTTP	Braintree Default Profile
<input type="checkbox"/>	int_paypal.http.nvp.payment.PayPal_RefArch	HTTP	PayPal Default Profile
<input type="checkbox"/>	klarna.http.cancelAuthorization	HTTP	Klarna.http.cancelAuthorization
<input type="checkbox"/>	klarna.http.cancelOrder	HTTP	Klarna.http.cancelOrder
<input type="checkbox"/>	klarna.http.createCapture	HTTP	Klarna.http.createCapture
<input type="checkbox"/>	klarna.http.createOrder	HTTP	Klarna.http.createOrder
<input type="checkbox"/>	klarna.http.createSession	HTTP	Klarna.http.createSession
<input type="checkbox"/>	klarna.http.defaultEndpoint	HTTP	Klarna.http.service
<input type="checkbox"/>	klarna.http.getOrder	HTTP	Klarna.http.getOrder
<input type="checkbox"/>	klarna.http.getSession	HTTP	Klarna.http.getSession
<input type="checkbox"/>	klarna.http.updateSession	HTTP	Klarna.http.updateSession
<input type="checkbox"/>	klarna.http.vcnSettlement	HTTP	Klarna.http.vcnSettlement

Default Klarna Service Operations:

- Create Session
- Update Session
- Create Order
- Cancel Order
- Capture Order (Full Capture)
- New Order Settlement (Virtual Card)


For more information on the options refer [here](#)

2.3.18. Klarna Subscriptions

The cartridge supports subscription handling.

2.3.18.1. Configuration

Subscription details are configured on product level. Products can be subscription, standard or both. The trial period should be an integer value.



The screenshot shows a configuration interface for Klarna Subscription. It has a header 'Klarna Subscription' and three input fields:

- Is Klarna Subscription Product:** A dropdown menu set to 'Yes'.
- Klarna Trial Days Usage:** An input field containing '15' with the note '(Integer)'.
- Is Klarna Standard Product:** A dropdown menu set to 'No'.

Figure 34 Product subscription configuration

2.3.18.2. Cart page

- Subscription products

Subscription-only products are automatically added to the shopping cart as subscription line items. For products that can be both subscription and standard, users can select their preference on the cart page. of standard and subscription products with different trial periods, or if some products

have a trial period while others do not. It's important to note that the checkout process won't proceed if the cart contains a mix

[Continue Shopping](#)
3 Items

3/4 Sleeve Boat Neck Striped Knit



Color: Navy Multi	Each	Quantity	Total
Size: L	\$79.00	1	\$79.00
In Stock	\$71.10		\$71.10
Edit	10% off Summer Flats standard and subscription product without trial period		

[Subscribe](#) This product can be purchased as a Subscription with Klarna payments. product without trial period

3/4 Sleeve V-Neck Top



Color: Butter	Each	Quantity	Total
Size: L	\$24.00	1	\$24.00
In Stock	\$21.60		\$21.60
Edit	10% off Summer Flats standard and subscription product with trial period		

[Subscribe](#) This product can be purchased as a Subscription with Klarna payments. product with trial period

Subscription Trial period: 12 days

3/4 Sleeve Solid Drape Neck Sweater



Color: Carnation	Each	Quantity	Total
Size: M	\$46.99	1	\$46.99
In Stock	\$42.29		\$42.29
Edit	10% off Summer Flats subscription only product with trial period		

[Subscribe](#) This product can be purchased as a Subscription with Klarna payments. subscription only product with trial period

Subscription Trial period: 12 days

Figure 35 Subscription products on cart page

- **Subscription details**

Dropdown menus with predefined values appear on the cart page when there's at least one subscription product in the cart. The configuration of these values can be managed in the Administration panel under "Site Development" > "System Object Types" > "Basket - Attribute Definitions." The attributes available for configuration are:

- kpSubscriptionFrequency
- kpSubscriptionPeriod




Figure 36 Subscriptions details in cart page

2.3.18.3. *Checkout*

Only Logged in user is allowed to do a subscription check out. Session intent is defined based on the basket content:

- “tokenize” – basket contains products with trial period, user is not charged on order creation
- “buy_and_tokenize” – subscription products without trial period
- “buy” – only standard products, no subscription products

For intents “tokenize” and “buy_and_tokenize” Klarna customer token for recurring payments is created. This is stored in customer profile for future usage.

Once the order is created the user profile is updated with subscription data:

- token
- enabled: Status of subscription
- nextChargeDate: A calculated date for the next subscription charge

- subscriptionPeriod: An enumerated value representing the subscription period ('week', 'month', or 'year').
- subscriptionFrequency: The frequency of subscription with will be numeric 1,2,3,4,5,6,15
- subscriptionProductID: The corresponding subscription product ID.
- lastOrderID: The ID of the last order for the subscription.

2.3.18.4. Account Subscription dashboard

There is a full list of subscriptions per user in my account section. The user will be able to cancel subscriptions. Cancelled subscriptions are displayed with **Inactive** status. Cancel subscription button will deactivate the customer token and no further charges will be make with it.

[Home](#) / [My Account](#)

The screenshot shows a list of subscriptions under the heading "Subscriptions". There are two items listed:

- Subscription ID: 69c0aeb2-e34e-4d11-847a-6a217dbce435** (Inactive)
- Subscription ID: 9404e832-2c91-4e8b-8535-6e26c881d9bf** (Active)

Each item includes a small thumbnail image of a beaded keychain, the subscription ID, a "Cancel" button, and detailed information:

- Subscription ID: 69c0aeb2-e34e-4d11-847a-6a217dbce435** (Inactive)
- Last Order ID: 00050402
Next Charge Date: 10/5/23
Status: **Inactive**
Total subscription amount: \$38.15
- Subscription ID: 9404e832-2c91-4e8b-8535-6e26c881d9bf** (Active)
- Last Order ID: 00050403
Next Charge Date: 10/5/23
Status: **Active**
Total subscription amount: \$38.15

Figure 37 My Account Subscription dashboard

2.3.18.5. Recurring Subscription Order Creation

A back-end job to process recurring subscription against each user in SFCC if subscription exists. The job iterates through customers and checks for subscriptions due for payment on the same day.

- Create a new order (with data from lastOrderID) and make a charge call to Klarna using the token and price from the lastOrderID.
- On success - update nextChargeDatebased on subscriptionPeriod and set lastOrderID to the ID of the newly placed order. Update the same in the Subscription Dashboard against the subscription.
- On failure:
 - o Retry

Merchants can configure a retry mechanism where they can set a retry after specific number of days. If the retry fails, then the subscription can be Deactivated. This is generic configuration for retry:

- Retry: Boolean field with value Yes/No
 - Number of Retry: 1,2 If Retry field is set as Yes, then merchant can configure this field.
 - Retry Frequency: 1, 2 If Retry field is set as Yes, then merchant can configure this field.
- o Cancel subscription – if retry is disabled the subscription is cancelled.

Orders with trial period subscriptions are paid after the trial period is over. On the next charge date, a new order will be created.

New orders are with channel type = SUBSCRIPTIONS.

2.3.19. Klarna Express Checkout

Klarna Express Checkout is a new feature introduced in Storefront where Express Checkout Button will be displayed in PDP, Cart and Mini Cart and user will be redirected to Klarna after clicking Express Checkout button. Klarna Express Checkout enabled quick and easy checkout where Shipping Address, Billing Address and Payment details will be preselected so that Checkout can be completed in fewer clicks. Klarna Documentation - <https://docs.klarna.com/express-checkout/>. Multi step checkout is implemented with finalize call at place order stage.

2.3.19.1. PDP

- Button is not visible if the product is subscription only.

- Product is added to cart and the checkout is started with new basket only for this product. Once the checkout is completed the old basket is restored based on a session attribute.




Figure 38 Klarna Express Checkout on PDP

2.3.19.2. Minicart and Cart buttons

- Express checkout button is not displayed in minicart if there are only subscription only products in the cart.




Figure 39 Klarna Express Checkout on minicart

This screenshot shows a standard cart page. At the top, there are links for 'Continue Shopping', '1 Items', and 'Need Help? Call 1-800-555-0199'. The main content area displays a product item: 'Scoop Neck Tee' in Cobalt Blue, Size L, marked as 'In Stock'. The price is 'Each 71,00 € 53,27 €' with a quantity selector showing '1'. The total amount is '53,27 €'. To the right of the product details, there's a section for entering a promo code with a 'Promo Code' input field and a 'Submit' button. Below this, there's a 'Shipping' section with a dropdown menu set to 'Ground (7-10 Business Days)'. Further down, shipping costs are listed: 'Shipping cost 5,99 €' and 'Sales Tax 2,83 €'. The 'Estimated Total' is '59,26 €'. At the bottom, there are two buttons: a black 'Pay with Klarna.' button and a blue 'Checkout' button.

Figure 40 Klarna Express Checkout on cart page




Figure 41 Klarna Express Checkout widget

2.3.19.3. Configuration

- Basket has custom attribute “kpIsExpressCheckout” set as true for Express Checkout process.
- Merchant Tools > Site Preferences > Custom Site Preference Groups > Klarna Express Checkout

In Site Preferences we can enable/disable the feature and configure the buttons style. By default we have “Klarna” as payment method category which is displayed in checkout payment methods.

Name	Value	Default Value	
Klarna Express Checkout Enabled (kpECEnabled)	Yes	No	Edit Across Sites
Klarna Express Checkout Collect Shipping Address (kpECCollectShippingAddress)	Yes	No	Edit Across Sites
Klarna Express Checkout Button Theme (kpECButtonTheme)	Dark (dark)	Default	Edit Across Sites
Klarna Express Checkout Button Shape (kpECButtonShape)	Pill (pill)	Default	Edit Across Sites
Payment Category Content (kpECPaymentCategoryContent)	[{ "asset_urls": { "descriptive": "https://x.klarnacdn.net/payment-method/assets/badges/generic/klarna.svg", "standard": "https://x.klarnacdn.net/payment-method/assets/badges/generic/klarna.svg" }, "identifier": "klarna", "name": "klarna.payment.method" }]		Edit Across Sites

Figure 42 Klarna Express Checkout configuration

- Merchant Tools > Custom Objects > Manage Custom Objects > KlarnaCountries Client key configuration by region in “**Klarna Express Checkout Client Key:**”

Minicart Express Button Shape:	- None -
Express Checkout	Klarna Express Checkout Client Key: <input type="text" value="klarna_test_client_ViU3KUNjMW53JDBVRUxucG1lZFixdmNsc"/>
<< Back to List	

Figure 43 KlarnaCountries Express Checkout Client Key

2.4. Compatibility

This cartridge has been tested against API Version: 22.6 (Compatibility Mode: 21.10) & SFRA version 6.0.0

2.5. Privacy, Payment

2.5.1. GDPR Compliance

The cartridge is compliant with GDPR recommendation and follows the best practice mentioned here and implementation transmits only required (PII) data to authorize payment method.

2.5.2. EMD (Extra Merchant Data)

The cartridge supports sending additional information on the customer's past purchase history, as well as "Buy Online, Pickup in Store" (BOPIS) store addresses when turned on in custom preferences: "Attachements" (**kpAttachments**). The type of data that can be send as an attachment is mentioned here. EMD is required for certain types of merchant orders and the inclusion of EMD is (e.g.customer_account_info: past interaction with merchant store) generally beneficial to improve acceptance rates.

EMD is included as part of Authorization step in Commerce Cloud checkout. The data send to Klarna is customizable and can be seen in "**int_klarna_payments/scripts/payments/additionalCustomerInfo.js**". This script should return a JSON string to be used as a value for the body sub-field of the attachment field as [described here](#).

If the example additionalCustomerInfo.js file is used unchanged the data send to Klarna is by the following schema:

```
{  
  "$schema": "http://json-schema.org/draft-03/schema#",  
  "id": "http://klarna.com/v2/emd#",  
  "description": "Extended Merchant Data Payload Schema",  
  "type": "object",  
  "properties": {  
    "customer_account_info": {  
      "type": "array",  
      "items": {  
        "type": "object",  
        "properties": {  
          "unique_account_identifier": {  
            "type": "string",  
            "maxLength": 24  
          },  
          "account_registration_date": {  
            "description": "ISO 8601 e.g. 2012-11-24T15:00",  
            "type": "string",  
          }  
        }  
      }  
    }  
  }  
}
```

```
        "format": "date-time",
        "pattern": "^[0-9][0-9][0-9][0-9]-[0-1][0-9]-[0-3][0-9]T[0-2][0-9]:[0-5][0-9]([0-5][0-9])\{0,1\}Z\{0,1\}$"
    },
    "account_last_modified": {
        "description": "ISO 8601 e.g. 2012-11-24T15:00",
        "type": "string",
        "format": "date-time",
        "pattern": "^[0-9][0-9][0-9][0-9]-[0-1][0-9]-[0-3][0-9]T[0-2][0-9]:[0-5][0-9]([0-5][0-9])\{0,1\}Z\{0,1\}$"
    }
},
{
},
},
},
"payment_history_full": {
    "type": "array",
    "items": {
        "type": "object",
        "additionalProperties": false,
        "properties": {
            "unique_account_identifier": {
                "type": "string"
            },
            "payment_option": {
                "type": "string",
                "enum": ["card", "direct banking", "non klarna credit", "sms", "other"]
            },
            "number_paid_purchases": {
                "type": "integer"
            }
        }
    }
}
```

```
"total_amount_paid_purchases": {  
    "type": "number"  
},  
"date_of_last_paid_purchase": {  
    "description": "ISO 8601 e.g. 2012-11-24T15:00",  
    "type": "string",  
    "format": "date-time",  
    "pattern": "^[0-9][0-9][0-9][0-9]-[0-1][0-9]-[0-3][0-9]T[0-2][0-9]:[0-5][0-9](:[0-5][0-9])\\{0,1\\}Z\\{0,1\\}$"  
},  
"date_of_first_paid_purchase": {  
    "description": "ISO 8601 e.g. 2012-11-24T15:00",  
    "type": "string",  
    "format": "date-time",  
    "pattern": "^[0-9][0-9][0-9][0-9]-[0-1][0-9]-[0-3][0-9]T[0-2][0-9]:[0-5][0-9](:[0-5][0-9])\\{0,1\\}Z\\{0,1\\}$"  
}  
}  
}  
}  
}  
}  
,"other_delivery_address": {  
    "type": "array",  
    "items": {  
        "type": "object",  
        "additionalProperties": false,  
        "properties": {  
            "shipping_method": {  
                "type": "string",  
                "enum": ["store pick-up", "pick-up point", "registered box", "unregistered box"]  
            }  
        }  
    }  
}
```

```
        },
      "shipping_type": {
        "type": "string",
        "enum": ["normal", "express"]
      },
      "first_name": {
        "type": "string"
      },
      "last_name": {
        "type": "string"
      },
      "street_address": {
        "type": "string"
      },
      "street_number": {
        "type": "string"
      },
      "postal_code": {
        "type": "string"
      },
      "city": {
        "type": "string"
      },
      "country": {
        "type": "string"
      }
    }
  }
}
```

```
    }  
}  
}
```

Example data:

```
{  
  "attachment": {  
    "content_type": "application/vnd.klarna.internal.emd-v2+json",  
    "body": {  
      "customer_account_info": [{  
        "unique_account_identifier": "5509d9f7c8720c0e4575154b",  
        "account_registration_date": "2015-03-18T20:03:03Z",  
        "account_last_modified": "2015-03-18T20:03:03Z"  
      }],  
      "payment_history_full": [{  
        "unique_account_identifier": "5509d9f7c8720c0e4575154b",  
        "payment_option": "card",  
        "number_paid_purchases": "23",  
        "total_amount_paid_purchases": "140023",  
        "date_of_last_paid_purchase": "2015-03-18T20:03:03Z",  
        "date_of_first_paid_purchase": "2015-03-18T20:03:03Z"  
      }],  
      "other_delivery_address":{  
        "shipping_method": "store pick-up",  
        "shipping_type": "normal",  
        "first_name": "Test",  
        "last_name": "Customer",  
        "street_address": "1487 Bay St",  
        "street_number": "",  
        "postal_code": "01109",  
      }  
    }  
}
```

```
        "city": "Springfield",
        "country": "US"
    }]
}
}
```

Please, note that in cases when the customer uses Guest Checkout, the EMD sent includes **payment_history_full[0].unique_account_identifier** (cqcid value set by SFCC), and all other fields are empty!!

2.5.3. PCI-DSS Compliance

Important Note: DO NOT SAVE UNENCRYPTED PCI DATA ON THE SERVER!

The virtual card (MCSv3) solution enables settlements using individual virtual card issued against a Klarna order. To be compliant with PCI-DSS requirements, merchant must ensure the data is securely maintained and transmitted as part of their operation in their live store environment. The required steps to ensure this, must be done in consultation with your payment service provider/acquirer and completed prior to go-live. Please review in advance the order export details required for virtual card-based Klarna orders. Any historical decrypted PCI data should also be expunged, regardless of the VCN validity date.

3. Implementation Guide

3.1. Setup of Business Manager

The Klarna Payments LINK Cartridge contains 2 cartridges that are required for full functionality. Additionally, Controller and SFRA support is broken out into two separate cartridges, thereby facilitating the installation and use of one or the other models.

`int_klarna_payments` – Implements the core storefront functionality.

`int_klarna_payments_sfra` - Implements the storefront functionality with SFRA code.

3.1.1. Cartridge Upload & Assignment

Import the two cartridges into UX studio and associate them with a Server Connection.

- Import the “`int_klarna_payments`” cartridge into the SCC Studio Workspace:
 - Open SCC Studio
 - Click File -> Import -> General -> Existing Projects into Workspace
 - Browse to the directory where you saved the “`int_klarna_payments`” cartridge.
 - Click Finish.
 - Click OK when prompted to link the cartridge to the sandbox.
- Import the “`int_klarna_payments_sfra`” cartridge into the SCC Studio Workspace:
 - Open SCC Studio
 - Click File -> Import -> General -> Existing Projects into Workspace
 - Browse to the directory where you saved the “`int_klarna_payments_sfra`” cartridge.
 - Click Finish.
 - Click OK when prompted to link the cartridge to the sandbox.
- Prepend the Klarna cartridges to the effective site cartridge path:
 - Log into the SCC Business Manager.
 - Click Administration -> Sites -> Manage Sites.
- Select the desired site.

- Click on the Settings tab.
- Prepend “**int_klarna_payments_sfra:int_klarna_payments**” to the “**Cartridges**” field.
- Click Apply




Figure 44 Effective Cartridge Path

3.1.2. *Metadata Import*

- Go to main directory “**metadata**” folder, review the site-template content, and edit if needed. (Site template is prepared to setup “**SiteGenesis**” and “**RefArch**” sites - you may want to change that to your actual sites and delete the ones that are not needed). Zip the directory and you will have “**site-template.zip**” installation package.
- Log into the SCC Business Manager.
- Click Administration -> Sites Development -> Site Import & Export
- Browse to the directory where you saved the “**site-template.zip**”.
- Click “**Upload**”
- Select the uploaded site zip and click “**Import**”.

Note: Please, review the default **service.xml** file in the **site-template.zip** and update the configuration for Playground and Production accordingly before importing.

3.1.3. *Build Klarna JS & CSS*

If necessary, update the path to your base SFRA installation in **package.json** file from the same root folder.

Normally you would have a top-level project folder, into which the repositories of SFRA base cartridge and all required plugins, libraries and any other LINK cartridges will be cloned. In case you have cloned the Klarna cartridge into that folder as well, the below change will not be required. Otherwise, update **paths.base** property in the **package.json** to contain a relative path to the local directory containing the Storefront Reference Architecture repository. Its default value will be as follows:

```
"paths": {  
    "base": "../storefront-reference-architecture/cartridges/app_storefront_base/"  
}
```

Once you are certain the correct path to SFRA cartridge is configured, run “**npm run compile:scss**” command from the root folder of Klarna repository.

Run “**npm run compile:js**” command from the root folder of Klarna repository to build the Klarna specific JavaScript files.

3.2. Configuration

- Add your account settings to the KlarnaCountries Custom Objects.
 - Log into the SCC Business Manager.
 - Select the desired site from the tabs across the top of the page.
 - Click Custom Objects -> Custom Object Editor
 - Change the Object Type dropdown to “**KlarnaCountries**”.
 - Click the “**Find**” button.
 - Click the desired country you wish to edit (See screenshot below).
 - Update the required fields as mentioned in “KlarnaCountries” section
 - Repeat for the other countries.

Merchant Tools > Custom Objects > Custom Objects > US - General

General

Manage 'US' (KlarnaCountries)

Fields with a red asterisk (*) are mandatory. You can view and edit the name and description in other languages, if required. Click **Apply** to save the details.

custom	<input type="text" value="US"/> Country Code: <input type="text" value="en-US"/> On-site Messaging Data Default Locale: <input type="text" value="klarna.http.uscredentials"/> Service Credential ID: <input type="text" value="60a22a39-c2fd-5d09-bfe1-771459318a4d"/> On-site messaging Data Client ID: <input checked="" type="checkbox"/> Cart Placement Tag Enabled: <input type="text" value="info-page-standard"/> Cart Placement Data Key: <input checked="" type="checkbox"/> PDP Placement Tag Enabled: <input type="text" value="credit-promotion-small"/> PDP Placement Data Key: <input checked="" type="checkbox"/> Header Placement Tag Enabled: <input type="text" value="top-strip-promotion-standard"/> Header Placement Data Key: <input checked="" type="checkbox"/> Footer Placement Tag Enabled: <input type="text" value="footer-promotion-auto-size"/> Footer Placement Data Key: <input checked="" type="checkbox"/> Info Page Placement Tag Enabled: <input type="text" value="info-page"/> Info Page Placement Data Key: <input type="text" value="https://na-library.playground.klarnaservices.com/lib.js"/> Library URL:
--------	---

Figure 45 KlarnaCountries Settings

- Configure Klarna Payment Custom Preferences using the SCC Business Manager
 - Log into the SCC Business Manager
 - Select the desired site from the tabs across the top of the page.
 - Click Site Preferences -> Custom Preferences -> KlarnaPayment
 - Fill out the settings as desired. Descriptions of the site preferences are in the Site Preferences section.

- Configure Klarna Payment Service using the SCC Business Manager
 - Log into the SCC Business Manager
 - Click Administration > Operations > Services.
 - Click the Credentials tab.
 - Each Klarna credential correspond to one of the KlarnaCountries custom objects. Click on the one you want to edit.
 - Enter the MID API username and API password you received from Klarna.

- Edit URL field if Production environment. Klarna API URLs information - <https://developers.klarna.com/api/#api-urls>.

[Administration](#) > [Operations](#) > [Services](#) > [Service Credentials](#) > klarna.http.gbcredentials - Details

klarna.http.gbcredentials


Fields with a red asterisk (*) are mandatory. Click **Apply** to save the details. Click **Reset** to revert to the last saved state.

These credentials are used by 0 services.

Name:*	klarna.http.gbcredentials
URL:	https://api.playground.klarna.com/
User:	your Merchant ID
Password:	*****

Figure 46 Service Settings

- Configure Klarna Rate Limited Service Profile using the SCC Business Manager (Optional)
 - Log into the SCC Business Manager
 - Navigation : Merchant Tools > Site preferences > Custom Site Preferences group > Klarna Payments
 - Enable Service Limit configuration > Select “Rate Limit By Operation” to Yes. If it is selected to NO, the default service will control the rate limit.
- Configure Custom Rate limits in SCC Business Manager (Optional)
 - Log into the SCC Business Manager
 - Navigation: Administration > Operations > Services
 - Select a required profile (e.g : Klarna.http.createSession)
 - Enable Rate Limit: Check box
 - Max Rate Limit Calls: 50 (e.g.: Higher rate limit of 50 requests/sec agreed with Klarna)
 - Rate Limit Internal (millisecond): 1000
 - Repeat for all Service operation with respective agreed rate limits



[Administration](#) > [Operations](#) > [Services](#) > [Service Profiles](#) > klarna.http.createSession - Details

klarna.http.createSession

Fields with a red asterisk (*) are mandatory. Click **Apply** to save the details. Click **Reset** to revert to the last saved state.

This profile is used by 1 service.

Name: [*]	klarna.http.createSession
Connection Timeout (ms):	30,000
Enable Circuit Breaker:	<input type="checkbox"/>
Max Circuit Breaker Calls:	0
Circuit Breaker Interval (ms):	0
Enable Rate Limit:	<input checked="" type="checkbox"/>
Max Rate Limit Calls:	50
Rate Limit Interval (ms):	1000

[**<< Back to List**](#)

3.3. Extended Controllers

Controller	Start Node	Remarks
Checkout.js	Begin	Extended to call Klarna session manager
CheckoutServices.js	Get, SubmitPayment, PlaceOrder	Klarna payment method/category and totals are being stored
CheckoutShippingServices.js	SubmitShipping, ToggleMultiShipping	Calling the Klarna session manager
Order.js	Confirm	Extending Klarna order data to view data

Table 1 Extended Controllers List

3.4. Template Updates

Templates have been updated to support On-site messaging and Addresses forms for Klarna. To be used as reference but feel free to customize the templates to match your specific needs. Final review and sign-off as per project requirements and contract agreements.

3.5. Jobs

3.5.1. Job “*OrderCleanUp*” (Optional)

This 1-time clean-up job is only applicable to merchants integrated with Klarna Payments cartridge version (< 19.1.6), utilizing (or previously used) virtual card-based settlement (VCN) and stored decrypted card details within Business Manager.

The job iterates over orders with status “**Exported**” and attribute “**custom.kpIsVCN=true**” to remove the sensitive details saved in fields kpVCNPAN, kpVCNCSC, kpVCNExpirationMonth, kpVCNExpirationYear as part of the previous releases. There are no parameters passed to the script.

Upon successful run, the job will log the result of processed orders in the custom debug log located in “**webdav/Sites/Logs**”. Depending on the setup, you will receive a message for the processed orders count for each storefront or message that there are no orders needing update.

The screenshot shows a list of log entries from a custom debug log. Each entry includes a timestamp and a log message. The log messages are as follows:

- Wed, 09 Sep 2020 09:45:38 GMT DEBUG CustomJobThread[1740004063]OrderCleanUp|executeRefArch custom [] Job [OrderCleanUp] - [RefArch] No orders require processing
- Wed, 09 Sep 2020 09:45:38 GMT DEBUG CustomJobThread[1740004063]OrderCleanUp|executeRefArchGlobal custom [] Job [OrderCleanUp] - [RefArchGlobal] No orders require processing
- Wed, 09 Sep 2020 09:45:38 GMT DEBUG CustomJobThread[1740004063]OrderCleanUp|executeSiteGen custom [] Job [OrderCleanUp] - [SiteGenesis] Orders processed: 2
- Wed, 09 Sep 2020 09:45:38 GMT DEBUG CustomJobThread[1740004063]OrderCleanUp|executeSiteGenGlobal custom [] Job [OrderCleanUp] - [SiteGenesisGlobal] No orders require processing

Figure 47 Job Logs

Upon error, the cause of the failure (message and stack) will be logged in the standard error log.

The screenshot shows a single error log entry from a standard error log. The entry includes a timestamp and a detailed error message. The error message is as follows:

Wed, 09 Sep 2020 09:05:22 GMT
ERROR CustomJobThread[610064@18]OrderCleanUp|execute com.demandware.beehive.core.internal.domain.SystemObjectQueryImpl Sites-RefArch-Site 208 43e0d91e96 e67f0cb0ade56d99ae0c4bc12b 1648624161284573184 - Exception while parsing system object query.
System
RequestID: e67f0cb0ade56d99ae0c4bc12b
SessionType: JOB
Truncated SessionID: 43e0d91e96
User Profile UUID: 01e37ff77579fda91ae75408ab

Figure 48 Job Logs

To setup the job, go to **Administration > Operations > Import & Export** and import file “**jobs.xml**”. Out of the box, the XML file includes only the RefArch scope, but it can be configured with multiple flows if you have more than one site using this functionality as seen bellow. Each site should be added as a separate flow.




Figure 49 Job Steps

To set up the required job parameters and add new flow, follow the bellow steps. If you only have one storefront and need to change the scope to the correct one – proceed to steps 4-5 directly.

1. Click on the “Add a sequential flow” button at the bottom of the current flow.



Figure 50 Add New Job Step

- Once done, click on “Configure a step” button within the flyout that has just opened search for “script” and select “ExecuteScriptModule”.




Figure 51 Configure Step

- In the flyout populate these fields and click the “Assign” button.
 - ID – Enter any meaningful name in the field. In case you have multiple flows, this should not be a duplicate one. If you enter a duplicate name, the details won’t be saved and you will see an error message.
 - ExecuteScriptModule.Module – Enter the location of the “OrderCleanUpJob.js” file. Out of the box it should be

“int_klarna_payments/cartridge/scripts/job/OrderCleanUpJob.js” or the location where you have placed the script file.

- c. ExecuteScriptModule.FunctionName – Leave the field value to “execute”




Figure 52 Configure Step (cont.)

4. Once the step has been added, you should make sure to assign it to the correct site scope. Click on “Organization” and select “Specific Sites” from the drop-down.




Figure 53 Job Scope

5. From the list of sites, select the respective site ID (i.e. SiteGenesisGlobal) and click on “Assign”.




Figure 54 Job Scope (cont.)

6. Repeat steps 1-5 for each site/storefront that you have using Klarna VCN and need additional configuration.

3.5.2. Job “RecurringOrders”

The job iterates over all customers checking for subscriptions entries. Process all subscription entries eligible for charge – subscription should be enabled and nextChargeDate or nextRetryDate should match the current date. New SFCC orders are created and the old ones are replaced. Orders with expiring trial period, are only charged.

By default in jobs.xml the job is configured to run on RefArch site but this can be changed either in file or in storefront.

The job has one job step – createOrder with following configuration:

- ExecuteScriptModule.Module -
int_klarna_payments/cartridge/scripts/job/RecurringOrdersJob.js
- ExecuteScriptModule.FunctionName – **execute**

The job is executed on site level.




Figure 55 RecurringOrdersJobs

3.6. Custom Code

Store Front Reference Architecture (SFRA) does not imply modification of core cartridge to enable any of LINK integration cartridges. The **"int_klarna_payments_sfra"** cartridge follows best practices recommended by Salesforce. Refer to below 2 cases where changes may be applicable:

3.6.1. app_storefront_base\cartridge\client\default\js\checkout\checkout.js (optional)

After placing an order every customer is redirected to Klarna and then sent back to the site with order confirmation page. To prevent sending of any additional URL params to Klarna please do the following:

```
310 else if (stage === 'placeOrder') {
311   // disable the placeOrder button here
312   $('body').trigger('checkout:disableButton', '.next-step-button button');
313   $.ajax({
314     url: $('.place-order').data('action'),
315     method: 'POST',
316     success: function (data) {
317       // enable the placeOrder button here
318       $('body').trigger('checkout:enableButton', '.next-step-button button');
319       if (data.error) {
320         if (data.cartError) {
321           window.location.href = data.redirectUrl;
322           defer.reject();
323         } else {
324           // go to appropriate stage and display error message
325           defer.reject(data);
326         }
327       } else {
328         var continueUrl = data.continueUrl;
329         var urlParams = {
330           ID: data.orderID,
331           token: data.orderToken
332       };
333
334       continueUrl += (continueUrl.indexOf('?') !== -1 ? '&' : '?') +
335         Object.keys(urlParams).map(function (key) {
336           return key + '=' + encodeURIComponent(urlParams[key]);
337         }).join('&');
338     },
339   });
340 }
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
589
590
591
592
593
594
595
596
597
598
599
599
600
601
602
603
604
605
606
607
608
609
609
610
611
612
613
614
615
616
617
618
619
619
620
621
622
623
624
625
626
627
627
628
629
629
630
631
632
633
634
635
636
637
638
639
639
640
641
642
643
644
645
646
647
648
649
649
650
651
652
653
654
655
656
657
658
659
659
660
661
662
663
664
665
666
667
668
669
669
670
671
672
673
674
675
676
677
678
679
679
680
681
682
683
684
685
686
687
688
689
689
690
691
692
693
694
695
696
697
698
699
699
700
701
702
703
704
705
706
707
708
709
709
710
711
712
713
714
715
716
717
718
719
719
720
721
722
723
724
725
726
727
727
728
729
729
730
731
732
733
734
735
736
737
738
739
739
740
741
742
743
744
745
746
747
748
749
749
750
751
752
753
754
755
756
757
758
759
759
760
761
762
763
764
765
766
767
768
769
769
770
771
772
773
774
775
776
777
778
779
779
780
781
782
783
784
785
786
787
788
789
789
790
791
792
793
794
795
796
797
798
799
799
800
801
802
803
804
805
806
807
808
809
809
810
811
812
813
814
815
816
817
818
819
819
820
821
822
823
824
825
826
827
828
829
829
830
831
832
833
834
835
836
837
838
839
839
840
841
842
843
844
845
846
847
848
849
849
850
851
852
853
854
855
856
857
858
859
859
860
861
862
863
864
865
866
867
868
869
869
870
871
872
873
874
875
876
877
878
879
879
880
881
882
883
884
885
886
887
887
```

Figure 56 Changes in checkout.js

3.6.2. *app_storefront_base\cartridge\client\default\js\cart\cart.js* (required)

In order get updates of the cart OSM widget please do the following in `cart.js` or in your app cartridge.

In function `updateCartTotals(data) {}` add the following code at the bottom:

```
if (data.totals.klarnaTotal) {  
    $('klarna-placement').attr('data-purchase-amount', data.totals.klarnaTotal);  
    if (window.Klarna && window.Klarna.OnsiteMessaging) {  
        window.Klarna.OnsiteMessaging.refresh();  
    }  
}
```

```

11 cart.js (Working Tree) ×
app.frontend_base > cartridge > client > default > js > cart > JS - cart.js > ...
...
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104

```

The screenshot shows a code editor with the file 'cart.js' open. The code is a JavaScript function named 'updateCartTotals'. The changes are highlighted in green, primarily in the middle section of the function. These changes include updates to class names like 'order-discount' and 'shipping-discount-total', and additions like 'data.totals.klarnaTotal' and 'window.KlarnaOnsiteService.push({ eventName: 'refresh-placements' })'. The original code is in grey, and the changes are in green.

Figure 57 Changes in cart.js

3.7. Integration with Other Payment Cartridges

The contents of this section are only applicable if there are other payment cartridge integrations within the cartridge path besides **Klarna Payments SFRA**. No matter of the order of those cartridges in the cartridge path, there are certain templates that need to be overwritten by adding a new if-condition and including the right sub-template:

- \templates\default\checkout\billing\paymentOptions\paymentOptionsContent.isml
- \templates\default\checkout\billing\paymentOptions\paymentOptionsSummary.isml
- \templates\default\checkout\billing\paymentOptions\paymentOptionsTabs.isml

Suppose the website owner requires PayPal as well as Klarna. Each of these templates mentioned above must be copied to a new custom cartridge. The example below shows the new code of the *paymentOptionsContent.isml* template:

```

<isloop items="#${pdict.order.billing.payment.applicablePaymentMethods}"%
var="paymentOption" status="loopSate">

    <isif condition="#${paymentOption.ID === 'CREDIT_CARD'}">
        <isinclud
template="checkout/billing/paymentOptions/creditCardContent" />
    </isif>
    <isif condition="#${paymentOption.ID === 'KLARNA_PAYMENTS'}">

```

```

        <isinclude
template="checkout/billing/paymentOptions/klarnaPaymentsContent" />
</isif>
...
<isif condition="${paymentOption.ID === 'PayPal'}">
    <isinclude template="paypal/checkout/paypalContent" />
</isif>
</isloop>
```

Same goes for the other two templates.

3.8. External Interfaces

All requests are done through Klarna's REST API and encrypted using SHA-256 with the shared secret provided by Klarna. Only HTTPS is allowed. JSON is used across all communications.

The full reference guide, along with the resource structure for requests & responses, can be found in the developer portal - <https://docs.klarna.com/klarna-payments/api/>

4. Testing

Klarna has a set of testing credentials and triggers that can be used.

Please, refer to the following URL: <https://docs.klarna.com/resources/test-environment/>

5. Operations, Maintenance

5.1. Data Storage

5.1.1. System Object Extensions

5.1.1.1. Basket

Parameter Name	Attribute ID	Description
Klarna Session ID	kpSessionId	The Klarna session ID returned after “Create Session” API endpoint is called (Applicable since version 21.2.0)
Klarna Client Token	kpClientToken	Client token returned by “Create Session” API endpoint and used to initialize the JS SDK (Applicable since version 21.2.0)
Klarna Client Token	kpClientToken	Client token returned by “Create Session” API endpoint and used to initialize the JS SDK.
Klarna Subscription Frequency	kpSubscriptionFrequency	Subscription frequency values (day, month, etc.)
Klarna Subscription Period	kpSubscriptionPeriod	Predefined subscription period in numbers
Klarna Is Express Checkout	kpIsExpressCheckout	Determines if the basket is an express checkout

Table 2 Basket Attributes

5.1.1.2. Order

Parameter Name	Attribute ID	Description
Klarna Payments Order ID	kpOrderID	The Klarna payments Order ID for Klarna payment method selected by customer

VCN Brand	kpVCNBrand	Klarna Payments virtual card scheme name
VCN Holder	kpVCNHolder	Klarna Payments virtual card holder name
VCN Card ID	kpVCNCARDID	Klarna Payments Virtual Card - Card ID
VCN PCI Data	kpVCNPcidata	Klarna Payments Virtual Card PCI Data in encrypted format
VCN Initialization Vector	kpVCNIV	Klarna Payments Virtual Card Initialization Vector
VCN AES Key	kpVCNAESKey	Klarna Payments Virtual Card AES Key
Is VCN Used	kplIsVCN	True if virtual card is enabled & used for payment of the order, otherwise false
Klarna Session ID	kpSessionId	The Klarna session ID returned after “Create Session” API endpoint is called (Applicable since version 21.2.0)
Klarna Client Token	kpClientToken	Client token returned by “Create Session” API endpoint and used to initialize the JS SDK (Applicable since version 21.2.0)
Klarna Subscription Frequency	kpSubscriptionFrequency	Subscription frequency values (day, month, etc.)
Klarna Subscription Period	kpSubscriptionPeriod	Predefined subscription period in numbers

Table 3 Order Attributes

5.1.1.3. *Order Payment Instrument*

Parameter Name	Attribute ID	Description
Klarna Payment Category ID	klarnaPaymentCategoryID	ID of Klarna payment category
Klarna Payment Category Name	klarnaPaymentCategoryName	Name of Klarna payment category

Table 4 Order Payment Instrument Attributes

5.1.1.4. *Payment Transaction*

Parameter Name	Attribute ID	Description
Fraud Status	kpFraudStatus	Klarna Payments order fraud status
Klarna Authorization Token	kpAuthorizationToken	This attribute stores the Klarna authorization token, which is a string value used to authenticate and finalize the order creation process with Klarna's payment system. (Applicable since version 23.2.0)
Klarna Redirect URL	kpRedirectURL	This attribute holds the URL to which the customer is redirected after the payment authorization is successfully completed by Klarna's system. (Applicable since version 23.2.0)

Table 5 Payment Transaction Attributes

5.1.1.5. *Site Preferences*

The site custom preferences have been extended with a new group called “*Klarna Payments*”. The table below describes the preferences within that group:

Parameter Name	Attribute ID	Description
Auto-capture	kpAutoCapture	When enabled “Yes”, a full order capture will be attempted automatically. The standalone

		order management API capture request will include total order amount value for “captured_amount”. Default value is “No”
Klarna Payments Service Name	kpServiceName	The service name used for the current site
Send product_url and image_url	sendProductAndImageURLs	If set to true, product_url and image_url fields will be included in the Klarna session and order API calls. This enhances shopper experience post purchase. Default value is “Yes”
Merchant Reference 2 Mapping	merchant_reference2_mapping	The field from SCC order (basket) object that is mapped to merchant_reference2 field from Klarna API request. Has to be one of the class attributes of SCC LineItemCntr. Note that for complex data structures result may vary. Note: Merchant Reference 1 value is always set to the SCC order ID
Border Color Preference	kpColorBorder	CSS (hex value) color set for Border in Klarna Payments iFrame
Border Selected Color Preference	kpColorBorderSelected	CSS (hex value) color set for selected element Border in Klarna Payments iFrame
Button Color Preference	kpColorButton	CSS (hex value) color set for Button in Klarna Payments iFrame

Button Text Color Preference	kpColorButtonText	CSS (hex value) color set for Button text in Klarna Payments iFrame
Checkbox Color Preference	kpColorCheckbox	CSS (hex value) color set for Checkbox in Klarna Payments iFrame
Checkbox Checkmark Color Preference	kpColorCheckboxCheckmark	CSS (hex value) color set for checkbox checked(selected) in Klarna Payments iFrame
Details Color Preference	kpColorDetails	CSS (hex value) color set for details in Klarna Payments iFrame
Header Color Preference	kpColorHeader	CSS (hex value) color set for Header in Klarna Payments iFrame
Rate limit By Operation	kpRateLimitByOperation	Select “Rate Limit By Operation” to Yes. If it is selected to NO, the default service profile will be utilized. The standard API rate limit for the Klarna service is as mentioned listed on docs.klarna.com . The default service id is klarna.http.defaultendpoint.
Klarna Payment Create New Session When Expires	kpCreateNewSessionWhenExpires	If set to Yes, then a new Klarna session will be created if Klarna session expires before SFCC basket expires
Link Color Preference	kpColorLink	CSS (hex value) color set for link in Klarna Payments iFrame
Text Color Preference	kpColorText	CSS (hex value) color set for text in Klarna Payments iFrame

Secondary Text Color Preference	kpColorTextSecondary	CSS (hex value) color set for secondary text in Klarna Payments iFrame
Border Radius Preference	kpRadiusBorder	Value (in pixels) of the border radius to be used in Klarna Payments iFrame
Attachments	kpAttachments	<p>Toggle (Yes/No) for the inclusion of attachments when creating an order. Specific to inclusion of EMD (customer_account_info, other_delivery_address) when applicable.</p> <p>Default is "No".</p>
Not available message on billing page	kpNotAvailableMessage	<p>The Klarna Payment not available message on billing page. JSON string holding country code and corresponding message string.</p> <p>For example:</p> <pre>{ "GB": "Klarna Payment not available", "default": "Klarna Payment not available" }</pre> <p>Note: This is deprecated and will be removed in next releases!</p>
Virtual Card Number Enabled	kpVCNEnabled	<p>If this option is set to "Yes", Klarna settlement request will generate a Virtual Card Number for every Klarna order.</p> <p>Note: the option will only work if VCN private/public keys are configured properly as</p>

		mentioned below and public key shared in advance with Klarna
VCN Public Key ID	kpVCNkeyId	UUIDv4 value corresponding to the key pair. Shared with Klarna representative for Production & Playground (test) env configuration
VCN Private Key	vcnPrivateKey	SSL private key used only to decode Virtual Card information (used with kpVCNEncoded). Refer to section 9.3 Decrypt VCN Card Details
VCN Public Key	vcnPublicKey	SSL public key used with Virtual Card integration (used with kpVCNEncoded). Shared with Klarna and stored here for reference.
VCN Settlement Retry Enabled	kpVCNRetryEnabled	If set to "Yes", SFCC will retry the VCN settlement once again in case of service error. Default is "No"
Promotion Price Taxation	kpPromoTaxation	Only use "Based on Adjusted Price" value if you have enabled the corresponding value in "Merchant Tools > Site Preferences > Promotions > Discount Taxation" and use gross taxation. Default: Based on Price
Hide Payment Methods on Deny	kpRejectedMethodDisplay	If set to value other than "No", the Klarna payment method options on the checkout will be greyed out or not displayed to customer in the current view when Klarna authorization

		request is rejected in the response (.i.e hard reject - "show_form" and "approved" values are both "false")
Alternative Klarna Payment Flow	kpUseAlternativePaymentFlow	If set to "Yes", Klarna Authorization and Order creation steps will be triggered on Checkout Review page when customer clicks CTA/Place Order Button. Default: No
Enable OMS	kpOMSEnabled	If set to "Yes", it updates the order information ingested in SFOMS (SalesForce Order Management System) in the format that Klarna expects. It is required when there is an integration between SFCC and SFOMS. Default: No
Klarna Payments Additional Logging	kpAdditionalLogging	If set to "Yes", it writes additional logging info to get more order details when issue occurs. Default: No
Agent User Name	kpAgentUserName	User Agent Name for orders on behalf
Agent User Password	kpAgentUserPassword	User Agent Password for orders on behalf
Enable Retry for Recurring Orders	kpEnableRecurringOrderRetry	Enable retry for failed orders
Number Of Retries	kpRecurringNumberOfRetry	Recurring number of retries

Recurring Retry Frequency	kpRecurringRetryFrequency	Retry frequency for recurring orders
Klarna Create Order Token	kpCreateOrderToken	Token used to verify the caller for recurring orders
Use Bank Transfer callback	kpBankTransferCallback	If set to "Yes", SFCC will wait for Klarna callback to place an order. Default is "No"
Klarna Express Checkout (Klarna_ExpressCheckout)		
Klarna Express Checkout Enabled	kpECEnabled	Boolean flag to enable/disable Klarna Express Checkout
Klarna Express Checkout Library URL	kpECLibraryURL	Klarna library URL
Klarna Express Checkout Collect Shipping Address	kpECCollectShippingAddress	If set to "Yes" Klarna will send the customer address in authorize response
Klarna Express Checkout Button Theme	kpECButtonTheme	The theme of the button. Options include default, light & dark
Klarna Express Checkout Button Shape	kpECButtonShape	The shape of the button. Options include default, rect & pill
Payment Category Content	kpECPaymentCategoryContent	Klarma default express payment method content

Table 6 Site Preferences

5.1.1.6. Product

Parameter Name	Attribute ID	Description
Is Klarna Standard Product	kplIsStandardProduct	Boolean attribute to define if the product is standard. (Applicable since version)

Is Klarna Subscription Product	kplIsSubscriptionProduct	Boolean attribute to define if the product is eligible for subscription.
Klarna Trial Days Usage	kpTrialDaysUsage	Numeric value used for free trial definition.

5.1.1.7. *ProductLineItem*

Parameter Name	Attribute ID	Description
Is Selected for Subscription product	kpSubscription	Boolean attribute to define if the product is selected for subscription in the basket.
Enriched data for product line item.	klarna_oms_lineItemJSON	String data for product line item.

5.1.1.8. *Profile*

Parameter Name	Attribute ID	Description
Klarna Subscriptions	kpSubscriptions	Text attribute to store customer subscriptions to Klarna

5.1.2. *Custom Objects*

5.1.2.1. *Klarna Express Button*

The KEB button can be configured and adapted to the needs of your storefront. Steps to enable KEB button:

- To enable the button, your Klarna Merchant ID (MID) and domains must be white-listed. Please reach out to your Klarna delivery manager for support with this activity prior to testing and production go-live (as the domain names white-listed

defer). Please ensure that the MID matches that which is configured in the BM service credentials for your storefront.

- To configure the KEB settings for a given site, you must visit “***Merchant Tools – Custom Object Editor***” and search for **KlarnaCountries** custom object.
- Choose the respective country key (e.g.: “US”) and provide the below details:
 - Express Button Merchant ID: *Allow-listed Merchant ID*
 - Express Button environment: *Klarna environment – Production/Playground*
 - Express Button Cart Enabled: *Check box to display on cart page*
 - MiniCart Express Button Enabled: *Check box to display on minicart page*
 - MiniCart Express Button Theme/shape: *theme/shape to display on minicart page*
 - Express Button Library URL: [Available here](#)
 - Express Button Category: *The Klarna category to be pre-selected on Checkout, e.g., “pay_over_time”*
- Please review Figure 45 for reference.

More information to customize the button can be found [here](#).

Note: Klarna Express Button is currently available in [these](#) markets with more to follow

Sandbox - zzjh
RefArch ▾

Merchant Tools ▾ Administration ▾ Storefront Toolkit

PDP Placement Data Key: credit-promotion-badge
 Header Placement Tag Enabled
Header Placement Data Key: top-strip-promotion-standard
 Footer Placement Tag Enabled
Footer Placement Data Key: footer-promotion-auto-size
 Info Page Placement Tag Enabled
Info Page Placement Data Key: info-page
 Data Inline Enabled on PDP/Cart placement (Canada only)
URL to On-Site Messaging Library URL: <https://na-library.playground.klarnaservices.com/lib.js>

Express Button

Express Button Merchant ID: PNXXXXX
 Express Button Environment: playground (Playground) ▾
Express Button Theme: light (Light) ▾
Express Button Shape: rect (Rectangle) ▾
 Express Button Cart Enabled
Express Button Library URL: <https://x.klarnacdn.net/express-button/v1/lib.js>
Express Button Category: pay_over_time

MiniCart Express Button

MiniCart Express Button Enabled:
 MiniCart Express Button Theme: default (Default) ▾
 Minicart Express Button Shape: pill (Pill) ▾

<< Back to List

Figure 58 Klarna Express Button completed configuration

Shoppers experience on the storefront cart is as below:

1. Lands on cart page where KEB is displayed
2. Clicks on KEB button
3. Shopper prompted to share their Klarna registered credentials to complete authentication
4. Re-direct to checkout with Klarna Payment Method pre-selected

5.1.2.2. *KlarnaCountries*

The respective object is dynamically selected based on the request locale country, e.g., SFCC site with locale “**de_DE**” or “**en_DE**” will use the “**DE**” custom object. In cases when the request locale country can’t be dynamically resolved (i.e. with “default” SFCC locale) – attribute “**klarnaLocale**” can be utilized to pass the proper locale to Klarna. For all other cases, this field can be left blank and will not be taken into consideration.

Even if you have locales that are not supported by Klarna Payments, we recommend creating a corresponding entry in the custom object for that locale. Thus, on the billing page of the unsupported locale you will have the Klarna Payments widget showing an appropriate message.

The custom objects store data such as Klarna default locale, service credential IDs and Klarna Payments placement data keys to ensure that Klarna Payments integration is correctly configured.

Note: The same custom object is used by Klarna Checkout cartridge integration!

ID or Name:	Find	Type	Attribute Settings	Values	Edit
Select All					
<input type="checkbox"/> UUID	UUID	String	*	0	Edit
<input type="checkbox"/> country	Country Code	String	*	0	Edit
<input type="checkbox"/> creationDate	Creation Date	Date+Time	*	0	Edit
<input type="checkbox"/> credentialID	Service Credential ID	String		0	Edit
<input type="checkbox"/> klarnaLocale	Klarna Locale	String		0	Edit
<input type="checkbox"/> lastModified	Last Modified	Date+Time	*	0	Edit
<input type="checkbox"/> osmCartEnabled	Cart Placement Tag Enabled	Boolean		0	Edit
<input type="checkbox"/> osmCartTagId	Cart Placement Tag ID	String		0	Edit
<input type="checkbox"/> osmLibraryUrl	Library URL	String		0	Edit
<input type="checkbox"/> osmPDPEnabled	PDP Placement Tag Enabled	Boolean		0	Edit
<input type="checkbox"/> osmPDPTagId	PDP Placement Tag ID	String		0	Edit
<input type="checkbox"/> osmUCI	On-site messaging UCI	String		0	Edit

Figure 59 KlarnaCountries Attributes

The table below describes attributes of the **KlarnaCountries** custom object:

Attribute Name	Attribute ID	Description
Country Code	country	Two-letter country code
On-site Messaging Data Default Locale	klarnaLocale	Fallback, if the request locale can't be dynamically resolved, i.e., when using "default" SFCC locale
Service Credential ID	credentialID	The ID of service credentials for this locale.
On-site messaging Data Client ID	osmUCI	The Klarna On-site Messaging "data-client-id" applicable for a given country
Cart Placement Tag Enabled	osmCartEnabled	To enable Cart Placement for a given locale.
Cart Placement Tag ID	osmCartTagId	The Klarna On-site Messaging "data-key" of placement applicable for Cart Page for a given locale.
Cart Placement Theme	osmCartTheme	The theme for cart placement tag. It could be default or dark.
Cart Placement Custom Styling (#osm-cart-placement)	osmCartCustomStyling	Custom styling for cart placement. The css should be wrapped in <style>...customCss...</style> element.
PDP Placement Tag Enabled	osmPDPEnabled	To enable PDP Placement for a given locale.
PDP Placement Tag ID	osmPDPTagId	The Klarna On-site Messaging "data-key" of placement applicable for Product Display page for a given locale.
PDP Placement Theme	osmPDPTheme	The theme for pdp placement tag. It could be default or dark.
PDP Placement Custom Styling (#osm-pdp-placement)	osmPDPCustomStyling	Custom styling for pdp placement. The css should be wrapped in <style>...customCss...</style> element.

Attribute Name	Attribute ID	Description
Header Placement Tag Enabled	osmHeaderEnabled	To enable Klarna Header Placement in a given storefront
Header Placement Data Key	osmHeaderTagId	The Klarna On-site Messaging “data-key” of placement applicable for the Header
Header Placement Theme	osmHeaderTheme	The theme for header placement tag. It could be default or dark.
Header Placement Custom Styling (#osm-header-placement)	osmHeaderCustomStyling	Custom styling for header placement. The css should be wrapped in <style>...customCss...</style> element.
Footer Placement Tag Enabled	osmFooterEnabled	To enable Klarna footer Placement in a given storefront
Footer Placement Data Key	osmFooterTagId	The Klarna On-site Messaging “data-key” of placement applicable for the footer
Footer Placement Theme	osmFooterTheme	The theme for footer placement tag. It could be default or dark.
Footer Placement Custom Styling (#osm-footer-placement)	osmFooterCustomStyling	Custom styling for footer placement. The css should be wrapped in <style>...customCss...</style> element.
Info Page Placement Tag Enabled	osmInfoPageEnabled	To enable Klarna Info Page Placement in a given storefront
Info Page Placement Data Key	osmInfoPageTagId	The Klarna On-site Messaging “data-key” of placement applicable for the Info Page
Info Page Placement Theme	osmInfoPageTheme	The theme for info page placement tag. It could be default or dark.

Attribute Name	Attribute ID	Description
Info Page Placement Custom Styling (#osm-info-page-placement)	osmInfoPageCustomStyling	Custom styling for info page placement. The css should be wrapped in <style>...customCss...</style> element.
Data Inline Enabled on PDP/Cart placement (Canada only)	osmDataInlineEnabled	Enable this when using PayBright payment method in Canada
URL to On-Site Messaging Library URL	osmLibraryUrl	<p>URL for On-Site Messaging library, applicable for testing or production must be saved.</p> <p>Please use only Klarna production URL in live storefront. Verify test environment URL which includes "playground" in URL For production or live environment, ensure URL includes "production". E.g: Old library Test URL></p> <p>https://na-library.playground.klarnaservices.com/lib.js</p> <p>, e.g: Live URL>https://na-library.production.klarnaservices.com/lib.js</p> <p>New library - https://js.klarna.com/web-sdk/v1/klarna.js</p>
On-Site Messaging Environment	osmEnvironment	Environment on which the OSM is used. It could be playground or production.
Express Button Environment	kebEnvironment	The express button environment. Default is playground
Express Button Merchant ID	kebMerchantID	The merchant ID used to display the button

Attribute Name	Attribute ID	Description
Express Button Library URL	kebLibraryUrl	URL of the express button library
Express Button Cart Enabled	kebCartEnabled	To enable the Klarna Express Button on cart page
Express Button Theme	kebTheme	The theme of the button. Options include default, light & dark
MiniCart Express Button Enabled	kebMCEnabled	To enable the Klarna Express Button on minicart
MiniCart Express Button Theme	kebMCTheme	The theme of the button. Options include default, light & dark
Express Button Category	kebCategory	The Klarna category to be pre-selected on Checkout Page, e.g., "pay_over_time"
Klarna Express Checkout Client Key	expressCheckoutClientKey	The Klarna Express client key used for express checkout

Table 7 KlarnaCountries Attributes

The data-client-id and data-key values used in the OSM placements are available in the Klarna Merchant Portal (Europe/US (CA included)/Oceania) within the On-site Messaging App. When selecting the data-key values, ensure that the filter is set to the right country and language.

5.1.3. Session Attributes & Cookies

The following session custom attributes are saved in “**session.privacy**” storage and accessible in checkout. The attributes are retained for the session lifetime & cleared when the customer logs out of their profile.

Attribute	Description
KlarnaLocale	The Klarna locale in use

Attribute	Description
KlarnaPaymentsSessionID (Not applicable since version 21.2.0)	The Klarna session ID returned after “Create Session” API endpoint is called
KlarnaPaymentsClientToken (Not included as session attributes since version 21.2.0)	Client token returned by “Create Session” API endpoint and used to initialize the JS SDK
KlarnaPaymentMethods	The available payment method categories for the respective Klarna session; Saved in JSON format
KlarnaPaymentsAuthorizationToken	The authorization token returned by JS SDK “Authorize” call
KPAuthInfo	Whether finalization is required for the payment method; Returned by JS SDK “Authorize” call; Saved in JSON format
KlarnaExpressCategory	The KEB payment category; Currently applicable for US and defaults to “pay_over_time”
KlarnaPaymentsRedirectURL	The URL to redirect the customer to after placing the order; Returned by the “Create Order” API call

Table 8 Klarna Session Attributes

The following cookies are being set by Klarna integration:

Cookie Name	Description
selectedKlarnaPaymentCategory	The selected payment method on checkout (e.g. “pay_later”)

Table 9 Klarna Cookies

5.1.4. Library

In addition to the configurations, the following 2 library assets will be added:

- “**footer-about**” – Updated OOTB asset including link to Klarna OSM dedicated page in the footer.

- “**klarna-email-info**” – Asset containing links to review the Klarna Payment information. Used in the confirmation email sent to the customers.

5.1.5. Services

An HTTP service “***klarna.http.defaultendpoint***” has been added with “***klarna.http.service***” profile and service credentials for each country (described in **KlarnaCountries** custom object).

Please, note that up until version **21.2.0** of the cartridge, the **KlarnaCountries** custom object was **replicable**. To avoid issues with service credentials during replication, merchants should use the same service credential name in staging, development, and production environments!

Please, review section **9.4** Update KlarnaCountries Definition on possible ways to update the definition in your instances.

5.2. Logs

The integration includes the following logs:

- Service communication logs – starts with “service-klarna-***”. These logs contain every request and response to the Klarna endpoints. Personal information, i.e. emails & names required for the Klarna API calls are masked in the logs.
- Custom errors and debug info are logged under “customerror-***”, “custodebug-***” & “custominfo-***” files depending on the case.

5.3. Availability

Cartridge functionality will be dependent on the availability of the Klarna API service. Current Klarna operational status can be viewed here - <http://status.klarna.com/>

5.4. Failover/Recovery Process

If Klarna API is not available, Klarna is not presented as a payment option. In case of any failure within the Klarna API, contact Klarna for support.

5.5. Support

A customer service workshop can be conducted during the implementation process before going live to align the operational processes and ensure customer satisfaction. Klarna provides all customers with the possibility to log into Klarna App via website: <https://app.klarna.com/login> or download the Klarna App (free) on a mobile (Android/iOS). The customers can contact support,

view their statements, pay for their purchase, track delivery updates, and prolong the due dates if they have chosen to pay after delivery.

5.5.1. Merchant Support

Reporting core SFCC functionality issues in the Klarna cartridge technical integration – please contact commercecloud@klarna.com

For production issue related to Klarna API availability, merchant representative should reach their Klarna Account manager after reviewing the current operational status at <http://status.klarna.com/>. Report the problem in Production (Post Go-live) if you have a suspicion about degraded performances or issues with Klarna's service. The Klarna contact would then be able to report this internally to the incident management team who have established routines to handle and resolve reported incidents. The Klarna contact may request additional information from the individual reporting the problem to help internal team ascertain and identify the issue. The KAM may also advise the merchant to follow the updates on the status page if it is a known incident with on-going updates.

Pre-requisite information to be provided by merchant when reporting incident to help with speedy investigation and resolution:

- Merchant's affected MID or market
- Impact and examples of customer orders (order_id or Klarna session_id if available)
- Screenshots, timeframe, additional information as required

6. User Guide

6.1. Cartridge upgrade

Regular updates to our cartridge code include bug fixes, performance enhancements, security patches, and new features. It's essential to stay up to date with these changes to ensure compatibility, security, and optimal functionality of your integration.

6.2. Upgrade Process

Follow these steps to upgrade your custom code with the latest version of our cartridge:

6.2.1. *Review Release Notes*

Start by reviewing the release notes for the latest version of the cartridge. The release notes outline the changes, improvements, and any potential compatibility considerations associated with the upgrade.

6.2.2. *Assess Custom Code Changes*

Identify any customizations or modifications you have made to the SFCC cartridge code in your custom files. These may include storefront customizations, controller adjustments, or custom business logic built on top of our cartridge.

6.2.3. *Backup Custom Files*

Before proceeding with the upgrade, ensure that you have a backup of your custom files, including any modifications made to the SFCC cartridge code. This backup will serve as a safety net in case any issues arise during the upgrade process.

6.2.4. *Compare Code Differences*

Use a version control system or a file comparison tool to compare the differences between your custom code and the latest version of the SFCC cartridge code. Pay close attention to areas where changes have been made to ensure compatibility and maintain functionality.

6.2.5. *Update Integration Code*

Integrate the latest version of the SFCC cartridge code into your custom files, replacing any outdated or deprecated code with the new implementations. Follow the migration guides and best practices provided to ensure a smooth transition.

6.2.6. Test and Validate

After updating your custom code, thoroughly test the integration to ensure that all functionality works as expected. Test various scenarios, including user interactions, data processing, and third-party integrations, to identify any potential issues or regressions.

6.2.7. Address Compatibility Issues

If you encounter any compatibility issues or conflicts with your existing custom code, troubleshoot and resolve them accordingly. Consult our support resources or reach out to our team for assistance in addressing compatibility concerns.

6.2.8. Deploy Changes

Once you are satisfied with the upgrade and have validated its functionality, deploy the changes to your production environment. Monitor the integration closely following deployment to ensure ongoing stability and performance.

6.3. Roles, Responsibilities

There are no recurring tasks required by the merchant. Once configurations are set up, the functionality runs on demand.

6.4. Storefront Functionality

When Klarna has been setup, the Klarna Payments options and iframe widgets will be shown on the billing step. All the SFCC OOTB checkout functionality remains in place, such as but not limited to cart updates during checkout, checkout with applied coupon(s) code(s), checkout with applied product level promotion, checkout with applied order level promotion, checkout with applied shipping level promotion, checkout with applied order level promotion with bonus product.

Select one of Klarna's payment options as the payment method on billing step of checkout process and click the "Next: Place Order" button:




Figure 60 Payment Options on Checkout

Depending on the payment method selected and the region, you will see one of Klarna's popup windows to provide the details. Follow the steps on the screen:




Figure 61 Klarna Popup Screen

On the Review step click on “Place Order” button:

The image shows a payment review screen divided into several sections. On the left, there is a 'Shipping Address' section with details: John Doe, 13 New Burlington St, London W13 3BG, 01895808221. Below it is a 'Shipping Method' section showing '2-Day Express (2 Business Days)' at £11.99. In the center, there is a 'Payment' section with a 'Billing Address' (same as shipping) and a 'Payment' method listed as 'Klarna's Smooth Payments Buy now, pay later £153.59'. To the right, there is a detailed breakdown of the total cost: Subtotal £153.59, Shipping £11.99, Shipping Discount -£11.99, and a final Total of £153.59. At the bottom, there is a summary of '1 Items' which is a 'Charcoal Flat Front Athletic Fit Shadow Striped Wo...' item, shown with a small image of a person wearing it, and its details: Colour: Charcoal, Size: 36, Width: Short, In Stock. The item price is £320.00, quantity is 1, and the total is £194.99. The final total is £153.59. A large blue 'Place Order' button is located at the bottom of the review screen.

Figure 62 Payment Review Screen

The customer's browser is sent to the “**redirect_url**” and immediately thereafter shown the Commerce Cloud Order Confirmation page.




Figure 63 Order Confirmation Page

The newly created order can be inspected in Business Manager:

Orders				
You're using the new Search service.				
This page allows you to search for orders by order number. Select Advanced to use more search options. Select By Number to search by or newline. Entered text is treated as case-sensitive; substring matching isn't supported.				
Order Search				
Order Number:	<input type="text"/>	<input type="button" value="Find"/>		
Number	Order Date	Site	Created By	Registration Status
00055608	3/4/21 4:38:34 pm Etc/UTC	RefArchGlobal	Customer	Unregistered
00055909	3/3/21 6:13:04 pm Etc/UTC	RefArchGlobal	Customer	Registered
00055409	3/2/21 10:07:53 am Etc/UTC	RefArchGlobal	Customer	Unregistered
00055311	3/1/21 10:07:01 pm Etc/UTC	RefArchGlobal	Customer	Registered
00055309	3/1/21 9:55:21 pm Etc/UTC	RefArchGlobal	Customer	Registered
00055307	3/1/21 9:47:04 pm Etc/UTC	RefArchGlobal	Customer	Registered
00055306	3/1/21 6:57:04 pm Etc/UTC	RefArchGlobal	Customer	Registered
00054903	2/19/21 10:10:07 am Etc/UTC	RefArchGlobal	Customer	Registered
00054802	2/18/21 9:15:16 am Etc/UTC	RefArchGlobal	Customer	Registered
00054605	2/10/21 12:33:17 pm Etc/UTC	RefArchGlobal	Customer	Registered

Figure 64 Orders List in BM

Klarna Payments order id can be inspected in the Attributes tab of the order:

Merchant Tools > Ordering > Orders > Order: 00055608(RefArchGlobal)

General	Attributes	Payment	Notes	History
Attributes for Order '00055608'				
On this page you can edit the attributes of the order. Fields with a red asterisk (*) are mandatory. Click Apply to save changes. Click Reset to revert your changes.				
Klarna Payments Klarna Payments Order ID: <input type="text" value="6fa5c3ad-411d-2629-b543-4f5ea672ea9e"/> Is VCN Used: <input type="checkbox"/> VCN Card ID: <input type="text"/>				
<< Back to List				

Figure 65 Order Attributes

Payment method details can be inspected on the Payment tab of the order, and it should be Klarna:

Merchant Tools > Ordering > Orders > Order: 00055608(RefArchGlobal)

General Attributes **Payment** Notes History

Payment Information for Order '00055608'

Order Total:	£153.59
Amount Paid:	£0.00
Balance Due:	£153.59
Invoice Number:	00242008
Payment Status:	Paid
Payment Method:	KLARNA_PAYMENTS Processor: KLARNA_PAYMENTS Transaction: 6fa5c3ad-411d-2629-b543-4f5ea672ea9e Amount: £153.59 Klarna Payment Category ID: pay_over_time Klarna Payment Category Name: Buy now, pay later Fraud Status: ACCEPTED

<< Back to List

Figure 66 Order Payment Detail

Order can be further inspected in Klarna Merchant Portal:

- EU: eu.portal.klarna.com
- US: us.portal.klarna.com
- OC: us.portal.klarna.com

#7BRVXW4H Captured

£153.59

Merchant reference 1 00055608 Edit	Merchant reference 2 cfc8bf55f8f98bc392030178105 Edit	Created Mar 4, 2021, 6:38 PM	Expires Apr 1, 2021, 3:00 AM	Merchant ID K500726
---	--	--	--	-------------------------------

Customer

Shipping address

John Doe
13 New Burlington St
London
W13 3BG
GB
Tel
01895808221
Email
john@doe.com
Edit shipping address

Billing address

Additional Info

Order lines (2)

[Refund](#) [Print packing slip](#)

	Item / Reference	Qty	Unit price	Discount	Tax	Amount
<input type="checkbox"/>	Charcoal Flat Front Athletic Fit Shadow Striped Wool Suit 640188017003M	1	191.99	38.40	5% 7.31	153.59 Captured
<input type="checkbox"/>	2-Day Express GBP002	1	11.99	11.99	5% 0.00	0.00 Captured

PAYMENT DETAILS

Initial Payment Method
Pay later in parts
VISA 411111*****1111
Resend statement

ORDER TOTAL

£153.59	
Captured	£153.59
Refunded	£0.00
Not Captured	£0.00
CUSTOMER BILLED	£153.59

Activity Log

- Mar 4, 2021 6:38 PM **Captured: £153.59** Via API
- 6:38 PM **Order placed: £153.59** By Klarna

Klarna. Copyright © 2005-2021 Klarna Bank AB (publ). All rights reserved [Terms & Conditions](#)

Figure 67 Klarna Portal Order View

7. Known Issues

The LINK Cartridge has no known issues.

8. Release History

Version	Date	Changes
18.1.0		Initial release of Klarna Payments SFRA.
19.1.0		Added SFRA version
19.1.1		Updated VCN to use the newest API version
19.1.2		Fix auto capture for the pipelines cartridge
19.1.4		New country locales added. Minor bug fixes. Cartridge templates and forms updated for latest SFRA.
19.1.5		Added additional verification for all notifications. Minor fixes around the configuration objects. Added Canadian support. Documentation updates.
19.1.6		New country locales added. Updated VCN to store encrypted card details
21.1.0		Fixes around discounts taxation & VCN error handling. Added VCN improvements, additional OSM placements, BOPIS support. New IT, CA, FR & NZ country locales. Removed acknowledge call. Documentation updates.
21.1.1		New On-Site Messaging attribute for Canada. Remove not required locale templates for SG Spain & Belgium. Documentation updates.

Version	Date	Changes
21.1.2		<p>Fixed core file naming convention issues in 21.1.0 and 21.1.1. Please upgrade to the latest version if you are currently using 21.1.0 or 21.1.1.</p> <p>Removed deprecated “scripts/util/Builder.js” file.</p>
21.2.0		<p>Added Klarna Express Button.</p> <p>Moved Klarna session ID & client token from SFCC session privacy to Basket attributes.</p> <p>Changed KlarnaCountries definition to not replicable.</p> <p>Code cleanup.</p> <p>Documentation updates.</p>
21.3.0		<p>Improvements for create_session errors</p> <p>Expired user session issues related to empty shipment.shippingMethod</p> <p>Additional locale (PL) included in config files</p>
21.3.1		Documentation updates.
22.1.0		<p>Improvements for create and update session errors</p> <p>Added Klarna Express Button in minicart.</p> <p>Support for long running basket</p> <p>Rate-limits by operations</p>
22.2.0		<p>One Klarna Optimisation</p> <p>Mexico locale support</p>
22.2.1		Rollback of One Klarna Optimisation
22.3.0		<p>SFRA ver. 6.0.0 support</p> <p>Rollback hide VAT from Checkout functionality</p>

Version	Date	Changes
22.3.1		Fix User-agent version sent to Klarna services
22.4.0		Intent field addition in Klarna Payment session creation Combine Klarna Authorization and Create Order in Checkout Review Step
22.5.0		OMS support
23.1.0		Fix issue with incorrect values for EMD Improvement Klarna Auto Capture and error handling Logging information for troubleshooting bugs Add Auto_finalise=True to the review checkout flow
23.1.1		Fixed an issue where sessions with negative order_tax_amount occurred due to SFCC session expiration Compatibility mode 21.2 support Replace deprecated window.KlarnaOnsiteService.push with window.Klarna.OnsiteMessaging.refresh.
23.2.0		Subscription Payments support: recurring payments and subscription handling directly within the SFCC environment. This update includes configuration options, subscription management in the cart and checkout pages, and a customer dashboard for subscription oversight. Klarna Bank Transfer payments: added a new server-side authorization callback feature for Klarna Bank Transfer payments, enhancing reliability across EU markets and supporting all existing KP cartridge functionalities.
24.1.0		Klarna Express Checkout: a new feature introduced in Storefront where Express Checkout Button will be displayed in PDP, Cart and Mini Cart and user will be redirected to Klarna after clicking Express Checkout button. Klarna Express Checkout enabled quick and easy checkout where Shipping Address, Billing Address and Payment details will

Version	Date	Changes
		<p>be preselected so that Checkout can be completed in fewer clicks.</p> <p>Fix for create order service calls with 500 status response: now orders are not created and error is thrown for these cases.</p>
24.2.0		<p>Update of OSM functionality that is more aligned with current web standards, provides a consistent identifier system as used in KEC, and offers enhanced customization options to our merchants. This will not only improve the user experience but also reinforce Klarna's commitment to providing versatile and state-of-the-art e-commerce solutions. CSS customizations are available only in the new library version.</p> <p>Documentation update - new section added for cartridge upgrade process.</p>

9. Additional Information

9.1. Klarna API Information

The Klarna Payments API is accessible through different endpoint based on the context of the webstore. There are separate endpoints for testing and live and the Klarna merchant identifier (MID) is configured for respective markets in regions (EU, NA, OC) by endpoint.

9.1.1. Live Environment

The API for the European production environment can be found at

- <https://api.klarna.com/>

The API for the North America production environment can be found at

- <https://api-na.klarna.com/>

The API for the Oceania production environment can be found at

- <https://api-oc.klarna.com/>

9.1.2. Testing Environment

The API for the European Playground/testing environment can be found at

- <https://api.playground.klarna.com/>

The API for the North America Playground/testing environment can be found at

- <https://api-na.playground.klarna.com/>

The API for the Oceania Playground/testing environment can be found at

- <https://api-oc.playground.klarna.com/>

9.2. Generate Key Pair and Key Id for Virtual Card Settlements (VCN)

The recommend RSA keypair size of 4096 bits. This key pair must be associated with a key_id (UUIDv4). The public key must be shared in JWK format with Klarna contact. Note that for production and playground, the key_id and keypair combination shared are different and must be configured prior to testing/go-live of the virtual card product.

To generate an RSA keypair with a 4096-bit private key you can use the following *openssl* command:

```
openssl genpkey -algorithm RSA -out private_key.pem -pkeyopt rsa_keygen_bits:4096
```

To extract the public key from an RSA keypair, you can use the following *openssl* command:

```
openssl rsa -pubout -in private_key.pem -out public_key.pem
```

In the folder where you have executed the above commands two new files will be created - **public_key.pem** and **private_key.pem**.

The contents of the files should look something like:

public_key.pem

```
-----BEGIN PUBLIC KEY-----
```

```
MIICIJjANBhkqhlG9w0BAQEFAOCAg8AMIIICCgKCAgEAoNYG7l2G8nZa+22oBYZktV228lw3UE9WO4oxfknJtKEdHn84x55ULt8KQTh9NVtdeKC8nTfTgyvMt/GNCa18xuZV/lGYDftKt85hbV5EjOum+StAIufEXvlBX7nMOMc1KyWm9kp2kbqd88mFIX63KV94OoNEXcNatRDFYR+qz53+ifadDQtQ1sIVNStdroCZDJ1+LxtBy9V+BdmsBK1ERLsKh/JLXyWE24FJKV+z00s7TQkdWW/5ET12OGQYZsWo1yqgi9HplNvrisve8vWP
```

xaL4m8iZ3I/9yYdg7yANQbTxSJccbRCgaaagPo30CNxeqU6qafY5g8vY3E52CoXH
DdO4UslX1qcuYIDhqaDzey6W+b8m755xLi+rqQyM4PBWL0J0dM3FVid8+4YKILex
3AKBFciqRCMHSOGaEeyrXKTjlAsghr9RS8PifvQRrL440cHzqw2vX0DvpjSWcmUJ
tW4wUq5RNSsobrxnVmoV6fj1z67Q/1P+l5Ie+oowdahR5ztVqJlO+2PNoX4I5VDs
/Pkz3f8wWVc3Mp2oNT244o+/NIiyRfPFaJJx7JAgrcvZt2nFAmY4QApXLFJCpgEM
wYucE4AH4gJKsh3KZbxRERrrO72bL2rxvWqBp/0h7DcMsV9sQs4BvxxIl6CF506F
ThzmclaKLBAyd5LALiXiPfkCAwEAAQ==
-----END PUBLIC KEY-----

private_key.pem

-----BEGIN PRIVATE KEY-----
MIIJQQIBADANBgkqhkiG9w0BAQEFAASCCSswggknAgEAAoICAQCg1gbuXYbydlr7
bagFhmS1XbbyXDdQT1Y7ijF+Scm0oR0efzjHnlQu3wpBOH01W114oLydN9ODK8y3
8Y0JrXzG51X+UZgN+0q3zmFtXkSM66b5K0Ai58Re+UFFucw4xzUrJab2SnaRup3z
yYUhfrCPX3g6g0Rdw1q1EMVhH6rPnf6J9p0NC1DWyVU1K12ugJkMnX4vG0HL1X4F
2awErUREuwqH8ktfJYTbgUkpX7PTSztNCR1Zb/kRPXY4ZBhmxajXKqCL0emU2+uK
y97y9Y/FovibyJncj/3Jh2DvIA1BtPFIlxttEKBppqA+jfQI3F6pTqpp9jmDy9jc
TnYKhccN07hSyVfWpy5ggOGpoPN7Lpb5vybvnnEuL6upDIzg8FYvQnR0zcVWJ3z7
hgogt7HcAoEVyKpEIwdI4ZoR7KtcpOOUCyCGv1FLw+J+9BGsvjjRwfOrDa9fQO+m
NJZyZQm1bjBSrlE1KyhuvGdWahXp+PXPrD/U/6Xkh76ijB1qFHnO1WomU77Y82h
fgjlUOz8+TPd/zBZVzcynag1Pbjij780iLJF88VoknHskCCty9m3acUCZjhAClcs
UkKmAQzBi5wTgAfiAkqyHcplvFERGus7vZsvavG9aoGn/SHsNwyxX2xCzgG/HEiX
oIXnToVOHOZyVoosEDJ3ksAuJeI9+QIDAQABoICACRkaUsUNI22RB3yEPu3DiCP
pO6v+QAeA4gTW+GUdqR9dCZLaSCZ7bhxVVouoX4qPzslO6hjUmOyzG6upFgVPk+p
HNQfyEUZoC148Eib9OziAXUN2URMpV1KbwVm+BO814X8zguai7uru0PHTG1oy677
4Ct1OknxAxxHQDIaxT6XJFo5SA4EinUfNz2Bo3/xry/QjxW/mCK0GwDd4PNp9TGM
FPTv2SgdSDOWzGQlOH5N3owuzMpI8NV6z74wv+i5Ptv41Dzu8WhyXpiYSsk00SRK
HPC68j2bAzTPghp5aSZ9976SGm2SPonJXyboXdiHbI/osdyqDxeIT3iB9GmrHX/i
kHPGJCh7fRZvqj39Hc+IxYjabwW3rDeDIPB7ab9z1KLF4z1D6AZOKCPyTaDRdQ1Q

eDi7LwDmk7NHEPrmF/nIcgQdqbIbmFO2zEs0TOe6y4uBMndRsbQprTNSMUdBkrA
lNaYVSTQ1Z0Y/8DZDpGcyS1OnJv74F15uDjKN6/ov991mZ1JrZ+V2sdS3EDUlmvP
6thQKwi7Ln6h+ApHtWUG1NmVQe5gJE0qAeJ9b45clUzIRUwhVmEp8NoIJh0kAjaN
d4lk7xy9ZRDUY5yekPeYrJPShjsHAyEoktJIjRufI2UUq3uxNjjICoQcOVGfNDIS
YTTPwpu1pmC0C+rh2fgBAoIBAQDRultRArvtc2JKhVOUyZk88zd9kvrI6fNiyKmi
HgiWf7qkTPD9xhOQWDw3iwRFQAD+YkgV5MCBO8wp8oO8GEsOCI+XZWEExOcPT0
Vfj
PZHiQrTFnlfG/+fAO14xLf3j3ED4YQXdHOKI3xoLknQx/EydLoctxgkkpgWLrsA7
DwdSAg1/0sBvaHY27ogAfdimHdaKZ5OAe4a9k1qP3xVZBuOe8Sd65unBavUJLDuv
ikeNmkSVgW1sm55/729Jlr63USHF76It+vE1cdZ+vKg5vYotsQgPzvNBmUO/E8Gj
zMXQRfqfvEDINXEX0rCupTkw1G6AGTwQc/NPzyr/LTpLe6UBAoIBAQDEUjTiG11V
hf7WjdG3gctRlr+mYapQHgXdVLx2QSaqUYid+0QXK11YfJlsRB6nwa+OED83Rfp0
lIFqxpzudSLPmoDuIBT7Dl5c/aleyKs/siUusP8QVDXk6OAR84XSytC35sIRV7pE
VMuBL91jfkQ0Lf/PresIK/kI6Yvwwp4qrHK6/f9TgciHcIYtf+/oti4ky6GJgfmP
fmuCqjxmUKbXXFPd5RbL2THGOowilb8zDLjf3RlbjlQFqogAk6H9hp2V0VZLiJHp
UWM3z3zxDWeDaqJ08sHuk/rA9QpsVTu8IGTQsxdj8JwluN1Q+YZiOuPiSENbqPzT
V3exexzo3sD5AoIBAGU3qEyPojz1+9D1SaI8LW2CABzlq4z9g84ABAZOslxX5q7W
x1PinZyDSQSRXg1B13jt29ZdIR79ygnQlg1YOBjcvtgVQHPuafk3RlBQbbCh+vaI
9dn/tUxMGqhnunKaby1rovJHfdqnPpKwzNAjYUqaGk822xhmmke/fEyAanIPa4
stDRvIPEWPTLx5xcOCdx13khpkSnkgRvaLEfpwkVX7Vr7hK/2OSFaYTNmrzXYBQ7
c6D/9d3Oo4nLb/mu+Tq67S19t53Qg/GEgTfkpuRoVPi0KyhUnKKCGWIBMZLTwyIG
S9eTFDKoJ0cSTGipjW7bPua93wZ8eEbRABpf4QECggEANNhQBeEJ0aCdBVHtdrEI
crDaa8X0W1aJi5dol4hYCRajaKsfHAF/QfdgMQVxHwUC5YG4En/Q+DAVWhGWYpXD
RhC3zeFy5FVszyk0sx/fAOIKGvRn5BRW4YRR9GMRzbjsT+RcruBnckdE9ERXGpX9
c/JB3rxZBIt+oIiFM8yfWKtMwsrmNKtFuDftv.Jeok4KejycFF4eWDqsf828xjPT+
xA/FP4CQD1UqkcpmuFSIwAwXo6LXVY7NTS0nKMiUnTLkL1TIHtLnO9+9jmNapWRP
Tc+hZUuHKlpI8DHFmX2j87LgkFD05eD5lynY4RgZtU1W1C1RdVYwoA72WB7knEaB
uQKCAQAH9s67P/7fFX9dfEans3PHU4nGjD8dJ8eoNQ6DhBMydZpGWI5ZUeEBZDRk
0cBOeRs5BOcS43Em9kETpzawyCwxmnwzl+CzoPzMqcTw9tXomF9HG6RJ9XBdJfGA

```
ALAwCd4bASxmFM6guSP5GKnZ9aY3tR3tWWDFr7f9z8wOewzzpPclwRh009fPe4TC  
NXoEm1MELJVeUieDSLKZgjgCw8WHGqLItONpA0/fwSM2gIcxETVV7qx3aPuJzCVh  
LQZoBLQk3UMKsWDdpzeBdiERe66NAgV92Xe7SY9EY2vymaq761i1x1vlprT27qp  
240LDJawqM0IraKmdCvWjofWSaOU  
-----END PRIVATE KEY-----
```

9.3. Decrypt VCN Card Details

To decrypt the virtual card details stored on order level and authorize the credit card processor you can use the following code snippet. You can find more information about the decryption process [here](#).

```
var OrderMgr = require( 'dw/order/OrderMgr' );  
var Cipher = require( 'dw/crypto/Cipher' );  
var Encoding = require( 'dw/crypto/Encoding' );  
var Site = require( 'dw/system/Site' );  
  
var Order = OrderMgr.getOrder( "order_id" );  
var VCNPrivateKey = Site.getCurrent().getCustomPreferenceValue( 'vcnPrivateKey' );  
var cipher = new Cipher();  
  
var keyEncryptedBase64 = Order.custom.kpVCNAESKey;  
var keyEncryptedBytes = Encoding.fromBase64( keyEncryptedBase64 );  
var keyDecrypted = cipher.decryptBytes( keyEncryptedBytes, VCNPrivateKey,  
"RSA/ECB/PKCS1PADDING", null, 0 );  
var keyDecryptedBase64 = Encoding.toBase64( keyDecrypted );  
var cardDataEncryptedBase64 = Order.custom.kpVCNPCIData;  
var cardDataEncryptedBytes = Encoding.fromBase64( cardDataEncryptedBase64 );  
var cardDecrypted = cipher.decryptBytes( cardDataEncryptedBytes, keyDecryptedBase64,  
"AES/CTR/NoPadding", Order.custom.kpVCNIV, 0 );
```

```

var cardDecryptedUtf8 = decodeURIComponent( cardDecrypted );
var cardObj = JSON.parse( cardDecryptedUtf8 );
var expiryDateArr = cardObj.expiry_date.split( "/" );

// Retrieve encrypted card details
var cardPAN = cardObj.pan, cardCVV = cardObj.cvv,
    cardExpiryMonth = expiryDateArr[0], cardExpiryYear = expiryDateArr[1];

```

9.4. Update KlarnaCountries Definition

With version 21.2.0 of the cartridge, the KlarnaCountries custom object definition changed to non-replicable. If you are using an earlier version, to mitigate any issues that may be present in your environments, please follow these steps to update the definitions:

1. Back-up KlarnaCountries configurations per country for each site as changing the definition will remove all configurations on your environment!
 - a. For merchant with one site - Go to "**Merchant Tools > Custom Objects > Import & Export**", select KlarnaCountries & export the data.
 - b. For merchant with multiple sites using Klarna – You can export the configurations via "**Admin > Site Development > Site Import & Export**" and select each site that uses Klarna to be included in the export zip file. This section requires Account Manager access for users and will export all custom objects, not just Klarna ones.
2. Export custom object definitions from "**Admin > Site Development > Import & Export**". This action will export all custom object definitions that you have.
3. Update KlarnaCountries.xml definitions in file exported in step 2 and set "`<staging-mode>source-to-target</staging-mode>`" to "`<staging-mode>no-staging</staging-mode>`"
4. Import the updated KlarnaCountries.xml definition in "**Admin > Site Development > Import & Export**".
5. Import the KlarnaCountries configs exported in step 1 (manually or via bulk import)
 - a. If you've followed step 1.b with multiple sites, you may want to edit the zip file and remove everything else apart from KlarnaCountries.xml