
Iowa



2021 State Level Data and Ranks





2021 County Health Rankings for Iowa: Measures and National/State Results

Measure	Description	US	IA	IA Minimum	IA Maximum
HEALTH OUTCOMES					
Premature death*	Years of potential life lost before age 75 per 100,000 population (age-adjusted).	6,900	6,200	3,100	10,200
Poor or fair health	Percentage of adults reporting fair or poor health (age-adjusted).	17%	13%	10%	19%
Poor physical health days	Average number of physically unhealthy days reported in past 30 days (ageadjusted).	3.7	3.1	2.4	3.9
Poor mental health days	Average number of mentally unhealthy days reported in past 30 days (ageadjusted).	4.1	3.5	3.0	4.3
Low birthweight*	Percentage of live births with low birthweight (< 2,500 grams).	8%	7%	4%	8%
HEALTH FACTORS					
HEALTH BEHAVIORS					
Adult smoking	Percentage of adults who are current smokers (age-adjusted).	17%	17%	13%	23%
Adult obesity	Percentage of the adult population (age 20 and older) that reports a body mass index (BMI) greater than or equal to 30 kg/m ² .	30%	34%	26%	49%
Food environment index	Index of factors that contribute to a healthy food environment, from 0 (worst) to 10 (best).	7.8	8.5	6.7	9.6
Physical inactivity	Percentage of adults age 20 and over reporting no leisure-time physical activity.	23%	23%	13%	34%
Access to exercise opportunities	Percentage of population with adequate access to locations for physical activity.	84%	83%	45%	94%
Excessive drinking	Percentage of adults reporting binge or heavy drinking (age-adjusted).	19%	26%	21%	28%
Alcohol-impaired driving deaths	Percentage of driving deaths with alcohol involvement.	27%	27%	0%	60%
Sexually transmitted infections	Number of newly diagnosed chlamydia cases per 100,000 population.	539.9	466.7	100.0	756.9
Teen births*	Number of births per 1,000 female population ages 15-19.	21	18	4	35
CLINICAL CARE					
Uninsured	Percentage of population under age 65 without health insurance.	10%	6%	4%	11%
Primary care physicians	Ratio of population to primary care physicians.	1,320:1	1,360:1	11,170:1	520:1
Dentists	Ratio of population to dentists.	1,400:1	1,450:1	7,040:1	430:1
Mental health providers	Ratio of population to mental health providers.	380:1	610:1	11,760:1	260:1
Preventable hospital stays*	Rate of hospital stays for ambulatory-care sensitive conditions per 100,000 Medicare enrollees.	4,236	3,536	1,112	8,826
Mammography screening*	Percentage of female Medicare enrollees ages 65-74 that received an annual mammography screening.	42%	52%	33%	64%
Flu vaccinations*	Percentage of fee-for-service (FFS) Medicare enrollees that had an annual flu vaccination.	48%	54%	11%	67%
SOCIAL & ECONOMIC FAC	TORS			,	
High school completion	Percentage of adults ages 25 and over with a high school diploma or equivalent.	88%	92%	78%	97%
Some college	Percentage of adults ages 25-44 with some post-secondary education.	66%	70%	49%	87%
Unemployment	Percentage of population ages 16 and older unemployed but seeking work.	3.7%	2.7%	1.6%	4.5%
Children in poverty*	Percentage of people under age 18 in poverty.	17%	13%	4%	29%
Income inequality	Ratio of household income at the 80th percentile to income at the 20th percentile.	4.9	4.2	3.1	5.6
Children in single-parent households	Percentage of children that live in a household headed by single parent.	26%	21%	8%	32%
Social associations	Number of membership associations per 10,000 population.	9.3	15.0	5.7	28.8
Violent crime	Number of reported violent crime offenses per 100,000 population.	386	282	10	518
Injury deaths*	Number of deaths due to injury per 100,000 population.	72	68	39	153
PHYSICAL ENVIRONMENT					
Air pollution - particulate matter	Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5).	7.2	7.5	6.1	8.5
Drinking water violations	Indicator of the presence of health-related drinking water violations. 'Yes' indicates the presence of a violation, 'No' indicates no violation.	N/A	N/A	No	Yes
Severe housing problems	Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, lack of kitchen facilities, or lack of plumbing facilities.	18%	12%	6%	21%
Driving alone to work*	Percentage of the workforce that drives alone to work.	76%	81%	66%	87%
Long commute - driving alone	Among workers who commute in their car alone, the percentage that commute more than 30 minutes.	37%	21%	9%	47%

^{*} Indicates subgroup data by race and ethnicity is available

2021 County Health Rankings: Disaggregated State-Level Racial/Ethnic Data

Overall	AIAN	Asian	Black	Hispanic	White	
6,200	12,000	3,600	10,800	4,000	6,200	
79.4	77.7	86.1	74.4	90.1	79.4	
320	540	180	530	190	320	
50		50	110	50	40	
5		6	12	5	4	
7%	7%	8%	11%	6%	6%	
10	31		17	5	11	
11	18	5	11	9	11	
18	39	10	41	40	14	
3,536	6,898	3,129	6,258	4,466	3,485	
52%	21%	38%	41%	34%	52%	
54%	42%	49%	41%	41%	54%	
3.1	N/A	3.0	2.3	2.6	3.2	
3.1	N/A	3.2	2.1	2.6	3.2	
13%	32%	13%	43%	27%	10%	
\$61,800	\$36,800	\$59,900	\$32,100	\$47,500	\$62,600	
68	75	25	68	33	72	
3			17	3	2	
15		8	8	6	16	
9		3	19	3	9	
81%	75%	67%	70%	73%	82%	
	6,200 79.4 320 50 5 7% 10 11 18 3,536 52% 54% 3.1 3.1 13% \$61,800 68 3 15 9	6,200 12,000 79.4 77.7 320 540 50 5 7% 7% 10 31 11 18 18 39 3,536 6,898 52% 21% 54% 42% 3.1 N/A 3.1 N/A 3.1 N/A 13% 32% \$61,800 \$36,800 68 75 3 15 9	6,200 12,000 3,600 79.4 77.7 86.1 320 540 180 50 50 5 6 7% 7% 8% 10 31 11 18 5 18 39 10 3,536 6,898 3,129 52% 21% 38% 54% 42% 49% 3.1 N/A 3.2 13% 32% 13% \$61,800 \$36,800 \$59,900 68 75 25 3 15 8 9 3	6,200 12,000 3,600 10,800 79.4 77.7 86.1 74.4 320 540 180 530 50 50 110 5 6 12 7% 7% 8% 11% 10 31 17 11 18 5 11 18 39 10 41 3,536 6,898 3,129 6,258 52% 21% 38% 41% 54% 42% 49% 41% 3.1 N/A 3.0 2.3 3.1 N/A 3.2 2.1 13% 32% 13% 43% \$61,800 \$36,800 \$59,900 \$32,100 68 75 25 68 3 17 15 8 8 9 3 19	6,200 12,000 3,600 10,800 4,000 79.4 77.7 86.1 74.4 90.1 320 540 180 530 190 50 50 110 50 5 6 12 5 7% 7% 8% 11% 6% 10 31 17 5 11 18 5 11 9 18 39 10 41 40 3,536 6,898 3,129 6,258 4,466 52% 21% 38% 41% 34% 54% 42% 49% 41% 41% 3.1 N/A 3.2 2.1 2.6 3.1 N/A 3.2 2.1 2.6 13% 32% 13% 43% 27% \$61,800 \$36,800 \$59,900 \$32,100 \$47,500 68 75 25 68 33 3 17	

^{*} Ranked measure

N/A indicates data not available for this race/ethnicity.

[^] Data not available for AK, AZ, LA, MD, NM, NY, VT

⁺ Data not available for AK, AZ, LA, MD, NY, VT, VA

[†] Overall county level values of children in poverty are obtained from one-year modeled estimates from the Small Area Income and Poverty Estimates (SAIPE) Program. Because SAIPE does not provide estimates by racial and ethnic groups, data from the 5-year American Community Survey (ACS) was used to quantify children living in poverty by racial and ethnic groups.

⁻⁻⁻ Data not reported due to NCHS suppression rules (A missing value is reported for counties with fewer than 20 deaths or 10 births.)

2021 County Health Rankings: Ranked Measure Sources and Years of Data

	Measure	Weight	Source	Years of Data
HEALTH OUTCOMES				246
Length of Life	Premature death*	50%	National Center for Health Statistics - Mortality Files	2017-2019
Quality of Life	Poor or fair health	10%	Behavioral Risk Factor Surveillance System	2018
·	Poor physical health days	10%	Behavioral Risk Factor Surveillance System	2018
	Poor mental health days	10%	Behavioral Risk Factor Surveillance System	2018
	Low birthweight*	20%	National Center for Health Statistics - Natality files	2013-2019
HEALTH FACTORS				
HEALTH BEHAVIORS				
Tobacco Use	Adult smoking	10%	Behavioral Risk Factor Surveillance System	2018
Diet and Exercise	Adult obesity	5%	United States Diabetes Surveillance System	2017
	Food environment index	2%	USDA Food Environment Atlas, Map the Meal Gap from	2015 &
			Feeding America	2018
	Physical inactivity	2%	United States Diabetes Surveillance System	2017
	Access to exercise opportunities	1%	Business Analyst, Delorme map data, ESRI, & US Census	2010 &
			Tigerline Files	2019
Alcohol and Drug Use	Excessive drinking	2.5%	Behavioral Risk Factor Surveillance System	2018
	Alcohol-impaired driving deaths	2.5%	Fatality Analysis Reporting System	2015-2019
Sexual Activity	Sexually transmitted infections	2.5%	National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention	2018
	Teen births*	2.5%	National Center for Health Statistics - Natality files	2013-2019
CLINICAL CARE				
Access to Care	Uninsured	5%	Small Area Health Insurance Estimates	2018
	Primary care physicians	3%	Area Health Resource File/American Medical Association	2018
	Dentists	1%	Area Health Resource File/National Provider Identification file	2019
	Mental health providers	1%	CMS, National Provider Identification	2020
Quality of Care	Preventable hospital stays*	5%	Mapping Medicare Disparities Tool	2018
	Mammography screening*	2.5%	Mapping Medicare Disparities Tool	2018
	Flu vaccinations*	2.5%	Mapping Medicare Disparities Tool	2018
SOCIAL & ECONOMIC FA	ACTORS			
Education	High school completion	5%	American Community Survey, 5-year estimates	2015-2019
	Some college	5%	American Community Survey, 5-year estimates	2015-2019
Employment	Unemployment	10%	Bureau of Labor Statistics	2019
Income	Children in poverty*	7.5%	Small Area Income and Poverty Estimates	2019
	Income inequality	2.5%	American Community Survey, 5-year estimates	2015-2019
Family and Social Support	Children in single-parent households	2.5%	American Community Survey, 5-year estimates	2015-2019
• •	Social associations	2.5%	County Business Patterns	2018
Community Safety	Violent crime	2.5%	Uniform Crime Reporting - FBI	2014 & 2016
	Injury deaths*	2.5%	National Center for Health Statistics - Mortality Files	2015-2019
PHYSICAL ENVIRONME				
Air and Water Quality	Air pollution - particulate matter	2.5%	Environmental Public Health Tracking Network	2016
	Drinking water violations	2.5%	Safe Drinking Water Information System	2019
Housing and Transit	Severe housing problems	2%	Comprehensive Housing Affordability Strategy (CHAS) data	2013-2017
5	Driving alone to work*	2%	American Community Survey, 5-year estimates	2015-2019
			1	

^{*}Indicates subgroup data by race and ethnicity is available

2021 County Health Rankings: Additional Measure Sources and Years of Data

	Measure	Source	Years of Data
HEALTH OUTCOMES			
Length of Life	Life expectancy*	National Center for Health Statistics - Mortality Files	2017-2019
	Premature age-adjusted mortality*	National Center for Health Statistics - Mortality Files	2017-2019
	Child mortality*	National Center for Health Statistics - Mortality Files	2016-2019
	Infant mortality*	National Center for Health Statistics - Mortality Files	2013-2019
Quality of Life	Frequent physical distress	Behavioral Risk Factor Surveillance System	2018
	Frequent mental distress	Behavioral Risk Factor Surveillance System	2018
	Diabetes prevalence	United States Diabetes Surveillance System	2017
	HIV prevalence	National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention	2018
HEALTH FACTORS			
HEALTH BEHAVIORS			
Diet and Exercise	Food insecurity	Map the Meal Gap	2018
	Limited access to healthy foods	USDA Food Environment Atlas	2015
Alcohol and Drug Use	Drug overdose deaths*	National Center for Health Statistics - Mortality Files	2017-2019
	Motor vehicle crash deaths*	National Center for Health Statistics - Mortality Files	2013-2019
Other Health Behaviors	Insufficient sleep	Behavioral Risk Factor Surveillance System	2018
CLINICAL CARE			
Access to Care	Uninsured adults	Small Area Health Insurance Estimates	2018
	Uninsured children	Small Area Health Insurance Estimates	2018
	Other primary care providers	CMS, National Provider Identification	2020
SOCIAL & ECONOMIC FA	ACTORS		
Education	High school graduation	EDFacts	2017-2018
	Disconnected youth	American Community Survey, 5-year estimates	2015-2019
	Reading scores*+	Stanford Education Data Archive	2018
	Math scores*+	Stanford Education Data Archive	2018
Income	Median household income*	Small Area Income and Poverty Estimates	2019
	Children eligible for free or reduced price lunch	National Center for Education Statistics	2018-2019
Family and Social Support	Residential segregation - Black/White	American Community Survey, 5-year estimates	2015-2019
	Residential segregation - non-White/White	American Community Survey, 5-year estimates	2015-2019
Community Safety	Homicides*	National Center for Health Statistics - Mortality Files	2013-2019
	Suicides*	National Center for Health Statistics - Mortality Files	2015-2019
	Firearm fatalities*	National Center for Health Statistics - Mortality Files	2015-2019
	Juvenile arrests+	Easy Access to State and County Juvenile Court Case Counts	2018
PHYSICAL ENVIRONMEN	NT		
Housing and Transit	Traffic volume	EJSCREEN: Environmental Justice Screening and Mapping Tool	2019
	Homeownership	American Community Survey, 5-year estimates	2015-2019
	Severe housing cost burden	American Community Survey, 5-year estimates	2015-2019
	Broadband access	American Community Survey, 5-year estimates	2015-2019

^{*}Indicates subgroup data by race and ethnicity is available

See additional contextual demographic information and measures online at www.countyhealthrankings.org

⁺ Not available in all states

2021 County Health Rankings for the 99 Ranked Counties in Iowa

		Health	Soly		Heath,	rios.	County County			Health Outcomes Health Factors		
County	Healft	Healf	County	He9/4.	, lesh,	County	Heally	Healt,	County	He3/4,	Health	
Adair	59	41	Davis	73	85	Jefferson	13	37	Pocahontas	66	58	
Adams	45	22	Decatur	99	89	Johnson	7	3	Polk	50	28	
Allamakee	51	78	Delaware	28	25	Jones	19	64	Pottawattamie	91	74	
Appanoose	98	96	Des Moines	82	99	Keokuk	63	80	Poweshiek	43	19	
Audubon	90	47	Dickinson	24	5	Kossuth	15	29	Ringgold	41	59	
Benton	31	57	Dubuque	18	53	Lee	97	95	Sac	68	27	
Black Hawk	72	61	Emmet	77	52	Linn	35	24	Scott	64	62	
Boone	9	33	Fayette	47	73	Louisa	88	93	Shelby	29	14	
Bremer	4	7	Floyd	37	86	Lucas	79	69	Sioux	2	2	
Buchanan	22	50	Franklin	65	71	Lyon	12	9	Story	8	4	
Buena Vista	38	65	Fremont	89	83	Madison	11	30	Tama	94	84	
Butler	62	56	Greene	67	43	Mahaska	58	54	Taylor	76	63	
Calhoun	70	60	Grundy	17	8	Marion	30	10	Union	87	76	
Carroll	14	13	Guthrie	23	49	Marshall	71	92	Van Buren	46	81	
Cass	81	66	Hamilton	36	39	Mills	49	40	Wapello	96	94	
Cedar	5	20	Hancock	6	15	Mitchell	20	26	Warren	10	12	
Cerro Gordo	74	18	Hardin	32	48	Monona	92	82	Washington	57	51	
Cherokee	34	44	Harrison	60	42	Monroe	80	77	Wayne	86	98	
Chickasaw	44	32	Henry	40	55	Montgomery	95	75	Webster	85	90	
Clarke	93	88	Howard	53	36	Muscatine	55	70	Winnebago	26	35	
Clay	27	31	Humboldt	42	38	O'Brien	21	16	Winneshiek	1	6	
Clayton	25	79	Ida	48	21	Osceola	61	46	Woodbury	75	87	
Clinton	84	91	lowa	16	17	Page	52	68	Worth	54	34	
Crawford	78	97	Jackson	56	72	Palo Alto	83	23	Wright	39	67	
Dallas	3	1	Jasper	69	45	Plymouth	33	11				

For more information on how these ranks are calculated visit www.countyhealthrankings.org



Stay Up-To-Date with County Health Rankings & Roadmaps

For the latest updates on Rankings, What Works for Health, Action Learning Guides, and more visit www.countyhealthrankings.org.

You can see what we are featuring on our webinar series, what communities are doing to improve health, and how you can get involved!

Technical Notes

How are race and ethnicity categories defined?

Race and ethnicity are different forms of identity but are sometimes categorized in non-exclusive ways. Race is a form of identity constructed by our society to give meaning to different groupings of observable physical traits. An individual may identify with more than one race group. Ethnicity is used to group individuals according to shared cultural elements. Racial and ethnic categorizations relate to health because our society sorts groups of individuals based on perceived identities. These categorizations have meaning because of social and political factors, including systems of power such as racism. Examining the variation among racial and ethnic groupings in health factors and outcomes is key to understanding and addressing historical and current context that underlie these differences.

Data sources differ in methods for defining and grouping race and ethnicity categories. To incorporate as much information as possible in our summaries, County Health Rankings & Roadmaps (CHR&R) race/ethnicity categories vary by data source. With a few exceptions, CHR&R adheres to the following nomenclature originally defined by The Office of Management and Budget (OMB):

American Indian & Alaska Native (AIAN): includes people who identify as American Indian or Alaska Native and do not identify as Hispanic.

Asian: includes people who identify as Asian or Pacific Islander and do not identify as Hispanic.

Black: includes people who identify as Black or African American and do not identify as Hispanic.

Hispanic: includes people who identify as Mexican, Puerto Rican, Cuban, Central or South American, other Hispanic, or Hispanic of unknown origin.

White: includes people who identify as White and do not identify as Hispanic.

Note:

- Racial and ethnic categorization masks variation within groups.
- Individuals may identify with multiple races, indicating that none of the offered categories reflect their identity; these individuals are not included in our summaries.
- OMB categories have limitations and have changed over time, reflecting the importance of attending to contemporary racialization as a principle for examining approaches to measurement.
- For some data sources, race categories other than White also include people who identify as Hispanic.

Learn More:

The above definitions apply to all measures using data from the <u>National Center for Health Statistics</u> (see Ranked & Additional Measure Sources and Years of Data tables on pages 4 & 5). For this data source, all race/ethnicity categories are exclusive so that each individual fits into only one category.

Other data sources offer slight nuances of the race/ethnicity categories listed above. The American Community Survey (ACS) only provides an exclusive race and ethnicity category for people who identify as non-Hispanic White. An individual who identifies as Hispanic and as Black would be included in both the Hispanic and Black race/ethnicity categories. Another difference with ACS data is the separate race categories for people who identify as Asian and people who identify as Hawaiian & Other Pacific Islander. For measures of Children in Poverty and Driving Alone to Work, CHR&R reports a combined estimate for the Asian & Other Pacific Islander categories, while for Median Household Income we only report the Asian race category.

Measures using data from the <u>Center for Medicare and Medicaid Services</u> (Mammography, Preventable Hospital Stays, Flu Vaccinations) follows the ACS categories with the exception of having a combined Asian/Pacific Islander category. For this data source, race and ethnicity are not self-reported.

The <u>Stanford Education Data Archive</u> used for the Reading and Math Scores measures follow the <u>National Center for</u> <u>Education Statistics</u> (NCES) definitions of Asian or Pacific Islander, American Indian & Alaska Native, non-Hispanic Black, non-Hispanic White, and Hispanic.

How do we rank counties?

To calculate the ranks, we first standardize each of the measures using z-scores. Z-scores allow us to combine multiple measures because the measures are now on the same scale. The ranks are then calculated based on weighted sums of the measure z-scores within each state to create an aggregate z-score. The county with the best aggregate z-score (healthiest) gets a rank of #1 for that state. To see more detailed information on rank calculation please visit our methods in **Explore Health Rankings** on our website: www.countyhealthrankings.org.