

splunk>enterpriseApps

Administrator1 MessagesSettingsActivityHelpFind

SearchAnalyticsDatasetsReportsAlertsDashboards

Search & Reporting

New Search

Save AsCreate Table ViewClose

index="ecommerce_app" errorLast 24 hours

3 events (24/08/2024 20:00:00.000 to 25/08/2024 20:11:42.000)No Event SamplingJob

Events (3)PatternsStatisticsVisualization

Format TimelineZoom OutZoom to SelectionDeselect1 hour per column

ListFormat20 Per Page

< Hide Fields

All Fields

SELECTED FIELDS

a host 2

a source 1

a sourcetype 1

INTERESTING FIELDS

a event.logger 2

a event.message 3

a event.severity 1

a event.thread 2

event.time 3

a fields.messageFormat 1

a index 1

linecount 1

a punct 1

a splunk_server 1

a timestamp 1

+ Extract New Fields

i	Time	Event
>	25/08/2024 20:10:38.000	<pre>{ "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "INFO", "logger": "com.example.demo.controllers.OrderController", "time": "1724613033.279", "thread": "http-nio-8080-exec-5", "message": "OrderController.getOrdersForUser(): request by jblogs2." } } } { "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "ERROR", "logger": "com.example.demo.controllers.OrderController", "time": "1724613033.281", "thread": "http-nio-8080-exec-5", "message": "OrderController.getOrdersForUser(): Exception: user jblogs2 doesn't exist." } } }</pre> <div>host = localhost8088 host = localhost source = http-event-logs source = http-event-logs sourcetype = log4j sourcetype = log4j</div>
>	25/08/2024 20:08:08.000	<pre>{ "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "INFO", "logger": "com.example.demo.controllers.OrderController", "time": "1724612883.788", "thread": "http-nio-8080-exec-1", "message": "OrderController.submit(): request by jblogs2." } } } { "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "ERROR", "logger": "com.example.demo.controllers.OrderController", "time": "1724612883.791", "thread": "http-nio-8080-exec-1", "message": "OrderController.submit(): Exception: user jblogs2 doesn't exist." } } }</pre> <div>host = localhost8088 host = localhost source = http-event-logs source = http-event-logs sourcetype = log4j sourcetype = log4j</div>
>	25/08/2024 20:04:28.000	<pre>{ "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "INFO", "logger": "org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]", "time": "1724612658.917", "thread": "http-nio-8080-exec-1", "message": "Initializing Spring DispatcherServlet 'dispatcherServlet'" } } } { "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "INFO", "logger": "org.springframework.web.servlet.DispatcherServlet", "time": "1724612658.917", "thread": "http-nio-8080-exec-1", "message": "Initializing Spring DispatcherServlet 'dispatcherServlet'" } } }</pre> <div>Pages</div>

New Search

[Save As ▾](#)[Create Table View](#)[Close](#)

index="ecommerce_app" success*

Last 24 hours ▾



✓ 2 events (24/08/2024 20:00:00.000 to 25/08/2024 20:22:06.000)

No Event Sampling ▾

Job ▾



Smart Mode ▾

Events (2) Patterns Statistics Visualization

Format Timeline ▾

— Zoom Out

+ Zoom to Selection

× Deselect

1 hour per column

List ▾

Format

20 Per Page ▾

< Hide Fields

≡ All Fields

SELECTED FIELDS

a host 2

a source 1

a sourcetype 1

INTERESTING FIELDS

a event.logger 2

a event.message 2

a event.severity 1

a event.thread 2

event.time 2

a fields.messageFormat 1

a index 1

linecount 1

a punct 1

a splunk_server 1

a timestamp 1

+ Extract New Fields

i	Time	Event
>	25/08/2024 20:06:58.000	{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"com.example.demo.controllers.OrderController\", \"time\":\"1724612816.442\", \"thread\":\"http-nio-8080-exec-9\", \"message\":\"OrderController.submit(): request by jblogs.\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"com.example.demo.controllers.OrderController\", \"time\":\"1724612816.452\", \"thread\":\"http-nio-8080-exec-9\", \"message\":\"OrderController.submit(): New order {\\\"id\\\":1,\\\"items\\\":[{\\\"id\\\":1,\\\"name\\\":\\\"Round Widget\\\",\\\"price\\\":2.99,\\\"description\\\":\\\"A widget that is round\\\"}],\\\"user\\\":{\\\"id\\\":1,\\\"username\\\":\\\"jblogs\\\"},\\\"total\\\":2.99} was created successfully.\"}}\\n\\nhost = localhost:8088 host = localhost source = http-event-logs source = http-event-logs sourcetype = log4j sourcetype = log4j
>	25/08/2024 20:04:28.000	{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]\", \"time\":\"1724612658.917\", \"thread\":\"http-nio-8080-exec-1\", \"message\":\"Initializing Spring DispatcherServlet 'dispatcherServlet'\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"org.springframework.web.servlet.DispatcherServlet\", \"time\":\"1724612658.917\", \"thread\":\"http-nio-8080-exec-1\", \"message\":\"Initializing Servlet 'dispatcherServlet'\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"org.springframework.web.servlet.DispatcherServlet\", \"time\":\"1724612658.918\", \"thread\":\"http-nio-8080-exec-1\", \"message\":\"Completed initialization in 1 ms\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"com.example.demo.controllers.UserController\", \"time\":\"1724612658.965\", \"thread\":\"http-nio-8080-exec-1\", \"message\":\"UserController.createUser(): createUserRequest {\\\"username\\\":\\\"jdoe\\\",\\\"password\\\":\\\"abcd\\\",\\\"confirmPassword\\\":\\\"abcd\\\"}.\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"ERROR\", \"logger\":\"com.example.demo.controllers.UserController\", \"time\":\"1724612658.981\", \"thread\":\"http-nio-8080-exec-1\", \"message\":\"UserController.createUser(): Exception: User 'jdoe' was not created, because password is less than 7 characters or password does not match.\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"com.example.demo.controllers.UserController\", \"time\":\"1724612667.917\", \"thread\":\"http-nio-8080-exec-4\", \"message\":\"UserController.createUser(): createUserRequest {\\\"username\\\":\\\"jblogs\\\",\\\"password\\\":\\\"abcdefg\\\",\\\"confirmPassword\\\":\\\"abcdefg\\\"}.\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"com.example.demo.controllers.UserController\", \"time\":\"1724612668.017\", \"thread\":\"http-nio-8080-exec-4\", \"message\":\"UserController.createUser(): New user 'jblogs' created successfully.\"}}\\n\\nhost = localhost:8088 host = localhost source = http-event-logs source = http-event-logs sourcetype = log4j sourcetype = log4j

>	25/08/2024 20:06:58.000	{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"com.example.demo.controllers.OrderController\", \"time\":\"1724612816.442\", \"thread\":\"http-nio-8080-exec-9\", \"message\":\"OrderController.submit(): request by jblogs.\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"com.example.demo.controllers.OrderController\", \"time\":\"1724612816.452\", \"thread\":\"http-nio-8080-exec-9\", \"message\":\"OrderController.submit(): New order {\\\"id\\\":1,\\\"items\\\":[{\\\"id\\\":1,\\\"name\\\":\\\"Round Widget\\\",\\\"price\\\":2.99,\\\"description\\\":\\\"A widget that is round\\\"}],\\\"user\\\":{\\\"id\\\":1,\\\"username\\\":\\\"jblogs\\\"},\\\"total\\\":2.99} was created successfully.\"}}\\n\\nhost = localhost:8088 host = localhost source = http-event-logs source = http-event-logs sourcetype = log4j sourcetype = log4j
>	25/08/2024 20:04:28.000	{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"org.apache.catalina.core.ContainerBase.[Tomcat].[localhost].[/]\", \"time\":\"1724612658.917\", \"thread\":\"http-nio-8080-exec-1\", \"message\":\"Initializing Spring DispatcherServlet 'dispatcherServlet'\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"org.springframework.web.servlet.DispatcherServlet\", \"time\":\"1724612658.917\", \"thread\":\"http-nio-8080-exec-1\", \"message\":\"Initializing Servlet 'dispatcherServlet'\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"org.springframework.web.servlet.DispatcherServlet\", \"time\":\"1724612658.918\", \"thread\":\"http-nio-8080-exec-1\", \"message\":\"Completed initialization in 1 ms\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"com.example.demo.controllers.UserController\", \"time\":\"1724612658.965\", \"thread\":\"http-nio-8080-exec-1\", \"message\":\"UserController.createUser(): createUserRequest {\\\"username\\\":\\\"jdoe\\\",\\\"password\\\":\\\"abcd\\\",\\\"confirmPassword\\\":\\\"abcd\\\"}.\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"ERROR\", \"logger\":\"com.example.demo.controllers.UserController\", \"time\":\"1724612658.981\", \"thread\":\"http-nio-8080-exec-1\", \"message\":\"UserController.createUser(): Exception: User 'jdoe' was not created, because password is less than 7 characters or password does not match.\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"com.example.demo.controllers.UserController\", \"time\":\"1724612667.917\", \"thread\":\"http-nio-8080-exec-4\", \"message\":\"UserController.createUser(): createUserRequest {\\\"username\\\":\\\"jblogs\\\",\\\"password\\\":\\\"abcdefg\\\",\\\"confirmPassword\\\":\\\"abcdefg\\\"}.\"}}{\"host\":\"localhost\", \"index\":\"ecommerce_app\", \"sourcetype\":\"log4j\", \"source\":\"http-event-logs\", \"fields\":{\"messageFormat\":\"text\"}, \"event\":{\"severity\":\"INFO\", \"logger\":\"com.example.demo.controllers.UserController\", \"time\":\"1724612668.017\", \"thread\":\"http-nio-8080-exec-4\", \"message\":\"UserController.createUser(): New user 'jblogs' created successfully.\"}}\\n\\nhost = localhost:8088 host = localhost source = http-event-logs source = http-event-logs sourcetype = log4j sourcetype = log4j

New Search

Save AsCreate Table ViewClose

index="ecommerce_app" OrderController

Last 24 hours

Q

7 events (24/08/2024 20:00:00.000 to 25/08/2024 20:30:48.000)

No Event Sampling

Job

II

Smart Mode

Events (7)

Patterns

Statistics

Visualization

Format Timeline

Zoom Out

+ Zoom to Selection

X Deselect

1 hour per column

List

Format

20 Per Page

< Hide Fields

All Fields

SELECTED FIELDS

a host 2

a source 1

a sourcetype 1

INTERESTING FIELDS

a event.logger 1

a event.message 6

a event.severity 1

a event.thread 5

event.time 7

a fields.messageFormat 1

a index 1

linecount 1

a punct 1

a splunk_server 1

a timestamp 1

+ Extract New Fields

i

Time

Event

>

25/08/2024 20:10:38.000

{ "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "INFO", "logger": "com.example.demo.controllers.OrderController", "time": "1724613033.279", "thread": "http-nio-8080-exec-5", "message": "OrderController.getOrderForUser(): request by jbloggs2." } } } { "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "ERROR", "logger": "com.example.demo.controllers.OrderController", "time": "1724613033.281", "thread": "http-nio-8080-exec-5", "message": "OrderController.getOrderForUser(): Exception: user jbloggs2 doesn't exist." } } }

host = localhost8088 host = localhost source = http-event-logs source = http-event-logs sourcetype = log4j sourcetype = log4j

>

25/08/2024 20:09:38.000

{ [-] event: { [+] } fields: { [+] } host: localhost index: ecommerce_app source: http-event-logs sourcetype: log4j } Show as raw text host = localhost8088 host = localhost source = http-event-logs source = http-event-logs sourcetype = log4j sourcetype = log4j

>

25/08/2024 20:08:08.000

{ "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "INFO", "logger": "com.example.demo.controllers.OrderController", "time": "1724612882.78", "thread": "http-nio-8080-exec-5", "message": "OrderController.getOrderForUser(): request by jbloggs2." } } }

splunk>enterpriseApps

AdministratorMessagesSettingsActivityHelpFind

SearchAnalyticsDatasets

New Search

index="ecommerce_app" UserCont

1 event (24/08/2024 21:00:00.000)

Events (1)PatternsStatistic

Format TimelineZoom Out

Hide FieldsAll Fields

SELECTED FIELDS

host 2source 1sourcetype 1

INTERESTING FIELDS

event.logger 1event.message 1event.severity 1event.thread 1event.time 1fields.messageFormat 1index 1linecount 1punct 1splunk_server 1timestamp 1

Extract New Fields

Save As Alert

Settings

TitleCreate User Exception

DescriptionOptional

PermissionsPrivateShared in App

Alert typeScheduledReal-time

Run every hour

At15 minutes past the hour

Expires24hour(s)

Trigger Conditions

Trigger alert whenNumber of Results

is greater than5

TriggerOnceFor each result

Throttle

Suppress triggering for60second(s)

Trigger Actions

Add Actions

CancelSave

Search & Reporting

Create Table ViewClose

Last 24 hours

Smart Mode

1 hour per column

logs", "fields": {"messageForma
.[Tomcat].[localhost].[/]", "tim
patcherServlet 'dispatcherServle
vent-logs", "fields": {"messageFor
atcherServlet", "time": "172461265
let"))("host": "localhost", "inde
ormat": "text"), "event": {"severit
658.918", "thread": "http-nio-8080
ommerce_app", "sourcetype": "log4j
NFO", "logger": "com.example.demo:
message": "UserController.createUs
\\": "\\abcd\\")."}}("host": "localho
"messageFormat": "text"), "event":
4612658.981", "thread": "http-nio-
eated, because password is less
_app", "sourcetype": "log4j", "sour
gger": "com.example.demo.controlli
"UserController.createUser(): cr
": "\\abcdefg\\")."}}("host": "localh
("messageFormat": "text"), "even

splunk>enterpriseApps

AdministratorMessagesSettingsActivityHelpFind

SearchAnalyticsDatasetsReportsAlertsDashboards

Create User Exception

Edit

Enabled: Yes. [Disable](#)

App: search

Permissions: Private. Owned by sc_admin. [Edit](#)

Modified: 25 Aug 2024 21:24:20

Alert Type: Scheduled. Hourly, at 15 minutes past the hour. [Edit](#)

Trigger Condition: .. Number of Results is > 5. [Edit](#)

Actions: 1 Action [Edit](#)

Add to Triggered Alerts

There are no fired events for this alert.

splunk>enterpriseApps

Administrator1 MessagesSettingsActivityHelpFind

SearchAnalyticsDatasetsReportsAlertsDashboards

Search & Reporting

Create User Exception RealtimeEdit

Enabled: Yes, [Disable](#)

App: search

Permissions: Private. Owned by sc_admin. [Edit](#)

Modified: 25 Aug 2024 21:33:45

Alert Type: Real-time. [Edit](#)

Trigger Condition: .. Per-Result. [Edit](#)

Actions: 1 Action [Edit](#)

Add to Triggered Alerts

There are no fired events for this alert.

Alerts

Alerts set a condition that triggers an action, such as sending an email that contains the results of the triggering search to a list of people. Click the name to view the alert. Open the alert in Search to refine the parameters.

2 AlertsAllYoursThis App'sfilter

i	Title ^	Actions	Owner	App	Sharing	Status
>	Create User Exception	Open in Search Edit	sc_admin	search	Private	Enabled
>	Create User Exception Realtime	Open in Search Edit	sc_admin	search	Private	Enabled

Triggered Alerts

Filter

Showing 1 - 2 of 2 results

AppSearch & Reporting (search)OwnerAll ownersSeverityAll severityAlert nameAll alerts

<input type="checkbox"/>	Time	Alert name	App	Type	Severity	Mode	Actions
<input type="checkbox"/>	2024-08-25 21:37:58 IST	Create User Exception Realtime	search	Real-time	Medium	Per Result	View Results Edit Search Delete
<input type="checkbox"/>	2024-08-25 21:37:48 IST	Create User Exception Realtime	search	Real-time	Medium	Per Result	View Results Edit Search Delete

Save As ▼ Create Table View Close

Before date time ▾ 🔍

Job Fast Mode

List ▾ Format 20 Per Page ▾

Time	Event
25/08/2024 21:37:58.000	<pre>{ "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "INFO", "logger": "com.example.demo.controllers.UserController", "time": "1724618268.586", "thread": "http-nio-8080-exec-2", "message": "UserController.createUser(): createUserRequest {\n 'username': 'jdoe',\n 'password': 'abcd',\n 'confirmPassword': 'abcd' \n} }" }, "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "ERROR", "logger": "com.example.demo.controllers.UserController", "time": "1724618268.589", "thread": "http-nio-8080-exec-2", "message": "UserController.createUser(): Exception: User 'jdoe' was not created, because password is less than 7 characters or password does not match." } }, "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "INFO", "logger": "com.example.demo.controllers.UserController", "time": "1724618269.920", "thread": "http-nio-8080-exec-4", "message": "UserController.createUser(): createUserRequest {\n 'username': 'jdoe',\n 'password': 'abcd',\n 'confirmPassword': 'abcd' \n} }" }, "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "ERROR", "logger": "com.example.demo.controllers.UserController", "time": "1724618269.924", "thread": "http-nio-8080-exec-4", "message": "UserController.createUser(): Exception: User 'jdoe' was not created, because password is less than 7 characters or password does not match." } }, "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "INFO", "logger": "com.example.demo.controllers.UserController", "time": "1724618271.467", "thread": "http-nio-8080-exec-5", "message": "UserController.createUser(): createUserRequest {\n 'username': 'jdoe',\n 'password': 'abcd',\n 'confirmPassword': 'abcd' \n} }" }, "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "ERROR", "logger": "com.example.demo.controllers.UserController", "time": "1724618271.470", "thread": "http-nio-8080-exec-5", "message": "UserController.createUser(): Exception: User 'jdoe' was not created, because password is less than 7 characters or password does not match." } }, "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "INFO", "logger": "com.example.demo.controllers.UserController", "time": "1724618272.873", "thread": "http-nio-8080-exec-7", "message": "UserController.createUser(): createUserRequest {\n 'username': 'jdoe',\n 'password': 'abcd',\n 'confirmPassword': 'abcd' \n} }" }, "host": "localhost", "index": "ecommerce_app", "sourcetype": "log4j", "source": "http-event-logs", "fields": { "messageFormat": "text", "event": { "severity": "ERROR", "logger": "com.example.demo.controllers.UserController", "time": "1724618272.876", "thread": "http-nio-8080-exec-7", "message": "UserController.createUser(): Exception: User 'jdoe' was not created, because password is less than 7 characters or password does not match." } } } } } } }</pre>
	<pre>host = localhost:8088 source = http-event-logs sourcetype = log4j</pre>