

Bander API Végpontok

Meghatározása



API Végpontok

GET `user`

Description: Get defined users data

Example:

HTTP request:

```
GET /user HTTP/1.1 Host: Bander api_key: your-api-key-here
```

Példa Válasz (200 OK):

```
{ "UserId": 1, "FirstName": "Beka", "LastName":  
"Kálmán", "UserName": "PopcornLover21", }
```



Lehetséges Válaszok:



PDF Letöltés

Státusz Kód	Leírás
200	Successfull query, gets user data
404	User Not Found

**PDF Letöltés**

POST /newuser**Description:** Create a new user in the database**Example:****HTTP Request:**

```
POST /newuser HTTP/1.1 Host: Bander Content-Type:
application/json Authorization: ---
```

Request Body:

```
{ "FirstName": "Hát", "LastName": "Izsák",
  "UserName": "ILoveBackpacks12", }
```

 Possible Answers:

Státusz Kód	Leírás
200	Successful creation, gives back new data
400	invalid input data
422	Validation error

 **PDF Letöltés**

PUT /user**Description:** Update existing users data **Path Parameters:**

UserName	FirstName	LastName
PopcornLover21	Beka	Kálmán

Example:**HTTP Query:**

```
PUT /user?user_id=456 HTTP/1.1 Host: Bander
Content-Type: application/json Authorization:
```

Request Body:

```
{ "id": 2, "userName": "PopcornLover21",
  "FirstName": "Beka", "LastName": "Kálmán"
```

 Example (200 OK):

```
{ "id": 2, "userName": "PopcornLover21",
  "FirstName": "Beka", "LastName": "Kálmán" }
```

Possible answers:

Code	Description
200	Succesfull c:
400	Not good id :c

 **PDF Letöltés**

404 No no id not good D:

422 validation problem Dx

 **PDF Letöltés**

DELETE /user/{userId}**Description:** Delete user **Path Parameters:**

nAME	type	mandatory	description
userId	integer (int64)	✓	user id you want to delete c:

 Példa Kérés:**HTTP query:**

```
DELETE /user/2 HTTP/1.1 Host: Bander
api_key: your-api-key-here Authorization:
Bearer your-token-here
```

 Example (200 OK):

```
{ "code": 200, "message": "User
successfully deleted" }
```

possible answers:

Status code	description
200	successful delete :D
400	not good id :d
404	No such id existing :C

 **PDF Letöltés**



PDF Letöltés



Authentikáció

OAuth 2.0 (bander_auth)

Típus: OAuth2 Implicit Flow

Authorization URL: <https://bander.swagger.io/oauth/authorize>

Scope-ok:

- write:pets - Change User
- read:pets - Read User

API Key

Típus: API Key

Név: api_key

Hely: Header

```
api_key: your-api-key-here
```