

This is a common paragraph. This is a common paragraph. This is a common paragraph.
This is a common paragraph. This is a common paragraph. This is a common paragraph.
This is a common paragraph. This is a common paragraph. This is a common paragraph.
This is a common paragraph. This is a common paragraph. This is a common paragraph.
This is a common paragraph. This is a common paragraph. This is a common paragraph.
This is a common paragraph. This is a common paragraph. This is a common paragraph.
This is a common paragraph. This is a common paragraph. This is a common paragraph.
This is a common paragraph. This is a common paragraph. This is a common paragraph.

This is a code block inside a quote:

```
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.
```

This is a code block inside a quote:

Inside a quote:

```
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.  
This is a common paragraph. This is a common paragraph. This is a common paragraph.
```

This is from the rusty docs:

Changelog

This use case happens to be initial reason for writing the directive. Consider the changelog/release notes document, containing a list of new features, bug fixes and other changes. By using a role, each change can be separated for each other, by listing them in a separate list:

```
=====
Release Notes
=====

Release X
=====
Following issues have been fixed in this release:

Fixes

.. rolelist:: bug
   :template: #${value}: ${text}
   :levelsup: 2
   :siblings:
```