



Diagnostic Point Pathology Labs

ISO : 9001-2008

EQUIPPED WITH COMPUTERISED AUTO CHEMISTRY, BLOOD GAS & HAEMATOLOGY ANALYSERS

101, 102, 107, 108, 109, 1st Floor, Agarwal Tower, Pkt. O & P Mkt. Dilshad Garden, Delhi-95 Ph.: [REDACTED]

SARVODAYA HOSPITAL

KJ-7, Kavi Nagar, Ghaziabad (U.P.)

Dr. (Capt) Atul Kapila (Retd.) MD Path

Regn No. MCI 3456

Investigation**Observed Value****Unit****Biological Ref interval****BIOCHEMISTRY****LIVER FUNCTION TEST (LFT)**

BILIRUBIN TOTAL	9.42 H	mg/dl	0.30 - 1.20
CONJUGATED (D. BILIRUBIN)	7.79 H	mg/dL	0.00 - 0.30
UNCONJUGATED (I.D.BILIRUBIN)	1.63 H	mg/dl	0.00 - 0.70
SGOT	162 H	IU/L	0.00 - 46.00
SGPT	86 H	IU/L	0.00 - 49.00
ALKALINE PHOSPHATASE	396 H	U/L	42.00 - 128.00
TOTAL PROTEIN	6.2	gm/dl	6.20 - 8.00
ALBUMIN	3.7 L	gm/dl	3.80 - 5.40
GLOBULIN	2.5	gm/dl	1.50 - 3.60
AVG RATIO	1.48		1.0 - 2.0
GAMMAT-GT	263 H	IU/L	11.00 - 50.00

Specimen : SERUM

** END OF REPORT **



Dr. ATUL KAPILA

FACILITIES : FOR HORMONES ASSAYS, FNAC, HISTOPATHOLOGY, BONE MARROW ASPIRATION & BIOPSY WITH MICRO PHOTOGRAPHS.
NOTE : ABOVE MENTIONED FINDINGS ARE A PROFESSIONAL [REDACTED] AND NOT A FINAL DIAGNOSIS, ALL LABORATORY TESTS & OTHER INVESTIGATION RESULTS ARE TO BE CORRELATED CLINIC-PATHOLOGICALLY, DISCREPANCIES, IF ANY, NECESSITATE REVIEW/REPEAT OF THE TESTS.

NOT VALID FOR [REDACTED] LEGAL PURPOSE
CLINICAL CORRELATION IS MANDATORY



Diagnostic Point Pathology Labs

ISO : 9001-2008

EQUIPPED WITH COMPUTERISED AUTO CHEMISTRY, BLOOD GAS & HAEMATOLOGY ANALYSERS

101, 102, 107, 108, 109, 1st Floor, Agarwal Tower, Pkt. O & P Mkt. Dilshad Garden, Delhi-95 Ph.: [REDACTED]

SARVODAYA HOSPITAL

KJ-7, Kavi Nagar, Ghaziabad (U.P.)

Dr. (Capt) Atul Kapila (Retd.) MD Path

Regn No. MCI 3456

Patient : [REDACTED]
Referred : [REDACTED] VERMA
Lab Serial No: 07
Ward No : SP - 25
CR / UHD No : 0223 / 391503

Receiving : [REDACTED] 6:00:30AM
Reporting Date : [REDACTED] 8:29:07AM
Date TAT : 2 Hours 29 Minute

Investigation**Observed Value****Unit****Biological Ref Interval****HEMATOLOGY****PT (PROTHROMBIN TIME)**

NORMAL CONTROL VALUE	13.0	second(s)
PATIENT VALUE	17.5	second(s)
International Normalized Ratio	1.37	

Specimen : PT PLASMA**Comment :**

1. INR is the parameter of choice in monitoring adequacy of oral anticoagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity
2. Prolonged INR suggests potential bleeding disorder / bleeding complications
3. Results should be clinically correlated
4. Test conducted on Citrated plasma

Recommended Therapeutic range for Oral Anticoagulant therapy

INR 2.0-3.0 :

Treatment of Venous thrombosis & Pulmonary embolism

Prophylaxis of Venous thrombosis (High risk surgery)

Prevention of systemic embolism in tissue heart valves,

AMI, Valvular heart disease & Atrial fibrillation

Bileaflet mechanical valve in aortic position

INR 2.5-3.5:

Mechanical prosthetic valves

Systemic recurrent emboli

Comments: Prothrombin time measures the extrinsic coagulation pathway which consists of activated Factor VII (VIIa), Tissue factor and Proteins of the common pathway (Factors X, V, II & Fibrinogen). This assay is used to control long term oral anticoagulant therapy, evaluation of liver function & to evaluate coagulation disorders specially factors involved in the extrinsic pathway like Factors V, VII, X, Prothrombin & Fibrinogen.

**** END OF REPORT ****

Page 1 of 1

**FACILITIES :** FOR HORMONES ASSAYS, FNAC, HISTOPATHOLOGY, BONE MARROW ASPIRATION & BIOPSY WITH MICRO PHOTOGRAPHS.**NOTE :** ABOVE MENTIONED FINDINGS ARE A PROFESSIONAL OPINION AND NOT A FINAL DIAGNOSIS, ALL LABORATORY TESTS & OTHER INVESTIGATION RESULTS ARE TO BE CORRELATED CLINIC-PATHOLOGICALLY, DISCREPANCIES, IF ANY, NECESSITATE REVIEW/REPEAT OF THE TESTS.**NOT VALID FOR MEDICO LEGAL PURPOSE**
CLINICAL CORRELATION IS MANDATORY



Diagnostic Point Pathology Labs

ISO : 9001-2008

EQUIPPED WITH COMPUTERISED AUTO CHEMISTRY, BLOOD GAS & HAEMATOLOGY ANALYSERS

101, 102, 107, 108, 109, 1st Floor, Agarwal Tower, Pkt. O & P Mkt. Dilshad Ga

SARVODAYA HOSPITAL

KJ-7, Kavi Nagar, Ghaziabad (U.P.)

Dr. (Capt) Atul Kapila (Retd.) MD Path

Regn No. MCI 3456

Srl No. 1019

RECEIPT ID 104194

VERMA

0223/391503

No SP-25

Patient Id

16:13:21

Test

HAEMATOLOGY

PERIPHERAL SMEAR

RBC'S:- Mild Anisocytosis Mild hypochromia, few micro and macrocytes
no nucleated RBCs. No target cells seen.

W.B.C'S:- .No immature cells seen.

PLATELETS:- platelets are adequate.

**** End Of Report ****

It is computer generated Report Signatures Not Required

FACILITIES : FOR HORMONES ASSAYS, FNAC, HISTOPATHOLOGY, BONE MARROW ASPIRATION & BIOPSY WITH MICRO PHOTOGRAPHS.

NOTE : ABOVE MENTIONED FINDINGS ARE A PROFESSIONAL OPINION AND NOT A FINAL DIAGNOSIS, ALL LABORATORY TESTS & OTHER INVESTIGATION RESULTS ARE TO BE CORRELATED CLINIC-PATHOLOGICALLY, DISCREPANCIES, IF ANY, NECESSITATE REVIEW/REPEAT OF THE TESTS.

Reported by : ROH

NOT VALID FOR MEDICO LEGAL PURPOSE
CLINICAL CORRELATION IS MANDATORY



ATUL KAPILA
MD Path
Regd. No. -



Diagnostic Point Pathology Labs

ISO : 9001-2008

EQUIPPED WITH COMPUTERISED AUTO CHEMISTRY, BLOOD GAS & HAEMATOLOGY ANALYSERS

101, 102, 107, 108, 109, 1st Floor, Agarwal Tower, Pkt. O & P Mkt. Dilshad Garden, Delhi-95 Ph.: [REDACTED]

SARVODAYA HOSPITAL

KJ-7, Kavi Nagar, Ghaziabad (U.P.)

Dr. (Capt) Atul Kapila (Retd.) MD Path

Regn No. MCI 3456

Patient ID : [REDACTED]
Patient : [REDACTED]
Referred : [REDACTED] VERMA
Lab Serial No: 19
Ward No : SP-25
CR / UHD No : 0223/391503

Receiving : [REDACTED] 18/Apr/2025 12:15:00PM
Reporting Date : 18/Apr/2025 3:17:39PM
Date TAT : 3 Hours 2 Minute

Investigation

Observed Value

Unit

Biological Ref Interval

SEROLOGY

AMMONIA

119.8 H

ug/dl

17.00 - 90.00

Specimen : BLOOD

** END OF REPORT **



Dr. ATUL KAPILA
M.D. PATHOLOGY
Regt. No.-MCI 3456

FACILITIES : FOR HORMONES ASSAYS, FNAC, HISTOPATHOLOGY, [REDACTED] MARROW ASPIRATION & BIOPSY WITH MICRO PHOTOGRAPHS.
NOTE : ABOVE MENTIONED FINDINGS ARE A PROFESSIONAL OPINION AND NOT A FINAL DIAGNOSIS, ALL LABORATORY TESTS & OTHER INVESTIGATION RESULTS ARE TO BE CORRELATED CLINIC-PATHOLOGICALLY, DISCREPANCIES, IF ANY, NECESSITATE REVIEW/REPEAT OF THE TESTS.

NOT VALID FOR MEDICO LEGAL PURPOSE
CLINICAL CORRELATION IS MANDATORY