

Editor Web Browser



Author: **Tomasz Klin**

Version: **1.5.1**

Contents

What it is

How to install

How to use

Opening a browser

The toolbar

Favourites and history

Staying signed in


Capture Editor Shortcuts

What it is


Editor Web Browser puts a web browser inside the Unreal Editor, as an ordinary tab you can dock, float and arrange like any other. Up to four browsers can be open at once, and they remember your session: a site you signed into today is still signed in tomorrow, after the editor has been closed and reopened.

How to install

1. Install the plugin into your engine version from the store.



2. Open your project and enable the plugin. Go to **Edit -> Plugins**, select the **Other** category, and then check **Enabled** for Editor Web Browser.




3. Restart the editor.

How to use

Opening a browser


Open a browser from **Tools** -> **Web Browser**. Four are available, **Web Browser 1** through **Web Browser 4**.



Each one is a normal editor tab: dock it beside the viewport, drag it onto a second monitor, or leave it floating, and the editor layout remembers where you put it. With a single browser open the tab is simply called **Web Browser** — the numbers appear only once a second one is open, so there is nothing to think about until you need it.

All four share one browsing session, so a site you sign into in one is signed in in the others.

The toolbar



From the left: **back** and **forward** through the pages you have visited, **home** to return to your homepage, and **reload**, which turns into a stop button while a page is still loading. Then the address bar — type a URL and press Enter to go there.

The **star** on the right of the address bar adds the current page to your favourites, and removes it again if it is already there.

Favourites and history

The menu button at the far right of the toolbar opens the rest:

- **Favorite** lists the pages you have starred. Pick one to go to it.
- **History** lists the pages you have visited most recently, with **Clear History** at the bottom to empty the list.
- **Open in System Browser** hands the current page to your normal desktop browser.
- **Set As Homepage** makes the current page the one the home button goes to.
- **Capture Editor Shortcuts** decides who gets your keystrokes — see below.

Favourites and history are saved as you go, and are there the next time you open the editor.

Staying signed in

The browser keeps its cookies between sessions. Sign into a wiki, a task tracker, a documentation site or your own web tools once, and you stay signed in across editor restarts — which is the difference between this and keeping a separate browser window next to the editor.

The session is stored outside your project, so it is not something that can end up in your project's source control.

Capture Editor Shortcuts

While you are typing into a web page, a keystroke like **Ctrl+S** is ambiguous: the page may want it, and so may the editor. **Capture Editor Shortcuts**, in the toolbar menu, decides which one wins.

Setting	What happens
On (default)	The page receives the keystroke. Editor shortcuts do not fire while you are using the browser.
Off	The editor's shortcuts keep working, and the page only receives keys the editor does not claim.

Leave it on if you use web applications in the browser; turn it off if you mostly read pages and would rather keep your editor shortcuts to hand.