



Smart Security for Smart Living



WEBSITE



ONLINE BROCHURE



FACEBOOK

A PROTDUCT OF



**Worldwide
home depot**

We'll Do More

AUTOMATIC SMART LOCK



HW LS IDEAL LOCK AUTOMATIC SMART
LOCK TUYA WIFI NF7N

Item code: NF7N

Material: Aluminum alloy

Product Dimensions:

Front panel: Length: 420mm,
Width: 72mm,
Height: 60mm

Rear panel: Length: 432mm,
Width: 77mm,
Height: 32mm

Color: Frosted black

Unlocking Methods: Facial recognition,
Password, Card swiping,
key, Tuya APP

Capacity: Facial recognition: 50 sets;

Password and card swiping: 100 sets each

Languages: 20 languages supported by Tuya

Lock Cylinder: Grade C

Lock Body: 6068 all-steel lock body

Power Supply: 4200mah lithium battery

Backup Power Supply: DC5V

Low Battery Alarm: 4.8V+0.5v

Packaging: Dimensions: 481x260x10.6mm,

Weight: 3.5KG

Applicable Doors: Wooden doors, Metal door

Door Thickness: 38-120mm

SMART LOCK SEMI -AUTOMATIC



HW LS IDEAL LOCK AUTOMATIC SMART
LOCK TUYA WIFI P06

Item code: P06

Material: Aluminum alloy

Product Dimensions: 37075mm

Color: Black

Unlocking Methods: Fingerprint, Password,
card swiping, Key

Capacity: Fingerprint, Password and card

Swiping: 100 entires for each

Languages: 12 languages supported by Tuya

Lock Body: 6068 lock body

Power Supply: 4 AA batteries
doors

Operating Temperature: -20°C TO 55°C

Operating Voltages: 4.5v-6.4v

Single Package Dimensions: 450200110mm

Applicable Doors: Wooden doors, Metal

Weight per piece: 1.82KG

Door Thickness: 40-120mm

SMART LOCK SEMI -AUTOMATIC



HW LS IDEAL LOCK AUTOMATIC
SMART LOCK TUYA WIFI LPL008

Item code: LPL008

Material: Aluminum alloy

Product Dimensions: 260x60mm

Color: Black

Unlocking Methods: Fingerprint Password, Card swiping, Key, Tuya App, and other methods

Capacity: Fingerprint, password, and card

Card swiping: 100 entries each

Languages: 9 languages supported by Tuya

Lock Body: 5050 lock body

Power Supply: 4 AA batteries Single package

Operating Voltage: 4.5V-6.4V

Applicable Doors: Wooden doors, Metal doors

Door Thickness: 30-60mm

SMART LOCK SEMI -AUTOMATIC



HW LS IDEAL LOCK SEMI AUTOMATIC
SMART LOCK H802

Item code: Smart lock H802

Semi- automatic Smart lock

Model: H802

Product size: 375*79mm

Product material: iron

Function:

1. password unlocking
2. card unlocking
3. key unlocking
4. fingerprint unlocking
5. you can use WeChat to scan QR code to change password by phone
6. 100,000 times cycles can use

ENTRANCE LOCKSET

HANDLE SET



HW DO IDEAL LOCK ENTRANCE HANDLE SET 8053K-SN/MB

8053k-Grip Handle set (single pull + single open) with ball (hollow)
Front cover: zinc alloy
Back cover: SS201
Thumbturn: zinc alloy
Cylinder: brass cylinder, with 3pcs of normal brass keys, 2.0mm thickness
Latch: 6r0/70mm adjustable, SS201, 1.0mm thickness Handle Part
Handle: Single handle, zinc alloy, hollow
Ball: SS201,
Latch: 60/70mm adjustable passage latch, SS201, 1.0mm thickness



HW DO IDEAL LOCK ENTRANCE HANDLE SET 8089K-SN

8053k-Grip Handle set (single pull + single open) with ball (hollow)
Front cover: zinc alloy
Back cover: SS201
Thumbturn: zinc alloy
Cylinder: brass cylinder, with 3pcs of normal brass keys, 2.0mm thickness
Latch: 60/70mm adjustable, SS201, 1.0mm thickness Handle Part
Handle: Single handle, zinc alloy, hollow
Ball: SS201,
Latch: 60/70mm adjustable passage latch, SS201, 1.0mm thickness

LEVER CYLINDRICAL



HW LS IDEAL LOCK CYLINDRICAL LEVER TYPE 5411SN- ENT SATIN NICKEL

Function: Cylindrical lever lock
Finish: SN
LEVER: Aluminum
Rosette: Brass cylinder with 3 pcs of normal iron keys
Latch: 60mm
Packing: box packing

KNOB CYLINDRICAL



HW LS IDEAL LOCK CYLINDRICAL KNOB TYPE 5871SS- ENT STAINLESS STEEL

Function: Bedroom cylindrical type
Finish: SS
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: ENT or PRI cylinder
Key: 3pcs of normal iron keys 1.8mm thickness
Backset: 60mm
Packing: box

LEVER TUBULAR



HW LS IDEAL LOCK TUBULAR LEVER TYPE 6441AL- ENT ALUMINUM

Function: Tubular lever lock
Finish: SN
Lever: Aluminum
Rosette: SS201, 65mm
Latch: 60/70mm adjustable
Packing: Double blister
Cylinder: Brass cylinder with 3 pcs of normal brass keys



HW LS IDEAL LOCK TUBULAR LEVER TYPE 6411SN- ENT SATIN NICKEL

Function: Tubular lever lock
Finish: SN
Lever: Zinc alloy
Rosette: SS201, 65mm
Latch: 60/70mm adjustable
Packing: Double blister
Cylinder: Brass cylinder with 3 pcs of normal brass keys

DEADBOLT



HW LS IDEAL LOCK SINGLE CYLINDER DEADBOLT D101BK-SS

Function: Single head
Finish: SS201
Thumbter: Zinc alloy
Cylinder: Brass cylinder with 3pcs of normal brasskeys, 1.8mm
Latch: 60/70mm adjustable
Forend/strike plate: SS430 1.0MM
Packing: Color box



HW LS IDEAL LOCK SINGLE CYLINDER DEADBOLT D101AB

Function: Single head
Finish: AB
COVER: SS201
Thumbter: Zinc alloy
Cylinder: Brass cylinder with 3pcs of normal brasskeys, 1.6mm
Latch: 60/70mm adjustable
Forend/strike plate: SS430 1.0MM
Packing: Double blister



HW LS IDEAL LOCK SINGLE CYLINDER DEADBOLT D101SS

Function: Single head
Finish: SS
COVER: SS201
Thumbter: Zinc alloy
Cylinder: Brass cylinder with 3pcs of normal brasskeys, 1.6mm
Latch: 60/70mm adjustable
Forend/strike plate: SS430 1.0MM
Packing: Double blister



HW LS IDEAL LOCK SINGLE CYLINDER DEADBOLT D101AB

Function: Single head
Finish: SS201
Thumbter: Zinc alloy
Cylinder: Brass cylinder with 3pcs of normal brasskeys, 1.8mm
Latch: 60/70mm adjustable
Forend/strike plate: SS430 1.0MM
Packing: Color box

ENTRANCE LOCKSET

KNOB TUBULAR



HW LS IDEAL LOCK TUBULAR KNOB TYPE 6081SS- ENT STAINLESS STEEL

Function: Bedroom Tubular type
Finish: SS
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: ENT or PRI Brass cylinder
Key: 3pcs of normal keys, 2.0mm thickness
Packing: Double blister



HW LS IDEAL LOCK TUBULAR KNOB TYPE 6071SS- ENT/PRI STAINLESS STEEL

Function: Bedroom Tubular type
Finish: SS
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: ENT or PRI Brass cylinder
Key: 3pcs of normal iron keys, 2.0mm thickness
Packing: Double blister



HW LS IDEAL LOCK TUBULAR KNOB TYPE 5871AB- ENT ANTIQUE BRASS

Function: Bedroom Tubular type
Finish: SS/AB
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: ENT or PRI cylinder
Key: 3pcs of normal iron keys 1.8mm thickness
Backset: 60mm
Packing: Double blister



HW LS IDEAL LOCK TUBULAR KNOB TYPE 588SS- ENT STAINLESS STEEL

Function: Bedroom Tubular type
Finish: SS
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: Blade cylinder
Key: 3pcs of normal iron keys 1.8mm thickness
Backset: 60mm
Packing: Double blister



HW LS IDEAL LOCK TUBULAR KNOB TYPE 607SS- ENT STAINLESS STEEL

Function: Bedroom Tubular type
Finish: SS
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: ENT or PRI Brass cylinder
Key: 3pcs of normal iron keys 1.8mm thickness
Backset: 60mm
Packing: Double blister

PRIVACY LOCKSET

LEVER - CYLINDRICAL



HW LS IDEAL LOCK CYLINDRICAL LEVER TYPE 5411SN- PRI SATIN NICKEL

Function: Cylindrical lever lock
Finish: SN
Rosett: SS201, 65mm
Cylinder: Brass cylinder with 3pcs of iron keys,
Latch: 60mm
Packing: Box packing



HW LS IDEAL LOCK CYLINDRICAL KNOB TYPE 5872SS- PRI STAINLESS STEEL

Function: Bedroom cylindrical type
Finish: SS
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: ENT or PRI cylinder
Key: 3pcs of normal iron keys 31.8mm thickness
Backset: 60mm
Packing: box

KNOB- TUBULAR



HW LS IDEAL LOCK TUBULAR KNOB TYPE 6072SS- PRI STAINLESS STEEL

Function: Bedroom Tubular type
Finish: SS
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: ENT or PRI Brass cylinder
Key: 3pcs of normal iron keys, 2.0mm thickness
Packing: Double blister



HW LS IDEAL LOCK TUBULAR KNOB TYPE 5871AB- PRI ANTIQUE BRASS

Function: Bedroom Tubular type
Finish: SS/AB
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: ENT or PRI cylinder
Key: 3pcs of normal iron keys 1.8mm thickness
Backset: 60mm
Packing: Double blister



HW LS IDEAL LOCK TUBULAR KNOB TYPE 6081SS- PRI STAINLESS STEEL

Function: Bedroom Tubular type
Finish: SS
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: ENT or PRI Brass cylinder
Key: 3pcs of normal keys, 2.0mm thickness
Packing: Double blister



HW LS IDEAL LOCK TUBULAR KNOB TYPE 587SS- PRI STAINLESS STEEL

Function: Bedroom Tubular type
Finish: SS/AB
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: ENT or PRI cylinder
Key: 3pcs of normal iron keys 1.8mm thickness
Backset: 60mm
Packing: Double blister



HW LS IDEAL LOCK TUBULAR KNOB TYPE 607SS- PRI STAINLESS STEEL

Function: Bedroom Tubular type
Finish: SS
Knob: SS201
Rose: SS201, Dia 65mm
Cylinder: ENT or PRI Brass cylinder
Key: 3pcs of normal iron keys 1.8mm thickness
Backset: 60mm
Packing: Double blister

ACCESSORIES



HW DO IDEAL LOCK HINGES 4X3X3-28B STAINLESS STEEL



HW DO IDEAL LOCK HINGES 4X3X2-28B STAINLESS STEEL



HW DO IDEAL LOCK DOOR CLOSER EXPOSED 100-200KG DC-082 AL



HW DO IDEAL LOCK DOOR CLOSER CONCEALED 100-200KG DC-087 AL



HW DO IDEAL LOCK DOOR STOPPER HALF MOON HM102 SS



HW DO IDEAL LOCK DOOR STOPPER MAGNETIC SF102 SS



HW DO IDEAL LOCK DOOR VIEWER 20-40MM BRASS



HW CA IDEAL LOCK CABINET HINGE H-OVERLAY 35MM CH35-INST SS



HW CA IDEAL LOCK CABINET HINGE OVERLAY 35MM CH35-INST SS



HW CA IDEAL LOCK CABINET HINGE OVERLAY 35MM SF CH35-INSTSF SS



HW CA IDEAL LOCK CABINET HINGE H-OVERLAY 35MM SF CH35-INSTSF SS



HW DO IDEAL LOCK DOOR GUARD DaG01 ZINC



HW DO IDEAL LOCK DOOR VIEWER W/ COVER 20-40MM BRASS



Smart Security for Smart Living

**AUTOMATIC SMART LOCK
TUYA WIFI NF7N**



WEBSITE



ONLINE BROCHURE



FACEBOOK

A PROTDUCT OF



**Worldwide
home depot**

We'll Do More