

MR Credit: Furniture and Medical Furnishings

1–2 Points – BD+C: Healthcare only

This credit applies to

- BD+C: Healthcare

INTENT

To enhance the environmental and human health performance attributes associated with freestanding furniture and medical furnishings.

REQUIREMENTS

Use at least **30%** (1 point) or **40%** (2 points), by cost, of all freestanding furniture and medical furnishings (e.g., mattresses, foams, panel fabrics, cubicle curtains, window coverings, other textiles) that meet the criteria in one of the following three options.

Include built-in casework and millwork in the base building calculations, even if manufactured off site.

Option 1. Minimal Chemical Content

All components that constitute at least 5%, by weight, of a furniture or medical furnishing assembly, including textiles, finishes, and dyes, must contain less than 100 ppm of at least four of the five following chemical groups:

- Urea formaldehyde
- Heavy metals, including mercury, cadmium, lead, and antimony
- Hexavalent chromium in plated finishes consistent with EU RoHS Directive
- Stain and nonstick treatments derived from perfluorinated compounds (PFCs), including PFOA
- Added antimicrobial treatments

Option 2. Testing and Modeling of Chemical Content

All components must contain less than 100 ppm of at least two of the five chemicals listed in Option 1.

New furniture or medical furnishing assemblies must be in accordance with ANSI/BIFMA Standard Method M7.1-2011. Comply with ANSI/BIFMA e3-2019, Sections 7.6.1 and 7.6.2, using either the concentration modeling approach or the emissions factor approach. Model using the open plan, private office, or seating scenario in ANSI/BIFMA M7.1, as appropriate.

Salvaged and reused furniture more than one year old at the time of use is considered compliant, provided it meets requirements for any site-applied paints, coatings, adhesives, and sealants.

Option 3. Building Product Disclosure and Optimization

Use products that meet at least one of the criteria below. The scope of any EPD must be at least cradle to gate.

- Life-cycle assessment and EPDs (various types – valued as 1 or 1.5 products per EPD credit guidance)
- Extended producer responsibility: valued at 50% of cost

- Bio-based materials (tested per ASTM D6866 or ISO 16620-2, or USDA BioPreferred): valued at 50% of cost × biobased content
- Wood products (FSC or USGBC-approved equivalent): valued at 100% of cost
- Materials reuse (salvaged, refurbished, or reused products): valued at 200% of cost
- Recycled content (postconsumer + 1/2 preconsumer, by weight × cost): valued at 100% of cost

For credit achievement calculation, products sourced within 100 miles (160 km) of the project site are valued at 200% of their base contributing cost.

Please refer to the v4.1 beta guide section for MR credits Environmental Product Declarations and Sourcing of Raw Materials for additional guidance on implementation.

GUIDANCE

There are no substantive changes to the credit requirements; refer to the LEED v4 reference guide, with the following additions.

Connection to Ongoing Performance

- LEED O+M MR credit Purchasing: This credit is a strategy that can help achieve the MR credit Purchasing in O+M v4.1 rating system.