

Company Data Handling Policy

Purpose: This policy defines how the company handles, stores, and shares sensitive customer data. All employees must follow the data classification and encryption rules described below.

Key Points: 1. Classification levels: Public, Internal, Confidential, Restricted. 2. Confidential data must be encrypted at rest and in transit. 3. Access controls: least privilege model and role-based access control (RBAC). 4. Logging & monitoring must be enabled for all data stores.

Retention: Records should be retained according to regulatory and business requirements. Personal data older than 7 years must be reviewed for deletion or anonymization.

Product: Nimbus IoT Gateway - Quick Start

Overview: The Nimbus IoT Gateway connects edge devices to the cloud and supports MQTT, HTTP, and CoAP protocols. This quick start walks you through provisioning and basic configuration.

Steps: 1. Unbox the device and connect to power. 2. Connect to the device Wi-Fi (SSID: NIMBUS_SETUP). 3. Open <http://192.168.4.1>, register an admin user, and set timezone. 4. Configure MQTT endpoint and TLS certificates.

Troubleshooting: - If the device does not boot, factory reset by holding the reset button for 10s. - Ensure firewall allows outbound TLS to mqtt.nimbus.example:8883.

Meeting Notes — Platform Migration (2025-08-21)

Attendees: Alice, Bob, Chen, Diego

Agenda: - Review migration phases - Database cutover strategy - Rollback and canary deployment plan

Decisions: 1. Use blue/green deployment with automated traffic shifting. 2. Database replication will be established 48 hours before cutover. 3. Run performance tests in staging using production-like traffic.

Action Items: - Alice: Prepare runbook for rollback (due 2025-09-01). - Chen: Setup load testing scenarios and dashboards.

FAQ — Developer Onboarding

Q: How do I get access to the dev environment? A: Request access via the internal portal. Your manager must approve role assignment.

Q: Where are infra-as-code repositories located? A: All Terraform repos live in gitlab.company.com/infra.

Q: Who to contact for CI/CD pipeline issues? A: Ping the DevOps rotation channel: [#devops-support](#).

Technical Guide — Simple Terraform Module (aws)

Module: s3_bucket

Files: 1. main.tf 2. variables.tf 3. outputs.tf

main.tf example: provider "aws" { region = var.region }

resource "aws_s3_bucket" "b" { bucket = var.bucket_name acl = "private" }

variables.tf example: variable "region" { type = string default = "us-east-1" }

variable "bucket_name" { type = string }

Notes: - Always enable versioning and server-side encryption in production. - Use lifecycle rules to expire temporary artifacts.

Sample Invoice — Consulting Services

Invoice #: INV-2025-009 Date: 2025-08-30

Bill To: Acme Corp 123 Business Rd

Services: 1. Architecture design — 10 hours @ \$150/hr = \$1500 2. Implementation assistance — 15 hours @ \$140/hr = \$2100

Subtotal: \$3600 Tax (5%): \$180 Total Due: \$3780

Payment terms: Net 30. Please remit to bank account ending with 4321.