


Types of Policies:



Policies (1459) [Info](#)

A policy is an object in AWS that defines permissions.

Filter by Type

Search

Policy name	Type	Created as	Description
☐ AccessAnalyzerServiceRol...	AWS managed	None	Allow Access Analyzer
☐ AccountManagementFro...	AWS managed	None	For use with accounts c
☐ AdministratorAccess	AWS managed - job function	Permissions policy (3)	Provides full access to .
☐ AdministratorAccess-Amp...	AWS managed	None	Grants account admini
☐ AdministratorAccess-AWS...	AWS managed	None	Grants account admini
☐ AIOpsAssistantIncidentRe...	AWS managed	None	Provides permissions r
☐ AIOpsAssistantPolicy	AWS managed	None	Provides ReadOnly per
☐ AIOpsConsoleAdminPolicy	AWS managed	None	Grants full access to Ar
☐ AIOpsOperatorAccess	AWS managed	None	Grants access to the Ar

Identity and Access Management (IAM)

Search IAM

Policies (1459) [info](#)

A policy is an object in AWS that defines permissions.

Filter by Type: All types **21 matches**

Policy name	Type	Used as	Description
AmazonDMSRedshiftS3Role	AWS managed	None	Provides access
AmazonS3FullAccess	AWS managed	Permissions policy (3)	Provides full ac
AmazonS3ObjectLambdaExecutionRolePolicy	AWS managed	None	Provides AWS l
AmazonS3OutpostsFullAccess	AWS managed	None	Provides full ac
AmazonS3OutpostsReadOnlyAccess	AWS managed	None	Provides read c
AmazonS3ReadOnlyAccess	AWS managed	None	Provides read c
AmazonS3TablesFullAccess	AWS managed	None	Provides full ac
AmazonS3TablesLakeFormationServiceRole	AWS managed	None	This managed i
AmazonS3TablesReadOnlyAccess	AWS managed	None	Provides read c
AWSBackupServicePolicyForS3Backup	AWS managed	None	Policy containi

2. Assign policies to the user ajay:

Assigning lambda, S3 full access policies to the user

Services

- IAM**
Manage access to AWS resources
- IAM Identity Center**
Manage workforce user access to multiple AWS accounts and cloud app

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

User groups

Users

Roles

Policies

Identity providers

Account settings

Root access management

Temporary delegation requests

[New](#)

Security recommendations 1

- ✓ Root user has MFA
Having multi-factor authentication (MFA) for the root user improves security fo
- ⚠ Add MFA for yourself
Add multi-factor authentication (MFA) for yourself to improve security for this :
- ✓ Your user, shaan, does not have any active access keys that have been
Deactivating or deleting unused access keys improves security.

IAM resources

Resources in this AWS Account

User groups

Users

Roles

[IAM](#) > Policies

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

User groups

Users

Roles

Policies

Identity providers

Account settings

Root access management

Temporary delegation requests

[New](#)

Access reports

Access Analyzer

Resource analysis [New](#)

Unused access

Policies (1459) [Info](#)

A policy is an object in AWS that defines permissions.

Filter by Type

Search lamb

All types

26 matches

	Policy name	Type	Used as
☐	AmazonS3ObjectLambdaExecutionRolePolicy	AWS managed	None
☐	AmazonSageMakerPartnerServiceCatalogProdu...	AWS managed	None
☐	AmazonSageMakerServiceCatalogProductsLam...	AWS managed	None
☐	AWSApplicationAutoscalingLambdaConcurrenc...	AWS managed	None
☐	AWSCodeDeployRoleForLambda	AWS managed	None
☐	AWSCodeDeployRoleForLambdaLimited	AWS managed	None
☐	AWSDeepLensLambdaFunctionAccessPolicy	AWS managed	None
☐	AWSLambda_FullAccess	AWS managed	None
☐	AWSLambda_ReadOnlyAccess	AWS managed	None
☐	AWSLambdaBasicDurableExecutionRolePolicy	AWS managed	None

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

- User groups
- Users**
- Roles
- Policies
- Identity providers
- Account settings
- Root access management
- Temporary delegation requests

Users (4) Info

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

Search

☐	User name	Path	Group	Last activity	MFA
☐	ajay	/	0	19 hours ago	-
☐	mcb6-automation-user	/	0	117 days ago	-
☐	MCDAI-AUTOMATION-USER	/	0	17 days ago	-
☐	shaan	/	0	1 hour ago	-

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

- User groups
- Users**
- Roles
- Policies
- Identity providers
- Account settings
- Root access management
- Temporary delegation requests

ajay Info

Summary

ARN: [arn:aws:iam::472008046327:user/ajay](#)

Created: March 11, 2026, 10:51 (UTC+04:00)

Console access: [Enabled without MFA](#)

Last console sign-in: [19 hours ago](#)

Access key 1: [Create access key](#)

Permissions

Permissions policies (1)

Permissions are defined by policies attached to the user directly or through groups.

Filter by Type: All types

☐	Policy name	Type	Attached via
☐	IAMUserChangePassword	AWS managed	Directly

Permissions boundary (not set)

Step 1
● **Add permissions**
Step 2
○ Review

Add permissions

Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. [Learn more](#)

Permissions options

☐ Add user to group

Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.

☐ Copy permissions

Copy all group memberships, attached managed policies, inline policies, and any existing permissions boundaries from an existing user.

☒ **Attach policies directly**

Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.

Permissions policies (1458)

Q s3

Filter by Type

All types

21 matches

< 1 2 > ⚙

☐	Policy name ↗	Type	Attached entities
☐	 AmazonDMSRedshiftS3Role	AWS managed	0
☒	 AmazonS3FullAccess	AWS managed	3
☐	 AmazonS3ObjectLambdaExecutionRol...	AWS managed	0

Permissions policies (1/1458)

Q lambda

Filter by Type

All types

26 matches

< 1 2 > ⚙

☐	Policy name ↗	Type	Attached entities
☐	 AmazonS3ObjectLambdaExecutionRolePolicy	AWS managed	0
☐	 AmazonSageMakerPartnerServiceCatalogProductsL...	AWS managed	0
☐	 AmazonSageMakerServiceCatalogProductsLambda...	AWS managed	0
☐	 AWSApplicationAutoscalingLambdaConcurrencyPolicy	AWS managed	0
☐	 AWSCodeDeployRoleForLambda	AWS managed	0
☐	 AWSCodeDeployRoleForLambdaLimited	AWS managed	0
☐	 AWSDeepLensLambdaFunctionAccessPolicy	AWS managed	0
☒	 AWSLambda_FullAccess	AWS managed	0
☐	 AWSLambda_ReadOnlyAccess	AWS managed	0
☐	 AWSLambdaBasicDurableExecutionRolePolicy	AWS managed	0

Users > [ajay](#) > Add permissions ⓘ

☒	 AWSLambda_FullAccess	AWS managed	0
☐	 AWSLambda_ReadOnlyAccess	AWS managed	0
☐	 AWSLambdaBasicDurableExecutionRolePolicy	AWS managed	0
☐	 AWSLambdaBasicExecutionRole	AWS managed	0
☐	 AWSLambdaDynamoDBExecutionRole	AWS managed	0
☐	 AWSLambdaENIManagementAccess	AWS managed	0
☐	 AWSLambdaExecute	AWS managed	0
☐	 AWSLambdaInvocation-DynamoDB	AWS managed	0
☐	 AWSLambdaKinesisExecutionRole	AWS managed	0
☐	 AWSLambdaManagedEC2ResourceOperator	AWS managed	0
☐	 AWSLambdaMSKExecutionRole	AWS managed	0
☐	 AWSLambdaReplicator	AWS managed	0
☐	 AWSLambdaRole	AWS managed	0

Cancel **Next**

> [ajay](#) > Add permissions ⓘ

Review

The following policies will be attached to this user. [Learn more](#) ⓘ

User details
User name
ajay

Permissions summary (2) < 1 >

Name ⓘ	Type	Used as
AmazonS3FullAccess	AWS managed	Permissions policy
AWSLambda_FullAccess	AWS managed	Permissions policy

Cancel **Previous** **Add permissions**



The screenshot shows the AWS IAM console interface. In the left-hand navigation pane, the 'Users' link is highlighted with a red box. The main content area displays the 'Permissions' tab for the user 'ajay'. A green banner at the top indicates '2 policies added to ajay'. Below this, a table lists the attached permissions policies:

Policy name	Type	Attached via
AmazonS3FullAccess	AWS managed	Directly
AWSLambda_FullAccess	AWS managed	Directly
IAMUserChangePassword	AWS managed	Directly

The 'AmazonS3FullAccess' and 'AWSLambda_FullAccess' policies are highlighted with a red box. The 'Permissions boundary' section below the table shows '(not set)'.

Final verification:

The screenshot shows a web browser window with the URL 'ajay?section=permissions'. The browser's menu is open, and the 'New Incognito window' option is highlighted with a red box. The menu also shows other options like 'New tab', 'New window', 'Passwords and autofill', 'History', 'Downloads', 'Bookmarks and lists', and 'Tab groups'.



IAM user sign in ⓘ

Account ID or alias [\(Don't have?\)](#)

472008046327

☒ Remember this account

IAM username

ajay

Password




.....

☐ Show Password



[Having trouble?](#)

Sign in

Sign in using root user email



Note: If you have buckets then it will display otherwise it won't throw any error message



2.1 Changing Password/Reset password for a user:

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

- User groups
- Users**
- Roles
- Policies
- Identity providers
- Account settings
- Root access management
- Temporary delegation requests
- [New](#)

Access reports

Users (4) [Info](#)

An IAM user is an identity with long-term credentials that is used to interact with AWS in an account.

Search

☐	User name	Path	Group	Last activity	MFA	Password a
☐	ajay	/		5 minutes ago		19 hours
☐	mcb6-automation-user	/		-		-
☐	MCDAI-AUTOMATION-USER	/		-		-
☐	shaan	/		1 hour ago		30 days

ajay [Info](#) [Delete](#)

Summary

ARN
[arn:aws:iam::472008046327:user/ajay](#)

Created
March 11, 2026, 10:51 (UTC+04:00)

Console access
Enabled without MFA

Last console sign-in
19 hours ago

Access key 1
[Create access key](#)

Permissions | **Groups** | **Tags** | **Security credentials** | **Last Accessed**

Console sign-in

Console sign-in link
[https://472008046327.signin.aws.amazon.com/console](#)

Console password
Updated 19 hours ago (2026-03-11 11:06 GMT+4)

Last console sign-in
19 hours ago (2026-03-11 11:04 GMT+4)

[Manage console access](#)

Multi-factor authentication (MFA) (0)

[Remove](#) [Resync](#) [Assign MFA device](#)

Manage console access

☐ Disable console access
Disabling removes the pre-existing password.

☒ Reset password
Autogenerate or set a new custom password.

Console password

☐ Autogenerated password

☒ Custom password

- Must be at least 8 characters long
- Must include at least three of the following mix of character types: uppercase letters (A-Z), lowercase letters (a-z), numbers (0-9), and symbols ! @ # \$ % ^ & * () _ + - (hyphen) = [] { } | ' "

☐ Show password

☐ User must create new password at next sign-in
Users automatically get the [IAMUserChangePassword](#) policy to allow them to change their own password.

☐ Revoke active console sessions
User automatically gets the following inline policy attached, to revoke their active sessions.

► AWSRevokeOlderSessions

Cancel

Reset password