



1. EC2 Instance Creation



Getting started

Follow the helpful walkthroughs below to help you get started or skip the walkthroughs and continue with launching a server without any getting started guidance.

Getting started walkthroughs

Learn about EC2 and launch test instances

Learn about EC2 and launch a test server that won't need backups or store sensitive information.

⌚ 3 minutes

[Get started](#)

Setup cost controls, secure and automatically backup your data

Configure your account settings to create budgets, require backups and data encryption. With these settings, you'll then launch a production-ready server.

⌚ 5 minutes

[Get started](#)

[Cancel](#)

[Launch without a walkthrough](#)

EC2 > Instances > Launch an instance

Launch an instance

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags

Name

workstation

Add additional tags

Application and OS Images (Amazon Machine Image)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.

Search our full catalog including 1000s of application and OS images

Recents

Quick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Del

Browse more AMIs

Summary

Number of instances

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.10...read more

ami-02dfbd4ff395f2a1b

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

Preview code

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Del

Browse more AMIs

Amazon Machine Image (AMI)

Ubuntu Server 24.04 LTS (HVM), SSD Volume Type

Free tier eligible

ami-0b6c6ebcd2801a5cb (64-bit (x86)) / ami-0071c8c431e3a0edb (64-bit (Arm))

Virtualization: hvm ENA enabled: true Root device type: ebs

Description

Ubuntu Server 24.04 LTS (HVM),EBS General Purpose (SSD) Volume Type. Support available from Canonical (<http://www.ubuntu.com/cloud/services>).

Canonical, Ubuntu, 24.04, amd64 noble image

Architecture

AMI ID

Publish Date

Username

Verified provider

64-bit (x...

ami-0b6c6ebcd2801a5cb

2025-12-12

ubuntu

Verified provider

DVS Technologies | Website: www.dvstechnologies.in | Mobile: 8892499499

▼ Instance type [Info](#) | [Get advice](#)

Instance type

t3.micro

Free tier eligible

Family: t3 2 vCPU 1 GiB Memory Current generation: true
On-Demand Linux base pricing: 0.0104 USD per Hour
On-Demand Windows base pricing: 0.0196 USD per Hour
On-Demand Ubuntu Pro base pricing: 0.0139 USD per Hour
On-Demand SUSE base pricing: 0.0104 USD per Hour
On-Demand RHEL base pricing: 0.0392 USD per Hour

☐ All generations

[Compare instance types](#)

Additional costs apply for AMIs with pre-installed software

EC2 > Instances > Launch an instance

▼ Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

Select

Create new key pair

▼ Network settings [Info](#)

Network [Info](#)

vpc-0b8fbad2d38436ee9

Subnet [Info](#)

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)

Enable

▼ Summary

Number of inst:

1

Software Image

Canonical, Ubuntu 20.04 LTS
ami-0b6c6ebed28

Virtual server type

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Note: DON'T CREATE KEY PAIR DAILY, IT IS ONLY ONE TIME

DVS Technologies | Website: www.dvstechnologies.in | Mobile: 8892499499

Create key pair

Key pair name
Key pairs allow you to connect to your instance securely.

GENAI-B1-KEY1

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type

☒ **RSA**
RSA encrypted private and public key pair

☐ **ED25519**
ED25519 encrypted private and public key pair


Private key file format

☒ **.pem**
For use with OpenSSH


☐ **.ppk**
For use with PuTTY

⚠ When prompted, store the private key in a secure and accessible location on your computer. **You will need it later to connect to your instance.** [Learn more](#)


Cancel **Create key pair**



Make sure that you are saving this keypair for future purpose



Save the key for future purpose



▼ Network settings

Info

Edit

Network

Info

vpc-0b8fbad2d38436ee9

Subnet

Info

No preference (Default subnet in any availability zone)

Auto-assign public IP

Info

Enable

Firewall (security groups)

Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☐ Create security group

☒ Select existing security group

Common security groups

Info

Select security groups

▼

Compare security group rules

Security groups that you add or remove here will be added to or removed from all your network interfaces.

▼ Configure storage

Info

Advanced

Firewall (security groups)

Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☐ Create security group

☒ Select existing security group

Common security groups

Info

Select security groups

▲

Compare security group rules

Interfaces.

default

VPC: vpc-0b8fbad2d38436ee9

sg-08eca5fae8bedd3f5

▼ Configure storage

Info

Advanced

1x

8

GiB

gp3

▼

Root volume, 3000 IOPS, Not encrypted

▼ Configure storage Info

Advanced

1x 8 GiB gp3

Root volume, 3000 IOPS, Not encrypted

Add new volume

The selected AMI contains instance store volumes, however the instance does not allow any instance store volumes. None of the instance store volumes from the AMI will be accessible from the instance

Click refresh to view backup information

The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.

0 x File systems

Edit

► Advanced details Info

Number of instances | Info

1

Software Image (AMI)

Canonical, Ubuntu, 24.04, amd6...[read more](#)

ami-0b6c5ebd2801a5cb

Virtual server type (instance type)

t3.micro

Firewall (security group)

default

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

Preview code

Verify the instance creation clicking on view all instances

EC2 > Instances > Launch an instance

Launching instance

Launch initiation

77%

Details

Please wait while we launch your instance.

Do not close your browser while this is loading.

ancer

network gateway or alancer

ancer

Create AWS budget

AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.

Create AWS budget

Manage CloudWatch alarms

Create or update Amazon CloudWatch alarms for the instance.

Manage CloudWatch alarms

View all instances

2.Allow ports in the security group to access server

DVS Technologies | Website: www.dvstechnologies.in | Mobile: 8892499499

EC2 > Instances

EC2

Dashboard
AWS Global View
Events

▼ Instances

- Instances
- Instance Types
- Launch Templates
- Spot Requests
- Savings Plans
- Reserved Instances
- Dedicated Hosts
- Capacity Reservations
- Capacity Manager

▼ Images

AMI

Instances (1/1) Info

Find Instance by attribute or tag (case-sensitive)

Instance state = running

Clear filters

☒	Name	Instance ID	Instance state	Instance type	Status check	Alarm state
☒	workstation	i-07c07926c25796ac2	Running	t3.micro	3/3 checks passed	View alarm

i-07c07926c25796ac2 (workstation)

Details | Status and alarms | Monitoring | Security | Networking | Storage | Tags

▼ Instance summary Info

Instance ID i-07c07926c25796ac2	Public IPv4 address 98.84.106.251 open address	Private IPv4 addresses 172.31.16.161
------------------------------------	---	---

Find Instance by attribute or tag (case-sensitive)

Instance state = running

Clear filters

☒	Name	Instance ID	Instance state	Instance type
☒	workstation	i-07c07926c25796ac2	Running	t3.micro

i-07c07926c25796ac2 (workstation)

Security groups

sg-08eca5fae8bedd3f5 (default)

► Inbound rules

▼ Outbound rules

EC2 > Security Groups > sg-08eca5fae8bedd3f5 - default

2 < **sg-08eca5fae8bedd3f5 - default** Actions

Details

Security group name default	Security group ID sg-08eca5fae8bedd3f5	Description default VPC security group	VPC ID vpc-0b8fbad2d38436ee9
Owner 472008046327	Inbound rules count 3 Permission entries	Outbound rules count 1 Permission entry	

Inbound rules | Outbound rules | Sharing | VPC associations | Related resources - new | Tags

Inbound rules (3) Manage tags Edit inbound rules

Search

☐	Name	Security group rule...	IP version	Type	Protocol
--------------------------	------	------------------------	------------	------	----------

Note: Delete all the entries before you create below

Edit inbound rules Info

Inbound rules control the incoming traffic that's allowed to reach the instance.

Inbound rules Info

This security group has no inbound rules.

Add rule

Inbound rules control the incoming traffic that's allowed to reach the instance.

Inbound rules [Info](#)

Security group rule ID	Type Info	Protocol Info	Port range Info	Source Info	Description
-	Custom TCP	TCP	0	Cust...	

[Add rule](#)

[X](#)

- All TCP
- All UDP
- All ICMP - IPv4
- All ICMP - IPv6
- All traffic

[Cancel](#)

Edit inbound rules [Info](#)

Inbound rules control the incoming traffic that's allowed to reach the instance.

Inbound rules [Info](#)

Security group rule ID	Type Info	Protocol Info	Port range Info	Source Info	Description - optional Info
-	All traffic	All	All	Any... 0.0.0.0/0	DONT DO IN RELATIME

[Add rule](#)

[0.0.0.0/0 X](#)

[Delete](#)

[Cancel](#) [Preview changes](#) [Save rules](#)

Rules with source of 0.0.0.0/0 or ::/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

EC2

Dashboard

AWS Global View

Events

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

sg-08eca5fae8bedd3f5 - default

Inbound security group rules successfully modified on security group (sg-08eca5fae8bedd3f5 | default)

Details

sg-08eca5fae8bedd3f5 - default

Details

Security group name

default

Security group ID

sg-08eca5fae8bedd3f5

Description

default VPC security group

Owner

472008046327

Inbound rules count

1 Permission entry

Outbound rules count

1 Permission entry

Inbound rules

Outbound rules


Sharing

VPC associations


Related resources - new

Tag

3.How do we login to EC2 Server



The screenshot shows the AWS Management Console for EC2 Instances. The left sidebar contains navigation links for EC2, Dashboard, AWS Global View, Events, and a list of instance types. The main content area shows the 'Instances (1/1) Info' page. A table lists the instance 'workstation' with ID 'i-07c07926c25796ac2', state 'Running', and type 't3.micro'. The 'Connect' button is highlighted with a red box. Below the table, the details for instance 'i-07c07926c25796ac2 (workstation)' are shown, including its security group 'sg-08eca5fae8bedd3f5 (default)'.



The screenshot shows the 'Connect to instance' page for instance 'i-07c07926c25796ac2 (workstation)'. The page displays the instance ID, connection type (Public IP), and the public IPv4 address '98.84.106.251'. The username is set to 'ubuntu'. A note states: 'Note: In most cases, the default username, ubuntu, is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.' The 'Connect' button is highlighted with a red box.

```
Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-16-161:~$ whoami
ubuntu
ubuntu@ip-172-31-16-161:~$
```

i-07c07926c25796ac2 (workstation)

PublicIPs: 98.84.106.251 PrivateIPs: 172.31.16.161

4.Switching to ROOT /Administrator user

```
Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.


To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-16-161:~$ whoami
ubuntu
ubuntu@ip-172-31-16-161:~$ sudo su - root
root@ip-172-31-16-161:~# whoami
root
root@ip-172-31-16-161:~#
```

i-07c07926c25796ac2 (workstation)

PublicIPs: 98.84.106.251 PrivateIPs: 172.31.16.161

After you create the server make sure that you are terminating server when not required



We have two options 1. Stop instance 2. Terminating

1. Stopping instance will just bring down your server but it will not delete the data
2. Terminating server will delete the data