Syntax

```
11/04/2024, 16:30
Child: >
nav>ul>li
    <nav>
        <u1>
           </u1>
    </nav>
Sibling: +
div+p+bq
    <div></div>
    <blook<br/>duote></blockquote>
Climb-up: ^
div+div>p>span+em^bq
    <div></div>
    <div>
        <span></span><em></em>
        <blook<br/>duote></blockquote>
    </div>
Grouping: ()
```

Multiplication: *

```
ul>li*5
```

Item numbering: \$

```
div+div>p>span+em^^bq
   <div></div>
   <div>
       <span></span><em></em>
   </div>
   <blook<br/>duote></blockquote>
(div>dl>(dt+dd)*3)+footer>p
   <div>
       <d1>
           <dt></dt>
           <dd></dd>
           <dt></dt>
           <dd></dd>
           <dt></dt>
           <dd></dd>
       </d1>
   </div>
   <footer>
       </footer>
```

All unknown abbreviations will be transformed to tag, e.g. $foo \rightarrow < foo > </foo >$.

```
ul>li.item$*5
                                               h$[title=item$]{Header $}*3
                                                                                               ul>li.item$$$*5
                                                  <h1 title="item1">Header 1</h1>
                                                                                                  <u1>
   <u1>
     class="item1">
                                                  <h2 title="item2">Header 2</h2>
                                                                                                     class="item001">
     class="item2">
                                                  <h3 title="item3">Header 3</h3>
                                                                                                     class="item002">
     class="item3">
                                                                                                     class="item003">
     class="item4">
                                                                                                     class="item004">
     class="item5">
                                                                                                     class="item005">
   ul>li.item$@-*5
                                               ul>li.item$@3*5
   <u1>
                                                  <u1>
     class="item5">
                                                     class="item3">
     class="item4">
                                                     class="item4">
     class="item3">
                                                     class="item5">
     class="item2">
                                                     class="item6">
     class="item1">
                                                     class="item7">
   ID and CLASS attributes
                                               .title
                                                                                               form#search.wide
   <div id="header"></div>
                                                  <div class="title"></div>
                                                                                                  <form id="search" class="wide"></form>
p.class1.class2.class3
   Custom attributes
p[title="Hello world"]
                                               td[rowspan=2 colspan=3 title]
                                                                                               [a='value1' b="value2"]
  <div a="value1" b="value2"></div>
Text: {}
a{Click me}
                                               p>{Click }+a{here}+{ to continue}
  <a href="">Click me</a>
                                                  <Dick <a href="">here</a> to continue
Implicit tag names
                                                                                               ul>.class
.class
                                               em>.class
   <div class="class"></div>
                                                  <em><span class="class"></span></em>
                                                                                                  <u1>
                                                                                                     class="class">
                                                                                                  </u1>
table>.row>.col
   HTML
```

11/04/2024, 16:30 Alias of html:5 <!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8" /> <title> Document </title> </head> <body> </body> </html> bdo:1 <bdo dir="ltr"> </bdo> link:css <link rel="stylesheet" href="style.css" /> link:touch <link rel="apple-touch-icon" href="favicon.png" /> link:import, link:im <link rel="import" href="(component).html" /> meta:win <meta http-equiv="Content-Type" content="text/html; charset=windows-1251" /> script <script> </script> img:srcset, img:s source, src <source />

<source media="([min-width:])" srcset=" " />

source:media, src:m

```
<a href=" "> </a>
a:mail
   <a href="mailto: "> </a>
acronym, acr
    <acronym title=" "> </acronym>
basefont
    <basefont />
frame
    <frame />
bdo
    <bdo dir=" "> </bdo>
col
   <co1 />
link:print
   <link rel="stylesheet" href="print .css"</pre>
   media="print" />
link:rss
   <link rel="alternate" type="application/rss+xml"</pre>
   title="RSS" href=" rss.xml " />
meta
   <meta />
meta:vp
   <meta name="viewport" content="width= device-width ],</pre>
   user-scalable= no, initial-scale= 1.0, maximum-
   scale= 1.0, minimum-scale= 1.0
script:src
   <script src=" "> </script>
img:sizes, img:z
   <img sizes=" " srcset=" " src=" " alt=" " />
source:src, src:sc
   <source src=" " type=" " />
source:type, src:t
    <source srcset=" " type=" image/ " />
```

Cheat Sheet

```
a:link
    <a href="http://"> </a>
abbr
    <abbr title=" "> </abbr>
base
    <base href=" " />
br
    <br />
hr
    <hr />
bdo:r
    <bdo dir="rtl"> </bdo>
link
    <link rel="stylesheet" href=" " />
link:favicon
    <link rel="shortcut icon" type="image/x-icon" href="</pre>
    favicon.ico "/>
link:atom
    <link rel="alternate" type="application/atom+xml"</pre>
    title="Atom" href=" atom.xml " />
meta:utf
    <meta http-equiv="Content-Type"
    content="text/html;charset=UTF-8" />
meta:compat
    <meta http-equiv="X-UA-Compatible" content="[IE=7]" />
style
    <style> </style>
    <img src=" " alt=" " />
picture
    <picture> </picture>
source:srcset, src:s
    <source srcset=" " />
source:sizes, src:z
    <source sizes=" " srcset=" " />
source:media:type, src:mt
    <source media="( min-width: )" srcset=" " type="</pre>
     image/ " />
```

```
source:media:sizes. src:mz
                                                               source:sizes:type, src:zt
                                                                                                                              iframe
                                                                   <source sizes=" " srcset=" " type=" image/ " />
                                                                                                                                  <iframe src=" " frameborder="0"> </iframe>
    <source media="([min-width: ])" sizes=" " srcset=" "</pre>
                                                                                                                               embed
                                                                                                                                  <embed src=" " type=" " />
object
                                                               param
                                                                                                                              map
    <object data=""" type="""> </object>
                                                                   <param name=" " value=" " />
                                                                                                                                  <map name=" "> </map>
                                                               area:d
                                                                                                                              area:c
area
    <area shape=" " coords=" " href=" " alt=" " />
                                                                   <area shape="default" href=" " alt=" " />
                                                                                                                                  <area shape="circle" coords=" " href=" " alt=" " />
area:r
                                                               area:p
                                                                                                                               form
    <area shape="rect" coords=" " href=" " alt=" " />
                                                                                                                                  <form action=" "> </form>
                                                                   <area shape="poly" coords=" " href=" " alt=" " />
form:get
                                                               form:post
                                                                                                                               label
    <form action=" " method="get"> </form>
                                                                   <form action=" " method="post"> </form>
                                                                                                                                  <label for=" "> </label>
                                                                                                                              input:hidden, input:h
input
                                                               inp
                                                                   <input type=" text " name=" " id=" " />
    <input type="fext" />
                                                                                                                                  Alias of input[type=hidden name]
                                                                                                                                  <input type="hidden" name=" " />
input:text, input:t
                                                                                                                              input:email
                                                               input:search
   Alias of inp
                                                                  Alias of inp[type=search]
                                                                                                                                  Alias of inp[type=email]
                                                                   <input type="search" name=" " id=" " />
                                                                                                                                  <input type="email" name=" " id=" " />
    <input type=" text " name=" " id=" " />
                                                                                                                              input:password, input:p
                                                               input:url
                                                                  Alias of inp[type=url]
                                                                                                                                  Alias of inp[type=password]
                                                                   <input type="url" name=" " id=" " />
                                                                                                                                  <input type="password" name=" " id=" " />
                                                                                                                              input:datetime-local
input:datetime
                                                               input:date
   Alias of inp[type=datetime]
                                                                  Alias of inp[type=date]
                                                                                                                                  Alias of inp[type=datetime-local]
    <input type="datetime" name=" " id=" " />
                                                                   <input type="date" name=" " id=" " />
                                                                                                                                  <input type="datetime-local" name=" " id=" " />
input:month
                                                               input:week
                                                                                                                              input:time
   Alias of inp[type=month]
                                                                   Alias of inp[type=week]
                                                                                                                                  Alias of inp[type=time]
    <input type="month" name=" " id=" " />
                                                                   <input type="week" name=" " id=" " />
                                                                                                                                  <input type="time" name=" " id=" " />
input:tel
                                                               input:number
                                                                                                                              input:color
    Alias of inp[type=tell
                                                                   Alias of inp[type=number]
                                                                                                                                  Alias of inp[type=color]
    <input type="tel" name=" " id=" " />
                                                                   <input type="number" name=" " id=" " />
                                                                                                                                  <input type="color" name=" " id=" " />
                                                                                                                              input:range
input:checkbox, input:c
                                                               input:radio, input:r
   Alias of inp[type=checkbox]
                                                                   Alias of inp[type=radio]
                                                                                                                                  Alias of inp[type=range]
    <input type="checkbox" name=" " id=" " />
                                                                   <input type="radio" name=" " id=" " />
                                                                                                                                  <input type="range" name=" " id=" " />
input:file, input:f
                                                               input:submit, input:s
                                                                                                                              input:image, input:i
                                                                                                                                  <input type="image" src=" " alt=" " />
                                                                   <input type="submit" value=" " />
    Alias of inp[type=file]
                                                               input:button, input:b
                                                                                                                              isindex
    <input type="file" name=" " id=" " />
                                                                   <input type="button" value=" " />
                                                                                                                                  <isindex />
```

11/04/2024, 16:30 **Cheat Sheet** input:reset select select:disabled. select:d <select name=" " id=" "> </select> Alias of input:button[type=reset] Alias of select[disabled.] <input type="reset" value=" " /> <select name=" " id=" " disabled="disabled"> </select> option, opt textarea <option value=" "> </option> <textarea name=" " id=" " cols=" 30 " rows=" 10 "> <marquee behavior=" " direction=" "> </marquee> </textarea> menu:context, menu:c Alias of menu[type=context]> <menu tvpe="context"> </menu> video audio <audio src=" "> </audio> <video src=" "> </video> Alias of menu[type=toolbar]> html:xml keygen <menu type="toolbar"> </menu> <html xmlns="http://www.w3.org/1999/xhtml"> </html> <keygen /> button:submit, button:s, btn:s button:reset, button:r, btn:r <command /> Alias of button[type=submit] Alias of button[type=reset] <button type="submit"> </button> <button type="reset"> </button> fieldset:disabled, fieldset:d, fset:d, fst:d Alias of button[disabled.] Alias of fieldset[disabled.] Alias of blockquote <button disabled="disabled"> </button> <fieldset disabled="disabled"> </fieldset> <blook
duote> </blockquote> fiac pic Alias of figure Alias of figcaption Alias of picture <figure> </figure> <picture> </picture> <figcaption> </figcaption> obj

menu:toolbar, menu:t command button:disabled, button:d, btn:d fig ifr Alias of iframe Alias of embed Alias of object <iframe src=" " frameborder="0"> </iframe> <embed src=" " type=" " /> <object data=" " type=" "> </object> colg fst, fset cap Alias of caption Alias of fieldset Alias of colgroup <caption> </caption> <colgroup> </colgroup> <fieldset> </fieldset> btn optq tarea Alias of button Alias of optgroup Alias of textarea <button> </button> <optgroup> </optgroup> <textarea name=" " id=" " cols=" 30 " rows=" 10 "> </textarea> leg sect art Alias of legend Alias of section Alias of article <le><legend> </legend></le> <section> </section> <article> </article>

</body>

```
ftr
hdr
                                                                                                                          adr
                                                                Alias of footer
   Alias of header
                                                                                                                              Alias of address
   <header> </header>
                                                                 <footer> </footer>
                                                                                                                              <address> </address>
   Alias of dialog
                                                                Alias of strong
                                                                                                                              Alias of progress
   <dialog> </dialog>
                                                                <strong> </strong>
                                                                                                                              datag
   Alias of main
                                                                Alias of template
                                                                                                                              Alias of datagrid
   <main> </main>
                                                                <template> </template>
                                                                                                                              <datagrid> </datagrid>
datal
                                                                                                                          out
   Alias of datalist
                                                                Alias of keygen
                                                                                                                              Alias of output
                                                                <keygen />
   <datalist> </datalist>
                                                                                                                              <output> </output>
det
                                                             cmd
                                                                                                                          doc
   Alias of details
                                                                Alias of command
                                                                                                                              Alias of html>
                                                                 <command />
                                                                                                                              (head>meta[charset=${charset}]+title{${1:Documen}}
   <details> </details>
                                                                                                                              t}})+body
                                                                                                                              <html>
                                                                                                                              <head>
                                                                                                                                  <meta charset="UTF-8" />
                                                                                                                                  <title> Document </title>
                                                                                                                              </head>
                                                                                                                              <body>
                                                                                                                              </body>
                                                                                                                              </html>
doc4
                                                             ri:dpr, ri:d
                                                                                                                          ri:viewport, ri:v
   Alias of html>(head>meta[http-equiv="Content-
                                                                Alias of img:s
                                                                                                                              Alias of img:z
                                                                <img srcset=" " src=" " alt=" " />
                                                                                                                              <imq sizes=" " srcset=" " src=" " alt=" " />
   content="text/html;charset=${charset}"]+title{${
                                                             ri:art, ri:a
                                                                                                                          ri:type, ri:t
   1:Document}})+body
                                                                Alias of pic>src:m+img
                                                                                                                              Alias of pic>src:t+img
   <html>
   <head>
                                                                 <picture>
                                                                                                                              <picture>
       <meta http-equiv="Content-Type"
                                                                    <source media="( min-width: )" srcset=" " />
                                                                                                                                  <source srcset=" " type=" image/ " />
   content="text/html;charset=UTF-8" />
                                                                    <img src=" " alt=" " />
                                                                                                                                  <img src=" " alt=" " />
       <title> Document </title>
                                                                 </picture>
                                                                                                                              </picture>
   </head>
   <body>
```

```
html:4t
                                                                 html:4s
                                                                                                                                  html:xt
    Alias of !!!4t+doc4[lang=${lang}]
                                                                     Alias of !!!4s+doc4[lang=${lang}]
                                                                                                                                      Alias of
                                                                                                                                      !!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml
    <!DOCTYPE HTML PUBLIC "-//w3C//DTD HTML 4.01</pre>
                                                                     <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"</pre>
                                                                                                                                      xml:lang=${lang}]
    Transitional//EN"
                                                                     "http://www.w3.org/TR/html4/strict.dtd">
    "http://www.w3.org/TR/html4/loose.dtd">
                                                                     <html lang="en">
                                                                                                                                      <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0</pre>
    <html lang="en">
                                                                     <head>
                                                                                                                                      Transitional//EN"
    <head>
                                                                         <meta http-equiv="Content-Type"</pre>
                                                                                                                                      "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                     content="text/html;charset=UTF-8" />
        <meta http-equiv="Content-Type"
                                                                                                                                      transitional.dtd">
    content="text/html;charset=UTF-8" />
                                                                         <title> Document </title>
                                                                                                                                      <html xmlns="http://www.w3.org/1999/xhtml"
        <title> Document </title>
                                                                     </head>
                                                                                                                                      xml:lang="en">
    </head>
                                                                     <body>
                                                                                                                                      <head>
    <body>
                                                                                                                                          <meta http-equiv="Content-Type"</pre>
                                                                     </body>
                                                                                                                                      content="text/html;charset=UTF-8" />
    </body>
                                                                     </html>
                                                                                                                                          <title> Document </title>
    </html>
                                                                                                                                      </head>
                                                                                                                                      <body>
                                                                                                                                      </body>
                                                                                                                                      </html>
html:xs
                                                                 html:xxs
                                                                                                                                  html:5
    Alias of
                                                                     Alias of
                                                                                                                                      Alias of !!!+doc[lang=${lang}]
    !!!xs+doc4[xm]ns=http://www.w3.org/1999/xhtm]
                                                                     !!!xxs+doc4[xmlns=http://www.w3.org/1999/xhtml
                                                                                                                                      <!DOCTYPE html>
    xml:lang=${lang}]
                                                                     xml:lang=${lang}]
                                                                                                                                      <html lang="en">
                                                                                                                                      <head>
    <!DOCTYPE html PUBLIC "-//w3C//DTD XHTML 1.0</pre>
                                                                     <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"</pre>
                                                                                                                                          <meta charset="UTF-8" />
    Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                     "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
                                                                                                                                          <title> Document </title>
    strict.dtd">
                                                                     <html xmlns="http://www.w3.org/1999/xhtml"</pre>
    <html xmlns="http://www.w3.org/1999/xhtml"</pre>
                                                                     xml:lang="en">
                                                                                                                                      </head>
    xml:lang="en">
                                                                     <head>
                                                                                                                                      <body>
    <head>
                                                                         <meta http-equiv="Content-Type"
        <meta http-equiv="Content-Type"</pre>
                                                                     content="text/html;charset=UTF-8" />
                                                                                                                                      </body>
    content="text/html;charset=UTF-8" />
                                                                                                                                      </html>
                                                                         <title> Document </title>
        <title> Document </title>
                                                                     </head>
                                                                                                                                  01+
    </head>
                                                                     <body>
                                                                                                                                      Alias of ol>li
    <body>
                                                                     </body>
                                                                                                                                      <01>
                                                                     </html>
    </body>
                                                                                                                                          </html>
                                                                                                                                      </01>
                                                                 d1+
ul+
                                                                                                                                  map+
    Alias of ul>li
                                                                     Alias of dl>dt+dd
                                                                                                                                      Alias of map>area
                                                                     <f1>
                                                                                                                                      <map name=" ">
    <u1>
        <dt> </dt>
                                                                                                                                          <area shape=" " coords=" " href=" " alt=" " />
    </u1>
                                                                         <dd> </dd>
```

https://docs.emmet.io/cheat-sheet/

</d1>

```
table+
                                                             colgroup+, colg+
   Alias of table>tr>td
                                                                 Alias of colgroup>col
                                                                 <colgroup>
   <co1 />
       </colgroup>
           select+
   Alias of select>option
                                                                 <select name=" " id=" ">
                                                                    <option value=" "> </option>
                                                                 </select>
pic+
                                                             111
                                                                 <!DOCTYPE html>
   Alias of picture>source:srcset+img
   <picture>
       <source srcset=" " />
                                                             !!!4s
       <img src=" " alt=" " />
                                                                 <!DOCTYPE HTML PUBLIC "-//w3C//DTD HTML 4.01//EN"</pre>
   </picture>
                                                                 "http://www.w3.org/TR/html4/strict.dtd">
!!!xs
                                                             !!!xxs
   <!DOCTYPE html PUBLIC "-//w3C//DTD XHTML 1.0</pre>
                                                                 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"</pre>
   Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
                                                                 "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
   strict.dtd">
cc:ie
                                                             cc:noie
   <!--[if IE]>
                                                                 <!--[if !IE]><!-->
       ${child}
                                                                    ${child}
   <![endif]-->
                                                                 <!--<![endif]-->
CSS
```

```
tr+
   Alias of tr>td
   optgroup+, optg+
   Alias of optgroup>option
   <optgroup>
       <option value=" "> </option>
   </optgroup>
!!!4t
   <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01</pre>
   Transitional//EN"
   "http://www.w3.org/TR/html4/loose.dtd">
!!!xt
   <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0</pre>
   Transitional//EN"
   "http://www.w3.org/TR/xhtml1/DTD/xhtml1-
   transitional.dtd">
С
   <!-- ${child} -->
cc:ie6
   <!--[if lte IE 6]>
       ${child}
   <![endif]-->
```

CSS module uses fuzzy search to find unknown abbreviations, e.g. ov:h == ov-h == oh. If abbreviation wasn't found, it is transformed into property name: foo-bar → foo-bar: |; You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo

Visual Formatting

pos	position: relative;	pos:s	position:static;	pos:a	position:absolute;
		pos:r	position:relative;	pos:f	position:fixed;
t	top: [;	t:a	top:auto;	r	right: ;
r:a	right:auto;	b	bottom: ;	b:a	bottom:auto;
1	left: ;	1:a	left:auto;	z	z-index: ;
z:a	z-index:auto;	fl	float: left;	fl:n	float:none;
				f1:1	float:left;
fl:r	float:right;	c1	clear: both;	cl:n	clear:none;
				c1:1	clear:left;
cl:r	clear:right;	cl:b	clear:both;	d	display: block;
d:n	display:none;	d:b	display:block;	d:f	display:flex;
d:if	display:inline-flex;	d:i	display:inline;	d:ib	display:inline-block;
d:li	display:list-item;	d:ri	display:run-in;	d:cp	display:compact;
d:tb	display:table;	d:itb	display:inline-table;	d:tbcp	display:table-caption;
d:tbcl	display:table-column;	d:tbclg	display:table-column-group;	d:tbhg	display:table-header-group;
d:tbfg	display:table-footer-group;	d:tbr	display:table-row;	d:tbrg	display:table-row-group;
d:tbc	display:table-cell;	d:rb	display:ruby;	d:rbb	display:ruby-base;
d:rbbg	display:ruby-base-group;	d:rbt	display:ruby-text;	d:rbtg	display:ruby-text-group;
V	visibility: hidden;	v:v	visibility:visible;	v:h	visibility:hidden;
		v:c	visibility:collapse;	ov	overflow: hidden;
ov:v	overflow:visible;	ov:h	overflow:hidden;	ov:s	overflow:scroll;
ov:a	overflow:auto;	ovx	overflow-x: hidden;	ovx:v	overflow-x:visible;
				ovx:h	overflow-x:hidden;
ovx:s	overflow-x:scroll;	ovx:a	overflow-x:auto;	ovy	overflow-y: hidden;
ovy:v	overflow-y:visible;	ovy:h	overflow-y:hidden;	ovy:s	overflow-y:scroll;
ovy:a	overflow-y:auto;	ovs	<pre>overflow-style:(scrollbar);</pre>	ovs:a	overflow-style:auto;
				ovs:s	overflow-style:scrollbar;
ovs:p	overflow-style:panner;	ovs:m	overflow-style:move;	ovs:mq	overflow-style:marquee;
zoo, zm	zoom:1;	ср	clip: ;	cp:a	clip:auto;
cp:r	<pre>clip:rect(top</pre>	rsz	resize: ;	rsz:n	resize:none;

11/04/2024, 16:30			Cheat Sheet	Cheat Sheet		
rsz:b	resize:both;	rsz:h	resize:horizontal;	rsz:v	resize:vertical;	
cur	<pre>cursor:\${pointer};</pre>	cur:a	cursor:auto;	cur:d	cursor:default;	
cur:c	cursor:crosshair;	cur:ha	cursor:hand;	cur:he	cursor:help;	

cur:p

cursor:pointer;

cursor:text;

cur:t

cur:m

cursor:move;

11/04/2024, 16:30 Cheat Sheet Margin & Padding margin: : m:a margin:auto; mt margin-top: : mt:a margin-top:auto; mr margin-right: ; mr:a margin-right:auto; mb margin-bottom: ; mb:a margin-bottom:auto; mΊ margin-left: : ml:a margin-left:auto; padding: ; pt padding-top: ; padding-right: ; pb padding-bottom: ; ٦q padding-left: ; **Box Sizing** bxz bxz:cb bxz:bb box-sizing:content-box; box-sizing:border-box; box-sizing: border-box bxsh bxsh:r box-shadow: inset hoff voff blur box-shadow: inset color); spread rgb(0) bxsh:ra bxsh:n box-shadow:none; width: ; box-shadow: inset blur spread rgba(0 h height: ; width:auto; w:a h:a height:auto; maw max-width: ; maw:n max-width:none; mah:n miw min-width: ; mah max-height: ; max-height:none; mih min-height: ; Font font: ; f+ fw font-weight: ; font: 1em Arial, sans-serif fw:n font-weight:normal; fw:1r fw:b font-weight:bold; fw:br font-weight:bolder; font-weight:lighter; fs font-style:\${italic}; fs:n font-style:normal; fs:i font-style:italic; fv fs:o font-style:oblique; font-variant: ; fv:n font-variant:normal; fv:sc font-variant:small-caps; fz font-size: : fza font-size-adjust: ; ff ff:s fza:n font-family: ; font-size-adjust:none; font-family:serif; ff:ss font-family:sans-serif; ff:c font-family:cursive; ff:f font-family:fantasy; ff:m ff:a ff:t font-family: Arial, "Helvetica Neue", font-family: "Times New Roman", Times, font-family:monospace;

fef

fem

fef:eq

femp:a

fems:ac

fems:ds

fsm:n

font-family: Verdana, Geneva, sans-

font-emphasize-position:before;

font-emphasize-style:none;

font-emphasize-style:circle;

serif;

font-effect:outline;

font-smooth:auto;

ff:v

fef:o

femp:b

fems:n

fems:c

fsm:a

12/23 https://docs.emmet.io/cheat-sheet/

font-emphasize-position:after;

font-emphasize-style:accent;

font-emphasize-style:disc;

Helvetica, sans-serif;

font-effect:engrave;

font-emphasize: ;

font-smooth:never;

font-effect: ;

hoff

Baskerville, Georgia, serif;

font-emphasize-position: ;

font-emphasize-style: ;

font-emphasize-style:dot;

font-effect:none;

font-smooth: ;

font-smooth:always;

font-effect:emboss:

fef:n

fef:eb

femp

fems

fsm

fems:dt

fsm:aw

voff

(0);

blur

11/04/2024, 16:30			Cheat Sheet		
fst	<pre>font-stretch: ;</pre>	fst:n	<pre>font-stretch:normal;</pre>	fst:uc	<pre>font-stretch:ultra-condensed;</pre>
fst:ec	<pre>font-stretch:extra-condensed;</pre>	fst:c	font-stretch:condensed;	fst:sc	<pre>font-stretch:semi-condensed;</pre>
fst:se	<pre>font-stretch:semi-expanded;</pre>	fst:e	<pre>font-stretch:expanded;</pre>	fst:ee	<pre>font-stretch:extra-expanded;</pre>
fst:ue	font-stretch:ultra-expanded;				

Text

va	vertical-align:(top);	va:sup	vertical-align:super;	va:t	vertical-align:top;
		va:tt	vertical-align:text-top;	va:m	vertical-align:middle;
va:bl	vertical-align:baseline;	va:b	vertical-align:bottom;	va:tb	vertical-align:text-bottom;
va:sub	vertical-align:sub;	ta	text-align: left;	ta:1	text-align:left;
				ta:c	text-align:center;
ta:r	text-align:right;	ta:j	text-align:justify;	ta-1st	text-align-last: ;
tal:a	text-align-last:auto;	tal:1	text-align-last:left;	tal:c	text-align-last:center;
tal:r	text-align-last:right;	td	text-decoration: none;	td:n	text-decoration:none;
				td:u	text-decoration:underline;
td:o	text-decoration:overline;	td:1	text-decoration:line-through;	te	text-emphasis: ;
te:n	text-emphasis:none;	te:ac	text-emphasis:accent;	te:dt	text-emphasis:dot;
te:c	text-emphasis:circle;	te:ds	text-emphasis:disc;	te:b	text-emphasis:before;
te:a	text-emphasis:after;	th	text-height: ;	th:a	text-height:auto;
th:f	text-height:font-size;	th:t	text-height:text-size;	th:m	text-height:max-size;
ti	text-indent: ;	ti:-	text-indent:-9999px;	tj	text-justify: ;
tj:a	text-justify:auto;	tj:iw	text-justify:inter-word;	tj:ii	text-justify:inter-ideograph;
tj:ic	text-justify:inter-cluster;	tj:d	text-justify:distribute;	tj:k	text-justify:kashida;
tj:t	text-justify:tibetan;	to	text-outline: ;	to+	text-outline: 0 0 #000;
to:n	text-outline:none;	tr	text-replace: ;	tr:n	text-replace:none;
tt	<pre>text-transform: uppercase ;</pre>	tt:n	text-transform:none;	tt:c	text-transform:capitalize;
		tt:u	text-transform:uppercase;	tt:1	text-transform:lowercase;
tw	text-wrap: ;	tw:n	<pre>text-wrap:normal;</pre>	tw:no	text-wrap:none;
tw:u	text-wrap:unrestricted;	tw:s	text-wrap:suppress;	tsh	text-shadow: hoff voff blur #000;
tsh:r	text-shadow: h v blur rgb(0,	tsh:ra	text-shadow: h v blur rgba(0,	tsh+	text-shadow: 0 0 0 #000;
	0, 0);		0, 0, . 5;	tsh:n	text-shadow:none;
1h	line-height: ;	lts	letter-spacing:┃;	lts-n	<pre>letter-spacing:normal;</pre>
whs	white-space: ;	whs:n	white-space:normal;	whs:p	white-space:pre;
whs:nw	white-space:nowrap;	whs:pw	white-space:pre-wrap;	whs:pl	white-space:pre-line;
whsc	white-space-collapse: ;	whsc:n	white-space-collapse:normal;	whsc:k	white-space-collapse:keep-all;
whsc:1	white-space-collapse:loose;	whsc:bs	white-space-collapse:break-strict;	whsc:ba	white-space-collapse:break-all;

wob	word-break: ;	wob:n	<pre>word-break:normal;</pre>	wob:k	word-break:keep-all;
wob:ba	word-break:break-all;	wos	word-spacing: ;	wow	word-wrap: ;
wow:nm	word-wrap:normal;	wow:n	word-wrap:none;	wow:u	word-wrap:unrestricted;
wow:s	word-wrap:suppress;	wow:b	word-wrap:break-word;		

Background			Cheat Sheet		
bg	background:#000;	bg+	background: #fff url() 0 0	bg:n	background:none;
			<pre>no-repeat);</pre>	bgc	<pre>background-color:# fff;</pre>
bgc:t	background-color:transparent;	bgi	<pre>background-image:url();</pre>	bgi:n	background-image:none;
bgr	background-repeat: ;	bgr:n	background-repeat:no-repeat;	bgr:x	<pre>background-repeat:repeat-x;</pre>
bgr:y	background-repeat:repeat-y;	bgr:sp	background-repeat:space;	bgr:rd	background-repeat:round;
bga	background-attachment: ;	bga:f	background-attachment:fixed;	bga:s	<pre>background-attachment:scroll;</pre>
bgp	background-position: 0 0;	bgpx	background-position-x: ;	bgpy	background-position-y: ;
		bgbk	background-break:];	bgbk:bb	background-break:bounding-box;
bgbk:eb	background-break:each-box;	bgbk:c	background-break:continuous;	bgcp	<pre>background-clip: padding-box ;</pre>
bgcp:bb	background-clip:border-box;	bgcp:pb	background-clip:padding-box;	bgcp:cb	background-clip:content-box;
bgcp:nc	background-clip:no-clip;	bgo	background-origin: ;	bgo:pb	background-origin:padding-box;
bgo:bb	background-origin:border-box;	bgo:cb	background-origin:content-box;	bgsz	background-size: ;
bgsz:a	background-size:auto;	bgsz:ct	background-size:contain;	bgsz:cv	background-size:cover;
Color					
С	color:# <u>000</u> ;	c:r	color: rgb(0, 0, 0);	c:ra	color:rgba(0), 0, 0, .(5);
ор	opacity: ;				
Generated conten					
cnt	content:' ';	cnt:n, ct:n	content:normal;	cnt:oq, ct:oq	content:open-quote;
cnt:noq, ct:noq	content:no-open-quote;	cnt:cq, ct:cq	content:close-quote;	cnt:ncq, ct:ncq	content:no-close-quote;
cnt:a, ct:a	content:attr();	cnt:c, ct:c	<pre>content:counter();</pre>	cnt:cs, ct:cs	<pre>content:counters();</pre>
ct	content: ;	q	quotes: ;	q:n	quotes:none;
q:ru	quotes:'\00AB' '\00BB' '\201E' '\201C';	q:en	quotes:'\201C' '\201D' '\2018' '\2019';	coi	counter-increment: ;
cor Outline	counter-reset: ;				
ol	outline: ;	ol:n	outline:none;	olo	outline-offset: ;
olw	outline-width: ;	olw:tn	outline-width:thin;	olw:m	outline-width:medium;
olw:tc	outline-width:thick;	ols	outline-style: ;	ols:n	outline-style:none;
ols:dt	outline-style:dotted;	ols:ds	outline-style:dashed;	ols:s	outline-style:solid;
ols:db	outline-style:double;	ols:g	outline-style:groove;	ols:r	outline-style:ridge;
ols:i	outline-style:inset;	ols:o	outline-style:outset;	olc	outline-color:# 000 ;

Tables

outline-color:invert;

olc:i

11/04/2024, 16:3	0		Cheat She	et	
tbl	table-layout: ;	tbl:a	table-layout:auto;	tbl:f	table-layout:fixed;
cps	caption-side: [;	cps:t	caption-side:top;	cps:b	caption-side:bottom;
ec	<pre>empty-cells: ;</pre>	ec:s	empty-cells:show;	ec:h	empty-cells:hide;

Border

20.00.					
bd	border:∥;	bd+	border: 1px solid #000;	bd:n	border:none;
				bdbk	border-break: close;
bdbk:c	border-break:close;	bdcl	border-collapse: ;	bdc1:c	border-collapse:collapse;
bdcl:s	border-collapse:separate;	bdc	border-color:# 000);	bdc:t	border-color:transparent;
				bdi	<pre>border-image:url();</pre>
bdi:n	border-image:none;	bdti	<pre>border-top-image:url();</pre>	bdti:n	border-top-image:none;
bdri	border-right-image:url(▮);	bdri:n	border-right-image:none;	bdbi	<pre>border-bottom-image:url();</pre>
bdbi:n	border-bottom-image:none;	bdli	<pre>border-left-image:url();</pre>	bdli:n	border-left-image:none;
bdci	border-corner-image:url(▮);	bdci:n	border-corner-image:none;	bdci:c	border-corner-image:continue;
bdtli	<pre>border-top-left-image:url();</pre>	bdtli:n	border-top-left-image:none;	bdtli:c	border-top-left-image:continue;
bdtri	<pre>border-top-right-image:url();</pre>	bdtri:n	border-top-right-image:none;	bdtri:c	border-top-right-image:continue;
bdbri	<pre>border-bottom-right-image:url();</pre>	bdbri:n	border-bottom-right-image:none;	bdbri:c	border-bottom-right-image:continue;
bdbli	<pre>border-bottom-left-image:url();</pre>	bdbli:n	border-bottom-left-image:none;	bdbli:c	border-bottom-left-image:continue;
bdf	border-fit: repeat;	bdf:c	border-fit:clip;	bdf:r	border-fit:repeat;
		bdf:sc	border-fit:scale;	bdf:st	border-fit:stretch;
bdf:ow	border-fit:overwrite;	bdf:of	border-fit:overflow;	bdf:sp	border-fit:space;
bdlen	border-length: █;	bdlen:a	border-length:auto;	bdsp	border-spacing:∥;
bds	<pre>border-style: ;</pre>	bds:n	border-style:none;	bds:h	border-style:hidden;
bds:dt	border-style:dotted;	bds:ds	border-style:dashed;	bds:s	border-style:solid;
bds:db	border-style:double;	bds:dtds	border-style:dot-dash;	bds:dtdtds	border-style:dot-dot-dash;
bds:w	border-style:wave;	bds:g	border-style:groove;	bds:r	border-style:ridge;
bds:i	border-style:inset;	bds:o	border-style:outset;	bdw	border-width: ;
bdt, bt	border-top: ;	bdt+	border-top: 1px solid #000;	bdt:n	border-top:none;
				bdtw	border-top-width: ;
bdts	border-top-style: ;	bdts:n	border-top-style:none;	bdtc	border-top-color:#000;
bdtc:t	border-top-color:transparent;	bdr, br	border-right: ;	bdr+	border-right: 1px solid #000;
bdr:n	border-right:none;	bdrw	border-right-width: ;	bdrst	border-right-style: ;
bdrst:n	border-right-style:none;	bdrc	border-right-color:# 000;	bdrc:t	border-right-color:transparent;
				bdb, bb	border-bottom:∥;
bdb+	border-bottom: 1px solid #000;	bdb:n	border-bottom:none;	bdbw	border-bottom-width: ;

11/04/2024, 16:30			Cheat Sheet		
bdbs	border-bottom-style:∥;	bdbs:n	border-bottom-style:none;	bdbc	border-bottom-color:#\(\begin{aligned} 000\end{aligned};
bdbc:t	border-bottom-color:transparent;	bdl, bl	border-left: ;	bd1+	border-left: 1px solid #000;
bdl:n	border-left:none;	bdlw	border-left-width: ;	bdls	<pre>border-left-style: ;</pre>
bdls:n	border-left-style:none;	bdlc	border-left-color:#000;	bdlc:t	border-left-color:transparent;
				bdrs	border-radius: ;
bdtrrs	border-top-right-radius: ;	bdtlrs	border-top-left-radius: ;	bdbrrs	border-bottom-right-radius: ;
bdblrs	border-bottom-left-radius: ;				

Lists

```
lis
                  list-style: ;
                                                                lis:n
                                                                                                                               lisp
                                                                                                                                                  list-style-position: :
                                                                                  list-style:none;
lisp:i
                                                                lisp:o
                                                                                                                                list
                                                                                                                                                  list-style-type: ;
                  list-style-position:inside;
                                                                                  list-style-position:outside;
list:n
                                                                list:d
                                                                                                                                list:c
                                                                                                                                                  list-style-type:circle;
                  list-style-type:none;
                                                                                  list-style-type:disc;
list:s
                                                                list:dc
                                                                                                                                list:dclz
                  list-style-type:square;
                                                                                  list-style-type:decimal;
                                                                                                                                                  list-style-type:decimal-leading-zero;
list:lr
                                                                                                                                lisi
                                                                list:ur
                                                                                                                                                  list-style-image: ;
                  list-style-type:lower-roman;
                                                                                  list-style-type:upper-roman;
lisi:n
                  list-style-image:none;
Print
pgbb
                  page-break-before: ;
                                                                pgbb:au
                                                                                  page-break-before:auto;
                                                                                                                                pgbb:al
                                                                                                                                                  page-break-before:always;
pgbb:1
                                                                pgbb:r
                                                                                                                                pgbi
                  page-break-before:left;
                                                                                  page-break-before:right;
                                                                                                                                                  page-break-inside: ;
pgbi:au
                  page-break-inside:auto;
                                                                pgbi:av
                                                                                  page-break-inside:avoid;
                                                                                                                                pgba
                                                                                                                                                  page-break-after: ;
pgba:au
                                                                pgba:al
                                                                                                                                pgba:1
                                                                                                                                                  page-break-after:left;
                  page-break-after:auto;
                                                                                  page-break-after:always;
pgba:r
                                                                                                                                wid
                                                                                                                                                  widows: ;
                  page-break-after:right;
                                                                orp
                                                                                  orphans: ;
Others
                                                                @f
                                                                                                                                @f+
                  !important
                                                                                  @font-face {
                                                                                                                                                  @font-face {
                                                                                      font-family: ;
                                                                                                                                                      font-family: 'FontName';
                                                                                      src:url(|);
                                                                                                                                                      src: url(' FileName .eot');
                                                                                                                                                      src: url(' FileName .eot?#iefix')
                                                                                                                                                  format('embedded-opentype'),
                                                                                                                                                           url('FileName .woff')
                                                                                                                                                  format('woff'),
                                                                                                                                                           url('FileName .ttf')
                                                                                                                                                  format('truetype'),
```

```
@i, @import url();
```

https://docs.emmet.io/cheat-sheet/

url('FileName .svg# FontName

') format('svg');

font-style: normal;
font-weight: normal

11/04/2024, 16:30 **Cheat Sheet** @m, @media @kf ac align-content: ; @-webkit-keyframes [identifier] @media (screen) from { } ac:c align-content:center; to { } ac:fe align-content:flex-end; @-o-keyframes [identifier] ac:fs align-content:flex-start; ac:s align-content:stretch; from { } ac:sa align-content:space-around; ac:sb align-content:space-between; to { } ai align-items: ; ai:b align-items:baseline; @-moz-keyframes [identifier] ai:c align-items:center; ai:fe align-items:flex-end; from { } to { } ai:fs align-items:flex-start; ai:s align-items:stretch; anim animation: ; anim-@keyframes [identifier] animation: name duration from timing-function delay to) iteration-count direction fill-mode); animdel animdir animdir:a animation-direction:alternate; animation-direction: normal; animation-delay: [time]: animdir:ar animation-direction:alternate-reverse; animdir:n animdir:r animdur animation-direction:normal; animation-direction:reverse; animation-duration: 0 s; animfm animfm:b animfm:bt, animfm:bh animation-fill-mode:backwards; animation-fill-mode: both animation-fill-mode:both; animfm:f animation-fill-mode:forwards; animic animation-iteration-count: 1; animic:i animn animps animation-iteration-count:infinite; animation-name: none; animation-play-state: running; animps:r animtf animps:p animation-play-state:paused; animation-play-state:running; animation-timing-function: linear animtf:cb animtf:e animation-timing-function:cubic-bezier(animation-timing-function:ease; animtf:ei animation-timing-function:ease-in; 0.7 [1.0],(0.1);animtf:eio animtf:eo animation-timing-function:ease-in-out; animation-timing-function:ease-out; animtf:1 align-self: ; animation-timing-function:linear; ap appearance:\${none}; as as:a align-self:auto; as:b align-self:baseline; as:c align-self:center; as:fe align-self:flex-end; as:fs align-self:stretch; align-self:flex-start; as:s bfv:h bfv backface-visibility: ; backface-visibility:hidden; bfv:v backface-visibility:visible; bg:ie filter:progid:DXImageTransform.Microsof cm/* \${child} */ colm columns: ; t.AlphaImageLoader(src='[x co1mc column-count: ; co1mf column-fill: ; .png',sizingMethod=' crop co1mg column-gap: ; colmr column-rule: ; colmrc column-rule-color: ; colmrs column-rule-style: ; colmrw column-rule-width: ; d:ib+ colms column-span: ; co1mw column-width: ; display: inline-block; *display: inline; *zoom: 1;

https://docs.emmet.io/cheat-sheet/

flex-basis: ;

fxd

flex-direction: ;

fxb

fx

flex: ;

11/04/2024, 16:30			Cheat Sheet		
fxd:c	<pre>flex-direction:column;</pre>	fxd:cr	<pre>flex-direction:column-reverse;</pre>	fxd:r	<pre>flex-direction:row;</pre>
fxd:rr	<pre>flex-direction:row-reverse;</pre>	fxf	flex-flow: ;	fxg	flex-grow: ;
fxsh	<pre>flex-shrink: ;</pre>	fxw	flex-wrap: ;	fxw:n	<pre>flex-wrap:nowrap;</pre>
fxw:w	flex-wrap:wrap;	fxw:wr	flex-wrap:wrap-reverse;	jc	<pre>justify-content: ;</pre>
jc:c	justify-content:center;	jc:fe	<pre>justify-content:flex-end;</pre>	jc:fs	<pre>justify-content:flex-start;</pre>
jc:sa	justify-content:space-around;	jc:sb	<pre>justify-content:space-between;</pre>	mar	max-resolution: res;
mir	min-resolution: res;	op+	<pre>opacity: ; filter: alpha(opacity=);</pre>	op:ie	<pre>filter:progid:DXImageTransform.Microsof t.Alpha(Opacity=100);</pre>
op:ms	-ms-	ord	order: ;	ori	orientation: ;
	<pre>filter:'progid:DXImageTransform.Microso ft.Alpha(Opacity=100)';</pre>	ori:l	orientation:landscape;	ori:p	orientation:portrait;
		tov	<pre>text-overflow:\${ellipsis};</pre>	tov:c	<pre>text-overflow:clip;</pre>
tov:e	text-overflow:ellipsis;	trf	transform: ;	trf:r	<pre>transform: rotate(angle);</pre>
trf:rx	<pre>transform: rotateX((angle));</pre>	trf:ry	<pre>transform: rotateY((angle));</pre>	trf:rz	<pre>transform: rotateZ((angle));</pre>
trf:sc	transform: $scale(x, y);$	trf:sc3	transform: $scale3d(x), (y), (z);$	trf:scx	transform: $scaleX(x)$;
trf:scy	<pre>transform: scaleY(y);</pre>	trf:scz	transform: scaleZ(z);	trf:skx	<pre>transform: skewX((angle));</pre>
trf:sky	<pre>transform: skewY((angle));</pre>	trf:t	transform: translate(x , y);	trf:t3	<pre>transform: translate3d(\(tx \), \(ty \), \(tz \));</pre>
trf:tx	transform: $translateX(x)$;	trf:ty	<pre>transform: translateY((y));</pre>	trf:tz	transform: translateZ((z));
trfo	transform-origin: ;	trfs	transform-style: preserve-3d;	trs	transition: prop (time);
trsde	transition-delay: time;	trsdu	transition-duration: time;	trsp	transition-property: prop;
trstf	transition-timing-function: tfunc;	us	<pre>user-select:\${none};</pre>	wfsm	<pre>-webkit-font-smoothing:\${antialiased};</pre>
		wfsm:a	-webkit-font-smoothing:antialiased;	wfsm:n	-webkit-font-smoothing:none;
wfsm:s, wfsm:sa	-webkit-font-smoothing:subpixel-	wm	writing-mode: (lr-tb);	wm:btl	writing-mode:bt-lr;
	antialiased;			wm:btr	writing-mode:bt-rl;
wm:1rb	writing-mode:1r-bt;	wm:1rt	writing-mode:1r-tb;	wm:rlb	writing-mode:rl-bt;
wm:rlt	writing-mode:rl-tb;	wm:tbl	writing-mode:tb-lr;	wm:tbr	writing-mode:tb-rl;
XSL					
<pre>tmatch, tm</pre>	match="\" mode="\">\	<pre>tname, tn</pre>	name="""> \ \/xs1:template>	<pre>call <xsl:call-tem < pre=""></xsl:call-tem <></pre>	plate name="\"/>
<pre>ap <xsl:apply-ter< pre=""></xsl:apply-ter<></pre>	nplates select="\" mode="\" />	<pre>api <xsl:apply-imports></xsl:apply-imports></pre>		<pre>imp</pre>	
inc		ch		xsl:when, wh	

https://docs.emmet.io/cheat-sheet/

<xsl:when test="""> </xsl:when>

<xsl:choose> </xsl:choose>

<xsl:include href=" " />

11/04/2024, 16:30 ot <xsl:otherwise> | </xsl:otherwise>

pare
 <xsl:param name="" select="" />

co
 <xsl:copy-of select="" />

tex
 <xsl:text> </xsl:text>

sort
 <xsl:sort select=" " order=" " />

!!!
 <?xml version="1.0" encoding="UTF-8"?>

Cheat Sheet

```
<xsl:if test=" "> </xsl:if>
   <xsl:variable name=" "> </xsl:variable>
key
   <xs1:key name=" " match=" " use=" " />
attrs
   <xsl:attribute-set name=" "> </xsl:attribute-set>
   <xsl:value-of select=" " />
com
    <xsl:comment> </xsl:comment>
   <xsl:number value=" " />
strip
   <xsl:strip-space elements=" " />
choose+
   Alias of xsl:choose>xsl:when+xsl:otherwise
   <xs1:choose>
       <xsl:when test=" "> </xsl:when>
       <xsl:otherwise> </xsl:otherwise>
```

</xsl:choose>

```
par
   <xsl:param name=" "> </xsl:param>
   <xsl:variable name=" " select=" " />
elem
   <xsl:element name=" "> </xsl:element>
ср
   <xsl:copy select=" " />
each, for
   <xsl:for-each select=" "> </xsl:for-each>
msg
   <xsl:message terminate="no"> </xsl:message>
   <namespace-alias stylesheet-prefix=" " result-prefix="</pre>
proc
   <xsl:processing-instruction name=" ">
   </xsl:processing-instruction>
xs1
   Alias of !!!+xsl:stylesheet[version=1.0
   xmlns:xsl=http://www.w3.org/1999/XSL/Transform]>
   |}
   <?xml version="1.0" encoding="UTF-8"?>
   <xsl:stylesheet version="1.0"</pre>
   xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
```

</xsl:stylesheet>