TUGAS 1 INDIVIDU HTML DAN JAVASCRIPT



DISUSUN OLEH

MICHAEL PASCALIS SIMANJUNTAK (120140137)
PENGEMBANGAN APLIKASI MOBILE RA

INSTITUT TEKNOLOGI SUMATERA

LAMPUNG

2022

HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <link rel="stylesheet" href="style.css">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>RA 120140137 Michael Pascalis Simanjuntak</title>
</head>
<body>
   <div class="t1">
       <thead>
              No
                  Nama
                  NIM
                  Nilai
                  Huruf Mutu
              </thead>
          <!--jquery untuk membuat user dari fakerjs untuk membuat data dummy-->
       <script src="https://code.jquery.com/jquery-3.6.1.slim.min.js"</pre>
           integrity="sha256-w8CvhFs7iHNVUtnSP0YKEg00p9Ih13rlL9zGqvLdePA="
crossorigin="anonymous"></script>
       <script type="module">
          import { faker } from 'https://cdn.skypack.dev/@faker-
js/faker/locale/id_ID';
          $(document).ready(function () {
              let user = [{
                  "Nama": "Michael Pascalis Simanjuntak",
                  "NIM": 137,
                  "Nilai": 80
              }];
```

```
let userMax = 15;
           for (let i = 1; i < userMax; i++) {</pre>
               user.push({
                   "Nama": faker.name.lastName() + " " + faker.name.firstName(),
                   "NIM": faker.random.numeric(3),
                   "Nilai": faker.random.numeric(2)
               });
           }
           let tr;
           let mutu;
           for (let i = 0; i < userMax; i++) {
               tr = $('');
               tr.append('' + (i + 1) + "");
               tr.append('' + user[i].Nama + "");
               tr.append('' + user[i].NIM + "");
               tr.append('' + user[i].Nilai + "");
               switch (true) {
                   case (user[i].Nilai >= 80):
                       mutu = "A";
                       break;
                   case (user[i].Nilai >= 70):
                       mutu = "AB";
                       break;
                   case (user[i].Nilai >= 60):
                       mutu = "B";
                       break;
                   case (user[i].Nilai >= 50):
                       mutu = "BC";
                       break;
                   case (user[i].Nilai >= 40):
                       mutu = "C";
                       break;
                   case (user[i].Nilai >= 10):
                       mutu = "D";
                       break;
                   default:
                       mutu = "E";
                       break;
               }
               tr.append('' + mutu + "");
               $('table').first().append(tr);
       });
   </script>
</div>
```

```
</body>
</html>
```

CSS:

```
.t2{
   width: 280px;
    height: 653px;
   border: 1px solid white;
   border-collapse: collapse;
    font-size: 13px;
    color: black;
.t1 {
   width: 280px;
   height: 653px;
   margin-left: auto;
   margin-right: auto;
   padding: 3px;
    background-color: #EEF2F7;
tr:nth-child(odd){
    background-color: #DCE5EE;
   background-color: #94B6D2;
td {
    border: 1px solid white;
    padding: 10px;
```