

APPLICATION DEPLOYMENT ON PREMISE

1. FREE STYLE PROJECT / JOB

b. Back End Deployment

Step-1:

You can start working on ecommerce front end project sent to your mail

(When extracting the project archive (e.g., ZIP or RAR file), please ensure that you extract it directly to the Desktop in such a way that all supporting files and folders are located within a single main project folder.)

or

You can choose your own project which was done in the previous semester

Step-2:

Download & Install Eclipse IDE (Enterprise Java & Web Developers)

Download & Install MYSQL

MySQL: username - root

password - admin

Step-3:

Import your Back End Project into Eclipse IDE

Note:

1. pom.xml file error -> Update the last hyperlink from http to https in xml namespace
2. Update the maven project

Step-4:

Open application.properties file

Change port number to 7070

Update username (root) and password (password)

Note:

Make sure the name of the database in application.properties MUST be same as database name in mysql (which you create)

Step-5:

Run the Spring Boot Application

(Table will be automatically created)

Step-6:

Insert data

Syntax:

Insert into tablename values (?, ?, ?, ?, ?);

Step-7:

Push the Back End code from local to remote repository

Step-8:

Run Tomcat server

Step-9:

Access Jenkins (<https://localhost:9090>)

a. Manage Jenkins

1. Install Plugins

- Deploy to container

2. Tools

- JDK_HOME
- MAVEN_HOME
- NODE_HOME

b. Create Item

- Backend

c. General

- Description

d. Source Code Management

- GIT URL
- Master to main

e. Triggers

- Poll SCM

f. Environment

- Delete Workspace

g. Build Setup

- Add Build Setup
 - Invoke top level maven targets
 - Choose MAVE_HOME
 - Goals (clean compile package)

h. Post build actions

- Add post-build action
 - Deploy war/ear to a container
 - WAR/EAR files (**/*.war)
 - Context path (back1)
 - Add Container (Select the tomcat9.x remote)
 - Click on add button – choose Jenkins – add credentials
 - Tomcat URL (http://localhost:8080)

Finally click on save, so that build process is initiated

Step-10:

Now access the project or application using Apache Tomcat

https://localhost:8080 - Click on manage apps - you will find back1 (deployment folder – war file)