

Full Stack Project Deployment in Jenkins using Pipeline

Step 1:

- Download and Extract Frontend

Step 2:

- Download and Extract Backend

Step 3:

- Make sure you make changes App.jsx

From

```
const BASE_URL = 'http://localhost:9090pringapp1';
```

To:

```
const BASE_URL = 'http://localhost:8080/springapp1';
```

- Run npm install
- Visit: <http://localhost:5173/frontapp1/>

Step -4:

- Run Tomcat
- Open MySQL and Create Database in MYSQL

Step-5:

- Open the Backend in Eclipse
- Open

Application.properties

Change to

```
Server.Port :7070
```

```
spring.datasource.url=jdbc:mysql://localhost:3306/crud
```

Step-6:

- Open MySQL and excute Command “USE crud;”

Step -7:

- Push Fronted to GitHub using VS CODE terminal
 - make sure you delete node_modules

Step -8:

- Push Backend to GitHub using Command Prompt

Step -9:

- General
 - Description
- Triggers
 - poll scm
- PipeLine
 - pipeline Script

Make sure you change username of GitHub in Script

Step -10:

- BuildNow

Step -11:

- Access Tomcat® manager® frontapp1
 - perform CRUD Operations

Step -12:

- See Data Being Reflected in MYSQL® crud-> Products table

