

Test a (causal) hypothesis with observational data (THE III - All)

Research Design and Methods in Quantitative Research - Fall 2026

Dr. K. Jonathan Klüser

2026-10-29

Instructions

Please read and follow the guidelines below carefully. Then, complete the exercises and report the results in a Quarto document. Compile the Quarto document in PDF and submit both the compiled PDF and .qmd files within the deadline.

Further instructions about the submission are [below](#).

Preparation: Download the CSES Integrated Module Dataset (IMD)

(It is assumed that you installed R and RStudio, and learned to prepare a Quarto document for the previous Take-Home Exercises. In case of doubt, you can consult the preparation guidelines for Take-Home Exercise I.)

The Comparative Study of Electoral Systems (CSES) is a standardized post-electoral cross-national survey that covers most democratic countries worldwide. It has been running since 1996 until now. The CSES Integrated Module Dataset (IMD) include selected variables from CSES Modules 1 through 5 into a single, harmonized longitudinal dataset. Variables included in the IMD must appear in at least three CSES Modules, up to and including Module 5. The dataset encompasses all polities that participated in these modules, featuring over 395,000 individual-level observations from 230 elections across 59 polities. Notable features of the CSES IMD include harmonized numerical codes for parties and coalitions within polities across modules, a pre-coded variable for incumbent vote choice, political information indexes, comprehensive macro-level data spanning over 25 years, and detailed within-dataset labels for all parties and coalitions.

For this exercise, you will need to [register](#) in the [CSES webpage](#) and download the [CSES IMD](#). For easy integration with R, I recommend downloading the following file:

- [cses_imd_r.zip](#)

You will also need the [codebook](#).

Exercises

Exercise 1: Draw a DAG of the causal hypothesis

You will use the CSES IMD data to test one of the most prominent theories in political science: the **economic voting theory**. This theory states that citizens decide their vote based on the state of the economy, so that they are more likely to support the incumbent (i.e., the outgoing governing party or candidate) if the economy works well and less likely if the economic situation is bad (for a review, see Lewis-Beck and Stegmaier, 2018). Focusing on citizens' perceptions rather than objective economic indicators, the following (causal) hypothesis follows:

Hypothesis: Negative (positive) economic evaluations reduce (increase) the probability of voting for the incumbent.

The CSES data contains one variable that we can use as our independent (“*treatment*”) variable, as it is operationalized as follows:

- `IMD3013_1`: Would you say that over the past twelve months, the state of the economy in [COUNTRY] has gotten better, stayed about the same, or gotten worse?

It also contains a variable that we can use to measure voting for the incumbent (i.e., our dependent variable):

- `IMD3002_OUTGOV`: Whether or not the respondent cast a ballot for the outgoing incumbent.

Since we want to approximate a causal test, we will need to control for some variables in order to rule out endogeneity concerns. However, we do not want to do this blindly but based on theoretical reasoning. As you will see in the codebook, there are many variables that we can use (and more that we can construct) to try to isolate the causal relationship between economic evaluations and voting for the incumbent, but we do not want to use them all. To guide our model specification, **please draw a DAG of the theoretical relationship at hand**. This will guide our next choices, so it is important that it is done carefully.

You can draw a DAG in R using the packages `dagitty` and `ggdag` (see installation and loading below). Alternatively, you can draw it with any other program or by hand and [upload it to the .qmd document as an image](#). Please comment your decisions.

PS: Remember to simplify and do not include every variable you think it could be involved in the relationship, but only the most important. Also, group variables under broader concepts

to avoid overfitting the DAG (e.g., ‘socio-economic conditions’ instead of ‘employment status’ and ‘income’).

```
# Install packages
#install.packages(c("dagitty", "ggdag"))

# Load necessary libraries
library(tidyverse)
library(dagitty)
library(ggdag)

# Define the DAG
dag <- dagitty('
dag {
  Economic_Evaluations [exposure]
  Incumbent_Voting [outcome]
  Ideology [confounder]
  Economic_Evaluations -> Incumbent_Voting
  Ideology -> Economic_Evaluations
  Ideology -> Incumbent_Voting
}
')

# Convert DAG to tidy format
tidy_dag <- tidy_dagitty(dag)


# Add labels for clarity
tidy_dag <- tidy_dag %>%
  mutate(label = case_when(
    name == "Economic_Evaluations" ~ "T = Economic Evaluations",
    name == "Incumbent_Voting" ~ "Y = Incumbent Voting",
    name == "Ideology" ~ "X = Ideology",
    TRUE ~ name
  ))

# Visualize the DAG
ggdag(tidy_dag, text = FALSE) +
  geom_dag_point(size = 10, color = "white") + # Cool blue points
  geom_dag_label_repel(aes(label = label), box.padding = 3,
    size = 3) + # Labels with repulsion
  geom_dag_edges_link(arrow = grid::arrow(length = unit(0.4, "cm")),
    edge_colour = "gray40") + # Gray edges with arrows
```

```

theme_void() + # Remove background
labs(
  title = "Economic Voting DAG"
) +
theme(
  plot.title = element_text(hjust = 0.5, face = "bold", size = 16),
  plot.caption = element_text(hjust = 0.5, size = 10)
)

```



Exercise 2: Prepare your data

Based on your DAG, declare which control variables you will use for the analysis. Use at least two, but you can add as many as you want (or think would be helpful). Remember, however, that **more is not necessarily better**.

Please inspect and transform these variables when necessary (e.g., recode missing values, invert scales, etc.). Report your code and comment on your decisions.

```

# Load the data
load("materials/cses_imd.rdata")

# Inspect the summary of the variables

```

```

variables_to_inspect <- c("IMD3002_OUTGOV", "IMD3013_1", "IMD3006")
summary_stats <- cses_imd %>%
  select(all_of(variables_to_inspect)) %>%
  summary()

print(summary_stats)

```


IMD3002_OUTGOV	IMD3013_1	IMD3006
Min. : 0	Min. :1.000	Min. : 0.00
1st Qu.: 0	1st Qu.:3.000	1st Qu.: 5.00
Median : 1	Median :5.000	Median : 6.00
Mean :3168164	Mean :5.492	Mean :25.85
3rd Qu.:9999996	3rd Qu.:9.000	3rd Qu.:10.00
Max. :9999999	Max. :9.000	Max. :99.00

```

# Visualize distributions
cses_imd %>%
  select(all_of(variables_to_inspect)) %>%
  gather(key = "Variable", value = "Value") %>%
  filter(!is.na(Value)) %>%
  ggplot(aes(x = Value)) +
  geom_histogram(bins = 30, fill = "steelblue", color = "black", alpha = 0.7) +
  facet_wrap(~ Variable, scales = "free") +
  theme_minimal() +
  labs(title = "Distributions of Selected Variables",
       x = "Value",
       y = "Frequency")

```

Distributions of Selected Variables



```
# Recode IMD3006: Set values > 10 to NA
cses_imd <- cses_imd %>%
  mutate(ideol = ifelse(IMD3006 > 10, NA, IMD3006))


# Recode IMD3013_1: Set values > 5 to NA, and recode to make higher values better
cses_imd <- cses_imd %>%
  mutate(
    econ = NA, # Set invalid values to NA
    econ = ifelse(IMD3013_1 == 1, 3, econ), # Gotten Better -> 3
    econ = ifelse(IMD3013_1 == 3, 2, econ), # Stayed the Same -> 2
    econ = ifelse(IMD3013_1 == 5, 1, econ) # Gotten Worse -> 1
  )

# Recode IMD3002_OUTGOV: Set values > 1 to NA
cses_imd <- cses_imd %>%
  mutate(incumbent = ifelse(IMD3002_OUTGOV > 1, NA, IMD3002_OUTGOV))

# Variables to inspect
variables_to_inspect <- c("ideol", "econ", "incumbent")

# Replot the distributions
cses_imd %>%
  select(all_of(variables_to_inspect)) %>%
```

```
gather(key = "Variable", value = "Value") %>%
  filter(!is.na(Value)) %>%
  ggplot(aes(x = Value)) +
  geom_histogram(bins = 10, fill = "steelblue", color = "black", alpha = 0.7) +
  facet_wrap(~ Variable, scales = "free") +
  theme_minimal() +
  labs(title = "Distributions of Selected Variables (After Recoding)",
       x = "Value",
       y = "Frequency")
```



Exercise 3: Test your hypothesis with an ordinary-least squares (OLS) multiple regression model

Run an OLS regression model to test your hypothesis. For that, use the function `lm()`, or a more advanced one if preferred.

Please comment on your choices and your results. Would you say that the evidence support the *economic voting* hypothesis? Why?

```
# Run OLS regression
model <- lm(incumbent ~ econ + ideol, data = cses_imd)
```

```
# Display summary of the model
summary(model)
```

Call:

```
lm(formula = incumbent ~ econ + ideol, data = cses_imd)
```

Residuals:

Min	1Q	Median	3Q	Max
-0.5914	-0.3906	-0.2583	0.5183	0.8103

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.057463	0.004259	13.49	<2e-16 ***
econ	0.132261	0.001612	82.06	<2e-16 ***
ideol	0.013713	0.000487	28.16	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.4747 on 136622 degrees of freedom

(259172 Beobachtungen als fehlend gelöscht)

Multiple R-squared: 0.05262, Adjusted R-squared: 0.05261

F-statistic: 3794 on 2 and 136622 DF, p-value: < 2.2e-16

Exercise 4: Plot the model predicted values with confidence intervals (OPTIONAL)

This is an optional exercise. It does not count for the grade, so you can still get a 6 without doing it. However, it can compensate for weaker performance in one of the other exercises.

Using your model from *Exercise 3*, generate predicted probabilities (or predicted values) for your main independent variable while holding control variables constant. Plot these predictions with 95% confidence intervals. Then write a brief interpretation of what the plot shows and whether it aligns with your hypothesis.

Hint: you can calculate the predicted probabilities and confidence intervals first and then plot them with `ggplot`, or you can use the `marginalEffects`/`ggeffects` packages to compute and plot the predicted values directly.


```

# Generate predicted values with confidence intervals for specific levels of econ
predicted_data <- data.frame(
  econ = c(1, 2, 3),
  ideol = mean(cses_imd$ideol, na.rm = TRUE) # Set ideol to its mean
)

# Add predictions and confidence intervals
predictions <- predict(model, newdata = predicted_data, interval = "confidence")
predicted_data <- cbind(predicted_data, predictions)

# Plot the predicted probabilities with error bars
ggplot(predicted_data, aes(x = econ, y = fit)) +
  geom_point(size = 3, color = "red") + # Predicted points
  geom_errorbar(aes(ymin = lwr, ymax = upr), width = 0.2, color = "black") + # Error bars
  theme_minimal() +
  labs(
    title = "Predicted Probability of Incumbent Voting by Economic Evaluations",
    x = "Economic Evaluations",
    y = "Predicted Probability of Incumbent Voting"
  )

```



Exercise 5: Run a baseline (bivariate) OLS model

Re-estimate your regression model without any control variables and compare the results to the model from *Exercise 3*.

Briefly describe how the coefficients differ, explain why these changes may occur, and discuss what this reveals about the role of control variables in your analysis.

```
# Run OLS regression
model2 <- lm(incumbent ~ econ, data = cses_imd)

# Display summary of the model
summary(model2)
```

Call:

```
lm(formula = incumbent ~ econ, data = cses_imd)
```

Residuals:

Min	1Q	Median	3Q	Max
-0.5337	-0.4010	-0.2683	0.4663	0.7317

Coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.135660	0.003108	43.65	<2e-16 ***
econ	0.132677	0.001477	89.83	<2e-16 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.4772 on 165288 degrees of freedom
(230507 Beobachtungen als fehlend gelöscht)

Multiple R-squared: 0.04655, Adjusted R-squared: 0.04654

F-statistic: 8070 on 1 and 165288 DF, p-value: < 2.2e-16

Exercise 6: Run an additional OLS model specification (*OPTIONAL*)

This is an optional exercise. It does not count for the grade, so you can still get a 6 without doing it. However, it can compensate for weaker performance in one of the other exercises.

Run an additional OLS regression model specification to explore how sensitive your results are to alternative modeling choices. For this, modify the set of control variables used in your

Exercise 3 model to address potential endogeneity concerns that the initial specification may not fully capture. These changes should reflect alternative assumptions about the underlying causal structure (e.g., adding controls that your original DAG treated as irrelevant but that could still plausibly act as confounders).

First, explain the reasoning behind your changes and comment on the new results.

Second, compare the results from all three models. What is your final assessment of whether there is evidence for or against the economic voting hypothesis?

Submission guidelines

Please submit both the PDF file and the `.qmd` file. Both files should report all the code used for analysis and annotations explaining each step.

The name of the files must follow the structure *take-home_exercise_iii_YOURSURNAME(S).pdf* and *take-home_exercise_iii_YOURSURNAME(S).qmd*, respectively. They should be upload to the folder *Students responses/Take-home exercises/Take-home exercise III* in OLAT.

Deadline: **12.11.26**

Bibliography

Lewis-Beck, M. S., & Stegmaier, M. (2018). Economic voting. The Oxford handbook of public choice, 1, 247-265.