

Note to readers with disabilities: *EHP* strives to ensure that all journal content is accessible to all readers. However, some figures and Supplemental Material published in *EHP* articles may not conform to [508 standards](#) due to the complexity of the information being presented. If you need assistance accessing journal content, please contact ehpsubmissions@niehs.nih.gov. Our staff will work with you to assess and meet your accessibility needs within 3 working days.

Supplemental Material

Quantification of 16 Metals in Fluids and Aerosols From Ultrasonic Pod-Style Cigarettes and Comparison to Electronic Cigarettes

Esther E. Omaiye and Prue Talbot

Table of Contents

Table S1. Elements, elemental class, limits of quantification, and limits of detection.

Table S2. wt % of Elements in SURGE U-Cigarette Components.

Table S3. Mean Concentration ($\mu\text{g/L}$) of Silicon in U-cigarettes and E-cigarettes.

Table S4. Mean Concentration ($\mu\text{g/L}$) of Nickel in U-cigarettes and E-cigarettes.

Table S5. Mean Concentration ($\mu\text{g/L}$) of Sum of Other Elements in U-cigarettes and E-cigarettes.

Table S6. p-values of Statistical Comparisons of Concentrations of Silicon, Nickel, and the Sum of Other Elements.

Table S7. Mean Concentrations ($\mu\text{g/L}$) of Elements in SURGE Mint Flavors.

Table S8. Mean Concentration ($\mu\text{g/L}$) of Elements in SURGE Ice Flavors.

Table S9. Mean Concentration ($\mu\text{g/L}$) of Elements in JUUL Fruit Flavors.

Table S10. Mean Concentration ($\mu\text{g/L}$) of Elements in JUUL Mint/Menthol Flavors.

Table S11. Mean Concentration ($\mu\text{g/L}$) of Elements in JUUL Tobacco Flavors.

Table S12. Mean Concentration ($\mu\text{g/L}$) of Elements in Other JUUL Flavors.

Table S13. Mean Concentration ($\mu\text{g/L}$) of Elements in Other Brand Flavors.

Table S14. Mean Concentration ($\mu\text{g/L}$) of Elements in Other Brand Flavors ($\mu\text{g/L}$).

Table S15. Mean Concentration ($\mu\text{g/L}$) of Elements in Other Brand Flavors.

Figure S1. Scanning electron microscopy (SEM) and energy dispersive X-ray spectrometry (EDS) of SURGE components.

Figure S2. EDS spectra of SURGE sonicator components. (A) vaped cotton wick, which was mainly carbon, oxygen, silicon and lead. (B) sonicator spring, which was mainly nickel, and gold.

Figure S3. Concentrations of Elements/metals in Aerosols Across Groups. (A) Silicon, (B) Aluminum, (C) Lead, (D) Zinc, (E) Copper, (F) Chromium, (G) Tin, (H) Iron, (I), Silver, (J) Cobalt, (K), Cadmium, (L) Manganese. The x-axis indicates the groups and the y-axis shows concentrations of elements in $\mu\text{g/L}$. Each bar is the mean $\pm$ standard deviation of samples in each group. For comparisons of two groups, an unpaired t-test was used. When comparisons were done for three groups, a one-way ANOVA was used. * = $p < 0.05$; ** = $p < 0.01$; *** = $p < 0.001$; **** = $p < 0.0001$. Brackets are comparisons between groups where indicated.