

Reinforcement Learning for Cooperative Multi-Agent Systems

Liangyawei Kuang

Department of Computer Science and Engineering, Hong Kong University of Science and Technology
lkuang@connect.ust.hk

Abstract

With the advances of robotics, autonomous vehicles, and other notable reinforcement learning (RL) applications in recent years, multi-agent RL (MARL) has reemerged with the advances in single-agent RL. As an interdisciplinary research area that includes learning, game theory, communication, and optimization, there are many technics come with challenges and restrictions in different MARL settings, MARL-related subareas, and theoretical foundation lackings. The centralized training and decentralized execution (CTDE) paradigm is used to tackle communication problems as it enables agents to share information during training and somehow reduce other concerns on nonstationarity and partial observability. However, as CTDE is under homogeneous settings, this paradigm may be not beneficial in a more general multi-agent setting with heterogeneous agents, which means agents are not the same on capabilities and goals. In this short paper which mainly focuses on cooperative MARL, I will provide problems background, introduce selective current challenges, and propose potential directions for future solutions.

Background

In this section, I will review the theoretical methods from single-agent RL to MARL, especially methods related to cooperative MARL settings.

Markov Decision Process.

For a reinforcement learning question, we can formulate it as a infinite-horizon discounted Markov Decision Process (MDP). An MDP is defined by a quintuple $(\mathcal{S}, \mathcal{A}, \mathcal{P}, \mathcal{R}, \gamma)$, where \mathcal{S} is the set of states; \mathcal{A} is the set of actions; $\mathcal{P} : \mathcal{S} \times \mathcal{A} \rightarrow \mathcal{S}$ denotes the set of possibility from a state $s \in \mathcal{S}$ to a state $s' \in \mathcal{S}$, given a action $a \in \mathcal{A}$; $\mathcal{R} : \mathcal{S} \times \mathcal{A} \times \mathcal{S} \rightarrow \mathbb{R}$ is the immediate reward function for agents transfer from (s, a) to s' ; $\gamma \in [0, 1)$ is the discount factor.

At time t , the agent in state s_t executes an action a_t by following the policy $\pi : \pi(a|s)$, which is a mapping from states \mathcal{S} to actions \mathcal{A} . The system transit from state s_t to the next state $s_{t+1} \sim \mathcal{P}(\cdot|s_t, a_t)$. For MDPs, the goal is to find the optimal policy π to maximize $a_t \sim \pi(\cdot|s_t)$ and the accumulated rewards

$$\mathbb{E} \left[\sum_{t \geq 0} \gamma^t \mathcal{R}(s_t, a_t, s_{t+1}) \middle| a_t \sim \pi(\cdot|s_t), s_0 \right].$$

Accordingly, given policy π , for any $s \in \mathcal{S}$ and $a \in \mathcal{A}$, we could define the *action-value function* (the Q-function), which is starting from $(s_0, a_0) = (s, a)$, as

$$Q_\pi(s, a) = \mathbb{E} \left[\sum_{t \geq 0} \gamma^t \mathcal{R}(s_t, a_t, s_{t+1}) \middle| a_t \sim \pi(\cdot|s_t), a_0 = a, s_0 = s \right],$$

and the *state-value function* (the V-function), starting from $s_0 = s$, as

$$V_\pi(s, a) = \mathbb{E} \left[\sum_{t \geq 0} \gamma^t \mathcal{R}(s_t, a_t, s_{t+1}) \middle| a_t \sim \pi(\cdot|s_t), s_0 = s \right]$$

π^* are referred to the optimal policy as the optimal Q-function and V-function respectively. By virtue of the Markov property, the optimal function could be obtained by iteration based on dynamic programming (DP), which is usually required of the complete knowledge of the model.

Value-Based Methods.

The value-based methods are mainly to find the estimate of the optimal Q-function Q_π^* . One famous value-based algorithm is Monte-Carlo tree search (MCTS), which is used under the incomplete environment knowledge. In this method, a monte carlo simulation is executed based on a search tree to estimate the optimal value function.

Temporal-Difference (TD) learning method is a combination of MCTS and DP. It learns the estimates partially based on estimates, which is known as *bootstrapping*. As model free methods, TD methods are implemented more naturally than MCTS and DP with a online and fully incremental way.

Q-learning is one of the most important value-based method, which is actually an off-policy TD control. The optimal policy can be approximated by taking the greedy action of estimation of the Q-value function $\hat{Q}(s, a)$. The Q-function is updated according to

$$\hat{Q}(s, a) \leftarrow \hat{Q}(s, a) + \alpha \left[r + \gamma \max_{a'} \hat{Q}(s', a') - \hat{Q}(s, a) \right]$$

with the loss function

$$\mathcal{L}(s, a, r, s') = (r + \gamma \max_{a'} Q(s', a') - Q(s, a))^2.$$

Policy-Based Methods.

The main idea in policy-based method is to update the parameter by following the gradient direction, which is known as policy gradient (PG). The closed-form of PG is given as

$$\nabla J(\theta) = \mathbb{E}_{a \sim \pi_\theta(\cdot|s), s \sim \eta_{\pi_\theta}(\cdot)} \left[\mathcal{Q}_{\pi_\theta}(s, a) \nabla \log \pi_\theta(a|s) \right],$$

where $J(\theta)$ and \mathcal{Q}_π are the expected reward and Q-function with following policy π_θ , respectively, $\pi_\theta(\cdot|s)$ is the approximation of $\pi(\cdot|s)$, η_{π_θ} is the measurement of state occupancy, and $\nabla \log \pi_\theta(a|s)$ is the score of the policy.

Compared with value based methods, policy based one are more powerful with better convergence guarantees with neural networks for function approximation, which is a fashion today with the rise of Deep Learning (DL). And policy-based method are believed to have the ability to handle bigger discrete or even continuous state-action spaces.

Markov Games.

Markov games (MGs), which is also known as stochastic games, is originally a framework for MDP in multi-agent settings. A markov game is defined by a tuple $(\mathcal{N}, \mathcal{S}, \{\mathcal{A}^i\}_{i \in \mathcal{N}}, \mathcal{P}, \{\mathcal{R}^i\}_{i \in \mathcal{N}}, \gamma)$, where $\mathcal{N} = \{1, \dots, N\}$ denotes the set of N agents, \mathcal{S} denotes the globally observed state space by the whole system, \mathcal{A}^i denotes the action space of agent i , $\mathcal{P} : \mathcal{S} \times \{\mathcal{A} := \mathcal{A}^1 \times \dots \times \mathcal{A}^N\} \rightarrow \Delta(\mathcal{S})$ denotes the transition probability from any state $s \in \mathcal{S}$ to any state $s' \in \mathcal{S}$ denotes the possibility distribution for mapping from any state $s \in \mathcal{S}$ to any state $s' \in \mathcal{S}$ via any joint action $a \in \mathcal{A}$, $\mathcal{R}^i : \mathcal{S} \times \mathcal{A} \times \mathcal{S} \rightarrow \mathbb{R}$ denotes the immediate reward received by agent i via a transition from (s, a) to s' , $\gamma \in [0, 1)$ denotes the discount factor.

From time t to time $t + 1$, agent $i \in \mathcal{N}$ executes action a_t^i , the system will transite from s_t to s_{t+1} , and all agents get immediate reward by $R^i(s_t, a_t, s_{t+1})$. For every individual agent i , the goal is to maximize its own reward in a long finite horizon or infinite horizon by finding the optimal policy $\pi^i : \mathcal{S} \rightarrow \Delta(\mathcal{A}^i)$ so that $a_t^i \sim \pi^i(\cdot|s_t)$. The joint policy $\pi : \mathcal{S} \rightarrow \Delta(\mathcal{A})$ is $\pi(a|s) := \prod_{i \in \mathcal{N}} \pi^i(a^i|s)$. For any state $s \in \mathcal{S}$ and joint policy π ,

$$V_{\pi^i, \pi^{-i}}^i(s) := \mathbb{E} \left[\sum_{t \geq 0} \gamma^t R^i(s_t, a_t, s_{t+1}) \middle| a_t^i \sim \pi^i(\cdot|s_t), s_0 = s \right],$$

where $-i$ denotes the indices of all other agents in \mathcal{N} except agent i . A nash equilibrium (NE) of a *markov game* $(\mathcal{N}, \mathcal{S}, \{\mathcal{A}^i\}_{i \in \mathcal{N}}, \mathcal{P}, \{\mathcal{R}^i\}_{i \in \mathcal{N}}, \gamma)$ is a joint policy $\pi^* = (\pi^{1,*}, \dots, \pi^{N,*})$ so that for any $s \in \mathcal{S}$, $i \in \mathcal{N}$, and π^*

$$V_{\pi^{i,*}, \pi^{-i,*}}^i(s) \geq V_{\pi^i, \pi^{-i,*}}^i(s)$$

The nash equilibrium point π^* is a fixed point so that all agent won't transite to a better point as there is not any incentive to do so. For any agent $i \in \mathcal{N}$, $\pi^{i,*}$ is the best response to $\pi^{-i,*}$. For MARL settings, finding the NE is a standard learning goal and NE always exists for finite-space infinite-horizon discounted MGs (Filar and Vrieze 2012).

Cooperative Settings.

In this short paper, we only consider cooperative settings

which mean all the agents collaborate with each other to achieve shared goal. In a fully cooperative setting, all agents share one reward function $\mathcal{R}^1 = \mathcal{R}^2 = \dots = \mathcal{R}^N = \mathcal{R}$. With this model, the Q-function is identical to all agents so that Q-learning updates could be applied with taking the max over the joint action space $a' \in \mathcal{A}$. In a more general cooperative setting, agents have their own reward function and the goal is to optimize the long-term reward for all agents. One common reward model is *team-averager* reward $\bar{R}(s, a, s') := N^{-1} \cdot \sum_{i \in \mathcal{N}} R^i(s, a, s')$ for any $(s, a, s') \in \mathcal{S} \times \mathcal{A} \times \mathcal{S}$.

Partial Observability.

In multi-agent settings, we can not ignore the influence from the real environment, the noise and limited sensors may prevent the agent from observing the state of the environment (Oliehoek and Amato 2016). However, MGs can only handle the fully observed environment. In this case, *Partially Observable Markov Decision Process* (POMDP) is more suitable to represent such state uncertainty by incorporating observations and their probability of occurrence conditional on the state of the environment (Kaelbling, Littman, and Cassandra 1998). More generally speaking, this partially observed setting can be modeled by a decentralized POMDP (Dec-POMDP), which shares most of the elements, including the reward function and the transition model. Based on MGs, a Dec-POMDP is formally defined by the tuple $(\mathcal{N}, \mathcal{S}, \{\mathcal{A}^i\}_{i \in \mathcal{N}}, \mathcal{P}, \{\mathcal{R}^i\}_{i \in \mathcal{N}}, \mathcal{Z}, \mathcal{O}, \gamma)$, where $\mathcal{Z} := \{\mathcal{Z}^1 \times \dots \times \mathcal{Z}^N\}$ denotes the joint observations, $\mathcal{O} : \mathcal{S} \times \mathcal{A} \rightarrow \mathcal{Z}$ denotes the observation probabilities, the others denotation remain the same as MGs. Under this setting. At time t , agent i has its *action-observation* history $\mathcal{H}_i := [\mathcal{O}_{i,1}, \mathcal{A}_{i,1}, \dots, \mathcal{O}_{i,t-1}, \mathcal{A}_{i,t-1}]$, $\mathcal{H}_i \in \mathcal{H}$, and a stochastic policy for agent i is $\pi^i(\mathcal{A}^i|\mathcal{H}^i)$. Given the history \mathcal{H} , the goal for each agent is to maximize its expected discounted rewards in a long term.

Challenges

The challenges in *Cooperative Multi-Agent Reinforcement Learning* (CMARL) not only lie in problems with the models based on MDP but also in the different training schemes and the lacking of theoretical foundations. In this session, I will cover several ones in this research area.

Non-Stationarity.

In CMARL, one major issue is that the environment for each agent is non-stationary during the learning process as other agents are learning at the same time. One agent's action influences other agents' reward functions and the transition functions. In single agent RL, the stationarity Markovian property is assumed so that the convergence could be guaranteed. However, in CMARL settings, the agents need to model other agents' behavior and adapt to the *joint behavior*.

Scalability.

In CMARL settings, each agent need to make decision based on *joint action space* which grows rapidly with the increasing number of agents. The curse of dimensionality

in MARL leads to exponential computational complexity.

Non-Unique Learning Goals.

Heterogeneous Settings.

Related Work

Proposed Methods

Conclusion

Copyright

All papers submitted for publication by AAAI Press must be accompanied by a valid signed copyright form. They must also contain the AAAI copyright notice at the bottom of the first page of the paper. There are no exceptions to these requirements. If you fail to provide us with a signed copyright form or disable the copyright notice, we will be unable to publish your paper. There are **no exceptions** to this policy. You will find a PDF version of the AAAI copyright form in the AAAI AuthorKit. Please see the specific instructions for your conference for submission details.

Formatting Requirements in Brief

We need source and PDF files that can be used in a variety of ways and can be output on a variety of devices. The design and appearance of the paper is strictly governed by the `aaai` style file (`aaai22.sty`). **You must not make any changes to the `aaai` style file, nor use any commands, packages, style files, or macros within your own paper that alter that design, including, but not limited to spacing, floats, margins, fonts, font size, and appearance.** AAAI imposes requirements on your source and PDF files that must be followed. Most of these requirements are based on our efforts to standardize conference manuscript properties and layout. All papers submitted to AAAI for publication will be recompiled for standardization purposes. Consequently, every paper submission must comply with the following requirements:

- Your `.tex` file must compile in PDF \LaTeX — (you may not include `.ps` or `.eps` figure files.)
- All fonts must be embedded in the PDF file — including your figures.
- Modifications to the style file, whether directly or via commands in your document may not ever be made, most especially when made in an effort to avoid extra page charges or make your paper fit in a specific number of pages.
- No type 3 fonts may be used (even in illustrations).
- You may not alter the spacing above and below captions, figures, headings, and subheadings.
- You may not alter the font sizes of text elements, footnotes, heading elements, captions, or title information (for references and mathematics, please see the limited exceptions provided herein).
- You may not alter the line spacing of text.

- Your title must follow Title Case capitalization rules (not sentence case).
- Your `.tex` file must include completed metadata to pass-through to the PDF (see PDFINFO below).
- \LaTeX documents must use the Times or Nimbus font package (you may not use Computer Modern for the text of your paper).
- No \LaTeX 209 documents may be used or submitted.
- Your source must not require use of fonts for non-Roman alphabets within the text itself. If your paper includes symbols in other languages (such as, but not limited to, Arabic, Chinese, Hebrew, Japanese, Thai, Russian and other Cyrillic languages), you must restrict their use to bit-mapped figures. Fonts that require non-English language support (CID and Identity-H) must be converted to outlines or 300 dpi bitmap or removed from the document (even if they are in a graphics file embedded in the document).
- Two-column format in AAAI style is required for all papers.
- The paper size for final submission must be US letter without exception.
- The source file must exactly match the PDF.
- The document margins may not be exceeded (no overfull boxes).
- The number of pages and the file size must be as specified for your event.
- No document may be password protected.
- Neither the PDFs nor the source may contain any embedded links or bookmarks (no `hyperref` or navigator packages).
- Your source and PDF must not have any page numbers, footers, or headers (no `pagestyle` commands).
- Your PDF must be compatible with Acrobat 5 or higher.
- Your \LaTeX source file (excluding references) must consist of a **single** file (use of the “`input`” command is not allowed).
- Your graphics must be sized appropriately outside of \LaTeX (do not use the “`clip`” or “`trim`” command).

If you do not follow these requirements, your paper will be returned to you to correct the deficiencies.

What Files to Submit

You must submit the following items to ensure that your paper is published:

- A fully-compliant PDF file that includes PDF metadata.
- Your \LaTeX source file submitted as a **single** `.tex` file (do not use the “`input`” command to include sections of your paper — every section must be in the single source file). (The only allowable exception is `.bib` file, which should be included separately).
- The bibliography (`.bib`) file(s).
- Your source must compile on our system, which includes only standard \LaTeX 2020 TeXLive support files.

- Only the graphics files used in compiling paper.
- The L^AT_EX-generated files (e.g. .aux, .bbl file, PDF, etc.).

Your L^AT_EX source will be reviewed and recompiled on our system (if it does not compile, your paper will be returned to you. **Do not submit your source in multiple text files.** Your single L^AT_EX source file must include all your text, your bibliography (formatted using aaai22.bst), and any custom macros.

Your files should work without any supporting files (other than the program itself) on any computer with a standard L^AT_EX distribution.

Do not send files that are not actually used in the paper. We don't want you to send us any files not needed for compiling your paper, including, for example, this instructions file, unused graphics files, style files, additional material sent for the purpose of the paper review, and so forth.

Do not send supporting files that are not actually used in the paper. We don't want you to send us any files not needed for compiling your paper, including, for example, this instructions file, unused graphics files, style files, additional material sent for the purpose of the paper review, and so forth.

Obsolete style files. The commands for some common packages (such as some used for algorithms), may have changed. Please be certain that you are not compiling your paper using old or obsolete style files.

Final Archive. Place your PDF and source files in a single archive which should be compressed using .zip. The final file size may not exceed 10 MB. Name your source file with the last (family) name of the first author, even if that is not you.

Using L^AT_EX to Format Your Paper

The latest version of the AAAI style file is available on AAAI's website. Download this file and place it in the T_EX search path. Placing it in the same directory as the paper should also work. You must download the latest version of the complete AAAI Author Kit so that you will have the latest instruction set and style file.

Document Preamble

In the L^AT_EX source for your paper, you **must** place the following lines as shown in the example in this subsection. This command set-up is for three authors. Add or subtract author and address lines as necessary, and uncomment the portions that apply to you. In most instances, this is all you need to do to format your paper in the Times font. The helvet package will cause Helvetica to be used for sans serif. These files are part of the PSNFSS2e package, which is freely available from many Internet sites (and is often part of a standard installation).

Leave the setcounter for section number depth commented out and set at 0 unless you want to add section numbers to your paper. If you do add section numbers, you must uncomment this line and change the number to 1 (for section numbers), or 2 (for section and subsection numbers). The style file will not work properly with numbering of subsections, so do not use a number higher than 2.

The Following Must Appear in Your Preamble

```
\def\year{2022}\relax
\documentclass[letterpaper]{article}
% DO NOT CHANGE THIS
\usepackage{aaai22} % DO NOT CHANGE THIS
\usepackage{times} % DO NOT CHANGE THIS
\usepackage{helvet} % DO NOT CHANGE THIS
\usepackage{courier} % DO NOT CHANGE THIS
\usepackage[hyphens]{url} % DO NOT CHANGE THIS
\usepackage{graphicx} % DO NOT CHANGE THIS
\urlstyle{rm} % DO NOT CHANGE THIS
\def\UrlFont{\rm} % DO NOT CHANGE THIS
\usepackage{graphicx} % DO NOT CHANGE THIS
\usepackage{natbib} % DO NOT CHANGE THIS
\usepackage{caption} % DO NOT CHANGE THIS
\DeclareCaptionStyle{ruled}%
{labelfont=normalfont,labelsep=colon,strut=off}
\frenchspacing % DO NOT CHANGE THIS
\setlength{\pdfpagewidth}{8.5in} % DO NOT CHANGE THIS
\setlength{\pdfpageheight}{11in} % DO NOT CHANGE THIS
%
% PDF Info Is REQUIRED.
% For /Title, write your title in Mixed Case.
% Don't use accents or commands. Retain the parentheses.
% For /Author, add all authors within the parentheses,
% separated by commas. No accents, special characters
% or commands are allowed.
% Keep the /TemplateVersion tag as is
\pdfinfo{
/Title (AAAI Press Formatting Instructions for Authors
Using LaTeX -- A Guide)
/Author (AAAI Press Staff, Pater Patel Schneider,
Sunil Issar, J. Scott Penberthy, George Ferguson,
Hans Guesgen, Francisco Cruz, Marc Pujol-Gonzalez)
/TemplateVersion (2022.1)
}
```

Preparing Your Paper

After the preamble above, you should prepare your paper as follows:

```
\begin{document}
\maketitle
\begin{abstract}
%...
\end{abstract}
```

You should then continue with the body of your paper. Your paper must conclude with the references, which should be inserted as follows:

```
% References and End of Paper
% These lines must be placed at the end of your paper
\bibliography{Bibliography-File}
\end{document}
```

Inserting Document Metadata with L^AT_EX

PDF files contain document summary information that enables us to create an Acrobat index (pdx) file, and also allows search engines to locate and present your paper more accurately. *Document metadata for author and title are REQUIRED.* You may not apply any script or macro to the implementation of the title, author, and metadata information in your paper.

Important: Do not include *any* L^AT_EX code or nonascii characters (including accented characters) in the metadata. The data in the metadata must be completely plain ascii. It may not include slashes, accents, linebreaks, unicode, or any L^AT_EX commands. Type the title exactly as it appears on the paper (minus all formatting). Input the author names in the order in which they appear on the paper (minus all accents), separating each author by a comma. You may also include keywords in the optional Keywords field.

```
\begin{document}\\
\maketitle\\
...\\
\bibliography{Bibliography-File}\\
\end{document}\\
```

Commands and Packages That May Not Be Used

There are a number of packages, commands, scripts, and macros that are incompatible with aaai22.sty. The common ones are listed in tables 1 and 2. Generally, if a command, package, script, or macro alters floats, margins, fonts, sizing, linespacing, or the presentation of the references and citations, it is unacceptable. Note that negative vskip and vspace may not be used except in certain rare occurrences, and may never be used around tables, figures, captions, sections, subsections, subsubsections, or references.

Page Breaks

For your final camera ready copy, you must not use any page break commands. References must flow directly after the text without breaks. Note that some conferences require references to be on a separate page during the review process. AAAI Press, however, does not require this condition for the final paper.

Paper Size, Margins, and Column Width

Papers must be formatted to print in two-column format on 8.5 x 11 inch US letter-sized paper. The margins must be exactly as follows:

- Top margin: .75 inches
- Left margin: .75 inches
- Right margin: .75 inches
- Bottom margin: 1.25 inches

The default paper size in most installations of L^AT_EX is A4. However, because we require that your electronic paper be formatted in US letter size, the preamble we have provided includes commands that alter the default to US letter size. Please note that using any other package to alter page size (such as, but not limited to the Geometry package) will result in your final paper being returned to you for correction.

Column Width and Margins. To ensure maximum readability, your paper must include two columns. Each column should be 3.3 inches wide (slightly more than 3.25 inches), with a .375 inch (.952 cm) gutter of white space between the two columns. The aaai22.sty file will automatically create these columns for you.

Overlength Papers

If your paper is too long and you resort to formatting tricks to make it fit, it is quite likely that it will be returned to you. The best way to retain readability if the paper is overlength is to cut text, figures, or tables. There are a few acceptable ways to reduce paper size that don't affect readability. First, turn on \frenchspacing, which will reduce the space after periods. Next, move all your figures and tables to the top of the page. Consider removing less important portions of a figure. If you use \centering instead of \begin{center} in your figure environment, you can also buy some space. For mathematical environments, you may reduce fontsize **but not below 6.5 point**.

Commands that alter page layout are forbidden. These include \columnsep, \float, \topmargin, \topskip, \textheight, \textwidth, \oddsidemargin, and \evensidemargin (this list is not exhaustive). If you alter page layout, you will be required to pay the page fee. Other commands that are questionable and may cause your paper to be rejected include \parindent, and \parskip. Commands that alter the space between sections are forbidden. The title sec package is not allowed. Regardless of the above, if your paper is obviously "squeezed" it is not going to be accepted. Options for reducing the length of a paper include reducing the size of your graphics, cutting text, or paying the extra page charge (if it is offered).

Type Font and Size

Your paper must be formatted in Times Roman or Nimbus. We will not accept papers formatted using Computer Modern or Palatino or some other font as the text or heading typeface. Sans serif, when used, should be Courier. Use Symbol or Lucida or Computer Modern for *mathematics only*.

Do not use type 3 fonts for any portion of your paper, including graphics. Type 3 bitmapped fonts are designed for fixed resolution printers. Most print at 300 dpi even if the printer resolution is 1200 dpi or higher. They also often cause high resolution imagesetter devices to crash. Consequently, AAAI will not accept electronic files containing obsolete type 3 fonts. Files containing those fonts (even in graphics) will be rejected. (Authors using blackboard symbols must avoid those packages that use type 3 fonts.)

Fortunately, there are effective workarounds that will prevent your file from embedding type 3 bitmapped fonts. The easiest workaround is to use the required times, helvet, and courier packages with L^AT_EX2e. (Note that papers formatted in this way will still use Computer Modern for the mathematics. To make the math look good, you'll either have to use Symbol or Lucida, or you will need to install type 1 Computer Modern fonts — for more on these fonts, see the section "Obtaining Type 1 Computer Modern.")

If you are unsure if your paper contains type 3 fonts, view the PDF in Acrobat Reader. The Properties/Fonts window will display the font name, font type, and encoding properties of all the fonts in the document. If you are unsure if your graphics contain type 3 fonts (and they are PostScript or encapsulated PostScript documents), create PDF versions of them, and consult the properties window in Acrobat Reader.

<code>\abovecaption</code>	<code>\abovedisplay</code>	<code>\addevensidemargin</code>	<code>\addsidemargin</code>
<code>\addtolength</code>	<code>\baselinestretch</code>	<code>\belowcaption</code>	<code>\belowdisplay</code>
<code>\break</code>	<code>\clearpage</code>	<code>\clip</code>	<code>\columnsep</code>
<code>\float</code>	<code>\input</code>	<code>\input</code>	<code>\linespread</code>
<code>\newpage</code>	<code>\pagebreak</code>	<code>\renewcommand</code>	<code>\setlength</code>
<code>\text height</code>	<code>\tiny</code>	<code>\top margin</code>	<code>\trim</code>
<code>\vskip{-</code>	<code>\vspace{-</code>		

Table 1: Commands that must not be used

<code>authblk</code>	<code>babel</code>	<code>cjk</code>	<code>dvips</code>
<code>epsf</code>	<code>epsfig</code>	<code>euler</code>	<code>float</code>
<code>fullpage</code>	<code>geometry</code>	<code>graphics</code>	<code>hyperref</code>
<code>layout</code>	<code>linespread</code>	<code>lmodern</code>	<code>maltepaper</code>
<code>navigator</code>	<code>pdfcomment</code>	<code>pgfplots</code>	<code>psfig</code>
<code>pstricks</code>	<code>tlenc</code>	<code>titlesec</code>	<code>tocbind</code>
<code>ulem</code>			

Table 2: LaTeX style packages that must not be used.

The default size for your type must be ten-point with twelve-point leading (line spacing). Start all pages (except the first) directly under the top margin. (See the next section for instructions on formatting the title page.) Indent ten points when beginning a new paragraph, unless the paragraph begins directly below a heading or subheading.

Obtaining Type 1 Computer Modern for L^AT_EX. If you use Computer Modern for the mathematics in your paper (you cannot use it for the text) you may need to download type 1 Computer fonts. They are available without charge from the American Mathematical Society: <http://www.ams.org/tex/type1-fonts.html>.

Nonroman Fonts. If your paper includes symbols in other languages (such as, but not limited to, Arabic, Chinese, Hebrew, Japanese, Thai, Russian and other Cyrillic languages), you must restrict their use to bit-mapped figures.

Title and Authors

Your title must appear in mixed case (nouns, pronouns, and verbs are capitalized) near the top of the first page, centered over both columns in sixteen-point bold type (twenty-four point leading). This style is called “mixed case” (or “title case”), which means that all verbs (including short verbs like be, is, using, and go), nouns, adverbs, adjectives, and pronouns should be capitalized, (including both words in hyphenated terms), while articles, conjunctions, and prepositions are lower case unless they directly follow a colon or long dash.

Author’s names should appear below the title of the paper, centered in twelve-point type (with fifteen point leading), along with affiliation(s) and complete address(es) (including electronic mail address if available) in nine-point roman type (the twelve point leading). You should begin the two-column format when you come to the abstract.

Formatting Author Information. Author information has to be set according the following specification depend-

ing if you have one or more than one affiliation. You may not use a table nor may you employ the `\authorblk.sty` package. For one or several authors from the same institution, please just separate with commas and write the affiliation directly below using the macros `\author` and `\affiliations`:

```
\author{
  Author 1, ..., Author n\\
}
\affiliations {
  Address line\\
  ... \\
  Address line\\
}
```

For authors from different institutions, use `\rm x` to match authors and affiliations. Notice that there should not be any spaces between the author name (or comma following it) and the superscript.

```
\author{
  AuthorOne,\equalcontrib\textsuperscript{\rm 1}
  AuthorTwo,\equalcontrib\textsuperscript{\rm 2}
  AuthorThree,\textsuperscript{\rm 3}\\
  AuthorFour,\textsuperscript{\rm 4}
  AuthorFive \textsuperscript{\rm 5}}
\affiliations {
  \textsuperscript{\rm 1}AffiliationOne,\\
  \textsuperscript{\rm 2}AffiliationTwo,\\
  \textsuperscript{\rm 3}AffiliationThree,\\
  \textsuperscript{\rm 4}AffiliationFour,\\
  \textsuperscript{\rm 5}AffiliationFive\\
  \{email, email\}@affiliation.com,
  email@affiliation.com,
  email@affiliation.com,
  email@affiliation.com
}
```

You can indicate that some authors contributed equally using the `\equalcontrib` command. This will add a marker after the author names and a footnote on the first page.

Note that you may want to break the author list for better visualization. You can achieve this using a simple line break (`\\`).

L^AT_EX Copyright Notice

The copyright notice automatically appears if you use `aaai22.sty`. It has been hardcoded and may not be disabled.

Credits

Any credits to a sponsoring agency should appear in the acknowledgments section, unless the agency requires different

placement. If it is necessary to include this information on the front page, use `\thanks` in either the `\author` or `\title` commands. For example:

```
\title{Very Important Results in AI}\thanks{This work is supported by everybody.}}
```

Multiple `\thanks` commands can be given. Each will result in a separate footnote indication in the author or title with the corresponding text at the bottom of the first column of the document. Note that the `\thanks` command is fragile. You will need to use `\protect`.

Please do not include `\pubnote` commands in your document.

Abstract

Follow the example commands in this document for creation of your abstract. The command `\begin{abstract}` will automatically indent the text block. Please do not indent it further. Do not include references in your abstract!

Page Numbers

Do not **ever** print any page numbers on your paper. The use of `\pagestyle` is forbidden.

Text

The main body of the paper must be formatted in black, ten-point Times Roman with twelve-point leading (line spacing). You may not reduce font size or the linespacing. Commands that alter font size or line spacing (including, but not limited to `baselinestretch`, `baselineshift`, `linespread`, and others) are expressly forbidden. In addition, you may not use color in the text.

Citations

Citations within the text should include the author's last name and year, for example (Newell 1980). Append lower-case letters to the year in cases of ambiguity. Multiple authors should be treated as follows: (Feigenbaum and Englemore 1988) or (Ford, Hayes, and Glymour 1992). In the case of four or more authors, list only the first author, followed by et al. (Ford et al. 1997).

Extracts

Long quotations and extracts should be indented ten points from the left and right margins.

This is an example of an extract or quotation. Note the indent on both sides. Quotation marks are not necessary if you offset the text in a block like this, and properly identify and cite the quotation in the text.

Footnotes

Avoid footnotes as much as possible; they interrupt the reading of the text. When essential, they should be consecutively numbered throughout with superscript Arabic numbers. Footnotes should appear at the bottom of the page, separated from the text by a blank line space and a thin, half-point rule.

Headings and Sections

When necessary, headings should be used to separate major sections of your paper. Remember, you are writing a short paper, not a lengthy book! An overabundance of headings will tend to make your paper look more like an outline than a paper. The `aaai22.sty` package will create headings for you. Do not alter their size nor their spacing above or below.

Section Numbers. The use of section numbers in AAAI Press papers is optional. To use section numbers in \LaTeX , uncomment the `setcounter` line in your document preamble and change the 0 to a 1. Section numbers should not be used in short poster papers and/or extended abstracts.

Section Headings. Sections should be arranged and headed as follows:

1. Main content sections
2. Appendices (optional)
3. Ethical statement (optional, unnumbered)
4. Acknowledgements (optional, unnumbered)
5. References (unnumbered)

Appendices. Any appendices must appear after the main content. If your main sections are numbered, appendix sections must use letters instead of arabic numerals. In \LaTeX you can use the `\appendix` command to achieve this effect and then use `\section{Heading}` normally for your appendix sections.

Ethical statement. You can write a statement about the potential ethical impact of your work, including its broad societal implications, both positive and negative. If included, such statement must be written in an unnumbered section titled *Ethical statement*.

Acknowledgments. The acknowledgments section, if included, appears right before the references and is headed "Acknowledgments". It must not be numbered even if other sections are (use `\section*{Acknowledgements}` in \LaTeX). This section includes acknowledgments of help from associates and colleagues, credits to sponsoring agencies, financial support, and permission to publish. Please acknowledge other contributors, grant support, and so forth, in this section. Do not put acknowledgments in a footnote on the first page. If your grant agency requires acknowledgment of the grant on page 1, limit the footnote to the required statement, and put the remaining acknowledgments at the back. Please try to limit acknowledgments to no more than three sentences.

References. The references section should be labeled "References" and must appear at the very end of the paper (don't end the paper with references, and then put a figure by itself on the last page). A sample list of references is given later on in these instructions. Please use a consistent format for references. Poorly prepared or sloppy references reflect badly on the quality of your paper and your research. Please prepare complete and accurate citations.









 if there are no  showing  add the sum to their turn total. At each decision point, a player may continue to roll or stop. If they decide to stop, they add their turn total to their total score and then it becomes the opponent's turn. Otherwise, they roll dice again  continue adding to their turn total. If a single  turn  and the turn ended (no points gained); if a  then the players

Figure 1: Using the trim and clip commands produces fragile layers that can result in disasters (like this one from an actual paper) when the color space is corrected or the PDF combined with others for the final proceedings. Crop your figures properly in a graphics program – not in LaTeX

Illustrations and Figures

Your paper must compile in PDF \LaTeX . Consequently, all your figures must be .jpg, .png, or .pdf. You may not use the .gif (the resolution is too low), .ps, or .eps file format for your figures.

Figures, drawings, tables, and photographs should be placed throughout the paper on the page (or the subsequent page) where they are first discussed. Do not group them together at the end of the paper. If placed at the top of the paper, illustrations may run across both columns. Figures must not invade the top, bottom, or side margin areas. Figures must be inserted using the `\usepackage{graphicx}`. Number figures sequentially, for example, figure 1, and so on. Do not use minipage to group figures.

If you normally create your figures using pgfplots, please create the figures first, and then import them as pdfs with proper bounding boxes, as the bounding and trim boxes created by pgfplots are fragile and not valid.

When you include your figures, you must crop them **outside** of \LaTeX . The command `\includegraphics*[clip=true, viewport 0 0 10 10]...` might result in a PDF that looks great, but the image is **not really cropped**. The full image can reappear (and obscure whatever it is overlapping) when page numbers are applied or color space is standardized. Figures 1, and 2 display some unwanted results that often occur.

If your paper includes illustrations that are not compatible with PDF \LaTeX (such as .eps or .ps documents), you will need to convert them. The `epstopdf` package will usually work for eps files. You will need to convert your ps files to PDF in either case.

Figure Captions. The illustration number and caption must appear *under* the illustration. Labels and other text with the actual illustration must be at least nine-point type. However, the font and size of figure captions must be 10 point roman. Do not make them smaller, bold, or italic. (Individual words may be italicized if the context requires differentiation.)

Tables

Tables should be presented in 10 point roman type. If necessary, they may be altered to 9 point type. You may not use any commands that further reduce point size below nine points. Tables that do not fit in a single column must be

placed across double columns. If your table won't fit within the margins even when spanning both columns, you must split it. Do not use minipage to group tables.

Table Captions. The number and caption for your table must appear *under* (not above) the table. Additionally, the font and size of table captions must be 10 point roman and must be placed beneath the figure. Do not make them smaller, bold, or italic. (Individual words may be italicized if the context requires differentiation.)

Low-Resolution Bitmaps. You may not use low-resolution (such as 72 dpi) screen-dumps and GIF files—these files contain so few pixels that they are always blurry, and illegible when printed. If they are color, they will become an indecipherable mess when converted to black and white. This is always the case with gif files, which should never be used. The resolution of screen dumps can be increased by reducing the print size of the original file while retaining the same number of pixels. You can also enlarge files by manipulating them in software such as PhotoShop. Your figures should be 300 dpi when incorporated into your document.

\LaTeX Overflow. \LaTeX users please beware: \LaTeX will sometimes put portions of the figure or table or an equation in the margin. If this happens, you need to make the figure or table span both columns. If absolutely necessary, you may reduce the figure, or reformat the equation, or reconfigure the table. **Check your log file!** You must fix any overflow into the margin (that means no overfull boxes in \LaTeX). **Nothing is permitted to intrude into the margin or gutter.**

Using Color. Use of color is restricted to figures only. It must be WACG 2.0 compliant. (That is, the contrast ratio must be greater than 4.5:1 no matter the font size.) It must be CMYK, NOT RGB. It may never be used for any portion of the text of your paper. The archival version of your paper will be printed in black and white and grayscale. The web version must be readable by persons with disabilities. Consequently, because conversion to grayscale can cause undesirable effects (red changes to black, yellow can disappear, and so forth), we strongly suggest you avoid placing color figures in your document. If you do include color figures, you must (1) use the CMYK (not RGB) colorspace and (2) be mindful of readers who may happen to have trouble distinguishing colors. Your paper must be decipherable without using color for distinction.

Drawings. We suggest you use computer drawing software (such as Adobe Illustrator or, (if unavoidable), the drawing tools in Microsoft Word) to create your illustrations. Do not use Microsoft Publisher. These illustrations will look best if all line widths are uniform (half- to two-point in size), and you do not create labels over shaded areas. Shading should be 133 lines per inch if possible. Use Times Roman or Helvetica for all figure call-outs. **Do not use hairline width lines** — be sure that the stroke width of all lines is at least .5 pt. Zero point lines will print on a laser




Figure 2: Adjusting the bounding box instead of actually removing the unwanted data resulted multiple layers in this paper. It also needlessly increased the PDF size. In this case, the size of the unwanted layer doubled the paper's size, and produced the following surprising results in final production. Crop your figures properly in a graphics program. Don't just alter the bounding box.

printer, but will completely disappear on the high-resolution devices used by our printers.

Photographs and Images. Photographs and other images should be in grayscale (color photographs will not reproduce well; for example, red tones will reproduce as black, yellow may turn to white, and so forth) and set to a minimum of 300 dpi. Do not prescreen images.

Resizing Graphics. Resize your graphics **before** you include them with LaTeX. You may **not** use trim or clip options as part of your `\includegraphics` command. Resize the media box of your PDF using a graphics program instead.

Fonts in Your Illustrations. You must embed all fonts in your graphics before including them in your LaTeX document.

Algorithms. Algorithms and/or programs are a special kind of figures. Like all illustrations, they should appear floated to the top (preferably) or bottom of the page. However, their caption should appear in the header, left-justified and enclosed between horizontal lines, as shown in Algorithm 1. The algorithm body should be terminated with another horizontal line. It is up to the authors to decide whether to show line numbers or not, how to format comments, etc.

In L^AT_EX algorithms may be typeset using the `algorithm` and `algorithmic` packages, but you can also use one of the many other packages for the task.

Listings. Listings are much like algorithms and programs. They should also appear floated to the top (preferably) or bottom of the page. Listing captions should appear in the header, left-justified and enclosed between horizontal lines as shown in Listing 1. Terminate the body with another horizontal line and avoid any background color. Line numbers, if included, must appear within the text column.

References

The AAAI style includes a set of definitions for use in formatting references with BibTeX. These definitions make the bibliography style fairly close to the ones specified in the

[illegible]

B. View Selection

B. View Selection

[illegible]

\small if your paper exceeds the allowable number of pages. Making it any smaller than 9 point with 10 point linespacing, however, is not allowed. A more precise and exact method of reducing the size of your references minimally is by means of the following command:

```
\fontsize{9.8pt}{10.8pt} \selectfont
```

You must reduce the size equally for both font size and line spacing, and may not reduce the size beyond {9.0pt}{10.0pt}.

The list of files in the \bibliography command should be the names of your BibTeX source files (that is, the .bib files referenced in your paper).

The following commands are available for your use in citing references:

\cite: Cites the given reference(s) with a full citation. This appears as “(Author Year)” for one reference, or “(Author Year; Author Year)” for multiple references.

\shortcite: Cites the given reference(s) with just the year. This appears as “(Year)” for one reference, or “(Year; Year)” for multiple references.

\citeauthor: Cites the given reference(s) with just the author name(s) and no parentheses.

\citeyear: Cites the given reference(s) with just the date(s) and no parentheses.

You may also use any of the *natbib* citation commands.

Proofreading Your PDF

Please check all the pages of your PDF file. The most commonly forgotten element is the acknowledgements — especially the correct grant number. Authors also commonly forget to add the metadata to the source, use the wrong reference style file, or don’t follow the capitalization rules or comma placement for their author-title information properly. A final common problem is text (especially equations) that runs into the margin. You will need to fix these common errors before submitting your file.

Improperly Formatted Files

In the past, AAAI has corrected improperly formatted files submitted by the authors. Unfortunately, this has become an increasingly burdensome expense that we can no longer absorb). Consequently, if your file is improperly formatted, it will be returned to you for correction.

L^AT_EX 209 Warning

If you use L^AT_EX 209 your paper will be returned to you unpublished. Convert your paper to L^AT_EX 2_ε.

Naming Your Electronic File

We require that you name your L^AT_EX source file with the last name (family name) of the first author so that it can easily be differentiated from other submissions. Complete file-naming instructions will be provided to you in the submission instructions.

Submitting Your Electronic Files to AAAI

Instructions on paper submittal will be provided to you in your acceptance letter.

Inquiries

If you have any questions about the preparation or submission of your paper as instructed in this document, please contact AAAI Press at the address given below. If you have technical questions about implementation of the aai style file, please contact an expert at your site. We do not provide technical support for L^AT_EX or any other software package. To avoid problems, please keep your paper simple, and do not incorporate complicated macros and style files.

AAAI Press

2275 East Bayshore Road, Suite 160

Palo Alto, California 94303

Telephone: (650) 328-3123

E-mail: See the submission instructions for your particular conference or event.

Additional Resources

L^AT_EX is a difficult program to master. If you’ve used that software, and this document didn’t help or some items were not explained clearly, we recommend you read Michael Shell’s excellent document (testflow doc.txt V1.0a 2002/08/13) about obtaining correct PS/PDF output on L^AT_EX systems. (It was written for another purpose, but it has general application as well). It is available at www.ctan.org in the tex-archive.

Reference Examples

Formatted bibliographies should look like the following examples. You should use BibTeX to generate the references. Missing fields are unacceptable when compiling references, and usually indicate that you are using the wrong type of entry (BibTeX class).

Book with multiple authors Use the @book class.

.

Journal and magazine articles Use the @article class.

.

.

Proceedings paper published by a society, press or publisher Use the @inproceedings class. You may abbreviate the *booktitle* field, but make sure that the conference edition is clear.

.

.

University technical report Use the @techreport class.

.

Dissertation or thesis Use the @phdthesis class.

.

Forthcoming publication Use the @misc class with a note="Forthcoming" annotation.

```
@misc(key,  
  [...]  
  note="Forthcoming",  
)  
.
```

ArXiv paper Fetch the BibTeX entry from the "Export BibTeX Citation" link in the arXiv website. Notice it uses the @misc class instead of the @article one, and that it includes the eprint and archivePrefix keys.

```
@misc(key,  
  [...]  
  eprint="xxxx.yyyy",  
  archivePrefix="arXiv",  
)  
.
```

Website or online resource Use the @misc class. Add the url in the howpublished field and the date of access in the note field:

```
@misc(key,  
  [...]  
  howpublished="\url{http://...}",  
  note="Accessed: YYYY-mm-dd",  
)  
.
```

For the most up to date version of the AAAI reference style, please consult the *AI Magazine* Author Guidelines at <https://aaai.org/ojs/index.php/aimagazine/about/submissions#authorGuidelines>

Acknowledgments

AAAI is especially grateful to Peter Patel Schneider for his work in implementing the original aaai.sty file, liberally using the ideas of other style hackers, including Barbara Beeton. We also acknowledge with thanks the work of George Ferguson for his guide to using the style and BibTeX files — which has been incorporated into this document — and Hans Guesgen, who provided several timely modifications, as well as the many others who have, from time to time, sent in suggestions on improvements to the AAAI style. We are especially grateful to Francisco Cruz, Marc Pujol-Gonzalez, and Mico Loretan for the improvements to the BibTeX and L^AT_EX files made in 2020.

The preparation of the L^AT_EX and BibTeX files that implement these instructions was supported by Schlumberger Palo Alto Research, AT&T Bell Laboratories, Morgan Kaufmann Publishers, The Live Oak Press, LLC, and AAAI Press. Bibliography style changes were added by Sunil Issar. \pubnote was added by J. Scott Penberthy. George Ferguson added support for printing the AAAI copyright slug. Additional changes to aaai22.sty and aaai22.bst have been made by Francisco Cruz, Marc Pujol-Gonzalez, and Mico Loretan.

Thank you for reading these instructions carefully. We look forward to receiving your electronic files!

References

Filar, J.; and Vrieze, K. 2012. *Competitive Markov decision processes*. Springer Science & Business Media.

Kaelbling, L. P.; Littman, M. L.; and Cassandra, A. R. 1998. Planning and acting in partially observable stochastic domains. *Artificial intelligence*, 101(1-2): 99–134.

Oliehoek, F. A.; and Amato, C. 2016. *A concise introduction to decentralized POMDPs*. Springer.