




A secure closing
room for GP-led
continuation deals

LPs and buyers commit privately, the system computes the close, and cash plus fund interests settle atomically on Canton.

What a continuation deal is

- 01 A fund is ending; one company is still worth holding.
 - 02 The GP moves it into a new continuation vehicle.
 - 03 Each LP elects: take cash now, or roll into the new fund.
 - 04 A secondary buyer provides fresh capital.
-

The GP is on both sides



The process relies on independent checks so the price and terms don't depend on the conflicted party.

All four checks run through a process the GP coordinates.

- An independent valuer prices the asset
- A sealed auction discovers the price
- The LPAC reviews fairness and consents
- Each LP elects privately

Today, integrity depends on the conflicted party

Leakage	Sealed bids and LP elections sit in a data room the GP controls.
Partial close	The close is separate wires and signatures; one failed leg leaves the deal half-closed.
Unverifiable record	The audit trail is reconstructed afterward from emails and PDFs.

Every check assumes the GP's coordination is neutral.

The same checks, enforced by the ledger

OFF-LEDGER TODAY	ON CANTON
GP-controlled data room	Per-party privacy — each participant is projected only its own slice, by the ledger, not the app.
Separate wires and signatures	One atomic transaction — units, cash, rolled units, burn: all legs or none.
GP coordinates every step	Each party signs with its own key — no shared database under the conflicted party.
Record reconstructed afterward	Four on-ledger proofs — valuation, fairness, consent, auction certificate; anyone entitled can verify.

Native to Canton: sub-transaction privacy · atomic settlement · selective disclosure · no central operator.

One deal, end to end


1 Open the room — six parties, each with its own key.	2 Valuation anchored on-chain.	3 Sealed-bid auction, clearing price, certificate.	4 LPAC fairness review and consent.	5 LP elections — cash or roll.	6 Atomic close — units, cash, rolled interests settle together, or not at all.
---	--	--	---	--	--

The close requires four on-ledger proofs: **valuation · fairness · consent · auction certificate**.

Six seats, one atomic close

-
- 01 The buyer bids sealed; each LP elects privately. The GP's room reads “**2 of 2 responded**” while its own ledger projection holds **zero** bids and **zero** elections — it counts what it cannot read.
-
- 02 Four proofs anchor on-ledger — Kroll's valuation, the fairness opinion, LPAC consent, the auction certificate. The issuance gate will not mint until all four exist.
-
- 03 One **Close** moves every leg and burns both old-fund interests. The settlement-receipt id is **identical in every seat's window** — the same on-ledger contract from the same transaction, not six animations.
-

Watch it yourself: continuum-custody.fly.dev ↗ — sign in as any seat (gp, buyer, lpExiting, lpRolling, lpac, valuer · password <seat>-demo), in as many tabs as you have sides to check.



Visibility is enforced by the ledger, not by the application.

A general engine for multi-party corporate actions

Fund liquidation	A wind-down settles the same way — assets out, cash to LPs, all or none.
NAV fund-finance closes	Multiple lenders commit tranches privately; the drawdown settles atomically.
Tender offers, block crossings	Sealed offers and private elections, settled in one transaction.

Continuation deals are the wedge; the pattern is the same each time.

TEAM



Kirill Madorin


Full-stack · JavaScript · Rust
@kmadorin



Artem Bryzgalov

Product design · UI/UX
@abrizgalov

ADVISOR



Kenji Watanabe

Advisor · Partner at a venture fund



Thank you

A secure closing room for GP-led continuation deals —
private commitments, four on-ledger proofs,
one atomic close on Canton.

Artem Bryzgalov

t.me/abrizgalov [artbreez](#) [in/abrizgalov](#) [@abrizgalov](#)
abrizgalov.framer.website

Kirill Madorin

t.me/kmadorin [kmadorin](#) [in/kirill-madorin](#) [@kirillmadorin](#)

LIVE APP

continuum-custody.fly.dev

CODE

github.com/kmadorin/continuum-prototype

NETWORK

[Canton](#) [5N devnet](#)