Online Examination Report

Date:	21.07.2014
Attempts:	1
Examinee:	Sekalo, Mathew
Date of birth:	
Subject:	040-Human Performance
Result:	52,49 %
Time used:	00:00:12 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	175	40.	HUMAN PERFORMANCE	0,00	1,00
2	209	40.	HUMAN PERFORMANCE	0,00	1,00
3	161	40.	HUMAN PERFORMANCE	0,00	1,00
4	196	40.	HUMAN PERFORMANCE	1,00	1,00
5	174	40.	HUMAN PERFORMANCE	0,00	1,00
6	199	40.	HUMAN PERFORMANCE	1,00	1,00
7	205	40.	HUMAN PERFORMANCE	0,00	1,00
8	197	40.	HUMAN PERFORMANCE	0,00	1,00
9	184	40.	HUMAN PERFORMANCE	1,00	1,00
10	169	40.	HUMAN PERFORMANCE	1,00	1,00
11	20	40.1.2	Accident statistics	1,00	1,00
12	104	40.2	Basic aviation physiology and health maintenance	1,00	1,00
13	105	40.2	Basic aviation physiology and health maintenance	0,00	1,00
14	16	40.2.1.1	The atmosphere	1,00	1,00
15	63	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
16	34	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
17	61	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
18	88	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
19	10	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
20	52	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
21	50	40.2.2.2	Vision	1,00	1,00
22	42	40.2.2.2	Vision	0,00	1,00
23	22	40.2.2.4	Equilibrium	1,00	1,00
24	4	40.2.3.3	Problem areas for pilots	1,00	1,00
25	43	40.2.3.3	Problem areas for pilots	1,00	1,00
26	17	40.2.3.4	Intoxication	1,00	1,00
27	14	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00
28	101	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter		Points	Max. Points
29	121	40.3	BASIC AVIATION PSYCHOLOGY		0,00	1,00
30	2	40.3	BASIC AVIATION PSYCHOLOGY		1,00	1,00
31	75	40.3.1.4	Response selection		1,00	1,00
32	21	40.3.2.4	Error generation		1,00	1,00
33	109	40.3.3	Decision making		1,00	1,00
34	111	40.3.3	Decision making		1,00	1,00
35	119	40.3.5	Human behaviour		0,00	1,00
36	120	40.3.5	Human behaviour		1,00	1,00
37	113	40.3.5	Human behaviour		0,00	1,00
38	25	40.3.5.1	Personality, attitude and behaviour		0,00	1,00
39	92	40.3.5.1	Personality, attitude and behaviour		0,00	1,00
40	11	40.3.5.1	Personality, attitude and behaviour		0,00	1,00
				Total:52%	**21,00**	**40,00**

Attachment 2: List of result by topic

Licence

Date: 18.07.2014

Examinee: Sekalo, Mathew

Location: Uganda Civil Aviation Authority

Your Result: 21,00 from 40,00 Points (52,50 %)

Topics	Ammount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	21,00	40,00	52,50
40.1. Human Factors: basic concepts	1	1,00	1,00	100,00
40.2. Basic aviation physiology and health maintenance	15	10,00	15,00	66,67
40.3. BASIC AVIATION PSYCHOLOGY	14	6,00	14,00	42,86
Total	**40**	**21,00**	**40,00**	**52,50**

1

Examples of classic behavioral traps that experienced pilots may fall into are to

- ☐ complete a flight as planned, please passengers, meet schedules, and 'get the job done.'
- ☒ assume additional responsibilities and assert PIC authority.
- ☐ promote situational awareness and then necessary changes in behavior.

ID: 175(LTS:224865, LTM:175)
Syllabus reference: 40. HUMAN PERFORMANCE
Max. Points 1,00
Points 0,00

2

What effect does haze have on the ability to see traffic or terrain features during flight?

☒ **The eyes tend to overwork in haze and do not detect relative movement easily.**

☐ **Haze causes the eyes to focus at infinity, making terrain features harder to see.**

☐ **Haze creates the illusion of being a greater distance than actual from the runway, and causes pilots to fly a lower approach.**

ID:	209(LTS:224894, LTM:209)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	0,00

3

which of the following may more likely result into hypoxia?

- ☒ **decreasing amount of oxygen as your altitude increases.**
- ☐ **reduced barometric pressures at altitude.**
- ☐ **excessive nitrogen in the bloodstream.**

ID:	161(LTS:224852, LTM:161)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	0,00

4

A sloping cloud formation, an obscured horizon, and a dark scene spread with ground lights and stars can create an illusion known as

- ☐ elevator illusions.
- ☒ false horizons.
- ☐ autokinesis.

ID:	196(LTS:224881, LTM:196)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

5

One of the steps in the aeronautical decision making (ADM) process involved in good decision making is

- ☐ identifying personal attitudes hazardous to safe flight.
- ☐ making a rational evaluation of the required actions.
- ☒ developing a 'can do' attitude.

ID:	174(LTS:224864, LTM:174)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	0,00

6

Why is hypoxia particularly dangerous during flights with one pilot?

☒ **Symptoms of hypoxia may be difficult to recognize before the pilot's reactions are affected.**

☐ **Night vision may be so impaired that the pilot cannot see other aircraft.**

☐ **The pilot may not be able to control the aircraft even if using oxygen.**

ID:	199(LTS:224884, LTM:199)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

7

Which procedure is recommended to prevent or overcome spatial disorientation?

☐ **Rely on the kinesthetic sense.**

☐ **Rely on the indications of the flight instruments.**

☒ **Reduce head and eye movements to the extent possible.**

ID:	205(LTS:224890, LTM:205)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	0,00

8

An abrupt change from climb to straight-and-level flight can create the illusion of

☒ a descent with the wings level.

☐ a noseup attitude.

☐ tumbling backwards.

ID:	197(LTS:224882, LTM:197)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	0,00

9

What is the antidote for a pilot with a 'macho' attitude?

- [x] **Taking chances is foolish.**
- [ ] **Follow the rules. They are usually right.**
- [ ] **I'm not helpless. I can make a difference.**

ID:	184(LTS:224872, LTM:184)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

10

Motion sickness is caused by

☐ an instability in the brain cells which affects balance and will generally be overcome with experience.

☐ the movement of an aircraft causing the stomach to create an acid substance which causes the stomach lining to contract.

☒ continued stimulation of the tiny portion of the inner ear which controls sense of balance.

ID:	169(LTS:224860, LTM:169)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

11

The distribution of primary causes of accidents in the worldwide jet aircraft commercial fleet shows that human error is involved in:

- ☐ **about90% of cases**
- ☐ **all cases, one way or another**
- ☐ **70% of cases**
- ☒ **about 70% of cases**

ID:	20(LTS:224981, LTM:20)	Max. Points	1,00
Syllabus reference:	40.1.2 Accident statistics	Points	1,00

12

Which of these would most likely result in hyperventilation?

☐ **Excessive carbon monoxide.**

☒ **Insufficient carbon dioxide.**

☐ **Insufficient oxygen.**

ID: 104(LTS:224905, LTM:104)
Syllabus reference: 40.2 Basic aviation physiology and health maintenance

Max. Points 1,00
Points 1,00

13

which of these conditions results in hypoxia?

☐ **Excessive oxygen in the bloodstream.**

☒ **Excessive carbon dioxide in the bloodstream.**

☐ **Insufficient oxygen reaching the brain.**

ID:	105(LTS:224906, LTM:105)	Max. Points	1,00
Syllabus reference:	40.2 Basic aviation physiology and health maintenance	Points	0,00

14

Which gas below 70,000 ft., above ground gas makes up the major part of the atmosphere ?

- ☐ **Carbon dioxide**
- ☐ **Oxygen**
- ☒ **Nitrogen**
- ☐ **Ozone**

ID:	16(LTS:224974, LTM:16)	Max. Points	1,00
Syllabus reference:	40.2.1.1 The atmosphere	Points	1,00

15

When flying above 10.000 feet hypoxia arises because:

- ☐ percentage of oxygen is lower than at sea level
- ☒ partial oxygen pressure is below the critical value of 55mm/Hg
- ☐ composition of the air is different from sea level
- ☐ composition of the blood changes

ID:	63(LTS:224962, LTM:63)	Max. Points	1,00
Syllabus reference:	40.2.1.2 Respiratory and circulatory systems	Points	1,00

16

Symptoms of decompression sickness

- ☐ can only develop at altitudes of more than 40000 FT
- ☐ are only relevant when diving
- ☐ are bends, chokes, creeps and neurological symptoms
- ☒ are flatulence and pain in the middle ear

ID:	34(LTS:224959, LTM:34)	Max. Points	1,00
Syllabus reference:	40.2.1.2 Respiratory and circulatory systems	Points	0,00

17

Flying immediately after SCUBA diving involves the risk of getting:

- ☒ **hypoxia**
- ☐ **hyperventilation**
- ☐ **decompression sickness**
- ☐ **stress**

ID: 61(LTS:224964, LTM:61)
Syllabus reference: 40.2.1.2 Respiratory and circulatory systems

Max. Points 1,00
Points 0,00

18

A pilot can prevent hypoxia by:

- ☐ swallowing, yawing and applying the Valsalva method
- ☐ relying on the body's built in warning system recognizing any stage of hypoxia
- ☒ using additional oxygen when flying above 10000 ft
- ☐ not exceeding a cabin pressure altitude of 20000 ft

ID:	88(LTS:224944, LTM:88)	Max. Points	1,00
Syllabus reference:	40.2.1.2 Respiratory and circulatory systems	Points	1,00

19

The rate and depth of breathing is primarily regulated by the concentration of:

- ☐ nitrogen in the air
- ☒ oxygen in the cells
- ☐ carbon dioxide in the blood
- ☐ water vapour in the alveoli

ID:	10(LTS:224953, LTM:10)	Max. Points	1,00
Syllabus reference:	40.2.1.2 Respiratory and circulatory systems	Points	0,00

20

What can be said concerning the following two statements?

1. Euphoria can be a symptom of hypoxia.
2. Someone in an euphoric condition is more prone to error.

- [x] **1 and 2 are both correct**
- [ ] **1 is false, 2 is correct**
- [ ] **1 and 2 are both false**
- [ ] **1 is correct, 2 is false**

ID:	52(LTS:224965, LTM:52)	Max. Points	1,00
Syllabus reference:	40.2.1.2 Respiratory and circulatory systems	Points	1,00

21

Cataract is caused by:

- ☐ Lack of mobility of the cornea
- ☐ A mis-shapened cornea
- ☒ A clouding of the lens
- ☐ A lack of accommodation at the cornea

ID: 50(LTS:224913, LTM:50)
Syllabus reference: 40.2.2.2 Vision

Max. Points 1,00
Points 1,00

22

When flying through a thunderstorm with lightning you can protect yourself from flashblindness by:
1 - turning up the intensity of cockpit lights
2 - looking inside the cockpit
3 - wearing sunglasses
4 - using blinds or curtains when installed

☒ 1, 2 and 3 are correct, 4 is false

☐ 3 and 4 are correct, 1 and 2 are false

☐ 1 and 2 are correct, 3 and 4 are false

☐ 1, 2, 3 and 4 are correct

ID:	42(LTS:224911, LTM:42)	Max. Points	1,00
Syllabus reference:	40.2.2.2 Vision	Points	0,00

23

Through which part of the ear does the equalization of pressure take place, when altitude is changed?

- ☐ **Cochlea**
- ☐ **External auditory canal**
- ☒ **Eustachian tube**
- ☐ **Tympanic membrane**

ID:	22(LTS:224983, LTM:22)	Max. Points	1,00
Syllabus reference:	40.2.2.4 Equilibrium	Points	1,00

24 How is Yellow fever contracted?

- ☐ By contact with the saliva of infected animals.
- ☒ A virus transmitted by an infected mosquito.
- ☐ Contaminated food or water.
- ☐ Excessive use of alcohol.

ID:	4(LTS:224897, LTM:4)	Max. Points	1,00
Syllabus reference:	40.2.3.3 Problem areas for pilots	Points	1,00

25

Medical conditions such as high blood pressure, coronary problems and diabetes are associated with:

- [x] **obesity**
- [ ] **cholera**
- [ ] **hypoxia**
- [ ] **anorexia nervosa**

ID:	43(LTS:224900, LTM:43)	Max. Points	1,00
Syllabus reference:	40.2.3.3 Problem areas for pilots	Points	1,00

26

Carbon monoxide (CO) poisoning in flight:

- ☐ is usually harmless because oxygen is more easily attached to haemoglobin than carbon monoxide to a magnitude of 200 times.
- ☐ can be cured by breathing into a plastic bag to retain the carbon monoxide.
- ☒ presents an extremely dangerous situation as the blood may not be able carry sufficient amounts of oxygen to vital cells and tissues of the body.
- ☐ is a complication when hyperventilating and requires its own special and individual treatment.

ID:	17(LTS:224979, LTM:17)	Max. Points	1,00
Syllabus reference:	40.2.3.4 Intoxication	Points	1,00

27

Carbon Monoxide is particularly dangerous because:

1. Its initial symptoms are not alarming
2. It is colourless
3. Its is odourless
4. It is highly toxic
5. Its effects are cumulative

- [ ] **1, 2, 3 and 5 only**
- [ ] **2, 3, 4 and 5 only**
- [ ] **all of the above**
- [x] **2, 3, and 4 only**

ID: 14(LTS:224848, LTM:14)
Syllabus reference: 40.3 BASIC AVIATION PSYCHOLOGY

Max. Points 1,00
Points 0,00

28

As hyperventilation progresses, a pilot can experience

- ☒ **decreased breathing rate and depth.**
- ☐ **symptoms of suffocation and drowsiness.**
- ☐ **heightened awareness and feeling of well being.**

ID:	101(LTS:224846, LTM:101)	Max. Points	1,00
Syllabus reference:	40.3 BASIC AVIATION PSYCHOLOGY	Points	0,00

29

To help manage cockpit stress, pilots must

- ☐ condition themselves to relax and think rationally when stress appears.
- ☐ be aware of life stress situations that are similar to those in flying.
- ☒ avoid situations that will improve their abilities to handle cockpit responsibilities.

ID:	121(LTS:224844, LTM:121)	Max. Points	1,00
Syllabus reference:	40.3 BASIC AVIATION PSYCHOLOGY	Points	0,00

30

What are two types of attention ?

- ☐ **Cognitive and intuitive**
- ☒ **Selective and divided**
- ☐ **Divided and behavioural**
- ☐ **Intuitive and behavioural**

ID:	2(LTS:224847, LTM:2)	Max. Points	1,00
Syllabus reference:	40.3 BASIC AVIATION PSYCHOLOGY	Points	1,00

31

Planning:

- ☐ in the cockpit typically results in plans that are always easy to modify when things are not as anticipated
- ☐ is unnecessary in the cockpit, as crew members are so highly trained, they will always know what to do in unusual situations
- ☒ allows crew members to anticipate potential risky situations and decide on possible responses
- ☐ is dangerous in the cockpit, as it interrupts flight crew creativity

ID:	75(LTS:224999, LTM:75)	Max. Points	1,00
Syllabus reference:	40.3.1.4 Response selection	Points	1,00

32

Human error rates during the performance of a simple and repetitive task can normally be expected to be approximately:

- ☐ **1 in 2000**
- ☒ **1 in 100**
- ☐ **1 in 500**
- ☐ **1 in 200**

ID:	21(LTS:224982, LTM:21)	Max. Points	1,00
Syllabus reference:	40.3.2.4 Error generation	Points	1,00

33

on which features does risk management, as part of the Aeronautical Decision Making (ADM) process, rely?

- ☐ **Application of stress management and risk element procedures.**
- ☒ **Situational awareness, problem recognition, and good judgment.**
- ☐ **The mental process of analyzing all information in a particular situation and making a timely decision on what action to take.**

ID:	109(LTS:225005, LTM:109)	Max. Points	1,00
Syllabus reference:	40.3.3 Decision making	Points	1,00

34

Which of the following is condidered as a step involved in good Aeronautical Decision Making (ADM) process?

- ☒ identifying personal attitudes hazardous to safe flight.
- ☐ developing the 'right stuff' attitude.
- ☐ making a rational evaluation of the required actions.

ID:	111(LTS:225007, LTM:111)	Max. Points	1,00
Syllabus reference:	40.3.3 Decision making	Points	1,00

35

What is the first step in neutralizing a hazardous attitude in the ADM process?

- ☐ Recognition of hazardous thoughts.
- ☐ Dealing with improper judgment.
- ☒ Recognition of invulnerability in the situation.

ID:	119(LTS:224817, LTM:119)	Max. Points	1,00
Syllabus reference:	40.3.5 Human behaviour	Points	0,00

36

What should a pilot do when recognizing a thought as hazardous?

- ☐ Avoid developing this hazardous thought.
- ☒ Label that thought as hazardous, then correct that thought by stating the corresponding learned antidote.
- ☐ Develop this hazardous thought and follow through with modified action.

ID:	120(LTS:224818, LTM:120)	Max. Points	1,00
Syllabus reference:	40.3.5 Human behaviour	Points	1,00

37

The basic drive for a pilot to demonstrate the 'right stuff' can have an adverse effect on safety, by

- ☐ generating tendencies that lead to practices that are dangerous, often illegal, and may lead to a mishap.
- ☐ a total disregard for any alternative course of action.
- ☒ imposing a realistic assessment of piloting skills under stressful conditions.

ID:	113(LTS:224814, LTM:113)	Max. Points	1,00
Syllabus reference:	40.3.5 Human behaviour	Points	0,00

38

Contrary to a person's personality, attitudes:

- ☐ **Are the product of personal disposition and past experience with reference to an object or a situation**
- ☐ **are non-evolutive adaptation procedures regardless of the result of the actions associated with them**
- ☐ **are essentially driving forces behind changes in personality**
- ☒ **form part of personality and, as a result, cannot be changed in an adult**

ID:	25(LTS:224810, LTM:25)	Max. Points	1,00
Syllabus reference:	40.3.5.1 Personality, attitude and behaviour	Points	0,00

39

Which of the following elements make up the personality of an individual?

1. Heredity
2. Childhood environment
3. Upbringing
4. Past experience

☒ **2,3,4**

☐ **1,2,3,4**

☐ **2,3**

☐ **1,2,4**

ID:	92(LTS:224812, LTM:92)	Max. Points	1,00
Syllabus reference:	40.3.5.1 Personality, attitude and behaviour	Points	0,00

40 **For a normal and healthy person, personality traits are:**

- ☐ **easy changeable.**
- ☐ **unstable.**
- ☐ **stable.**
- ☒ **easy changed by an outside influence.**

ID:	11(LTS:224809, LTM:11)	Max. Points	1,00
Syllabus reference:	40.3.5.1 Personality, attitude and behaviour	Points	0,00