Online Examination Report

Date:	22.08.2014
Attempts:	1
Examinee:	Namukwaya, Lilian
Date of birth:	12/11/1990
Subject:	040-Human performance
Result:	67,5 %
Time used:	00:30:00 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	187	40.	HUMAN PERFORMANCE	1,00	1,00
2	206	40.	HUMAN PERFORMANCE	1,00	1,00
3	203	40.	HUMAN PERFORMANCE	1,00	1,00
4	177	40.	HUMAN PERFORMANCE	0,00	1,00
5	185	40.	HUMAN PERFORMANCE	1,00	1,00
6	161	40.	HUMAN PERFORMANCE	0,00	1,00
7	195	40.	HUMAN PERFORMANCE	0,00	1,00
8	131	40.	HUMAN PERFORMANCE	1,00	1,00
9	166	40.	HUMAN PERFORMANCE	1,00	1,00
10	186	40.	HUMAN PERFORMANCE	1,00	1,00
11	184	40.	HUMAN PERFORMANCE	1,00	1,00
12	181	40.	HUMAN PERFORMANCE	1,00	1,00
13	162	40.	HUMAN PERFORMANCE	1,00	1,00
14	108	40.2	Basic aviation physiology and health maintenance	1,00	1,00
15	16	40.2.1.1	The atmosphere	1,00	1,00
16	60	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
17	10	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
18	52	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
19	102	40.2.2	Man and Environment: the sensory system	1,00	1,00
20	76	40.2.2.1	Central, peripheral and autonomic nervous system	1,00	1,00
21	27	40.2.2.2	Vision	1,00	1,00
22	6	40.2.2.2	Vision	0,00	1,00
23	42	40.2.2.2	Vision	0,00	1,00
24	86	40.2.2.2	Vision	0,00	1,00
25	46	40.2.2.3	Hearing	1,00	1,00
26	23	40.2.2.5	Integration of sensory inputs	0,00	1,00
27	107	40.2.3	Health and hygiene	1,00	1,00
28	93	40.2.3.2	Body rythm and sleep	0,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter		Points	Max. Points
29	43	40.2.3.3	Problem areas for pilots		1,00	1,00
30	152	40.3	BASIC AVIATION PSYCHOLOGY		1,00	1,00
31	101	40.3	BASIC AVIATION PSYCHOLOGY		0,00	1,00
32	124	40.3	BASIC AVIATION PSYCHOLOGY		1,00	1,00
33	14	40.3	BASIC AVIATION PSYCHOLOGY		0,00	1,00
34	159	40.3	BASIC AVIATION PSYCHOLOGY		1,00	1,00
35	144	40.3.1	Human information processing		0,00	1,00
36	65	40.3.1.4	Response selection		1,00	1,00
37	29	40.3.2.3	Theory and model of human error		0,00	1,00
38	21	40.3.2.4	Error generation		1,00	1,00
39	128	40.3.5	Human behaviour		1,00	1,00
40	54	40.3.6.2	Stress		0,00	1,00
				Total:68%	**27,00**	**40,00**

Attachment 2: List of result by topic

Licence

Date: 22.08.2014

Examinee: Namukwaya, Lilian

Location: Uganda Civil Aviation Authority

Your Result: 27,00 from 40,00 Points (67,50 %)

Topics	Ammount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	27,00	40,00	67,50
40.2. Basic aviation physiology and health maintenance	16	11,00	16,00	68,75
40.3. BASIC AVIATION PSYCHOLOGY	11	6,00	11,00	54,55
Total	**40**	**27,00**	**40,00**	**67,50**

1

The DECIDE process consists of six elements to help provide a pilot a logical way of approaching aeronautical decision making. These elements are to

- ☐ **determine, evaluate, choose, identify, do, and eliminate.**
- ☒ **detect, estimate, choose, identify, do, and evaluate.**
- ☐ **estimate, determine, choose, identify, detect, and evaluate.**

ID:	187(LTS:224875, LTM:187)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

2

What action should be taken if hyperventilation is suspected?

- ☐ Breathe at a slower rate by taking very deep breaths.
- ☐ Consciously force yourself to take deep breaths and breathe at a faster rate than normal.
- ☒ Consciously breathe at a slower rate than normal.

ID:	206(LTS:224891, LTM:206)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

3

How can an instrument pilot best overcome spatial disorientation?

- ☐ Use a very rapid cross-check.
- ☐ Avoid banking in excess of 30 degrees.
- ☒ Properly interpret the flight instruments and act accordingly.

ID:	203(LTS:224888, LTM:203)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

4

In order to gain a realistic perspective on one's attitude toward flying, a pilot should

- ☐ understand the need to complete the flight.
- ☐ take a Self-Assessment Hazardous Attitude Inventory Test.
- ☒ obtain both realistic and thorough flight instruction during training.

ID:	177(LTS:224866, LTM:177)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	0,00

5

Success in reducing stress associated with a crisis in the cockpit begins with

- ☐ **eliminating the more serious life and cockpit stress issues.**
- ☒ **assessing stress areas in one's personal life.**
- ☐ **knowing the exact cause of the stress.**

ID:	185(LTS:224873, LTM:185)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

6

which of the following may more likely result into hypoxia?

☒ decreasing amount of oxygen as your altitude increases.

☐ reduced barometric pressures at altitude.

☐ excessive nitrogen in the bloodstream.

ID:	161(LTS:224852, LTM:161)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	0,00

7

Abrupt head movement during a prolonged constant rate turn in IMC or simulated instrument conditions can cause

- ☐ **false horizon.**
- ☒ **elevator illusion.**
- ☐ **pilot disorientation.**

ID:	195(LTS:224880, LTM:195)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	0,00

8

The Decide Model is comprised of a 6-step process to provide a pilot a logical way of approaching Aeronautical Decision Making. These steps are:

- ☒ **Detect, estimate, choose, identify, do, and evaluate.**
- ☐ **Determine, eliminate, choose, identify, detect, and evaluate.**
- ☐ **Determine, evaluate, choose, identify, do, and eliminate.**

ID:	131(LTS:224851, LTM:131)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

9

How can smoking affect a pilot?

- ☐ **Creates additional carbon dioxide gases in the body which often leads to hyperventilation.**
- ☒ **Reduces the oxygen-carrying capability of the blood.**
- ☐ **Can decrease night vision by up to 50 percent.**

ID:	166(LTS:224857, LTM:166)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

10

To help manage cockpit stress, a pilot should

- [x] try to relax and think rationally at the first sign of stress.
- [ ] think of life stress situations that are similar to those in flying.
- [ ] avoid situations that will degrade the ability to handle cockpit responsibilities.

ID:	186(LTS:224874, LTM:186)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

11

What is the antidote for a pilot with a 'macho' attitude?

- [x] **Taking chances is foolish.**
- [ ] **Follow the rules. They are usually right.**
- [ ] **I'm not helpless. I can make a difference.**

ID:	184(LTS:224872, LTM:184)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

12

In the aeronautical decision making (ADM) process, what is the first step in neutralizing a hazardous attitude?

- [ ] **Recognizing the invulnerability of the situation.**
- [ ] **Making a rational judgement.**
- [x] **Recognizing hazardous thoughts.**

ID:	181(LTS:224870, LTM:181)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

13

What physical change would most likely occur to occupants of an unpressurized aircraft flying above 15,000 feet without supplemental oxygen?

- ☐ Gases trapped in the body contract and prevent nitrogen from escaping the bloodstream.
- ☒ A blue coloration of the lips and fingernails develop along with tunnel vision.
- ☐ The pressure in the middle ear becomes less than the atmospheric pressure in the cabin.

ID:	162(LTS:224853, LTM:162)	Max. Points	1,00
Syllabus reference:	40. HUMAN PERFORMANCE	Points	1,00

14

Hypoxia susceptibility due to inhalation of carbon monoxide increases as

- ☐ **humidity decreases.**
- ☐ **oxygen demand increases.**
- ☒ **altitude increases.**

ID:	108(LTS:224903, LTM:108)	Max. Points	1,00
Syllabus reference:	40.2 Basic aviation physiology and health maintenance	Points	1,00

15

Which gas below 70,000 ft., above ground gas makes up the major part of the atmosphere ?

- ☐ Carbon dioxide
- ☐ Oxygen
- ☒ Nitrogen
- ☐ Ozone

ID:	16(LTS:224974, LTM:16)	Max. Points	1,00
Syllabus reference:	40.2.1.1 The atmosphere	Points	1,00

16

The following actions are appropriate when faced with symptoms of decompression sickness:

1. climb to higher level
2. descent to the higher of 10000 ft or MSA and land as soon as possible
3. breathe 100 % oxygen
4. obtain medical advice about recompression after landing

- ☐ **1, 2 and 3 are correct**
- ☐ **1 and 3 are correct**
- ☒ **2, 3 and 4 are correct**
- ☐ **1 and 4 are correct**

ID:	60(LTS:224963, LTM:60)	Max. Points	1,00
Syllabus reference:	40.2.1.2 Respiratory and circulatory systems	Points	1,00

17

The rate and depth of breathing is primarily regulated by the concentration of:

- ☐ nitrogen in the air
- ☐ oxygen in the cells
- ☒ carbon dioxide in the blood
- ☐ water vapour in the alveoli

ID:	10(LTS:224953, LTM:10)	Max. Points	1,00
Syllabus reference:	40.2.1.2 Respiratory and circulatory systems	Points	1,00

18

What can be said concerning the following two statements?

1. Euphoria can be a symptom of hypoxia.
2. Someone in an euphoric condition is more prone to error.

- ☒ **1 and 2 are both correct**
- ☐ **1 is false, 2 is correct**
- ☐ **1 and 2 are both false**
- ☐ **1 is correct, 2 is false**

ID:	52(LTS:224965, LTM:52)	Max. Points	1,00
Syllabus reference:	40.2.1.2 Respiratory and circulatory systems	Points	1,00

19

To scan properly for traffic, a pilot should

- ☐ **concentrate on any peripheral movement detected.**
- ☒ **use a series of short, regularly spaced eye movements that bring successive areas of the sky into the central visual field.**
- ☐ **slowly sweep the field of vision from one side to the other at intervals.**

ID:	102(LTS:224920, LTM:102)	Max. Points	1,00
Syllabus reference:	40.2.2 Man and Environment: the sensory system	Points	1,00

20

A stereotype and involuntary reaction of the organism on stimulation of receptors is called:

- [ ] change of stimulation level
- [x] reflex
- [ ] control system
- [ ] data processing

ID:	76(LTS:225002, LTM:76)	Max. Points	1,00
Syllabus reference:	40.2.2.1 Central, peripheral and autonomic nervous system	Points	1,00

21

Illuminated anti-collision lights in IMC

- ☐ **can cause colour-illusions**
- ☐ **will effect the pilots binocular vision**
- ☐ **will improve the pilots depth perception**
- ☒ **can cause disorientation**

ID:	27(LTS:224916, LTM:27)	Max. Points	1,00
Syllabus reference:	40.2.2.2 Vision	Points	1,00

22

During poor weather conditions a pilot should fly with reference to instruments because:

- ☐ the danger of a "greying out" will make it impossible to determine the height above the terrain
- ☐ his attention will be distracted automatically under these conditions
- ☐ perception of distance and speed is difficult in an environment of low contrast
- ☐ pressure differences can cause the altimeter to give wrong information

ID:	6(LTS:224914, LTM:6)	Max. Points	1,00
Syllabus reference:	40.2.2.2 Vision	Points	0,00

23

When flying through a thunderstorm with lightning you can protect yourself from flashblindness by:
1 - turning up the intensity of cockpit lights
2 - looking inside the cockpit
3 - wearing sunglasses
4 - using blinds or curtains when installed

- ☐ **1, 2 and 3 are correct, 4 is false**
- ☐ **3 and 4 are correct, 1 and 2 are false**
- ☒ **1 and 2 are correct, 3 and 4 are false**
- ☐ **1, 2, 3 and 4 are correct**

ID:	42(LTS:224911, LTM:42)	Max. Points	1,00
Syllabus reference:	40.2.2.2 Vision	Points	0,00

24

The retina of the eye

☐ **is the muscle, changing the size of the crystalline lens**

☐ **filters the UV-light**

☐ **is the light-sensitive inner lining of the eye containing the photoreceptors essential for vision**

☒ **only regulates the light that falls into the eye**

ID:	86(LTS:224919, LTM:86)	Max. Points	1,00
Syllabus reference:	40.2.2.2 Vision	Points	0,00

25

Any prolonged exposure to noise in excess of 90 db can result in:

- ☐ a ruptured ear drum
- ☒ noise induced hearing loss
- ☐ presbycusis (effects of aging)
- ☐ conductive hearing loss

ID:	46(LTS:224992, LTM:46)	Max. Points	1,00
Syllabus reference:	40.2.2.3 Hearing	Points	1,00

26

For a pilot who is used to land on small and narrow runways only, approaching a larger and wider runway can lead to:

- ☐ flatter than normal approach with the risk of "ducking under"
- ☒ steeper than normal approach dropping low
- ☐ early or high "round out"
- ☐ risk to land short of the overrun

ID:	23(LTS:224924, LTM:23)	Max. Points	1,00
Syllabus reference:	40.2.2.5 Integration of sensory inputs	Points	0,00

27

Which of these is true regarding the presence of alcohol within the human body?

☒ **Judgment and decision-making abilities can be adversely affected by even small amounts of alcohol.**

☐ **An increase in altitude decreases the adverse effect of alcohol.**

☐ **A small amount of alcohol increases vision acuity.**

ID:	107(LTS:224902, LTM:107)	Max. Points	1,00
Syllabus reference:	40.2.3 Health and hygiene	Points	1,00

28

which of the follwoing best discribes disturbance of the biological clock?

1. bad night's sleep
2. day flight Amsterdam - New York
3. day flight Amsterdam - Johannesburg
4. night flight New York - Amsterdam

- [x] 1,2 and 3 are correct
- [ ] 1,2,3 and 4 are correct
- [ ] 1 and 3 are correct
- [ ] 2 and 4 are correct

ID:	93(LTS:224986, LTM:93)	Max. Points	1,00
Syllabus reference:	40.2.3.2 Body rythm and sleep	Points	0,00

29

Medical conditions such as high blood pressure, coronary problems and diabetes are associated with:

- [x] obesity
- [ ] cholera
- [ ] hypoxia
- [ ] anorexia nervosa

ID:	43(LTS:224900, LTM:43)	Max. Points	1,00
Syllabus reference:	40.2.3.3 Problem areas for pilots	Points	1,00

30

To communicate effectively, instructors must

- [x] **display a positive, confident attitude.**
- [ ] **display an authoritarian attitude.**
- [ ] **utilize highly organized notes.**

ID:	152(LTS:224832, LTM:152)	Max. Points	1,00
Syllabus reference:	40.3 BASIC AVIATION PSYCHOLOGY	Points	1,00

31

As hyperventilation progresses, a pilot can experience

- [x] **decreased breathing rate and depth.**
- [ ] **symptoms of suffocation and drowsiness.**
- [ ] **heightened awareness and feeling of well being.**

ID:	101(LTS:224846, LTM:101)	Max. Points	1,00
Syllabus reference:	40.3 BASIC AVIATION PSYCHOLOGY	Points	0,00

32

While conducting an operational check of the cabin pressurization system, the pilot discovers that the rate control feature is inoperative. He knows that he can manually control the cabin pressure, so he elects to disregard the discrepancy. Which of the following alternatives best illustrates the INVULNERABILITY reaction?

- [x] **What is the worst that could happen.**
- [ ] **It's too late to fix it now.**
- [ ] **He can handle a little problem like this.**

ID:	124(LTS:224843, LTM:124)	Max. Points	1,00
Syllabus reference:	40.3 BASIC AVIATION PSYCHOLOGY	Points	1,00

33

Carbon Monoxide is particularly dangerous because:

1. Its initial symptoms are not alarming
2. It is colourless
3. Its is odourless
4. It is highly toxic
5. Its effects are cumulative

☐ 1, 2, 3 and 5 only

☒ 2, 3, 4 and 5 only

☐ all of the above

☐ 2, 3, and 4 only

ID:	14(LTS:224848, LTM:14)	Max. Points	1,00
Syllabus reference:	40.3 BASIC AVIATION PSYCHOLOGY	Points	0,00

34

The training required for flight crewmembers who have not qualified and served in the same capacity on an aircraft is

- ☐ **transition training.**
- ☐ **upgrade training.**
- ☒ **initial training.**

ID:	159(LTS:224839, LTM:159)	Max. Points	1,00
Syllabus reference:	40.3 BASIC AVIATION PSYCHOLOGY	Points	1,00

35

Before a student can concentrate on learning, which of these human needs must be satisfied first?

- ☒ **Social needs.**
- ☐ **Physical needs.**
- ☐ **Safety needs.**

ID:	144(LTS:224943, LTM:144)	Max. Points	1,00
Syllabus reference:	40.3.1 Human information processing	Points	0,00

36

The ability to monitor information which could indicate the development of a critical situation

- ☐ is responsible for the development of inadequate mental models of the real world
- ☒ is necessary to maintain good situational awareness
- ☐ makes no sense because the human information processing system is limited anyway
- ☐ is dangerous, because it distracts attention from flying the aircraft

ID:	65(LTS:224997, LTM:65)	Max. Points	1,00
Syllabus reference:	40.3.1.4 Response selection	Points	1,00

37

What is the current approach to human error?

- ☒ **Realisation that humans are infallible and that systems/procedures should be designed to minimise human error.**

- ☐ **Realisation that humans are infallible and that systems and procedures should be brought into line to prevent system/procedural errors.**

- ☐ **Realisation that humans are fallible and that systems and procedures should be designed to minimise human error.**

- ☐ **Realisation that humans are fallible and that systems and procedures should be brought into line to prevent system, latent and procedural errors.**

ID:	29(LTS:224984, LTM:29)	Max. Points	1,00
Syllabus reference:	40.3.2.3 Theory and model of human error	Points	0,00

38

Human error rates during the performance of a simple and repetitive task can normally be expected to be approximately:

- ☐ **1 in 2000**
- ☒ **1 in 100**
- ☐ **1 in 500**
- ☐ **1 in 200**

ID:	21(LTS:224982, LTM:21)	Max. Points	1,00
Syllabus reference:	40.3.2.4 Error generation	Points	1,00

39

A pilot and friends are going to fly to an out-of-town football game. When the passengers arrive, the pilot determines that they will be over the maximum gross weight for takeoff with the existing fuel load. Which of the following alternatives best illustrates the RESIGNATION reaction?

- ☐ **Weight and balance is a formality forced on pilots by the FAA.**
- ☒ **Well, nobody told him about the extra weight.**
- ☐ **He can't wait around to de-fuel, they have to get there on time.**

ID:	128(LTS:224824, LTM:128)	Max. Points	1,00
Syllabus reference:	40.3.5 Human behaviour	Points	1,00

40

A person being exposed to extreme or prolonged stress factors can perceive:

- ☐ **stressors**
- ☐ **distress**
- ☒ **eustress**
- ☐ **coping stress**

ID:	54(LTS:224987, LTM:54)	Max. Points	1,00
Syllabus reference:	40.3.6.2 Stress	Points	0,00