
Online Examination Report

Date:	21.07.2014
Attempts:	1
Examinee:	Asaba, Joshua
Date of birth:	2/24/1990
Subject:	040-Human Performance
Result:	44,99 %
Time used:	00:00:13 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	186	40.	HUMAN PERFORMANCE	0,00	1,00
2	166	40.	HUMAN PERFORMANCE	0,00	1,00
3	192	40.	HUMAN PERFORMANCE	1,00	1,00
4	206	40.	HUMAN PERFORMANCE	0,00	1,00
5	185	40.	HUMAN PERFORMANCE	0,00	1,00
6	196	40.	HUMAN PERFORMANCE	0,00	1,00
7	199	40.	HUMAN PERFORMANCE	1,00	1,00
8	168	40.	HUMAN PERFORMANCE	0,00	1,00
9	209	40.	HUMAN PERFORMANCE	1,00	1,00
10	163	40.	HUMAN PERFORMANCE	1,00	1,00
11	174	40.	HUMAN PERFORMANCE	0,00	1,00
12	198	40.	HUMAN PERFORMANCE	1,00	1,00
13	20	40.1.2	Accident statistics	1,00	1,00
14	16	40.2.1.1	The atmosphere	0,00	1,00
15	55	40.2.1.1	The atmosphere	1,00	1,00
16	24	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
17	19	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
18	45	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
19	33	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
20	61	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
21	47	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
22	10	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
23	18	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
24	102	40.2.2	Man and Environment: the sensory system	1,00	1,00
25	50	40.2.2.2	Vision	0,00	1,00
26	46	40.2.2.3	Hearing	1,00	1,00
27	23	40.2.2.5	Integration of sensory inputs	1,00	1,00
28	79	40.2.2.5	Integration of sensory inputs	1,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	121	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00
30	14	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00
31	101	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00
32	109	40.3.3	Decision making	0,00	1,00
33	15	40.3.4.4	Communication	0,00	1,00
34	57	40.3.4.4	Communication	0,00	1,00
35	114	40.3.5	Human behaviour	0,00	1,00
36	120	40.3.5	Human behaviour	1,00	1,00
37	113	40.3.5	Human behaviour	0,00	1,00
38	82	40.3.5.1	Personality, attitude and behaviour	0,00	1,00
39	48	40.3.6.2	Stress	1,00	1,00
40	37	40.3.6.2	Stress	1,00	1,00
Total:45%				18,00	40,00

Attachment 2: List of result by topic

Licence

Date: 18.07.2014

Examinee: Asaba, Joshua

Location: Uganda Civil Aviation Authority

Your Result: 18,00 from 40,00 Points (45,00 %)

Topics	Amount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	18,00	40,00	45,00
40.1. Human Factors: basic concepts	1	1,00	1,00	100,00
40.2. Basic aviation physiology and health maintenance	15	9,00	15,00	60,00
40.3. BASIC AVIATION PSYCHOLOGY	12	3,00	12,00	25,00
Total	40	18,00	40,00	45,00

1

To help manage cockpit stress, a pilot should

- ☐ think of life stress situations that are similar to those in flying.
- ☒ avoid situations that will degrade the ability to handle cockpit responsibilities.
- ☐ try to relax and think rationally at the first sign of stress.

2

How can smoking affect a pilot?

- ☐ Can decrease night vision by up to 50 percent.
- ☒ Creates additional carbon dioxide gases in the body which often leads to hyperventilation.
- ☐ Reduces the oxygen-carrying capability of the blood.

Candidate: Joshua Asaba
Date of birth: 1990-02-24

Subject: 040-Human Performance
Date: 2014-07-18



3

Without visual aid, a pilot often interprets centrifugal force as a sensation of

☒ rising or falling.

☐ motion reversal.

☐ turning.

4

What action should be taken if hyperventilation is suspected?

- ☐ **Consciously breathe at a slower rate than normal.**
- ☒ **Consciously force yourself to take deep breaths and breathe at a faster rate than normal.**
- ☐ **Breathe at a slower rate by taking very deep breaths.**

5

Success in reducing stress associated with a crisis in the cockpit begins with

- ☒ **assessing stress areas in one's personal life.**
- ☐ **knowing the exact cause of the stress.**
- ☒ **eliminating the more serious life and cockpit stress issues.**

6

A sloping cloud formation, an obscured horizon, and a dark scene spread with ground lights and stars can create an illusion known as

☒ autokinesis.

☐ false horizons.

☐ elevator illusions.

7

Why is hypoxia particularly dangerous during flights with one pilot?

- ☐ Night vision may be so impaired that the pilot cannot see other aircraft.
- ☐ The pilot may not be able to control the aircraft even if using oxygen.
- ☒ Symptoms of hypoxia may be difficult to recognize before the pilot's reactions are affected.

8

What suggestion could you make to people who are experiencing motion sickness?

- ☒ Recommend taking medication to prevent motion sickness.
- ☐ Avoid unnecessary head movement and focus sight on a point outside the aircraft.
- ☐ Have the students lower their head, shut their eyes, and take deep breaths.

9

What effect does haze have on the ability to see traffic or terrain features during flight?

- ☐ Haze causes the eyes to focus at infinity, making terrain features harder to see.
- ☒ Haze creates the illusion of being a greater distance than actual from the runway, and causes pilots to fly a lower approach.
- ☐ The eyes tend to overwork in haze and do not detect relative movement easily.

10

Which among these is a result of hyperventilation?

- ☒ a lack of carbon dioxide in the body.
- ☐ breathing too rapidly causing a lack of oxygen.
- ☐ a need to increase the flow of supplemental oxygen.

11

One of the steps in the aeronautical decision making (ADM) process involved in good decision making is

- ☒ making a rational evaluation of the required actions.
- ☐ developing a 'can do' attitude.
- ☐ identifying personal attitudes hazardous to safe flight.

12

A rapid acceleration during takeoff can create the illusion of

- ☐ diving into the ground.
- ☒ being in a noseup attitude.
- ☐ spinning in the opposite direction.

13

The distribution of primary causes of accidents in the worldwide jet aircraft commercial fleet shows that human error is involved in:

- ☒ about 70% of cases
- ☐ 70% of cases
- ☐ all cases, one way or another
- ☐ about 90% of cases

14

Which gas below 70,000 ft., above ground gas makes up the major part of the atmosphere ?

☒ Oxygen

☐ Ozone

☐ Nitrogen

☐ Carbon dioxide

Candidate: Joshua Asaba
Date of birth: 1990-02-24

Subject: 040-Human Performance
Date: 2014-07-18



15

Air at an altitude of 18.000 feet contains, approximately:

☐ 15% oxygen

☐ 5% oxygen

☒ 21% oxygen

☐ 10% oxygen

16

When faced with sustained cold temperature, how does the body resist this physical stress?

- ☐ By intense vasoconstriction.
- ☐ By speeding up the metabolic rate in the Autonomic Nervous System.
- ☐ By increasing cardiac frequency.
- ☒ By vasodilatation which permits a greater flow of blood to the periphery.

17

Hypoxia is:

- ☐ often produced during steep turns when pilots turn their heads in a direction opposite to the direction in which the aircraft is turning
- ☐ a condition of lacking oxygen in the brain causing the circulatory system to compensate by decreasing the heart rate.
- ☒ a physical condition caused by a lack of oxygen to meet the needs of the body tissues, leading to mental and muscular disturbances
- ☐ a physical condition caused by a lack of oxygen saturation in the blood while hyperventilating.

18

The total gas volume of the lung is the sum of:

1. tidal volume
2. inspiratory reserve volume
3. expiratory reserve volume
4. residual volume

Which of the following lists the correct combination?

☐ 1, 2 and 3

☐ 1, 2, 3 and 4

☒ 2 and 3

☐ 1 and 2

19

Hyperventilation is:

- ☒ a reduction of partial oxygen pressure in the brain
- ☐ a normal compensatory physiological reaction to a drop in partial oxygen pressure (i.e. when climbing a high mountain)
- ☐ an increased heart rate caused by a decreasing blood-pressure
- ☐ an increased heart rate caused by an increasing blood pressure

Candidate: Joshua Asaba
Date of birth: 1990-02-24

Subject: 040-Human Performance
Date: 2014-07-18



20

Flying immediately after SCUBA diving involves the risk of getting:

- ☐ hyperventilation
- ☐ stress
- ☒ decompression sickness
- ☒ hypoxia

21

The respiratory process consists mainly of

- ☐ the transportation of oxygen to the cells and the elimination of carbon monoxide
- ☐ the transportation of carbon dioxide to the cells and elimination of oxygen
- ☒ the diffusion of oxygen through the respiratory membranes into the blood, transportation to the cells, diffusion into the cells and elimination of carbon dioxide from the body
- ☐ the transportation of oxygen to the cells and the elimination of nitrogen

22

The rate and depth of breathing is primarily regulated by the concentration of:

- ☐ oxygen in the cells
- ☒ carbon dioxide in the blood
- ☐ water vapour in the alveoli
- ☐ nitrogen in the air

23

The rate and depth of breathing is primarily controlled by:

- ☐ the amount of carbon monoxide in the blood
- ☐ the total atmospheric pressure
- ☒ the amount of carbon dioxide in the blood
- ☐ the amount of nitrogen in the blood

24

To scan properly for traffic, a pilot should

- ☐ concentrate on any peripheral movement detected.
- ☐ slowly sweep the field of vision from one side to the other at intervals.
- ☒ use a series of short, regularly spaced eye movements that bring successive areas of the sky into the central visual field.

25

Cataract is caused by:

- ☐ A mis-shapened cornea
- ☒ A clouding of the lens
- ☐ A lack of accommodation at the cornea
- ☒ Lack of mobility of the cornea

26

Any prolonged exposure to noise in excess of 90 db can result in:

- ☐ conductive hearing loss
- ☐ a ruptured ear drum
- ☐ presbycusis (effects of aging)
- ☒ noise induced hearing loss

27

For a pilot who is used to land on small and narrow runways only, approaching a larger and wider runway can lead to:

- ☐ steeper than normal approach dropping low
- ☐ risk to land short of the overrun
- ☒ early or high "round out"
- ☐ flatter than normal approach with the risk of "ducking under"

28

When the weather is foggy, on approach, a pilot may get a feeling of:

- ☐ his/her visual field shrinking (i.e. tunnel vision)
- ☐ aircraft altitude being lower than it actually is
- ☒ the airfield being further away than actually is
- ☐ his/her eyes focusing on infinity

29

To help manage cockpit stress, pilots must

- ☐ be aware of life stress situations that are similar to those in flying.
- ☒ avoid situations that will improve their abilities to handle cockpit responsibilities.
- ☐ condition themselves to relax and think rationally when stress appears.

30

Carbon Monoxide is particularly dangerous because:

1. Its initial symptoms are not alarming
2. It is colourless
3. Its is odourless
4. It is highly toxic
5. Its effects are cumulative

☐ 2, 3, 4 and 5 only

☐ all of the above

☒ 2, 3, and 4 only

☐ 1, 2, 3 and 5 only

31

As hyperventilation progresses, a pilot can experience

- ☐ heightened awareness and feeling of well being.
- ☐ symptoms of suffocation and drowsiness.
- ☒ decreased breathing rate and depth.

32

on which features does risk management, as part of the Aeronautical Decision Making (ADM) process, rely?

- ☐ Application of stress management and risk element procedures.
- ☒ The mental process of analyzing all information in a particular situation and making a timely decision on what action to take.
- ☐ Situational awareness, problem recognition, and good judgment.

33

With regard to the practice of English, which of the following statements is correct?

- ☐ The composition of every crew should be geared to a command of the official aeronautical language of the destination country.
- ☐ All pilots should have a sound understanding of English because it is safer to adhere to the common language chosen by the aeronautical world.
- ☒ It is necessary and sufficient to have a command of any of the official languages of the ICAO.
- ☐ Be familiar with normal procedures in English since only this allows for effective management of any flight's communication.

34

Which statement is correct?

- ☐ Inconsistent communication improves flight safety.
- ☐ There is no relation between inadequate communication and incidents or accidents.
- ☐ Problems in the personal relationships between crew members are likely to hamper the communication process.
- ☒ Personal conflict that takes place prior to take-off should wait to be addressed until the end of the flight.

35

Some of these dangerous tendencies or behavior patterns which must be identified and eliminated include:

- ☒ **Performance deficiencies from human factors such as, fatigue, illness or emotional problems.**
- ☐ **Deficiencies in instrument skills and knowledge of aircraft systems or limitations.**
- ☐ **Peer pressure, get-there-itis, loss of positional or situation awareness, and operating without adequate fuel reserves.**

36

What should a pilot do when recognizing a thought as hazardous?

- ☒ **Label that thought as hazardous, then correct that thought by stating the corresponding learned antidote.**
- ☐ **Develop this hazardous thought and follow through with modified action.**
- ☐ **Avoid developing this hazardous thought.**

37

The basic drive for a pilot to demonstrate the 'right stuff' can have an adverse effect on safety, by

- ☐ a total disregard for any alternative course of action.
- ☒ imposing a realistic assessment of piloting skills under stressful conditions.
- ☐ generating tendencies that lead to practices that are dangerous, often illegal, and may lead to a mishap.

38

Personality is based on:

1. Heredity
2. Upbringing
3. Experience
4. Childhood

☐ 1, 2, 3 and 4 are correct

☒ None of the listed answers is correct

☐ 2, 3 and 4 only are correct

☐ 1, 2 and 4 only are correct

39

The behavioural effects of stress may include:

- 1: manifestation of aggressiveness.
- 2: a willingness to improve communication.
- 3: a willingness for group cohesion.
- 4: a tendency to withdrawal.

The combination of correct statements is:

- ☐ 2,3 and 4 are correct
- ☒ 1 and 4 are correct
- ☐ 1,2 and 3 are correct
- ☐ 3 and 4 are correct

40

Anxiety can affect:

- 1. Judgement**
- 2. Attention**
- 3. Memory**
- 4. Concentration**

☐ 1 only is correct

☐ 1 and 2 only are correct

☒ All are correct

☐ 1, 2 and 4 only are correct