
Online Examination Report

Date:	22.07.2014
Attempts:	1
Examinee:	Atwoki Kaija, Albert
Date of birth:	
Subject:	040-Human performance
Result:	55 %
Time used:	00:48:27 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	170	40.	HUMAN PERFORMANCE	1,00	1,00
2	192	40.	HUMAN PERFORMANCE	0,00	1,00
3	198	40.	HUMAN PERFORMANCE	1,00	1,00
4	203	40.	HUMAN PERFORMANCE	1,00	1,00
5	165	40.	HUMAN PERFORMANCE	1,00	1,00
6	162	40.	HUMAN PERFORMANCE	1,00	1,00
7	180	40.	HUMAN PERFORMANCE	0,00	1,00
8	169	40.	HUMAN PERFORMANCE	0,00	1,00
9	131	40.	HUMAN PERFORMANCE	0,00	1,00
10	174	40.	HUMAN PERFORMANCE	0,00	1,00
11	187	40.	HUMAN PERFORMANCE	0,00	1,00
12	20	40.1.2	Accident statistics	1,00	1,00
13	78	40.1.3	Flight safety concepts	1,00	1,00
14	105	40.2	Basic aviation physiology and health maintenance	1,00	1,00
15	38	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
16	90	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
17	73	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
18	19	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
19	71	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
20	89	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
21	95	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
22	41	40.2.2.2	Vision	0,00	1,00
23	96	40.2.2.3	Hearing	0,00	1,00
24	23	40.2.2.5	Integration of sensory inputs	0,00	1,00
25	4	40.2.3.3	Problem areas for pilots	1,00	1,00
26	28	40.2.3.3	Problem areas for pilots	0,00	1,00
27	17	40.2.3.4	Intoxication	0,00	1,00
28	124	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	2	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00
30	159	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00
31	97	40.3.1.1	Attention and vigilance	1,00	1,00
32	29	40.3.2.3	Theory and model of human error	1,00	1,00
33	109	40.3.3	Decision making	1,00	1,00
34	110	40.3.3	Decision making	1,00	1,00
35	5	40.3.4.3	Co-operation	1,00	1,00
36	128	40.3.5	Human behaviour	0,00	1,00
37	120	40.3.5	Human behaviour	1,00	1,00
38	82	40.3.5.1	Personality, attitude and behaviour	1,00	1,00
39	48	40.3.6.2	Stress	1,00	1,00
40	37	40.3.6.2	Stress	1,00	1,00
Total:55%				22,00	40,00

Attachment 2: List of result by topic

Licence

Date: 22.07.2014

Examinee: Atwoki Kaija, Albert

Location: Uganda Civil Aviation Authority

Your Result: 22,00 from 40,00 Points (55,00 %)

Topics	Amount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	22,00	40,00	55,00
40.1. Human Factors: basic concepts	2	2,00	2,00	100,00
40.2. Basic aviation physiology and health maintenance	14	6,00	14,00	42,86
40.3. BASIC AVIATION PSYCHOLOGY	13	9,00	13,00	69,23
Total	40	22,00	40,00	55,00

1

When should a flight instructor begin teaching aeronautical decision making (ADM) to a student?

- ☐ Beginning with the first lesson.
- ☐ After the student has completed the initial solo flight but before conducting cross country flights.
- ☒ As soon as the student is able to control the aircraft during basic maneuvers.

2

Without visual aid, a pilot often interprets centrifugal force as a sensation of

☒ turning.

☐ rising or falling.

☐ motion reversal.

3

A rapid acceleration during takeoff can create the illusion of

- ☒ being in a noseup attitude.
- ☐ diving into the ground.
- ☐ spinning in the opposite direction.

4

How can an instrument pilot best overcome spatial disorientation?

☒ Properly interpret the flight instruments and act accordingly.

☐ Avoid banking in excess of 30 degrees.

☐ Use a very rapid cross-check.

5

A person should be able to overcome the symptoms of hyperventilation by

☐ **increasing the breathing rate**

☐ **refraining from the use of alcohol**

☒ **slowing the breathing rate**

6

What physical change would most likely occur to occupants of an unpressurized aircraft flying above 15,000 feet without supplemental oxygen?

- ☐ The pressure in the middle ear becomes less than the atmospheric pressure in the cabin.
- ☒ A blue coloration of the lips and fingernails develop along with tunnel vision.
- ☐ Gases trapped in the body contract and prevent nitrogen from escaping the bloodstream.

7

some of the hazardous attitudes which may occur to every pilot to some degree at some time are....

- ☒ Antiauthority, impulsivity, macho, resignation, and invulnerability.
- ☐ Poor risk management and lack of stress management.
- ☒ Poor situational awareness, snap judgments, and lack of a decision making process.

8

Motion sickness is caused by

- ☒ the movement of an aircraft causing the stomach to create an acid substance which causes the stomach lining to contract.
- ☐ an instability in the brain cells which affects balance and will generally be overcome with experience.
- ☐ continued stimulation of the tiny portion of the inner ear which controls sense of balance.

9

The Decide Model is comprised of a 6-step process to provide a pilot a logical way of approaching Aeronautical Decision Making. These steps are:

- ☐ Detect, estimate, choose, identify, do, and evaluate.
- ☒ Determine, eliminate, choose, identify, detect, and evaluate.
- ☐ Determine, evaluate, choose, identify, do, and eliminate.

10

One of the steps in the aeronautical decision making (ADM) process involved in good decision making is

- ☐ making a rational evaluation of the required actions.
- ☒ developing a 'can do' attitude.
- ☐ identifying personal attitudes hazardous to safe flight.

11

The DECIDE process consists of six elements to help provide a pilot a logical way of approaching aeronautical decision making. These elements are to

- ☐ detect, estimate, choose, identify, do, and evaluate.
- ☒ determine, evaluate, choose, identify, do, and eliminate.
- ☐ estimate, determine, choose, identify, detect, and evaluate.

12

The distribution of primary causes of accidents in the worldwide jet aircraft commercial fleet shows that human error is involved in:

- ☐ about 90% of cases
- ☐ all cases, one way or another
- ☒ about 70% of cases
- ☐ 70% of cases

13

A pilot using a checklist is an example of the interaction within the SHELL Concept of:

☒ L and S

☐ L and H

☐ L and E

☐ L and L

14

which of these conditions results in hypoxia?

- ☐ Excessive oxygen in the bloodstream.
- ☐ Excessive carbon dioxide in the bloodstream.
- ☒ Insufficient oxygen reaching the brain.

15

Flying a non-pressurized light aircraft at 9 000 feet your passenger develops blue lips:

☐ you supply him/her with extra oxygen, but do not reduce altitude .

☐ calm him/her and occupy him with suitable tasks.

☒ you reduce altitude and supply him/her with oxygen.

☐ you supply additional oxygen but controlled.

16

Healthy people are usually capable of compensating for a lack of oxygen up to:

- ☒ 15.000 feet
- ☐ 25.000 feet
- ☐ 10.000 - 12.000feet
- ☐ 20.000 feet

17

When suffering from Hypoxia short-term memory impairment starts at approximately

☒ 12,000 ft

☐ 18,000 ft

☐ 25,000 ft

☐ 10,000 ft

18

Hypoxia is:

- ☒ a physical condition caused by a lack of oxygen saturation in the blood while hyperventilating.
- ☐ a physical condition caused by a lack of oxygen to meet the needs of the body tissues, leading to mental and muscular disturbances
- ☐ often produced during steep turns when pilots turn their heads in a direction opposite to the direction in which the aircraft is turning
- ☐ a condition of lacking oxygen in the brain causing the circulatory system to compensate by decreasing the heart rate.

19

When exhaling, the expired air contains:

- ☐ more nitrogen than in the inhaled air
- ☐ more oxygen than in the inhaled air
- ☒ more carbon dioxide than in the inhaled air
- ☐ less water vapour than in the inhaled air

20

After SCUBA diving (more than 30 feet of depth) you have to wait a period of time before flying again. This period is at least:

☐ 48 hours

☒ 24 hours

☐ 12 hours

☐ 6 hours

21

**You climb from 0 to 50,000 ft and measure the decrease of the pressure per 5.000 ft.
The absolute difference in barometric pressure is greatest between:**

☒ **45.000 and 50.000 feet**

☐ **0 and 5.000 feet**

☐ **10.000 and 15.000 feet**

☐ **5.000 and 10.000 feet**

22

Which of the following statements is correct?

- ☐ Photopic Vision is the same as Peripheral Vision.
- ☐ Scotopic Vision is vision through the operation of the Rods.
- ☐ Scotopic Vision is the same as Photopic Vision.
- ☒ Scotopic Vision is vision through the operation of the Cones.

23

Noise induced hearing loss:

- ☐ is not a permanent hearing loss, the nerve cells frequently recover.
- ☐ causes Eustachian Tube dysfunction.
- ☒ is also known as presbycusis and is associated with pressure damage to the middle ear.
- ☐ is a condition resulting in permanent hearing loss of selected frequencies.

24

For a pilot who is used to land on small and narrow runways only, approaching a larger and wider runway can lead to:

- ☐ steeper than normal approach dropping low
- ☐ risk to land short of the overrun
- ☒ flatter than normal approach with the risk of "ducking under"
- ☐ early or high "round out"

25

How is Yellow fever contracted?

- ☐ Contaminated food or water.
- ☐ Excessive use of alcohol.
- ☒ A virus transmitted by an infected mosquito.
- ☐ By contact with the saliva of infected animals.

26

Which of the following statements about hyperthermia is correct ?

- ☒ Complete adaptation to the heat in a hot country takes about a fortnight.
- ☐ Evaporation is more effective when ambient humidity is high.
- ☐ Performance is not impaired by an increase in body temperature to 40°C or more.
- ☒ Vasodilatation is the only mechanism which is capable of reducing body temperature.

27

Carbon monoxide (CO) poisoning in flight:

- ☒ can be cured by breathing into a plastic bag to retain the carbon monoxide.
- ☐ is a complication when hyperventilating and requires its own special and individual treatment.
- ☐ is usually harmless because oxygen is more easily attached to haemoglobin than carbon monoxide to a magnitude of 200 times.
- ☐ presents an extremely dangerous situation as the blood may not be able carry sufficient amounts of oxygen to vital cells and tissues of the body.

28

While conducting an operational check of the cabin pressurization system, the pilot discovers that the rate control feature is inoperative. He knows that he can manually control the cabin pressure, so he elects to disregard the discrepancy. Which of the following alternatives best illustrates the INVULNERABILITY reaction?

- ☒ He can handle a little problem like this.
- ☐ It's too late to fix it now.
- ☐ What is the worst that could happen.

29

What are two types of attention ?

- ☒ Divided and behavioural
- ☐ Intuitive and behavioural
- ☐ Selective and divided
- ☐ Cognitive and intuitive

30

The training required for flight crewmembers who have not qualified and served in the same capacity on an aircraft is

☐ upgrade training.

☐ initial training.

☒ transition training.

31

Which of the following statements are correct?

1. The first information received determines how subsequent information will be evaluated.
2. If one has made up one's mind, contradictory information may not get the attention it really needs.
3. With increasing stress, attention is limited thereby reducing the flow of information to the central decision maker.

- ☐ 1 and 3 are correct
- ☐ 2 and 3 are correct
- ☒ 1, 2 and 3 are correct
- ☐ 1 and 2 are correct

32

What is the current approach to human error?

- ☐ Realisation that humans are infallible and that systems and procedures should be brought into line to prevent system/procedural errors.
- ☐ Realisation that humans are fallible and that systems and procedures should be brought into line to prevent system, latent and procedural errors.
- ☐ Realisation that humans are infallible and that systems/procedures should be designed to minimise human error.
- ☒ Realisation that humans are fallible and that systems and procedures should be designed to minimise human error.

33

on which features does risk management, as part of the Aeronautical Decision Making (ADM) process, rely?

- ☒ Situational awareness, problem recognition, and good judgment.
- ☐ Application of stress management and risk element procedures.
- ☐ The mental process of analyzing all information in a particular situation and making a timely decision on what action to take.

34

Define Aeronautical Decision Making(ADM)

- ☒ **systematic approach to the mental process used by pilots to consistently determine the best course of action for a given set of circumstances.**
- ☐ **mental process of analyzing all information in a particular situation and making a timely decision on what action to take.**
- ☐ **decision making process which relies on good judgment to reduce risks associated with each flight.**

35

Which of the following statements best characterises a self-centered cockpit ?

- ☒ Each one does his own thing while at the same time assuming that everyone is aware of what is being done or what is going on
- ☐ The communication between crew members always increases when the captain takes charge of a situation
- ☐ While decreasing communication, the independence of each member bolsters the crew's synergy
- ☐ The egoistic and self-centered personality of the captain often leads to a synergetic cockpit

36

A pilot and friends are going to fly to an out-of-town football game. When the passengers arrive, the pilot determines that they will be over the maximum gross weight for takeoff with the existing fuel load. Which of the following alternatives best illustrates the RESIGNATION reaction?

- ☐ Well, nobody told him about the extra weight.
- ☐ He can't wait around to de-fuel, they have to get there on time.
- ☒ Weight and balance is a formality forced on pilots by the FAA.

37

What should a pilot do when recognizing a thought as hazardous?

- ☐ Develop this hazardous thought and follow through with modified action.
- ☒ Label that thought as hazardous, then correct that thought by stating the corresponding learned antidote.
- ☐ Avoid developing this hazardous thought.

38

Personality is based on:

1. Heredity
2. Upbringing
3. Experience
4. Childhood

- ☐ 1, 2 and 4 only are correct
- ☐ 2, 3 and 4 only are correct
- ☒ 1, 2, 3 and 4 are correct
- ☐ None of the listed answers is correct

39

The behavioural effects of stress may include:

- 1: manifestation of aggressiveness.**
- 2: a willingness to improve communication.**
- 3: a willingness for group cohesion.**
- 4: a tendency to withdrawal.**

The combination of correct statements is:

- ☒ **1 and 4 are correct**
- ☐ **1,2 and 3 are correct**
- ☐ **2,3 and 4 are correct**
- ☐ **3 and 4 are correct**

40

Anxiety can affect:

- 1. Judgement**
- 2. Attention**
- 3. Memory**
- 4. Concentration**

- ☐ 1 only is correct
- ☐ 1 and 2 only are correct
- ☐ 1, 2 and 4 only are correct
- ☒ All are correct