
Online Examination Report

Date:	21.07.2014
Attempts:	1
Examinee:	RWASHANDE, Seith
Date of birth:	2/4/1990
Subject:	040-Human Performance
Result:	42,5 %
Time used:	00:00:12 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	205	40.	HUMAN PERFORMANCE	0,00	1,00
2	204	40.	HUMAN PERFORMANCE	1,00	1,00
3	199	40.	HUMAN PERFORMANCE	1,00	1,00
4	161	40.	HUMAN PERFORMANCE	0,00	1,00
5	181	40.	HUMAN PERFORMANCE	0,00	1,00
6	168	40.	HUMAN PERFORMANCE	0,00	1,00
7	196	40.	HUMAN PERFORMANCE	1,00	1,00
8	193	40.	HUMAN PERFORMANCE	0,00	1,00
9	184	40.	HUMAN PERFORMANCE	0,00	1,00
10	164	40.	HUMAN PERFORMANCE	1,00	1,00
11	174	40.	HUMAN PERFORMANCE	0,00	1,00
12	20	40.1.2	Accident statistics	1,00	1,00
13	52	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
14	34	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
15	10	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
16	99	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
17	24	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
18	45	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
19	63	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
20	12	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
21	71	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
22	18	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
23	42	40.2.2.2	Vision	0,00	1,00
24	50	40.2.2.2	Vision	0,00	1,00
25	96	40.2.2.3	Hearing	0,00	1,00
26	46	40.2.2.3	Hearing	1,00	1,00
27	79	40.2.2.5	Integration of sensory inputs	1,00	1,00
28	4	40.2.3.3	Problem areas for pilots	1,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	32	40.2.3.3	Problem areas for pilots	1,00	1,00
30	43	40.2.3.3	Problem areas for pilots	0,00	1,00
31	17	40.2.3.4	Intoxication	0,00	1,00
32	75	40.3.1.4	Response selection	0,00	1,00
33	29	40.3.2.3	Theory and model of human error	0,00	1,00
34	109	40.3.3	Decision making	1,00	1,00
35	26	40.3.4.4	Communication	1,00	1,00
36	57	40.3.4.4	Communication	0,00	1,00
37	15	40.3.4.4	Communication	0,00	1,00
38	37	40.3.6.2	Stress	0,00	1,00
39	48	40.3.6.2	Stress	0,00	1,00
40	44	40.3.6.2	Stress	1,00	1,00
Total:42%				17,00	40,00

Attachment 2: List of result by topic

Licence

Date: 18.07.2014

Examinee: RWASHANDE, Seith

Location: Uganda Civil Aviation Authority

Your Result: 17,00 from 40,00 Points (42,50 %)

Topics	Ammount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	17,00	40,00	42,50
40.1. Human Factors: basic concepts	1	1,00	1,00	100,00
40.2. Basic aviation physiology and health maintenance	19	9,00	19,00	47,37
40.3. BASIC AVIATION PSYCHOLOGY	9	3,00	9,00	33,33
Total	40	17,00	40,00	42,50

1

Which procedure is recommended to prevent or overcome spatial disorientation?

- ☐ Rely on the kinesthetic sense.
- ☒ Reduce head and eye movements to the extent possible.
- ☐ Rely on the indications of the flight instruments.

2

A pilot is more subject to spatial disorientation if

- ☐ **kinesthetic senses are ignored.**
- ☒ **body signals are used to interpret flight attitude.**
- ☐ **eyes are moved often in the process of cross-checking the flight instruments.**

3

Why is hypoxia particularly dangerous during flights with one pilot?

- ☐ Night vision may be so impaired that the pilot cannot see other aircraft.
- ☐ The pilot may not be able to control the aircraft even if using oxygen.
- ☒ Symptoms of hypoxia may be difficult to recognize before the pilot's reactions are affected.

4

which of the following may more likely result into hypoxia?

- ☐ excessive nitrogen in the bloodstream.
- ☒ decreasing amount of oxygen as your altitude increases.
- ☐ reduced barometric pressures at altitude.

5

In the aeronautical decision making (ADM) process, what is the first step in neutralizing a hazardous attitude?

☒ **Recognizing the invulnerability of the situation.**

☐ **Recognizing hazardous thoughts.**

☐ **Making a rational judgement.**

6

What suggestion could you make to people who are experiencing motion sickness?

- ☒ **Recommend taking medication to prevent motion sickness.**
- ☐ **Avoid unnecessary head movement and focus sight on a point outside the aircraft.**
- ☐ **Have the students lower their head, shut their eyes, and take deep breaths.**

7

A sloping cloud formation, an obscured horizon, and a dark scene spread with ground lights and stars can create an illusion known as

☐ autokinesis.

☒ false horizons.

☐ elevator illusions.

8

Due to visual illusion, when landing on a narrower-than-usual runway, the aircraft will appear to be

- ☒ higher than actual, leading to a higher-than-normal approach.
- ☐ lower than actual, leading to a higher-than-normal approach.
- ☐ higher than actual, leading to a lower-than-normal approach.

9

What is the antidote for a pilot with a 'macho' attitude?

☒ **I'm not helpless. I can make a difference.**

☐ **Taking chances is foolish.**

☐ **Follow the rules. They are usually right.**

10

Rapid or extra deep breathing while using oxygen can cause

☒ **hyperventilation.**

☐ **cyanosis.**

☐ **a build-up of carbon dioxide in the body.**

11

One of the steps in the aeronautical decision making (ADM) process involved in good decision making is

- ☐ making a rational evaluation of the required actions.
- ☒ developing a 'can do' attitude.
- ☐ identifying personal attitudes hazardous to safe flight.

12

The distribution of primary causes of accidents in the worldwide jet aircraft commercial fleet shows that human error is involved in:

- ☒ about 70% of cases
- ☐ 70% of cases
- ☐ all cases, one way or another
- ☐ about 90% of cases

13

What can be said concerning the following two statements?

1. Euphoria can be a symptom of hypoxia.
2. Someone in an euphoric condition is more prone to error.

☐ 1 is false, 2 is correct

☒ 1 is correct, 2 is false

☐ 1 and 2 are both correct

☐ 1 and 2 are both false

14

Symptoms of decompression sickness

- ☐ are only relevant when diving
- ☐ are flatulence and pain in the middle ear
- ☒ are bends, chokes, creeps and neurological symptoms
- ☐ can only develop at altitudes of more than 40000 FT

15

The rate and depth of breathing is primarily regulated by the concentration of:

- ☐ oxygen in the cells
- ☒ carbon dioxide in the blood
- ☐ water vapour in the alveoli
- ☐ nitrogen in the air

16

Hypoxia can be caused by

- ☒ **decreased ability of the haemoglobin to transport oxygen**
- ☐ **too much carbon dioxide in the blood**
- ☐ **increasing oxygen partial pressure used for the exchange of gases**
- ☐ **lack of nitrogen in ambient air**

17

When faced with sustained cold temperature, how does the body resist this physical stress?

- ☒ **By intense vasoconstriction.**
- ☐ **By speeding up the metabolic rate in the Autonomic Nervous System.**
- ☐ **By increasing cardiac frequency.**
- ☒ **By vasodilatation which permits a greater flow of blood to the periphery.**

18

The total gas volume of the lung is the sum of:

1. tidal volume
2. inspiratory reserve volume
3. expiratory reserve volume
4. residual volume

Which of the following lists the correct combination?

☐ 1, 2 and 3

☐ 1, 2, 3 and 4

☐ 2 and 3

☒ 1 and 2

19

When flying above 10.000 feet hypoxia arises because:

- ☐ composition of the blood changes
- ☒ percentage of oxygen is lower than at sea level
- ☐ composition of the air is different from sea level
- ☐ partial oxygen pressure is below the critical value of 55mm/Hg

20

Hypoxia is caused by

- ☐ reduced partial pressure of nitrogen in the lung
- ☐ a higher affinity of the red blood cells (haemoglobin) to oxygen
- ☐ an increased number of red blood cells
- ☒ reduced partial oxygen pressure in the lung

21

When exhaling, the expired air contains:

- ☒ **more carbon dioxide than in the inhaled air**
- ☐ **less water vapour than in the inhaled air**
- ☐ **more oxygen than in the inhaled air**
- ☐ **more nitrogen than in the inhaled air**

22

The rate and depth of breathing is primarily controlled by:

- ☐ the amount of carbon monoxide in the blood
- ☒ the total atmospheric pressure
- ☐ the amount of carbon dioxide in the blood
- ☐ the amount of nitrogen in the blood

23

When flying through a thunderstorm with lightning you can protect yourself from flashblindness by:

- 1 - turning up the intensity of cockpit lights**
- 2 - looking inside the cockpit**
- 3 - wearing sunglasses**
- 4 - using blinds or curtains when installed**

☐ **1, 2, 3 and 4 are correct**

☐ **1 and 2 are correct, 3 and 4 are false**

☐ **3 and 4 are correct, 1 and 2 are false**

☒ **1, 2 and 3 are correct, 4 is false**

24

Cataract is caused by:

- ☐ A mis-shapened cornea
- ☒ A clouding of the lens
- ☒ A lack of accommodation at the cornea
- ☐ Lack of mobility of the cornea

25

Noise induced hearing loss:

- ☐ is not a permanent hearing loss, the nerve cells frequently recover.
- ☐ causes Eustationary Tube dysfunction.
- ☐ is a condition resulting in permanent hearing loss of selected frequencies.
- ☒ is also known as presbycusis and is associated with pressure damage to the middle ear.

26

Any prolonged exposure to noise in excess of 90 db can result in:

- ☐ conductive hearing loss
- ☐ a ruptured ear drum
- ☐ presbycusis (effects of aging)
- ☒ noise induced hearing loss

27

When the weather is foggy, on approach, a pilot may get a feeling of:

- ☐ his/her visual field shrinking (i.e. tunnel vision)
- ☐ aircraft altitude being lower than it actually is
- ☒ the airfield being further away than actually is
- ☐ his/her eyes focusing on infinity

28

How is Yellow fever contracted?

- ☐ Excessive use of alcohol.
- ☐ By contact with the saliva of infected animals.
- ☐ Contaminated food or water.
- ☒ A virus transmitted by an infected mosquito.

29

Flying with a "common cold":

- ☐ is permitted as long as you are on treatment with antibiotics.
- ☐ increases the risk of hypertension.
- ☒ may lead to incapacitation due to severe sinus or ear pain.
- ☐ will cause infection in other crew members if you are flying in a pressurised aircraft.

30

Medical conditions such as high blood pressure, coronary problems and diabetes are associated with:

☐ cholera

☐ anorexia nervosa

☐ obesity

☒ hypoxia

31

Carbon monoxide (CO) poisoning in flight:

- ☐ can be cured by breathing into a plastic bag to retain the carbon monoxide.
- ☒ is a complication when hyperventilating and requires its own special and individual treatment.
- ☐ presents an extremely dangerous situation as the blood may not be able carry sufficient amounts of oxygen to vital cells and tissues of the body.
- ☐ is usually harmless because oxygen is more easily attached to haemoglobin than carbon monoxide to a magnitude of 200 times.

32

Planning:

- ☐ is unnecessary in the cockpit, as crew members are so highly trained, they will always know what to do in unusual situations
- ☐ is dangerous in the cockpit, as it interrupts flight crew creativity
- ☐ allows crew members to anticipate potential risky situations and decide on possible responses
- ☒ in the cockpit typically results in plans that are always easy to modify when things are not as anticipated

33

What is the current approach to human error?

- ☒ Realisation that humans are infallible and that systems and procedures should be brought into line to prevent system/procedural errors.
- ☐ Realisation that humans are fallible and that systems and procedures should be brought into line to prevent system, latent and procedural errors.
- ☐ Realisation that humans are fallible and that systems and procedures should be designed to minimise human error.
- ☐ Realisation that humans are infallible and that systems/procedures should be designed to minimise human error.

34

on which features does risk management, as part of the Aeronautical Decision Making (ADM) process, rely?

- ☐ Application of stress management and risk element procedures.
- ☐ The mental process of analyzing all information in a particular situation and making a timely decision on what action to take.
- ☒ Situational awareness, problem recognition, and good judgment.

35

Which of the following are strategies for resolving conflict?

1. Seeking arbitration
2. Actively listening to other people
3. Recognise the early signs of conflict and address them
4. Becoming aware of cultural influences

☐ 1, 2, 3 only

☐ 1, 2, 4 only

☐ 2, 3, 4 only

☒ 1, 2, 3 and 4

36

Which statement is correct?

- ☐ Inconsistent communication improves flight safety.
- ☐ There is no relation between inadequate communication and incidents or accidents.
- ☐ Problems in the personal relationships between crew members are likely to hamper the communication process.
- ☒ Personal conflict that takes place prior to take-off should wait to be addressed until the end of the flight.

37

With regard to the practice of English, which of the following statements is correct?

- ☐ The composition of every crew should be geared to a command of the official aeronautical language of the destination country.
- ☐ All pilots should have a sound understanding of English because it is safer to adhere to the common language chosen by the aeronautical world.
- ☐ It is necessary and sufficient to have a command of any of the official languages of the ICAO.
- ☒ Be familiar with normal procedures in English since only this allows for effective management of any flight's communication.

38

Anxiety can affect:

- 1. Judgement**
- 2. Attention**
- 3. Memory**
- 4. Concentration**

☒ **1 only is correct**

☐ **1 and 2 only are correct**

☐ **All are correct**

☐ **1, 2 and 4 only are correct**

39

The behavioural effects of stress may include:

- 1: manifestation of aggressiveness.**
- 2: a willingness to improve communication.**
- 3: a willingness for group cohesion.**
- 4: a tendency to withdrawal.**

The combination of correct statements is:

- ☐ 2,3 and 4 are correct
- ☐ 1 and 4 are correct
- ☒ 1,2 and 3 are correct
- ☐ 3 and 4 are correct

40

When can the General Adaption Syndrome(GAS) activate?

- ☐ Responding to boredom.
- ☐ Responding to Circadian Disrhythmia.
- ☒ Responding to an imaginary threat.
- ☐ Responding to Hypovigilance.