
Online Examination Report

Date:	21.07.2014
Attempts:	1
Examinee:	Mwesigye, Peter
Date of birth:	9/19/1978
Subject:	040-Human Performance
Result:	50 %
Time used:	00:00:13 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	164	40.	HUMAN PERFORMANCE	1,00	1,00
2	204	40.	HUMAN PERFORMANCE	1,00	1,00
3	205	40.	HUMAN PERFORMANCE	1,00	1,00
4	174	40.	HUMAN PERFORMANCE	0,00	1,00
5	169	40.	HUMAN PERFORMANCE	1,00	1,00
6	165	40.	HUMAN PERFORMANCE	1,00	1,00
7	199	40.	HUMAN PERFORMANCE	1,00	1,00
8	194	40.	HUMAN PERFORMANCE	0,00	1,00
9	20	40.1.2	Accident statistics	1,00	1,00
10	105	40.2	Basic aviation physiology and health maintenance	1,00	1,00
11	55	40.2.1.1	The atmosphere	1,00	1,00
12	70	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
13	10	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
14	12	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
15	34	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
16	99	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
17	38	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
18	13	40.2.2.2	Vision	0,00	1,00
19	96	40.2.2.3	Hearing	0,00	1,00
20	8	40.2.2.5	Integration of sensory inputs	1,00	1,00
21	28	40.2.3.3	Problem areas for pilots	0,00	1,00
22	4	40.2.3.3	Problem areas for pilots	1,00	1,00
23	17	40.2.3.4	Intoxication	1,00	1,00
24	2	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00
25	121	40.3	BASIC AVIATION PSYCHOLOGY	1,00	1,00
26	9	40.3.1.3	Memory	0,00	1,00
27	75	40.3.1.4	Response selection	1,00	1,00
28	40	40.3.2.1	Reliability of human behaviour	0,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	29	40.3.2.3	Theory and model of human error	0,00	1,00
30	21	40.3.2.4	Error generation	1,00	1,00
31	111	40.3.3	Decision making	0,00	1,00
32	15	40.3.4.4	Communication	0,00	1,00
33	120	40.3.5	Human behaviour	0,00	1,00
34	114	40.3.5	Human behaviour	0,00	1,00
35	92	40.3.5.1	Personality, attitude and behaviour	0,00	1,00
36	1	40.3.5.1	Personality, attitude and behaviour	1,00	1,00
37	25	40.3.5.1	Personality, attitude and behaviour	0,00	1,00
38	82	40.3.5.1	Personality, attitude and behaviour	0,00	1,00
39	54	40.3.6.2	Stress	0,00	1,00
40	44	40.3.6.2	Stress	0,00	1,00
Total:50%				20,00	40,00

Attachment 2: List of result by topic

Licence

Date: 18.07.2014

Examinee: Mwesigye, Peter

Location: Uganda Civil Aviation Authority

Your Result: 20,00 from 40,00 Points (50,00 %)

Topics	Amount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	20,00	40,00	50,00
40.1. Human Factors: basic concepts	1	1,00	1,00	100,00
40.2. Basic aviation physiology and health maintenance	14	9,00	14,00	64,29
40.3. BASIC AVIATION PSYCHOLOGY	17	4,00	17,00	23,53
Total	40	20,00	40,00	50,00

1

Rapid or extra deep breathing while using oxygen can cause

☐ cyanosis.

☐ a build-up of carbon dioxide in the body.

☒ hyperventilation.

2

A pilot is more subject to spatial disorientation if

- ☒ **body signals are used to interpret flight attitude.**
- ☐ **eyes are moved often in the process of cross-checking the flight instruments.**
- ☐ **kinesthetic senses are ignored.**

3

Which procedure is recommended to prevent or overcome spatial disorientation?

☐ Reduce head and eye movements to the extent possible.

☒ Rely on the indications of the flight instruments.

☐ Rely on the kinesthetic sense.

4

One of the steps in the aeronautical decision making (ADM) process involved in good decision making is

- ☐ developing a 'can do' attitude.
- ☐ identifying personal attitudes hazardous to safe flight.
- ☒ making a rational evaluation of the required actions.

5

Motion sickness is caused by

- ☒ continued stimulation of the tiny portion of the inner ear which controls sense of balance.
- ☐ the movement of an aircraft causing the stomach to create an acid substance which causes the stomach lining to contract.
- ☐ an instability in the brain cells which affects balance and will generally be overcome with experience.

6

A person should be able to overcome the symptoms of hyperventilation by

- ☒ **slowing the breathing rate**
- ☐ **increasing the breathing rate**
- ☐ **refraining from the use of alcohol**

7

Why is hypoxia particularly dangerous during flights with one pilot?

- ☐ The pilot may not be able to control the aircraft even if using oxygen.
- ☒ Symptoms of hypoxia may be difficult to recognize before the pilot's reactions are affected.
- ☐ Night vision may be so impaired that the pilot cannot see other aircraft.

8

What visual illusion creates the same effect as a narrower-than-usual runway?

- ☒ A downsloping runway.
- ☐ A wider-than-usual runway.
- ☐ An upsloping runway.

9

The distribution of primary causes of accidents in the worldwide jet aircraft commercial fleet shows that human error is involved in:

- ☐ 70% of cases
- ☐ about 90% of cases
- ☒ about 70% of cases
- ☐ all cases, one way or another

10

which of these conditions results in hypoxia?

- ☒ Insufficient oxygen reaching the brain.
- ☐ Excessive oxygen in the bloodstream.
- ☐ Excessive carbon dioxide in the bloodstream.

11

Air at an altitude of 18.000 feet contains, approximately:

- ☐ 5% oxygen
- ☐ 10% oxygen
- ☒ 21% oxygen
- ☐ 15% oxygen

12

Someone who has anaemia does not have

- ☐ enough platelets
- ☐ enough white blood cells
- ☒ enough functional haemoglobin
- ☒ enough plasma

13

The rate and depth of breathing is primarily regulated by the concentration of:

- ☐ nitrogen in the air
- ☐ oxygen in the cells
- ☐ water vapour in the alveoli
- ☒ carbon dioxide in the blood

14

Hypoxia is caused by

- ☒ reduced partial oxygen pressure in the lung
- ☐ an increased number of red blood cells
- ☐ a higher affinity of the red blood cells (haemoglobin) to oxygen
- ☐ reduced partial pressure of nitrogen in the lung

15

Symptoms of decompression sickness

- ☒ are flatulence and pain in the middle ear
- ☐ are bends, chokes, creeps and neurological symptoms
- ☐ can only develop at altitudes of more than 40000 FT
- ☐ are only relevant when diving

16

Hypoxia can be caused by

- ☐ too much carbon dioxide in the blood
- ☐ lack of nitrogen in ambient air
- ☒ decreased ability of the haemoglobin to transport oxygen
- ☐ increasing oxygen partial pressure used for the exchange of gases

17

Flying a non-pressurized light aircraft at 9 000 feet your passenger develops blue lips:

- ☐ you supply additional oxygen but controlled.
- ☐ you supply him/her with extra oxygen, but do not reduce altitude .
- ☒ you reduce altitude and supply him/her with oxygen.
- ☐ calm him/her and occupy him with suitable tasks.

18

When focussing on near objects:

- ☐ the shape of lens gets flatter
- ☒ the pupil gets larger
- ☐ the shape of lens gets more spherical
- ☐ the cornea gets smaller

19

Noise induced hearing loss:

- ☐ causes Eustationary Tube dysfunction.
- ☐ is a condition resulting in permanent hearing loss of selected frequencies.
- ☒ is also known as presbycusis and is associated with pressure damage to the middle ear.
- ☐ is not a permanent hearing loss, the nerve cells frequently recover.

20

Which sensations does a pilot get, when he is rolling out of a prolonged level turn?

- ☐ Flying straight and level
- ☐ Turning into the original direction
- ☐ Climbing
- ☒ Turning in the opposite direction

21

Which of the following statements about hyperthermia is correct ?

- ☐ Vasodilatation is the only mechanism which is capable of reducing body temperature.
- ☐ Performance is not impaired by an increase in body temperature to 40°C or more.
- ☒ Evaporation is more effective when ambient humidity is high.
- ☐ Complete adaptation to the heat in a hot country takes about a fortnight.

22

How is Yellow fever contracted?

- ☒ **A virus transmitted by an infected mosquito.**
- ☐ **Contaminated food or water.**
- ☐ **By contact with the saliva of infected animals.**
- ☐ **Excessive use of alcohol.**

23

Carbon monoxide (CO) poisoning in flight:

- ☐ is a complication when hyperventilating and requires its own special and individual treatment.
- ☒ presents an extremely dangerous situation as the blood may not be able carry sufficient amounts of oxygen to vital cells and tissues of the body.
- ☐ is usually harmless because oxygen is more easily attached to haemoglobin than carbon monoxide to a magnitude of 200 times.
- ☐ can be cured by breathing into a plastic bag to retain the carbon monoxide.

24

What are two types of attention ?

- ☒ Selective and divided
- ☐ Divided and behavioural
- ☒ Cognitive and intuitive
- ☐ Intuitive and behavioural

25

To help manage cockpit stress, pilots must

- ☐ avoid situations that will improve their abilities to handle cockpit responsibilities.
- ☒ condition themselves to relax and think rationally when stress appears.
- ☐ be aware of life stress situations that are similar to those in flying.

26

Information stays in the short-term memory

- ☒ **about 20 seconds**
- ☐ **from 5 to 10 minutes**
- ☒ **around 24 hours**
- ☐ **less than 1 second**

27

Planning:

- ☐ is dangerous in the cockpit, as it interrupts flight crew creativity
- ☒ allows crew members to anticipate potential risky situations and decide on possible responses
- ☐ in the cockpit typically results in plans that are always easy to modify when things are not as anticipated
- ☐ is unnecessary in the cockpit, as crew members are so highly trained, they will always know what to do in unusual situations

28

Situations particularly vulnerable to "reversion to an earlier behaviour pattern" are:

1. when concentration on a particular task is relaxed
2. when situations are characterised by medium workload
3. when situations are characterised by stress

☒ 3 only.

☐ 1. and 2.

☐ 1. and 3.

☐ 2. and 3.

29

What is the current approach to human error?

- ☒ Realisation that humans are fallible and that systems and procedures should be brought into line to prevent system, latent and procedural errors.
- ☐ Realisation that humans are fallible and that systems and procedures should be designed to minimise human error.
- ☐ Realisation that humans are infallible and that systems/procedures should be designed to minimise human error.
- ☐ Realisation that humans are infallible and that systems and procedures should be brought into line to prevent system/procedural errors.

30

Human error rates during the performance of a simple and repetitive task can normally be expected to be approximately:

☒ 1 in 100

☐ 1 in 500

☐ 1 in 2000

☐ 1 in 200

31

Which of the following is considered as a step involved in good Aeronautical Decision Making (ADM) process?

- ☐ developing the 'right stuff' attitude.
- ☐ identifying personal attitudes hazardous to safe flight.
- ☒ making a rational evaluation of the required actions.

32

With regard to the practice of English, which of the following statements is correct?

- ☒ Be familiar with normal procedures in English since only this allows for effective management of any flight's communication.
- ☐ The composition of every crew should be geared to a command of the official aeronautical language of the destination country.
- ☐ It is necessary and sufficient to have a command of any of the official languages of the ICAO.
- ☐ All pilots should have a sound understanding of English because it is safer to adhere to the common language chosen by the aeronautical world.

33

What should a pilot do when recognizing a thought as hazardous?

- ☒ Avoid developing this hazardous thought.
- ☐ Label that thought as hazardous, then correct that thought by stating the corresponding learned antidote.
- ☐ Develop this hazardous thought and follow through with modified action.

34

Some of these dangerous tendencies or behavior patterns which must be identified and eliminated include:

- ☐ Deficiencies in instrument skills and knowledge of aircraft systems or limitations.
- ☐ Peer pressure, get-there-it-is, loss of positional or situation awareness, and operating without adequate fuel reserves.
- ☒ Performance deficiencies from human factors such as, fatigue, illness or emotional problems.

35

Which of the following elements make up the personality of an individual?

1. Heredity
2. Childhood environment
3. Upbringing
4. Past experience

☐ 1,2,3,4

☐ 2,3

☒ 2,3,4

☐ 1,2,4

36

Attitudes are defined as:

- ☐ the conditions necessary for carrying out an activity
- ☐ a synonym for behaviour
- ☐ the genetic predispositions for thinking and acting
- ☒ tendencies to respond to people, things or events in a particular manner

37

Contrary to a person's personality, attitudes:

- ☐ form part of personality and, as a result, cannot be changed in an adult
- ☒ are essentially driving forces behind changes in personality
- ☐ Are the product of personal disposition and past experience with reference to an object or a situation
- ☐ are non-evolutive adaptation procedures regardless of the result of the actions associated with them

38

Personality is based on:

1. Heredity
2. Upbringing
3. Experience
4. Childhood

☐ None of the listed answers is correct

☐ 1, 2 and 4 only are correct

☒ 1, 2, 3 and 4 are correct

☒ 2, 3 and 4 only are correct

39

A person being exposed to extreme or prolonged stress factors can perceive:

- ☒ distress
- ☐ eustress
- ☐ stressors
- ☒ coping stress

40

When can the General Adaption Syndrome(GAS) activate?

- ☐ Responding to Circadian Disrhythmia.
- ☐ Responding to Hypovigilance.
- ☒ Responding to an imaginary threat.
- ☒ Responding to boredom.