
Online Examination Report

Date:	12.08.2014
Attempts:	1
Examinee:	Mwakagile, Faraja
Date of birth:	7/27/1979
Subject:	040-Human performance
Result:	62,5 %
Time used:	00:01:00 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	175	40.	HUMAN PERFORMANCE	0,00	1,00
2	164	40.	HUMAN PERFORMANCE	1,00	1,00
3	129	40.	HUMAN PERFORMANCE	0,00	1,00
4	161	40.	HUMAN PERFORMANCE	0,00	1,00
5	194	40.	HUMAN PERFORMANCE	1,00	1,00
6	181	40.	HUMAN PERFORMANCE	1,00	1,00
7	206	40.	HUMAN PERFORMANCE	1,00	1,00
8	185	40.	HUMAN PERFORMANCE	1,00	1,00
9	169	40.	HUMAN PERFORMANCE	1,00	1,00
10	186	40.	HUMAN PERFORMANCE	1,00	1,00
11	208	40.	HUMAN PERFORMANCE	1,00	1,00
12	197	40.	HUMAN PERFORMANCE	1,00	1,00
13	99	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
14	60	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
15	100	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
16	67	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
17	77	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
18	34	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
19	47	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
20	90	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
21	70	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
22	36	40.2.2.2	Vision	1,00	1,00
23	46	40.2.2.3	Hearing	1,00	1,00
24	58	40.2.2.5	Integration of sensory inputs	0,00	1,00
25	23	40.2.2.5	Integration of sensory inputs	0,00	1,00
26	8	40.2.2.5	Integration of sensory inputs	1,00	1,00
27	87	40.2.3.4	Intoxication	0,00	1,00
28	122	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	144	40.3.1	Human information processing	1,00	1,00
30	80	40.3.1.3	Memory	1,00	1,00
31	65	40.3.1.4	Response selection	0,00	1,00
32	117	40.3.3	Decision making	1,00	1,00
33	26	40.3.4.4	Communication	0,00	1,00
34	120	40.3.5	Human behaviour	0,00	1,00
35	113	40.3.5	Human behaviour	0,00	1,00
36	128	40.3.5	Human behaviour	1,00	1,00
37	1	40.3.5.1	Personality, attitude and behaviour	1,00	1,00
38	11	40.3.5.1	Personality, attitude and behaviour	1,00	1,00
39	44	40.3.6.2	Stress	1,00	1,00
40	54	40.3.6.2	Stress	0,00	1,00
Total:62%				25,00	40,00

Attachment 2: List of result by topic

Licence

Date: 12.08.2014

Examinee: Mwakagile, Faraja

Location: Uganda Civil Aviation Authority

Your Result: 25,00 from 40,00 Points (62,50 %)

Topics	Ammount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	25,00	40,00	62,50
40.2. Basic aviation physiology and health maintenance	15	9,00	15,00	60,00
40.3. BASIC AVIATION PSYCHOLOGY	13	7,00	13,00	53,85
Total	40	25,00	40,00	62,50

1

Examples of classic behavioral traps that experienced pilots may fall into are to

- ☐ complete a flight as planned, please passengers, meet schedules, and 'get the job done.'
- ☐ promote situational awareness and then necessary changes in behavior.
- ☒ assume additional responsibilities and assert PIC authority.

2

Rapid or extra deep breathing while using oxygen can cause

☒ **hyperventilation.**

☐ **cyanosis.**

☐ **a build-up of carbon dioxide in the body.**

3

Which of the following is the final step of the Decide Model for effective risk management and Aeronautical Decision Making?

☒ **Estimate.**

☐ **Eliminate.**

☐ **Evaluate.**

4

which of the following may more likely result into hypoxia?

- ☐ excessive nitrogen in the bloodstream.
- ☒ decreasing amount of oxygen as your altitude increases.
- ☐ reduced barometric pressures at altitude.

5

What visual illusion creates the same effect as a narrower-than-usual runway?

- ☒ An upsloping runway.
- ☐ A downsloping runway.
- ☐ A wider-than-usual runway.

6

In the aeronautical decision making (ADM) process, what is the first step in neutralizing a hazardous attitude?

☐ Recognizing the invulnerability of the situation.

☒ Recognizing hazardous thoughts.

☐ Making a rational judgement.

7

What action should be taken if hyperventilation is suspected?

- ☒ **Consciously breathe at a slower rate than normal.**
- ☐ **Consciously force yourself to take deep breaths and breathe at a faster rate than normal.**
- ☐ **Breathe at a slower rate by taking very deep breaths.**

8

Success in reducing stress associated with a crisis in the cockpit begins with

- ☒ **assessing stress areas in one's personal life.**
- ☐ **knowing the exact cause of the stress.**
- ☐ **eliminating the more serious life and cockpit stress issues.**

9

Motion sickness is caused by

- ☐ an instability in the brain cells which affects balance and will generally be overcome with experience.
- ☒ continued stimulation of the tiny portion of the inner ear which controls sense of balance.
- ☐ the movement of an aircraft causing the stomach to create an acid substance which causes the stomach lining to contract.

10

To help manage cockpit stress, a pilot should

- ☐ think of life stress situations that are similar to those in flying.
- ☐ avoid situations that will degrade the ability to handle cockpit responsibilities.
- ☒ try to relax and think rationally at the first sign of stress.

11

Which technique should a pilot use to scan for traffic to the right and left during straight-and-level flight?

- ☐ Continuous sweeping of the windshield from right to left.
- ☐ Concentrate on relative movement detected in the peripheral vision area.
- ☒ Systematically focus on different segments of the sky for short intervals.

12

An abrupt change from climb to straight-and-level flight can create the illusion of

- ☒ **tumbling backwards.**
- ☐ **a descent with the wings level.**
- ☐ **a noseup attitude.**

13

Hypoxia can be caused by

- ☒ decreased ability of the haemoglobin to transport oxygen
- ☐ too much carbon dioxide in the blood
- ☐ increasing oxygen partial pressure used for the exchange of gases
- ☐ lack of nitrogen in ambient air

14

The following actions are appropriate when faced with symptoms of decompression sickness:

1. climb to higher level
2. descent to the higher of 10000 ft or MSA and land as soon as possible
3. breathe 100 % oxygen
4. obtain medical advice about recompression after landing

☐ 1 and 3 are correct

☒ 2, 3 and 4 are correct

☐ 1 and 4 are correct

☒ 1, 2 and 3 are correct

15

Positive G will cause the blood flow to the brain to:

- ☐ remain constant
- ☐ first increase, then decrease
- ☒ increase
- ☐ decrease

16

Flying immediately following a dive with SCUBA diving equipment to a depth greater than 10 metres

- ☐ **presents any dangers caused by DCS (decompression sickness) when climbing to altitudes not exceeding 30 000 FT**
- ☐ **will always lead to hypoxia**
- ☐ **has no influence on altitude flights**
- ☒ **can cause decompression sickness even when flying at pressure altitudes below 18 000 FT**

17

During a rapid decompression in a 2 crew aircraft, the other pilot becomes incapacitated, your first action is to:

- ☐ call for immediate assistance from cabin crew.
- ☐ administer oxygen to the other pilot.
- ☒ don your own oxygen mask.
- ☐ commence an emergency descent.

18

Symptoms of decompression sickness

- ☐ are only relevant when diving
- ☐ are flatulence and pain in the middle ear
- ☒ are bends, chokes, creeps and neurological symptoms
- ☐ can only develop at altitudes of more than 40000 FT

19

The respiratory process consists mainly of

- ☐ the transportation of oxygen to the cells and the elimination of carbon monoxide
- ☐ the transportation of carbon dioxide to the cells and elimination of oxygen
- ☒ the diffusion of oxygen through the respiratory membranes into the blood, transportation to the cells, diffusion into the cells and elimination of carbon dioxide from the body
- ☐ the transportation of oxygen to the cells and the elimination of nitrogen

20

Healthy people are usually capable of compensating for a lack of oxygen up to:

☐ 10.000 - 12.000feet

☐ 20.000 feet

☐ 25.000 feet

☒ 15.000 feet

21

Someone who has anaemia does not have

- ☐ enough plasma
- ☐ enough platelets
- ☒ enough functional haemoglobin
- ☐ enough white blood cells

22

Presbyopia:

- ☐ is caused by long-termed exposure to stimuli over 90dB.
- ☐ surgical replacement of the lens the usual treatment and is compatible with flying.
- ☐ is partial visual loss due to pressure changes in the eye.
- ☒ is common over the age of 50.

23

Any prolonged exposure to noise in excess of 90 db can result in:

- ☐ conductive hearing loss
- ☐ a ruptured ear drum
- ☐ presbycusis (effects of aging)
- ☒ noise induced hearing loss

24

What would be the effect if, in a tight turn, one bends down to pick up a pencil?

☒ Vertigo.

☐ Barotrauma.

☐ Coriolis effect.

☐ Inversion Illusion.

25

For a pilot who is used to land on small and narrow runways only, approaching a larger and wider runway can lead to:

- ☒ steeper than normal approach dropping low
- ☐ risk to land short of the overrun
- ☐ early or high "round out"
- ☐ flatter than normal approach with the risk of "ducking under"

26

Which sensations does a pilot get, when he is rolling out of a prolonged level turn?

- ☐ Turning into the original direction
- ☒ Turning in the opposite direction
- ☐ Climbing
- ☐ Flying straight and level

27

Which statement is correct?

1. Smokers have a greater chance of suffering from coronary heart disease
2. Smoking tobacco will raise the individuals physiological altitude during flight
3. Smokers have a greater chance of contracting lung cancer

☐ 1 and 2 are correct, 3 is false

☐ 2 and 3 are correct, 1 is false

☒ 1 and 3 are correct, 2 is false

☐ 1,2 and 3 are correct

28

What does good cockpit stress management begin with?

☐ Eliminating life and cockpit stress issues.

☒ Knowing what causes stress.

☐ Good life stress management.

29

Before a student can concentrate on learning, which of these human needs must be satisfied first?

☒ **Physical needs.**

☐ **Safety needs.**

☐ **Social needs.**

30

Working memory enables us, for example,

- ☐ to ignore messages for other aircraft
- ☐ to store a large amount of visual information for about 0.5 seconds
- ☒ to remember a clearance long enough to write it down
- ☐ to remember our own name

31

The ability to monitor information which could indicate the development of a critical situation

- ☐ is dangerous, because it distracts attention from flying the aircraft
- ☐ is responsible for the development of inadequate mental models of the real world
- ☒ makes no sense because the human information processing system is limited anyway
- ☐ is necessary to maintain good situational awareness

32

What are some of the hazardous attitudes dealt with in Aeronautical Decision Making (ADM)?

- ☒ **Antiauthority (don't tell me), impulsivity (do something quickly without thinking), macho (I can do it).**
- ☐ **Poor decision making, situational awareness, and judgment.**
- ☐ **Risk management, stress management, and risk elements.**

33

Which of the following are strategies for resolving conflict?

1. Seeking arbitration
2. Actively listening to other people
3. Recognise the early signs of conflict and address them
4. Becoming aware of cultural influences

☐ 1, 2, 3 only

☒ 1, 2, 4 only

☐ 2, 3, 4 only

☒ 1, 2, 3 and 4

34

What should a pilot do when recognizing a thought as hazardous?

- ☐ Label that thought as hazardous, then correct that thought by stating the corresponding learned antidote.
- ☒ Develop this hazardous thought and follow through with modified action.
- ☐ Avoid developing this hazardous thought.

35

The basic drive for a pilot to demonstrate the 'right stuff' can have an adverse effect on safety, by

- ☐ a total disregard for any alternative course of action.
- ☒ imposing a realistic assessment of piloting skills under stressful conditions.
- ☐ generating tendencies that lead to practices that are dangerous, often illegal, and may lead to a mishap.

36

A pilot and friends are going to fly to an out-of-town football game. When the passengers arrive, the pilot determines that they will be over the maximum gross weight for takeoff with the existing fuel load. Which of the following alternatives best illustrates the RESIGNATION reaction?

- ☒ Well, nobody told him about the extra weight.
- ☐ He can't wait around to de-fuel, they have to get there on time.
- ☐ Weight and balance is a formality forced on pilots by the FAA.

37

Attitudes are defined as:

- ☐ a synonym for behaviour
- ☒ tendencies to respond to people, things or events in a particular manner
- ☐ the genetic predispositions for thinking and acting
- ☐ the conditions necessary for carrying out an activity

38

For a normal and healthy person, personality traits are:

☐ unstable.

☐ easy changed by an outside influence.

☒ stable.

☐ easy changeable.

39

When can the General Adaption Syndrome(GAS) activate?

- ☐ Responding to boredom.
- ☐ Responding to Circadian Disrhythmia.
- ☒ Responding to an imaginary threat.
- ☐ Responding to Hypovigilance.

40

A person being exposed to extreme or prolonged stress factors can perceive:

☐ coping stress

☒ stressors

☐ eustress

☐ distress