

Online Examination Report

Date:	22.07.2014
Attempts:	1
Examinee:	Kibuuka, Elvis
Date of birth:	11/16/1989
Subject:	040-Human performance
Result:	62,5 %
Time used:	00:01:00 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	169	40.	HUMAN PERFORMANCE	1,00	1,00
2	196	40.	HUMAN PERFORMANCE	1,00	1,00
3	165	40.	HUMAN PERFORMANCE	1,00	1,00
4	185	40.	HUMAN PERFORMANCE	0,00	1,00
5	161	40.	HUMAN PERFORMANCE	0,00	1,00
6	208	40.	HUMAN PERFORMANCE	1,00	1,00
7	131	40.	HUMAN PERFORMANCE	0,00	1,00
8	171	40.	HUMAN PERFORMANCE	1,00	1,00
9	166	40.	HUMAN PERFORMANCE	1,00	1,00
10	168	40.	HUMAN PERFORMANCE	0,00	1,00
11	193	40.	HUMAN PERFORMANCE	1,00	1,00
12	105	40.2	Basic aviation physiology and health maintenance	1,00	1,00
13	108	40.2	Basic aviation physiology and health maintenance	1,00	1,00
14	68	40.2.1.1	The atmosphere	0,00	1,00
15	52	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
16	77	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
17	47	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
18	90	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
19	18	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
20	45	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
21	41	40.2.2.2	Vision	0,00	1,00
22	6	40.2.2.2	Vision	1,00	1,00
23	50	40.2.2.2	Vision	1,00	1,00
24	96	40.2.2.3	Hearing	0,00	1,00
25	85	40.2.2.5	Integration of sensory inputs	1,00	1,00
26	23	40.2.2.5	Integration of sensory inputs	0,00	1,00
27	8	40.2.2.5	Integration of sensory inputs	1,00	1,00
28	58	40.2.2.5	Integration of sensory inputs	1,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	32	40.2.3.3	Problem areas for pilots	1,00	1,00
30	4	40.2.3.3	Problem areas for pilots	1,00	1,00
31	28	40.2.3.3	Problem areas for pilots	0,00	1,00
32	152	40.3	BASIC AVIATION PSYCHOLOGY	1,00	1,00
33	122	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00
34	65	40.3.1.4	Response selection	1,00	1,00
35	40	40.3.2.1	Reliability of human behaviour	1,00	1,00
36	29	40.3.2.3	Theory and model of human error	0,00	1,00
37	111	40.3.3	Decision making	1,00	1,00
38	113	40.3.5	Human behaviour	0,00	1,00
39	48	40.3.6.2	Stress	1,00	1,00
40	37	40.3.6.2	Stress	0,00	1,00
Total:62%				25,00	40,00

Attachment 2: List of result by topic

Licence

Date: 22.07.2014

Examinee: Kibuuka, Elvis

Location: Uganda Civil Aviation Authority

Your Result: 25,00 from 40,00 Points (62,50 %)

Topics	Ammount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	25,00	40,00	62,50
40.2. Basic aviation physiology and health maintenance	20	13,00	20,00	65,00
40.3. BASIC AVIATION PSYCHOLOGY	9	5,00	9,00	55,56
Total	40	25,00	40,00	62,50

1

Motion sickness is caused by

- ☒ continued stimulation of the tiny portion of the inner ear which controls sense of balance.
- ☐ the movement of an aircraft causing the stomach to create an acid substance which causes the stomach lining to contract.
- ☐ an instability in the brain cells which affects balance and will generally be overcome with experience.

2

A sloping cloud formation, an obscured horizon, and a dark scene spread with ground lights and stars can create an illusion known as

☐ autokinesis.

☐ elevator illusions.

☒ false horizons.

3

A person should be able to overcome the symptoms of hyperventilation by

- ☒ **slowing the breathing rate**
- ☐ **increasing the breathing rate**
- ☐ **refraining from the use of alcohol**

4

Success in reducing stress associated with a crisis in the cockpit begins with

☐ eliminating the more serious life and cockpit stress issues.

☐ assessing stress areas in one's personal life.

☒ knowing the exact cause of the stress.

5

which of the following may more likely result into hypoxia?

- ☐ reduced barometric pressures at altitude.
- ☒ decreasing amount of oxygen as your altitude increases.
- ☐ excessive nitrogen in the bloodstream.

6

Which technique should a pilot use to scan for traffic to the right and left during straight-and-level flight?

- ☒ Systematically focus on different segments of the sky for short intervals.
- ☐ Continuous sweeping of the windshield from right to left.
- ☐ Concentrate on relative movement detected in the peripheral vision area.

7

The Decide Model is comprised of a 6-step process to provide a pilot a logical way of approaching Aeronautical Decision Making. These steps are:

- ☒ Determine, evaluate, choose, identify, do, and eliminate.
- ☐ Detect, estimate, choose, identify, do, and evaluate.
- ☐ Determine, eliminate, choose, identify, detect, and evaluate.

8

During training flights, an instructor should interject realistic distractions to determine if a student can

- ☒ **maintain aircraft control while his/her attention is diverted.**
- ☐ **perform maneuvers using the integrated method of flight instruction.**
- ☐ **learn despite stressful conditions.**

9

How can smoking affect a pilot?

- ☒ Reduces the oxygen-carrying capability of the blood.
- ☐ Creates additional carbon dioxide gases in the body which often leads to hyperventilation.
- ☐ Can decrease night vision by up to 50 percent.

10

What suggestion could you make to people who are experiencing motion sickness?

- ☐ Avoid unnecessary head movement and focus sight on a point outside the aircraft.
- ☐ Have the students lower their head, shut their eyes, and take deep breaths.
- ☒ Recommend taking medication to prevent motion sickness.

11

Due to visual illusion, when landing on a narrower-than-usual runway, the aircraft will appear to be

- ☒ higher than actual, leading to a lower-than-normal approach.
- ☐ higher than actual, leading to a higher-than-normal approach.
- ☐ lower than actual, leading to a higher-than-normal approach.

12

which of these conditions results in hypoxia?

- ☒ Insufficient oxygen reaching the brain.
- ☐ Excessive oxygen in the bloodstream.
- ☐ Excessive carbon dioxide in the bloodstream.

13

Hypoxia susceptibility due to inhalation of carbon monoxide increases as

- ☐ humidity decreases.
- ☐ oxygen demand increases.
- ☒ altitude increases.

14

Fatigue and stress

- ☒ do not affect hypoxia at all
- ☐ increase the tolerance to hypoxia
- ☐ lower the tolerance to hypoxia
- ☐ will increase the tolerance to hypoxia when flying below 15 000 feet

15

What can be said concerning the following two statements?

1. Euphoria can be a symptom of hypoxia.
2. Someone in an euphoric condition is more prone to error.

☒ 1 is correct, 2 is false

☐ 1 and 2 are both false

☐ 1 and 2 are both correct

☐ 1 is false, 2 is correct

16

During a rapid decompression in a 2 crew aircraft, the other pilot becomes incapacitated, your first action is to:

- ☐ administer oxygen to the other pilot.
- ☐ don your own oxygen mask.
- ☒ commence an emergency descent.
- ☐ call for immediate assistance from cabin crew.

17

The respiratory process consists mainly of

- ☐ the transportation of carbon dioxide to the cells and elimination of oxygen
- ☒ the diffusion of oxygen through the respiratory membranes into the blood, transportation to the cells, diffusion into the cells and elimination of carbon dioxide from the body
- ☐ the transportation of oxygen to the cells and the elimination of nitrogen
- ☐ the transportation of oxygen to the cells and the elimination of carbon monoxide

18

Healthy people are usually capable of compensating for a lack of oxygen up to:

- ☐ 20.000 feet
- ☐ 15.000 feet
- ☒ 10.000 - 12.000feet
- ☐ 25.000 feet

19

The rate and depth of breathing is primarily controlled by:

- ☐ the total atmospheric pressure
- ☒ the amount of carbon dioxide in the blood
- ☐ the amount of nitrogen in the blood
- ☐ the amount of carbon monoxide in the blood

20

The total gas volume of the lung is the sum of:

1. tidal volume
2. inspiratory reserve volume
3. expiratory reserve volume
4. residual volume

Which of the following lists the correct combination?

- ☐ 1 and 2
- ☐ 1, 2 and 3
- ☐ 2 and 3
- ☒ 1, 2, 3 and 4

21

Which of the following statements is correct?

- ☒ Scotopic Vision is vision through the operation of the Cones.
- ☐ Photopic Vision is the same as Peripheral Vision.
- ☐ Scotopic Vision is vision through the operation of the Rods.
- ☐ Scotopic Vision is the same as Photopic Vision.

22

During poor weather conditions a pilot should fly with reference to instruments because:

- ☐ pressure differences can cause the altimeter to give wrong information
- ☒ perception of distance and speed is difficult in an environment of low contrast
- ☐ the danger of a "greying out" will make it impossible to determine the height above the terrain
- ☐ his attention will be distracted automatically under these conditions

23

Cataract is caused by:

- ☐ Lack of mobility of the cornea
- ☐ A mis-shapened cornea
- ☐ A lack of accommodation at the cornea
- ☒ A clouding of the lens

24

Noise induced hearing loss:

- ☐ causes Eustationary Tube dysfunction.
- ☐ is a condition resulting in permanent hearing loss of selected frequencies.
- ☒ is also known as presbycusis and is associated with pressure damage to the middle ear.
- ☐ is not a permanent hearing loss, the nerve cells frequently recover.

25

"Pilot's vertigo"

- ☒ is the condition of dizziness and/or tumbling sensation caused by contradictory impulses to the central nervous system (CNS)
- ☐ is the sensation of climbing caused by a strong linear acceleration
- ☐ announces the beginning of airsickness
- ☐ is the sensation to keep a rotation after completing a turn

26

For a pilot who is used to land on small and narrow runways only, approaching a larger and wider runway can lead to:

- ☒ risk to land short of the overrun
- ☐ early or high "round out"
- ☐ flatter than normal approach with the risk of "ducking under"
- ☐ steeper than normal approach dropping low

27

Which sensations does a pilot get, when he is rolling out of a prolonged level turn?

- ☐ Flying straight and level
- ☐ Turning into the original direction
- ☐ Climbing
- ☒ Turning in the opposite direction

28

What would be the effect if, in a tight turn, one bends down to pick up a pencil?

☐ Barotrauma.

☐ Inversion Illusion.

☒ Coriolis effect.

☐ Vertigo.

29

Flying with a "common cold":

- ☐ increases the risk of hypertension.
- ☒ may lead to incapacitation due to severe sinus or ear pain.
- ☐ will cause infection in other crew members if you are flying in a pressurised aircraft.
- ☐ is permitted as long as you are on treatment with antibiotics.

30

How is Yellow fever contracted?

☒ A virus transmitted by an infected mosquito.

☐ Contaminated food or water.

☐ By contact with the saliva of infected animals.

☐ Excessive use of alcohol.

31

Which of the following statements about hyperthermia is correct ?

- ☒ Vasodilatation is the only mechanism which is capable of reducing body temperature.
- ☐ Performance is not impaired by an increase in body temperature to 40°C or more.
- ☐ Evaporation is more effective when ambient humidity is high.
- ☐ Complete adaptation to the heat in a hot country takes about a fortnight.

32

To communicate effectively, instructors must

- ☐ display an authoritarian attitude.
- ☒ display a positive, confident attitude.
- ☐ utilize highly organized notes.

33

What does good cockpit stress management begin with?

- ☒ **Knowing what causes stress.**
- ☐ **Good life stress management.**
- ☐ **Eliminating life and cockpit stress issues.**

34

The ability to monitor information which could indicate the development of a critical situation

- ☒ **is necessary to maintain good situational awareness**
- ☐ **makes no sense because the human information processing system is limited anyway**
- ☐ **is responsible for the development of inadequate mental models of the real world**
- ☐ **is dangerous, because it distracts attention from flying the aircraft**

35

Situations particularly vulnerable to "reversion to an earlier behaviour pattern" are:

1. when concentration on a particular task is relaxed
2. when situations are characterised by medium workload
3. when situations are characterised by stress

☐ 3 only.

☐ 1. and 2.

☒ 1. and 3.

☐ 2. and 3.

36

What is the current approach to human error?

- ☒ Realisation that humans are fallible and that systems and procedures should be brought into line to prevent system, latent and procedural errors.
- ☐ Realisation that humans are fallible and that systems and procedures should be designed to minimise human error.
- ☐ Realisation that humans are infallible and that systems/procedures should be designed to minimise human error.
- ☐ Realisation that humans are infallible and that systems and procedures should be brought into line to prevent system/procedural errors.

37

Which of the following is considered as a step involved in good Aeronautical Decision Making (ADM) process?

- ☐ developing the 'right stuff' attitude.
- ☒ identifying personal attitudes hazardous to safe flight.
- ☐ making a rational evaluation of the required actions.

38

The basic drive for a pilot to demonstrate the 'right stuff' can have an adverse effect on safety, by

- ☒ imposing a realistic assessment of piloting skills under stressful conditions.
- ☐ generating tendencies that lead to practices that are dangerous, often illegal, and may lead to a mishap.
- ☐ a total disregard for any alternative course of action.

39

The behavioural effects of stress may include:

- 1: manifestation of aggressiveness.
- 2: a willingness to improve communication.
- 3: a willingness for group cohesion.
- 4: a tendency to withdrawal.

The combination of correct statements is:

- ☐ 3 and 4 are correct
- ☐ 2,3 and 4 are correct
- ☐ 1,2 and 3 are correct
- ☒ 1 and 4 are correct

Candidate: Elvis Kibuuka
Date of birth: 1989-11-16

Subject: 040-Human performance
Date: 2014-07-22

40

Anxiety can affect:

- 1. Judgement**
- 2. Attention**
- 3. Memory**
- 4. Concentration**

☐ 1 and 2 only are correct

☒ All are correct

☒ 1, 2 and 4 only are correct

☐ 1 only is correct