
Online Examination Report

Date:	24.07.2014
Attempts:	1
Examinee:	Menya Komyhendo, Ruth
Date of birth:	11/28/1988
Subject:	040-Human performance
Result:	34,99 %
Time used:	00:49:47 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	161	40.	HUMAN PERFORMANCE	0,00	1,00
2	172	40.	HUMAN PERFORMANCE	0,00	1,00
3	178	40.	HUMAN PERFORMANCE	0,00	1,00
4	206	40.	HUMAN PERFORMANCE	0,00	1,00
5	200	40.	HUMAN PERFORMANCE	0,00	1,00
6	209	40.	HUMAN PERFORMANCE	1,00	1,00
7	105	40.2	Basic aviation physiology and health maintenance	0,00	1,00
8	68	40.2.1.1	The atmosphere	0,00	1,00
9	77	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
10	52	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
11	18	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
12	24	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
13	100	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
14	71	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
15	70	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
16	60	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
17	34	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
18	13	40.2.2.2	Vision	0,00	1,00
19	27	40.2.2.2	Vision	0,00	1,00
20	41	40.2.2.2	Vision	1,00	1,00
21	96	40.2.2.3	Hearing	0,00	1,00
22	22	40.2.2.4	Equilibrium	1,00	1,00
23	8	40.2.2.5	Integration of sensory inputs	1,00	1,00
24	107	40.2.3	Health and hygiene	0,00	1,00
25	35	40.2.3.2	Body rythm and sleep	1,00	1,00
26	32	40.2.3.3	Problem areas for pilots	1,00	1,00
27	66	40.2.3.3	Problem areas for pilots	0,00	1,00
28	31	40.2.3.4	Intoxication	1,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	72	40.2.3.4	Intoxication	0,00	1,00
30	152	40.3	BASIC AVIATION PSYCHOLOGY	1,00	1,00
31	124	40.3	BASIC AVIATION PSYCHOLOGY	1,00	1,00
32	74	40.3.1.1	Attention and vigilance	1,00	1,00
33	110	40.3.3	Decision making	1,00	1,00
34	81	40.3.3.1	Decision-making concepts	1,00	1,00
35	5	40.3.4.3	Co-operation	0,00	1,00
36	59	40.3.4.4	Communication	0,00	1,00
37	127	40.3.5	Human behaviour	0,00	1,00
38	123	40.3.5	Human behaviour	1,00	1,00
39	128	40.3.5	Human behaviour	0,00	1,00
40	54	40.3.6.2	Stress	0,00	1,00
Total:35%				14,00	40,00

Attachment 2: List of result by topic

Licence

Date: 24.07.2014

Examinee: Menya Komyhendo, Ruth

Location: Uganda Civil Aviation Authority

Your Result: 14,00 from 40,00 Points (35,00 %)

Topics	Ammount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	14,00	40,00	35,00
40.2. Basic aviation physiology and health maintenance	23	7,00	23,00	30,43
40.3. BASIC AVIATION PSYCHOLOGY	11	6,00	11,00	54,55
Total	40	14,00	40,00	35,00

1

which of the following may more likely result into hypoxia?

- ☐ excessive nitrogen in the bloodstream.
- ☒ decreasing amount of oxygen as your altitude increases.
- ☐ reduced barometric pressures at altitude.

2

The most effective technique to use for detecting other aircraft at night is to

- ☒ **avoid scanning the region below the horizon so as to avoid the effect of ground lights on the eyes.**
- ☐ **avoid staring directly at the point where another aircraft is suspected to be flying.**
- ☐ **turn the head and sweep the eyes rapidly over the entire visible region.**

3

Name some hazardous attitudes that can affect your judgment during the aeronautical decision making (ADM) process.

☐ **Impulsivity, antiestablishment, and reevaluation.**

☒ **Peer pressure and stress levels.**

☐ **Antiauthority, impulsivity, and resignation.**

Candidate: Ruth Menya Komyhendo
Date of birth: 1988-11-28

Subject: 040-Human performance
Date: 2014-07-24



4

What action should be taken if hyperventilation is suspected?

- ☒ **Consciously breathe at a slower rate than normal.**
- ☐ **Consciously force yourself to take deep breaths and breathe at a faster rate than normal.**
- ☒ **Breathe at a slower rate by taking very deep breaths.**

5

The sensations which lead to spatial disorientation during instrument flight conditions

- ☒ occur, in most instances, during the initial period of transition from visual to instrument flight.
- ☐ are frequently encountered by beginning instrument pilots, but never by pilots with moderate instrument experience.
- ☐ must be suppressed and complete reliance placed on the indications of the flight instruments.

6

What effect does haze have on the ability to see traffic or terrain features during flight?

- ☐ Haze causes the eyes to focus at infinity, making terrain features harder to see.
- ☒ Haze creates the illusion of being a greater distance than actual from the runway, and causes pilots to fly a lower approach.
- ☐ The eyes tend to overwork in haze and do not detect relative movement easily.

7

which of these conditions results in hypoxia?

- ☐ Insufficient oxygen reaching the brain.
- ☒ Excessive carbon dioxide in the bloodstream.
- ☐ Excessive oxygen in the bloodstream.

8

Fatigue and stress

- ☒ lower the tolerance to hypoxia
- ☐ do not affect hypoxia at all
- ☒ will increase the tolerance to hypoxia when flying below 15 000 feet
- ☐ increase the tolerance to hypoxia

9

During a rapid decompression in a 2 crew aircraft, the other pilot becomes incapacitated, your first action is to:

☐ call for immediate assistance from cabin crew.

☒ administer oxygen to the other pilot.

☐ don your own oxygen mask.

☐ commence an emergency descent.

10

What can be said concerning the following two statements?

1. Euphoria can be a symptom of hypoxia.
2. Someone in an euphoric condition is more prone to error.

☒ 1 is false, 2 is correct

☐ 1 is correct, 2 is false

☐ 1 and 2 are both correct

☐ 1 and 2 are both false

11

The rate and depth of breathing is primarily controlled by:

- ☐ the amount of carbon monoxide in the blood
- ☒ the total atmospheric pressure
- ☐ the amount of carbon dioxide in the blood
- ☐ the amount of nitrogen in the blood

12

When faced with sustained cold temperature, how does the body resist this physical stress?

- ☐ By intense vasoconstriction.
- ☐ By speeding up the metabolic rate in the Autonomic Nervous System.
- ☐ By increasing cardiac frequency.
- ☒ By vasodilatation which permits a greater flow of blood to the periphery.

13

Positive G will cause the blood flow to the brain to:

- ☐ remain constant
- ☐ first increase, then decrease
- ☒ increase
- ☐ decrease

14

When exhaling, the expired air contains:

- ☒ **more carbon dioxide than in the inhaled air**
- ☐ **less water vapour than in the inhaled air**
- ☐ **more oxygen than in the inhaled air**
- ☐ **more nitrogen than in the inhaled air**

15

Someone who has anaemia does not have

- ☐ enough plasma
- ☒ enough platelets
- ☐ enough functional haemoglobin
- ☐ enough white blood cells

16

The following actions are appropriate when faced with symptoms of decompression sickness:

1. climb to higher level
2. descent to the higher of 10000 ft or MSA and land as soon as possible
3. breathe 100 % oxygen
4. obtain medical advice about recompression after landing

☒ 1 and 3 are correct

☐ 2, 3 and 4 are correct

☐ 1 and 4 are correct

☐ 1, 2 and 3 are correct

17

Symptoms of decompression sickness

- ☐ are only relevant when diving
- ☐ are flatulence and pain in the middle ear
- ☒ are bends, chokes, creeps and neurological symptoms
- ☒ can only develop at altitudes of more than 40000 FT

18

When focussing on near objects:

- ☐ the cornea gets smaller
- ☐ the shape of lens gets flatter
- ☐ the shape of lens gets more spherical
- ☒ the pupil gets larger

19

Illuminated anti-collision lights in IMC

- ☒ can cause disorientation
- ☐ will improve the pilots depth perception
- ☐ will effect the pilots binocular vision
- ☒ can cause colour-illusions

20

Which of the following statements is correct?

- ☐ Scotopic Vision is the same as Photopic Vision.
- ☐ Scotopic Vision is vision through the operation of the Cones.
- ☒ Scotopic Vision is vision through the operation of the Rods.
- ☐ Photopic Vision is the same as Peripheral Vision.

21

Noise induced hearing loss:

- ☐ is not a permanent hearing loss, the nerve cells frequently recover.
- ☐ causes Eustationary Tube dysfunction.
- ☐ is a condition resulting in permanent hearing loss of selected frequencies.
- ☒ is also known as presbycusis and is associated with pressure damage to the middle ear.

22

Through which part of the ear does the equalization of pressure take place, when altitude is changed?

☐ External auditory canal

☒ Eustachian tube

☐ Tympanic membrane

☐ Cochlea

23

Which sensations does a pilot get, when he is rolling out of a prolonged level turn?

☐ Turning into the original direction

☒ Turning in the opposite direction

☐ Climbing

☐ Flying straight and level

24

Which of these is true regarding the presence of alcohol within the human body?

- ☐ A small amount of alcohol increases vision acuity.
- ☐ Judgment and decision-making abilities can be adversely affected by even small amounts of alcohol.
- ☒ An increase in altitude decreases the adverse effect of alcohol.

Candidate: Ruth Menya Komyhendo
Date of birth: 1988-11-28

Subject: 040-Human performance
Date: 2014-07-24



25

The physiological rhythms of a pilot in a new time zone will resynchronise to this new time zone at a rate of about

- ☐ 3 - 3.5 hours a day
- ☐ 2 - 2.5 hours a day
- ☒ 1 - 1.5 hours a day
- ☐ 4 - 4.5 hours a day

26

Flying with a "common cold":

- ☐ is permitted as long as you are on treatment with antibiotics.
- ☐ increases the risk of hypertension.
- ☒ may lead to incapacitation due to severe sinus or ear pain.
- ☐ will cause infection in other crew members if you are flying in a pressurised aircraft.

Candidate: Ruth Menya Komyhendo
Date of birth: 1988-11-28

Subject: 040-Human performance
Date: 2014-07-24



27

Loss of elasticity of the crystalline lens due to ageing occurs in:

☒ hypermetropia

☐ myopia

☐ presbyopia

☐ astigmatism

28

Alcohol, when taken simultaneously with drugs, may

- ☐ lead to undesired effects only during night flights
- ☐ compensate for side effects of drugs
- ☒ intensify the side effects of the drugs
- ☐ increase the rate of drug elimination from the blood

29

Alcohol degrades:

☒ **Stage 3 and 4 sleep**

☐ **Paradoxical sleep**

☐ **Stage 2 sleep**

☐ **Slow wave sleep**

30

To communicate effectively, instructors must

- ☐ utilize highly organized notes.
- ☒ display a positive, confident attitude.
- ☐ display an authoritarian attitude.

31

While conducting an operational check of the cabin pressurization system, the pilot discovers that the rate control feature is inoperative. He knows that he can manually control the cabin pressure, so he elects to disregard the discrepancy. Which of the following alternatives best illustrates the INVULNERABILITY reaction?

- ☐ It's too late to fix it now.
- ☐ He can handle a little problem like this.
- ☒ What is the worst that could happen.

32

Which of the following are the most favourable solutions to manage phases of reduced or low vigilance (hypovigilance)?

1. Keep active open communication between man and machine
2. Use of amphetamines
3. Reducing the intensity of the light
4. Organising periods of rest during the flight

☐ 1,3

☐ 1,2

☒ 1,4

☐ 3,4

33

Define Aeronautical Decision Making(ADM)

- ☐ decision making process which relies on good judgment to reduce risks associated with each flight.
- ☐ mental process of analyzing all information in a particular situation and making a timely decision on what action to take.
- ☒ systematic approach to the mental process used by pilots to consistently determine the best course of action for a given set of circumstances.

34

Judgement is based upon:

- ☐ a decision-making process involving the 5 physical senses and their use to manually operate the aircraft controls
- ☐ the ability to interpret the flight instruments
- ☒ a process involving a pilot's attitude to take and to evaluate risks by assessing the situation and making decisions based upon knowledge, skill and experience
- ☐ the development of skills through constant practice of flight manoeuvres

35

Which of the following statements best characterises a self-centered cockpit ?

- ☐ While decreasing communication, the independence of each member bolsters the crew's synergy
- ☐ Each one does his own thing while at the same time assuming that everyone is aware of what is being done or what is going on
- ☐ The communication between crew members always increases when the captain takes charge of a situation
- ☒ The egoistic and self-centered personality of the captain often leads to a synergetic cockpit

36

"Stereotypes" are preconceptions or prejudices which can lead us to:

- ☒ mis-judge individuals even if we have contact with them.
- ☐ communicate non-verbally with a stranger.
- ☐ act in the same manner in all situations and thus assuring stability.
- ☒ develop better teamwork by standardizing procedures.

37

When a pilot recognizes a hazardous thought, he or she then should correct it by applying the corresponding antidote. Which of the following is the antidote for ANTIAUTHORITY/DON'T TELL ME hazardous attitude?

☐ Don't tell me. Follow the rules. They are usually right.

☐ It won't happen to me. It could happen to me.

☒ Not so fast. Think first.

38

The passengers for a charter flight have arrived almost an hour late for a flight that requires a reservation. Which of the following alternatives best illustrates the ANTIAUTHORITY reaction?

- ☐ If the pilot hurries, he or she may still make it on time.
- ☒ Those reservation rules do not apply to this flight.
- ☐ The pilot can't help it that the passengers are late.

39

A pilot and friends are going to fly to an out-of-town football game. When the passengers arrive, the pilot determines that they will be over the maximum gross weight for takeoff with the existing fuel load. Which of the following alternatives best illustrates the RESIGNATION reaction?

- ☐ Well, nobody told him about the extra weight.
- ☐ He can't wait around to de-fuel, they have to get there on time.
- ☒ Weight and balance is a formality forced on pilots by the FAA.

40

A person being exposed to extreme or prolonged stress factors can perceive:

☐ coping stress

☐ stressors

☒ eustress

☐ distress