
Online Examination Report

Date:	21.07.2014
Attempts:	1
Examinee:	Shyaka, Daniel
Date of birth:	5/26/1993
Subject:	040-Human Performance
Result:	37,5 %
Time used:	00:00:12 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	179	40.	HUMAN PERFORMANCE	0,00	1,00
2	205	40.	HUMAN PERFORMANCE	0,00	1,00
3	197	40.	HUMAN PERFORMANCE	0,00	1,00
4	208	40.	HUMAN PERFORMANCE	0,00	1,00
5	194	40.	HUMAN PERFORMANCE	1,00	1,00
6	177	40.	HUMAN PERFORMANCE	0,00	1,00
7	174	40.	HUMAN PERFORMANCE	0,00	1,00
8	184	40.	HUMAN PERFORMANCE	0,00	1,00
9	104	40.2	Basic aviation physiology and health maintenance	0,00	1,00
10	106	40.2	Basic aviation physiology and health maintenance	1,00	1,00
11	68	40.2.1.1	The atmosphere	0,00	1,00
12	63	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
13	24	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
14	10	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
15	90	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
16	19	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
17	61	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
18	12	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
19	34	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
20	71	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
21	18	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
22	50	40.2.2.2	Vision	1,00	1,00
23	13	40.2.2.2	Vision	0,00	1,00
24	8	40.2.2.5	Integration of sensory inputs	0,00	1,00
25	58	40.2.2.5	Integration of sensory inputs	1,00	1,00
26	30	40.2.3	Health and hygiene	0,00	1,00
27	32	40.2.3.3	Problem areas for pilots	0,00	1,00
28	43	40.2.3.3	Problem areas for pilots	0,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	2	40.3	BASIC AVIATION PSYCHOLOGY	1,00	1,00
30	101	40.3	BASIC AVIATION PSYCHOLOGY	1,00	1,00
31	121	40.3	BASIC AVIATION PSYCHOLOGY	1,00	1,00
32	75	40.3.1.4	Response selection	0,00	1,00
33	111	40.3.3	Decision making	1,00	1,00
34	81	40.3.3.1	Decision-making concepts	0,00	1,00
35	120	40.3.5	Human behaviour	0,00	1,00
36	119	40.3.5	Human behaviour	0,00	1,00
37	92	40.3.5.1	Personality, attitude and behaviour	0,00	1,00
38	82	40.3.5.1	Personality, attitude and behaviour	0,00	1,00
39	7	40.3.6.1	Arousal	1,00	1,00
40	37	40.3.6.2	Stress	0,00	1,00
Total:38%				15,00	40,00

Attachment 2: List of result by topic

Licence

Date: 18.07.2014

Examinee: Shyaka, Daniel

Location: Uganda Civil Aviation Authority

Your Result: 15,00 from 40,00 Points (37,50 %)

Topics	Ammount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	15,00	40,00	37,50
40.2. Basic aviation physiology and health maintenance	20	9,00	20,00	45,00
40.3. BASIC AVIATION PSYCHOLOGY	12	5,00	12,00	41,67
Total	40	15,00	40,00	37,50

1

Hazardous attitudes which contribute to poor pilot judgment can be effectively counteracted by

- ☐ an appropriate antidote.
- ☒ early recognition of these hazardous attitudes.
- ☐ taking meaningful steps to be more assertive with attitudes.

2

Which procedure is recommended to prevent or overcome spatial disorientation?

- ☐ Rely on the kinesthetic sense.
- ☐ Rely on the indications of the flight instruments.
- ☒ Reduce head and eye movements to the extent possible.

Candidate: Daniel Shyaka
Date of birth: 1993-05-26

Subject: 040-Human Performance
Date: 2014-07-18



3

An abrupt change from climb to straight-and-level flight can create the illusion of

☒ **a descent with the wings level.**

☐ **a noseup attitude.**

☐ **tumbling backwards.**

4

Which technique should a pilot use to scan for traffic to the right and left during straight-and-level flight?

- ☐ Systematically focus on different segments of the sky for short intervals.
- ☐ Continuous sweeping of the windshield from right to left.
- ☒ Concentrate on relative movement detected in the peripheral vision area.

5

What visual illusion creates the same effect as a narrower-than-usual runway?

☐ A wider-than-usual runway.

☒ An upsloping runway.

☐ A downsloping runway.

6

In order to gain a realistic perspective on one's attitude toward flying, a pilot should

- ☐ understand the need to complete the flight.
- ☐ take a Self-Assessment Hazardous Attitude Inventory Test.
- ☒ obtain both realistic and thorough flight instruction during training.

7

One of the steps in the aeronautical decision making (ADM) process involved in good decision making is

- ☐ identifying personal attitudes hazardous to safe flight.
- ☒ making a rational evaluation of the required actions.
- ☐ developing a 'can do' attitude.

8

What is the antidote for a pilot with a 'macho' attitude?

- ☐ Taking chances is foolish.
- ☒ Follow the rules. They are usually right.
- ☐ I'm not helpless. I can make a difference.

9

Which of these would most likely result in hyperventilation?

☒ Excessive carbon monoxide.

☐ Insufficient carbon dioxide.

☐ Insufficient oxygen.

10

To overcome the symptoms of hyperventilation, a pilot should

☐ increase the breathing rate.

☒ slow the breathing rate.

☐ swallow or yawn.

11

Fatigue and stress

- ☒ increase the tolerance to hypoxia
- ☐ will increase the tolerance to hypoxia when flying below 15 000 feet
- ☐ do not affect hypoxia at all
- ☐ lower the tolerance to hypoxia

12

When flying above 10.000 feet hypoxia arises because:

- ☒ percentage of oxygen is lower than at sea level
- ☐ partial oxygen pressure is below the critical value of 55mm/Hg
- ☐ composition of the air is different from sea level
- ☐ composition of the blood changes

13

When faced with sustained cold temperature, how does the body resist this physical stress?

- ☒ **By vasodilatation which permits a greater flow of blood to the periphery.**
- ☐ **By increasing cardiac frequency.**
- ☐ **By speeding up the metabolic rate in the Autonomic Nervous System.**
- ☐ **By intense vasoconstriction.**

14

The rate and depth of breathing is primarily regulated by the concentration of:

- ☐ nitrogen in the air
- ☐ oxygen in the cells
- ☒ carbon dioxide in the blood
- ☐ water vapour in the alveoli

Candidate: Daniel Shyaka
Date of birth: 1993-05-26

Subject: 040-Human Performance
Date: 2014-07-18



15

Healthy people are usually capable of compensating for a lack of oxygen up to:

☐ 15.000 feet

☐ 25.000 feet

☐ 20.000 feet

☒ 10.000 - 12.000feet

16

Hypoxia is:

- ☐ a physical condition caused by a lack of oxygen to meet the needs of the body tissues, leading to mental and muscular disturbances
- ☐ often produced during steep turns when pilots turn their heads in a direction opposite to the direction in which the aircraft is turning
- ☒ a physical condition caused by a lack of oxygen saturation in the blood while hyperventilating.
- ☐ a condition of lacking oxygen in the brain causing the circulatory system to compensate by decreasing the heart rate.

17

Flying immediately after SCUBA diving involves the risk of getting:

- ☐ hypoxia
- ☐ hyperventilation
- ☒ decompression sickness
- ☐ stress

18

Hypoxia is caused by

- ☐ a higher affinity of the red blood cells (haemoglobin) to oxygen
- ☒ reduced partial oxygen pressure in the lung
- ☐ an increased number of red blood cells
- ☐ reduced partial pressure of nitrogen in the lung

19

Symptoms of decompression sickness

- ☐ can only develop at altitudes of more than 40000 FT
- ☒ are only relevant when diving
- ☒ are bends, chokes, creeps and neurological symptoms
- ☐ are flatulence and pain in the middle ear

20

When exhaling, the expired air contains:

- ☐ more nitrogen than in the inhaled air
- ☐ more oxygen than in the inhaled air
- ☐ less water vapour than in the inhaled air
- ☒ more carbon dioxide than in the inhaled air

21

The rate and depth of breathing is primarily controlled by:

- ☐ the amount of nitrogen in the blood
- ☐ the amount of carbon monoxide in the blood
- ☒ the amount of carbon dioxide in the blood
- ☐ the total atmospheric pressure

22

Cataract is caused by:

- ☐ Lack of mobility of the cornea
- ☐ A mis-shapened cornea
- ☒ A clouding of the lens
- ☐ A lack of accommodation at the cornea

23

When focussing on near objects:

- ☐ the shape of lens gets more spherical
- ☒ the cornea gets smaller
- ☐ the pupil gets larger
- ☐ the shape of lens gets flatter

24

Which sensations does a pilot get, when he is rolling out of a prolonged level turn?

- ☐ Flying straight and level
- ☒ Turning into the original direction
- ☐ Turning in the opposite direction
- ☐ Climbing

25

What would be the effect if, in a tight turn, one bends down to pick up a pencil?

☒ Coriolis effect.

☐ Vertigo.

☐ Inversion Illusion.

☐ Barotrauma.

26

The following can be observed when the internal body temperature falls below 35°C:

- ☒ the appearance of intense shivering
- ☐ profuse sweating
- ☐ mental disorders, and even coma
- ☐ shivering, will tend to cease, and be followed by the onset of apathy

27

Flying with a "common cold":

- ☐ will cause infection in other crew members if you are flying in a pressurised aircraft.
- ☒ is permitted as long as you are on treatment with antibiotics.
- ☐ may lead to incapacitation due to severe sinus or ear pain.
- ☐ increases the risk of hypertension.

28

Medical conditions such as high blood pressure, coronary problems and diabetes are associated with:

☒ obesity

☐ cholera

☒ hypoxia

☐ anorexia nervosa

29

What are two types of attention ?

- ☐ Cognitive and intuitive
- ☒ Selective and divided
- ☐ Divided and behavioural
- ☐ Intuitive and behavioural

30

As hyperventilation progresses, a pilot can experience

- ☐ decreased breathing rate and depth.
- ☒ symptoms of suffocation and drowsiness.
- ☐ heightened awareness and feeling of well being.

31

To help manage cockpit stress, pilots must

- ☒ condition themselves to relax and think rationally when stress appears.
- ☐ be aware of life stress situations that are similar to those in flying.
- ☐ avoid situations that will improve their abilities to handle cockpit responsibilities.

32

Planning:

- ☒ in the cockpit typically results in plans that are always easy to modify when things are not as anticipated
- ☐ is unnecessary in the cockpit, as crew members are so highly trained, they will always know what to do in unusual situations
- ☐ allows crew members to anticipate potential risky situations and decide on possible responses
- ☐ is dangerous in the cockpit, as it interrupts flight crew creativity

33

Which of the following is considered as a step involved in good Aeronautical Decision Making (ADM) process?

- ☒ identifying personal attitudes hazardous to safe flight.
- ☐ developing the 'right stuff' attitude.
- ☐ making a rational evaluation of the required actions.

34

Judgement is based upon:

- ☒ the development of skills through constant practice of flight manoeuvres
- ☐ a decision-making process involving the 5 physical senses and their use to manually operate the aircraft controls
- ☐ a process involving a pilot's attitude to take and to evaluate risks by assessing the situation and making decisions based upon knowledge, skill and experience
- ☐ the ability to interpret the flight instruments

35

What should a pilot do when recognizing a thought as hazardous?

- ☐ Avoid developing this hazardous thought.
- ☐ Label that thought as hazardous, then correct that thought by stating the corresponding learned antidote.
- ☒ Develop this hazardous thought and follow through with modified action.

36

What is the first step in neutralizing a hazardous attitude in the ADM process?

- ☒ Recognition of hazardous thoughts.
- ☐ Dealing with improper judgment.
- ☒ Recognition of invulnerability in the situation.

37

Which of the following elements make up the personality of an individual?

1. Heredity
2. Childhood environment
3. Upbringing
4. Past experience

☒ 2,3,4

☐ 1,2,3,4

☐ 2,3

☐ 1,2,4

38

Personality is based on:

1. Heredity
2. Upbringing
3. Experience
4. Childhood

- ☐ 1, 2 and 4 only are correct
- ☒ 2, 3 and 4 only are correct
- ☐ None of the listed answers is correct
- ☐ 1, 2, 3 and 4 are correct

39

An identical situation can be experienced by one pilot as exciting in a positive sense and by another pilot as threatening. In both cases:

- ☐ the pilot feeling threatened, will be much more relaxed, than the pilot looking forward to what may happen
- ☒ the arousal level of both pilots will be raised
- ☐ both pilots will experience the same amount of stress
- ☐ both pilots will loose their motor-coordination

40

Anxiety can affect:

- 1. Judgement**
- 2. Attention**
- 3. Memory**
- 4. Concentration**

☒ **1, 2 and 4 only are correct**

☐ **1 only is correct**

☐ **All are correct**

☐ **1 and 2 only are correct**