

Online Examination Report

Date:	21.07.2014
Attempts:	1
Examinee:	ATIALUK, Joseph
Date of birth:	12/24/1987
Subject:	040-Human Performance
Result:	40 %
Time used:	00:00:13 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	165	40.	HUMAN PERFORMANCE	1,00	1,00
2	204	40.	HUMAN PERFORMANCE	0,00	1,00
3	179	40.	HUMAN PERFORMANCE	0,00	1,00
4	198	40.	HUMAN PERFORMANCE	1,00	1,00
5	208	40.	HUMAN PERFORMANCE	0,00	1,00
6	163	40.	HUMAN PERFORMANCE	1,00	1,00
7	193	40.	HUMAN PERFORMANCE	1,00	1,00
8	196	40.	HUMAN PERFORMANCE	1,00	1,00
9	169	40.	HUMAN PERFORMANCE	0,00	1,00
10	168	40.	HUMAN PERFORMANCE	0,00	1,00
11	106	40.2	Basic aviation physiology and health maintenance	1,00	1,00
12	104	40.2	Basic aviation physiology and health maintenance	1,00	1,00
13	68	40.2.1.1	The atmosphere	0,00	1,00
14	24	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
15	18	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
16	99	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
17	10	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
18	34	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
19	90	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
20	27	40.2.2.2	Vision	0,00	1,00
21	42	40.2.2.2	Vision	0,00	1,00
22	46	40.2.2.3	Hearing	0,00	1,00
23	96	40.2.2.3	Hearing	0,00	1,00
24	8	40.2.2.5	Integration of sensory inputs	1,00	1,00
25	30	40.2.3	Health and hygiene	0,00	1,00
26	43	40.2.3.3	Problem areas for pilots	0,00	1,00
27	32	40.2.3.3	Problem areas for pilots	0,00	1,00
28	87	40.2.3.4	Intoxication	1,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	17	40.2.3.4	Intoxication	1,00	1,00
30	121	40.3	BASIC AVIATION PSYCHOLOGY	1,00	1,00
31	65	40.3.1.4	Response selection	1,00	1,00
32	75	40.3.1.4	Response selection	1,00	1,00
33	21	40.3.2.4	Error generation	1,00	1,00
34	111	40.3.3	Decision making	0,00	1,00
35	59	40.3.4.4	Communication	0,00	1,00
36	114	40.3.5	Human behaviour	0,00	1,00
37	120	40.3.5	Human behaviour	0,00	1,00
38	25	40.3.5.1	Personality, attitude and behaviour	0,00	1,00
39	92	40.3.5.1	Personality, attitude and behaviour	0,00	1,00
40	54	40.3.6.2	Stress	0,00	1,00
Total:40%				16,00	40,00

Attachment 2: List of result by topic

Licence

Date: 18.07.2014

Examinee: ATIALUK, Joseph

Location: Uganda Civil Aviation Authority

Your Result: 16,00 from 40,00 Points (40,00 %)

Topics	Ammount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	16,00	40,00	40,00
40.2. Basic aviation physiology and health maintenance	19	7,00	19,00	36,84
40.3. BASIC AVIATION PSYCHOLOGY	11	4,00	11,00	36,36
Total	40	16,00	40,00	40,00

1

A person should be able to overcome the symptoms of hyperventilation by

☐ increasing the breathing rate

☐ refraining from the use of alcohol

☒ slowing the breathing rate

2

A pilot is more subject to spatial disorientation if

☒ **eyes are moved often in the process of cross-checking the flight instruments.**

☐ **kinesthetic senses are ignored.**

☐ **body signals are used to interpret flight attitude.**

3

Hazardous attitudes which contribute to poor pilot judgment can be effectively counteracted by

- ☐ an appropriate antidote.
- ☒ early recognition of these hazardous attitudes.
- ☐ taking meaningful steps to be more assertive with attitudes.

4

A rapid acceleration during takeoff can create the illusion of

☐ spinning in the opposite direction.

☐ diving into the ground.

☒ being in a noseup attitude.

5

Which technique should a pilot use to scan for traffic to the right and left during straight-and-level flight?

- ☐ Systematically focus on different segments of the sky for short intervals.
- ☐ Continuous sweeping of the windshield from right to left.
- ☒ Concentrate on relative movement detected in the peripheral vision area.

6

Which among these is a result of hyperventilation?

- ☐ a need to increase the flow of supplemental oxygen.
- ☒ a lack of carbon dioxide in the body.
- ☐ breathing too rapidly causing a lack of oxygen.

7

Due to visual illusion, when landing on a narrower-than-usual runway, the aircraft will appear to be

- ☒ higher than actual, leading to a lower-than-normal approach.
- ☐ higher than actual, leading to a higher-than-normal approach.
- ☐ lower than actual, leading to a higher-than-normal approach.

8

A sloping cloud formation, an obscured horizon, and a dark scene spread with ground lights and stars can create an illusion known as

☐ elevator illusions.

☒ false horizons.

☐ autokinesis.

9

Motion sickness is caused by

- ☒ **an instability in the brain cells which affects balance and will generally be overcome with experience.**
- ☐ **the movement of an aircraft causing the stomach to create an acid substance which causes the stomach lining to contract.**
- ☐ **continued stimulation of the tiny portion of the inner ear which controls sense of balance.**

10

What suggestion could you make to people who are experiencing motion sickness?

- ☒ **Have the students lower their head, shut their eyes, and take deep breaths.**
- ☐ **Recommend taking medication to prevent motion sickness.**
- ☐ **Avoid unnecessary head movement and focus sight on a point outside the aircraft.**

11

To overcome the symptoms of hyperventilation, a pilot should

☐ increase the breathing rate.

☒ slow the breathing rate.

☐ swallow or yawn.

12

Which of these would most likely result in hyperventilation?

☐ Excessive carbon monoxide.

☒ Insufficient carbon dioxide.

☐ Insufficient oxygen.

13

Fatigue and stress

- ☐ increase the tolerance to hypoxia
- ☐ will increase the tolerance to hypoxia when flying below 15 000 feet
- ☒ do not affect hypoxia at all
- ☐ lower the tolerance to hypoxia

14

When faced with sustained cold temperature, how does the body resist this physical stress?

- ☐ By vasodilatation which permits a greater flow of blood to the periphery.
- ☒ By increasing cardiac frequency.
- ☐ By speeding up the metabolic rate in the Autonomic Nervous System.
- ☐ By intense vasoconstriction.

15

The rate and depth of breathing is primarily controlled by:

- ☐ the amount of nitrogen in the blood
- ☒ the amount of carbon monoxide in the blood
- ☐ the amount of carbon dioxide in the blood
- ☐ the total atmospheric pressure

16

Hypoxia can be caused by

- ☐ lack of nitrogen in ambient air
- ☐ increasing oxygen partial pressure used for the exchange of gases
- ☐ too much carbon dioxide in the blood
- ☒ decreased ability of the haemoglobin to transport oxygen

17

The rate and depth of breathing is primarily regulated by the concentration of:

- ☐ nitrogen in the air
- ☒ oxygen in the cells
- ☐ carbon dioxide in the blood
- ☐ water vapour in the alveoli

18

Symptoms of decompression sickness

- ☒ can only develop at altitudes of more than 40000 FT
- ☐ are only relevant when diving
- ☐ are bends, chokes, creeps and neurological symptoms
- ☐ are flatulence and pain in the middle ear

Candidate: Joseph ATIALUK
Date of birth: 1987-12-24

Subject: 040-Human Performance
Date: 2014-07-18



19

Healthy people are usually capable of compensating for a lack of oxygen up to:

☐ 15.000 feet

☐ 25.000 feet

☐ 20.000 feet

☒ 10.000 - 12.000feet

20

Illuminated anti-collision lights in IMC

- ☒ can cause colour-illusions
- ☐ will effect the pilots binocular vision
- ☐ will improve the pilots depth perception
- ☐ can cause disorientation

21

When flying through a thunderstorm with lightning you can protect yourself from flashblindness by:

- 1 - turning up the intensity of cockpit lights**
- 2 - looking inside the cockpit**
- 3 - wearing sunglasses**
- 4 - using blinds or curtains when installed**

☐ 1, 2 and 3 are correct, 4 is false

☐ 3 and 4 are correct, 1 and 2 are false

☒ 1 and 2 are correct, 3 and 4 are false

☐ 1, 2, 3 and 4 are correct

22

Any prolonged exposure to noise in excess of 90 db can result in:

- ☐ a ruptured ear drum
- ☒ noise induced hearing loss
- ☐ presbycusis (effects of aging)
- ☒ conductive hearing loss

23

Noise induced hearing loss:

- ☐ is also known as presbycusis and is associated with pressure damage to the middle ear.
- ☒ is not a permanent hearing loss, the nerve cells frequently recover.
- ☐ is a condition resulting in permanent hearing loss of selected frequencies.
- ☐ causes Eustachian Tube dysfunction.

24

Which sensations does a pilot get, when he is rolling out of a prolonged level turn?

- ☐ Flying straight and level
- ☐ Turning into the original direction
- ☒ Turning in the opposite direction
- ☐ Climbing

25

The following can be observed when the internal body temperature falls below 35°C:

- ☐ the appearance of intense shivering
- ☒ profuse sweating
- ☐ mental disorders, and even coma
- ☐ shivering, will tend to cease, and be followed by the onset of apathy

26

Medical conditions such as high blood pressure, coronary problems and diabetes are associated with:

☒ obesity

☐ cholera

☒ hypoxia

☐ anorexia nervosa

27

Flying with a "common cold":

- ☒ will cause infection in other crew members if you are flying in a pressurised aircraft.
- ☐ is permitted as long as you are on treatment with antibiotics.
- ☒ may lead to incapacitation due to severe sinus or ear pain.
- ☐ increases the risk of hypertension.

28

Which statement is correct?

1. Smokers have a greater chance of suffering from coronary heart disease
2. Smoking tobacco will raise the individuals physiological altitude during flight
3. Smokers have a greater chance of contracting lung cancer

☐ 2 and 3 are correct, 1 is false

☒ 1,2 and 3 are correct

☐ 1 and 3 are correct, 2 is false

☐ 1 and 2 are correct, 3 is false

29

Carbon monoxide (CO) poisoning in flight:

- ☐ is usually harmless because oxygen is more easily attached to haemoglobin than carbon monoxide to a magnitude of 200 times.
- ☐ can be cured by breathing into a plastic bag to retain the carbon monoxide.
- ☒ presents an extremely dangerous situation as the blood may not be able carry sufficient amounts of oxygen to vital cells and tissues of the body.
- ☐ is a complication when hyperventilating and requires its own special and individual treatment.

30

To help manage cockpit stress, pilots must

- ☒ condition themselves to relax and think rationally when stress appears.
- ☐ be aware of life stress situations that are similar to those in flying.
- ☐ avoid situations that will improve their abilities to handle cockpit responsibilities.

31

The ability to monitor information which could indicate the development of a critical situation

- ☐ is responsible for the development of inadequate mental models of the real world
- ☒ is necessary to maintain good situational awareness
- ☐ makes no sense because the human information processing system is limited anyway
- ☐ is dangerous, because it distracts attention from flying the aircraft

32

Planning:

- ☐ in the cockpit typically results in plans that are always easy to modify when things are not as anticipated
- ☐ is unnecessary in the cockpit, as crew members are so highly trained, they will always know what to do in unusual situations
- ☒ allows crew members to anticipate potential risky situations and decide on possible responses
- ☐ is dangerous in the cockpit, as it interrupts flight crew creativity

33

Human error rates during the performance of a simple and repetitive task can normally be expected to be approximately:

☐ 1 in 2000

☒ 1 in 100

☐ 1 in 500

☐ 1 in 200

34

Which of the following is considered as a step involved in good Aeronautical Decision Making (ADM) process?

- ☐ identifying personal attitudes hazardous to safe flight.
- ☐ developing the 'right stuff' attitude.
- ☒ making a rational evaluation of the required actions.

35

"Stereotypes" are preconceptions or prejudices which can lead us to:

- ☒ **develop better teamwork by standardizing procedures.**
- ☐ **act in the same manner in all situations and thus assuring stability.**
- ☐ **communicate non-verbally with a stranger.**
- ☐ **mis-judge individuals even if we have contact with them.**

36

Some of these dangerous tendencies or behavior patterns which must be identified and eliminated include:

- ☒ **Performance deficiencies from human factors such as, fatigue, illness or emotional problems.**
- ☐ **Peer pressure, get-there-itis, loss of positional or situation awareness, and operating without adequate fuel reserves.**
- ☐ **Deficiencies in instrument skills and knowledge of aircraft systems or limitations.**

37

What should a pilot do when recognizing a thought as hazardous?

- ☐ Avoid developing this hazardous thought.
- ☐ Label that thought as hazardous, then correct that thought by stating the corresponding learned antidote.
- ☒ Develop this hazardous thought and follow through with modified action.

38

Contrary to a person's personality, attitudes:

- ☐ Are the product of personal disposition and past experience with reference to an object or a situation
- ☐ are non-evolutive adaptation procedures regardless of the result of the actions associated with them
- ☒ are essentially driving forces behind changes in personality
- ☐ form part of personality and, as a result, cannot be changed in an adult

39

Which of the following elements make up the personality of an individual?

1. Heredity
2. Childhood environment
3. Upbringing
4. Past experience

☒ 2,3,4

☐ 1,2,3,4

☐ 2,3

☐ 1,2,4

40

A person being exposed to extreme or prolonged stress factors can perceive:

☒ stressors

☐ distress

☐ eustress

☐ coping stress

