
Online Examination Report

Date:	21.07.2014
Attempts:	1
Examinee:	Ariho, William
Date of birth:	4/22/1989
Subject:	040-Human Performance
Result:	44,99 %
Time used:	00:00:13 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	205	40.	HUMAN PERFORMANCE	1,00	1,00
2	193	40.	HUMAN PERFORMANCE	0,00	1,00
3	185	40.	HUMAN PERFORMANCE	0,00	1,00
4	209	40.	HUMAN PERFORMANCE	0,00	1,00
5	164	40.	HUMAN PERFORMANCE	1,00	1,00
6	186	40.	HUMAN PERFORMANCE	0,00	1,00
7	198	40.	HUMAN PERFORMANCE	1,00	1,00
8	208	40.	HUMAN PERFORMANCE	0,00	1,00
9	197	40.	HUMAN PERFORMANCE	0,00	1,00
10	196	40.	HUMAN PERFORMANCE	1,00	1,00
11	206	40.	HUMAN PERFORMANCE	0,00	1,00
12	184	40.	HUMAN PERFORMANCE	0,00	1,00
13	179	40.	HUMAN PERFORMANCE	0,00	1,00
14	104	40.2	Basic aviation physiology and health maintenance	1,00	1,00
15	68	40.2.1.1	The atmosphere	0,00	1,00
16	63	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
17	10	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
18	38	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
19	61	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
20	90	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
21	99	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
22	34	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
23	24	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
24	27	40.2.2.2	Vision	1,00	1,00
25	50	40.2.2.2	Vision	1,00	1,00
26	36	40.2.2.2	Vision	1,00	1,00
27	22	40.2.2.4	Equilibrium	1,00	1,00
28	8	40.2.2.5	Integration of sensory inputs	0,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	32	40.2.3.3	Problem areas for pilots	0,00	1,00
30	17	40.2.3.4	Intoxication	1,00	1,00
31	121	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00
32	9	40.3.1.3	Memory	1,00	1,00
33	40	40.3.2.1	Reliability of human behaviour	0,00	1,00
34	29	40.3.2.3	Theory and model of human error	1,00	1,00
35	59	40.3.4.4	Communication	0,00	1,00
36	57	40.3.4.4	Communication	0,00	1,00
37	119	40.3.5	Human behaviour	1,00	1,00
38	113	40.3.5	Human behaviour	0,00	1,00
39	1	40.3.5.1	Personality, attitude and behaviour	1,00	1,00
40	54	40.3.6.2	Stress	1,00	1,00
Total:45%				18,00	40,00

Attachment 2: List of result by topic

Licence

Date: 18.07.2014

Examinee: Ariho, William

Location: Uganda Civil Aviation Authority

Your Result: 18,00 from 40,00 Points (45,00 %)

Topics	Amount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	18,00	40,00	45,00
40.2. Basic aviation physiology and health maintenance	17	9,00	17,00	52,94
40.3. BASIC AVIATION PSYCHOLOGY	10	5,00	10,00	50,00
Total	40	18,00	40,00	45,00

1

Which procedure is recommended to prevent or overcome spatial disorientation?

- ☒ **Rely on the indications of the flight instruments.**
- ☐ **Rely on the kinesthetic sense.**
- ☐ **Reduce head and eye movements to the extent possible.**

2

Due to visual illusion, when landing on a narrower-than-usual runway, the aircraft will appear to be

- ☐ lower than actual, leading to a higher-than-normal approach.
- ☒ higher than actual, leading to a higher-than-normal approach.
- ☐ higher than actual, leading to a lower-than-normal approach.

3

Success in reducing stress associated with a crisis in the cockpit begins with

- ☐ knowing the exact cause of the stress.
- ☐ assessing stress areas in one's personal life.
- ☒ eliminating the more serious life and cockpit stress issues.

4

What effect does haze have on the ability to see traffic or terrain features during flight?

- ☐ Haze causes the eyes to focus at infinity, making terrain features harder to see.
- ☐ Haze creates the illusion of being a greater distance than actual from the runway, and causes pilots to fly a lower approach.
- ☒ The eyes tend to overwork in haze and do not detect relative movement easily.

5

Rapid or extra deep breathing while using oxygen can cause

☐ a build-up of carbon dioxide in the body.

☒ hyperventilation.

☐ cyanosis.

6

To help manage cockpit stress, a pilot should

- ☐ think of life stress situations that are similar to those in flying.
- ☒ avoid situations that will degrade the ability to handle cockpit responsibilities.
- ☐ try to relax and think rationally at the first sign of stress.

7

A rapid acceleration during takeoff can create the illusion of

- ☒ being in a noseup attitude.
- ☐ diving into the ground.
- ☐ spinning in the opposite direction.

8

Which technique should a pilot use to scan for traffic to the right and left during straight-and-level flight?

- ☐ Concentrate on relative movement detected in the peripheral vision area.
- ☒ Continuous sweeping of the windshield from right to left.
- ☐ Systematically focus on different segments of the sky for short intervals.

Candidate: William Ariho
Date of birth: 1989-04-22

Subject: 040-Human Performance
Date: 2014-07-18

9

An abrupt change from climb to straight-and-level flight can create the illusion of

- ☒ **a noseup attitude.**
- ☐ **tumbling backwards.**
- ☐ **a descent with the wings level.**

10

A sloping cloud formation, an obscured horizon, and a dark scene spread with ground lights and stars can create an illusion known as

☐ elevator illusions.

☒ false horizons.

☐ autokinesis.

11

What action should be taken if hyperventilation is suspected?

- ☒ **Breathe at a slower rate by taking very deep breaths.**
- ☐ **Consciously force yourself to take deep breaths and breathe at a faster rate than normal.**
- ☐ **Consciously breathe at a slower rate than normal.**

12

What is the antidote for a pilot with a 'macho' attitude?

- ☐ Follow the rules. They are usually right.
- ☒ I'm not helpless. I can make a difference.
- ☐ Taking chances is foolish.

13

Hazardous attitudes which contribute to poor pilot judgment can be effectively counteracted by

- ☐ taking meaningful steps to be more assertive with attitudes.
- ☒ early recognition of these hazardous attitudes.
- ☐ an appropriate antidote.

14

Which of these would most likely result in hyperventilation?

- ☒ Insufficient carbon dioxide.
- ☐ Excessive carbon monoxide.
- ☐ Insufficient oxygen.

15

Fatigue and stress

- ☒ increase the tolerance to hypoxia
- ☐ will increase the tolerance to hypoxia when flying below 15 000 feet
- ☐ lower the tolerance to hypoxia
- ☐ do not affect hypoxia at all

16

When flying above 10.000 feet hypoxia arises because:

- ☐ composition of the air is different from sea level
- ☐ composition of the blood changes
- ☒ partial oxygen pressure is below the critical value of 55mm/Hg
- ☒ percentage of oxygen is lower than at sea level

17

The rate and depth of breathing is primarily regulated by the concentration of:

- ☒ carbon dioxide in the blood
- ☐ water vapour in the alveoli
- ☒ oxygen in the cells
- ☐ nitrogen in the air

18

Flying a non-pressurized light aircraft at 9 000 feet your passenger develops blue lips:

- ☐ you supply him/her with extra oxygen, but do not reduce altitude .
- ☐ calm him/her and occupy him with suitable tasks.
- ☒ you reduce altitude and supply him/her with oxygen.
- ☐ you supply additional oxygen but controlled.

19

Flying immediately after SCUBA diving involves the risk of getting:

- ☐ hyperventilation
- ☐ stress
- ☐ hypoxia
- ☒ decompression sickness

Candidate: William Ariho
Date of birth: 1989-04-22

Subject: 040-Human Performance
Date: 2014-07-18



20

Healthy people are usually capable of compensating for a lack of oxygen up to:

☒ 15.000 feet

☐ 25.000 feet

☐ 10.000 - 12.000feet

☐ 20.000 feet

21

Hypoxia can be caused by

- ☐ lack of nitrogen in ambient air
- ☐ increasing oxygen partial pressure used for the exchange of gases
- ☐ decreased ability of the haemoglobin to transport oxygen
- ☒ too much carbon dioxide in the blood

22

Symptoms of decompression sickness

- ☐ are only relevant when diving
- ☐ are flatulence and pain in the middle ear
- ☐ can only develop at altitudes of more than 40000 FT
- ☒ are bends, chokes, creeps and neurological symptoms

23

When faced with sustained cold temperature, how does the body resist this physical stress?

- ☐ By vasodilatation which permits a greater flow of blood to the periphery.
- ☐ By increasing cardiac frequency.
- ☐ By intense vasoconstriction.
- ☒ By speeding up the metabolic rate in the Autonomic Nervous System.

24

Illuminated anti-collision lights in IMC

- ☐ can cause colour-illusions
- ☐ will effect the pilots binocular vision
- ☒ can cause disorientation
- ☐ will improve the pilots depth perception

25

Cataract is caused by:

- ☒ A clouding of the lens
- ☐ A lack of accommodation at the cornea
- ☐ A mis-shapened cornea
- ☐ Lack of mobility of the cornea

26

Presbyopia:

- ☐ is partial visual loss due to pressure changes in the eye.
- ☐ is caused by long-termed exposure to stimuli over 90dB.
- ☒ is common over the age of 50.
- ☐ surgical replacement of the lens the usual treatment and is compatible with flying.

27

Through which part of the ear does the equalization of pressure take place, when altitude is changed?

- ☒ Eustachian tube
- ☐ Tympanic membrane
- ☐ External auditory canal
- ☐ Cochlea

28

Which sensations does a pilot get, when he is rolling out of a prolonged level turn?

- ☐ Turning in the opposite direction
- ☒ Climbing
- ☐ Turning into the original direction
- ☐ Flying straight and level

29

Flying with a "common cold":

- ☐ is permitted as long as you are on treatment with antibiotics.
- ☒ increases the risk of hypertension.
- ☐ will cause infection in other crew members if you are flying in a pressurised aircraft.
- ☐ may lead to incapacitation due to severe sinus or ear pain.

30

Carbon monoxide (CO) poisoning in flight:

- ☐ can be cured by breathing into a plastic bag to retain the carbon monoxide.
- ☐ is a complication when hyperventilating and requires its own special and individual treatment.
- ☐ is usually harmless because oxygen is more easily attached to haemoglobin than carbon monoxide to a magnitude of 200 times.
- ☒ presents an extremely dangerous situation as the blood may not be able carry sufficient amounts of oxygen to vital cells and tissues of the body.

31

To help manage cockpit stress, pilots must

- ☐ be aware of life stress situations that are similar to those in flying.
- ☒ avoid situations that will improve their abilities to handle cockpit responsibilities.
- ☐ condition themselves to relax and think rationally when stress appears.

32

Information stays in the short-term memory

☐ from 5 to 10 minutes

☐ less than 1 second

☒ about 20 seconds

☐ around 24 hours

33

Situations particularly vulnerable to "reversion to an earlier behaviour pattern" are:

1. when concentration on a particular task is relaxed
2. when situations are characterised by medium workload
3. when situations are characterised by stress

☒ 1. and 2.

☐ 2. and 3.

☐ 1. and 3.

☐ 3 only.

34

What is the current approach to human error?

- ☐ Realisation that humans are infallible and that systems and procedures should be brought into line to prevent system/procedural errors.
- ☐ Realisation that humans are fallible and that systems and procedures should be brought into line to prevent system, latent and procedural errors.
- ☐ Realisation that humans are infallible and that systems/procedures should be designed to minimise human error.
- ☒ Realisation that humans are fallible and that systems and procedures should be designed to minimise human error.

35

"Stereotypes" are preconceptions or prejudices which can lead us to:

- ☒ **develop better teamwork by standardizing procedures.**
- ☐ **act in the same manner in all situations and thus assuring stability.**
- ☐ **mis-judge individuals even if we have contact with them.**
- ☐ **communicate non-verbally with a stranger.**

36

Which statement is correct?

- ☒ **Personal conflict that takes place prior to take-off should wait to be addressed until the end of the flight.**
- ☐ **Problems in the personal relationships between crew members are likely to hamper the communication process.**
- ☐ **Inconsistent communication improves flight safety.**
- ☐ **There is no relation between inadequate communication and incidents or accidents.**

37

What is the first step in neutralizing a hazardous attitude in the ADM process?

- ☐ Dealing with improper judgment.
- ☐ Recognition of invulnerability in the situation.
- ☒ Recognition of hazardous thoughts.

38

The basic drive for a pilot to demonstrate the 'right stuff' can have an adverse effect on safety, by

- ☐ a total disregard for any alternative course of action.
- ☒ imposing a realistic assessment of piloting skills under stressful conditions.
- ☐ generating tendencies that lead to practices that are dangerous, often illegal, and may lead to a mishap.

39

Attitudes are defined as:

- ☒ tendencies to respond to people, things or events in a particular manner
- ☐ the genetic predispositions for thinking and acting
- ☐ a synonym for behaviour
- ☐ the conditions necessary for carrying out an activity

Candidate: William Ariho
Date of birth: 1989-04-22

Subject: 040-Human Performance
Date: 2014-07-18



40

A person being exposed to extreme or prolonged stress factors can perceive:

☐ eustress

☐ coping stress

☒ distress

☐ stressors