
Online Examination Report

Date:	04.09.2014
Attempts:	1
Examinee:	Jackson, Bwayo
Date of birth:	1/20/1989
Subject:	040-Human performance
Result:	42,5 %
Time used:	00:30:00 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	199	40.	HUMAN PERFORMANCE	0,00	1,00
2	179	40.	HUMAN PERFORMANCE	0,00	1,00
3	200	40.	HUMAN PERFORMANCE	1,00	1,00
4	197	40.	HUMAN PERFORMANCE	1,00	1,00
5	164	40.	HUMAN PERFORMANCE	0,00	1,00
6	161	40.	HUMAN PERFORMANCE	0,00	1,00
7	130	40.	HUMAN PERFORMANCE	0,00	1,00
8	192	40.	HUMAN PERFORMANCE	1,00	1,00
9	170	40.	HUMAN PERFORMANCE	0,00	1,00
10	207	40.	HUMAN PERFORMANCE	0,00	1,00
11	201	40.	HUMAN PERFORMANCE	1,00	1,00
12	180	40.	HUMAN PERFORMANCE	0,00	1,00
13	162	40.	HUMAN PERFORMANCE	1,00	1,00
14	78	40.1.3	Flight safety concepts	0,00	1,00
15	108	40.2	Basic aviation physiology and health maintenance	1,00	1,00
16	24	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
17	77	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
18	52	40.2.1.2	Respiratory and circulatory systems	1,00	1,00
19	34	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
20	89	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
21	60	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
22	63	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
23	19	40.2.1.2	Respiratory and circulatory systems	0,00	1,00
24	102	40.2.2	Man and Environment: the sensory system	0,00	1,00
25	27	40.2.2.2	Vision	1,00	1,00
26	13	40.2.2.2	Vision	1,00	1,00
27	94	40.2.2.2	Vision	0,00	1,00
28	85	40.2.2.5	Integration of sensory inputs	1,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	32	40.2.3.3	Problem areas for pilots	1,00	1,00
30	3	40.2.3.3	Problem areas for pilots	0,00	1,00
31	121	40.3	BASIC AVIATION PSYCHOLOGY	1,00	1,00
32	122	40.3	BASIC AVIATION PSYCHOLOGY	0,00	1,00
33	97	40.3.1.1	Attention and vigilance	1,00	1,00
34	65	40.3.1.4	Response selection	1,00	1,00
35	112	40.3.5	Human behaviour	1,00	1,00
36	119	40.3.5	Human behaviour	0,00	1,00
37	11	40.3.5.1	Personality, attitude and behaviour	1,00	1,00
38	92	40.3.5.1	Personality, attitude and behaviour	1,00	1,00
39	82	40.3.5.1	Personality, attitude and behaviour	0,00	1,00
40	25	40.3.5.1	Personality, attitude and behaviour	0,00	1,00
Total:42%				17,00	40,00

Attachment 2: List of result by topic

Licence

Date: 04.09.2014

Examinee: Jackson, Bwayo

Location: Uganda Civil Aviation Authority

Your Result: 17,00 from 40,00 Points (42,50 %)

Topics	Ammount of Questions	Points achieved	Maximum Points	Percent
40. HUMAN PERFORMANCE	40	17,00	40,00	42,50
40.1. Human Factors: basic concepts	1	0,00	1,00	0,00
40.2. Basic aviation physiology and health maintenance	16	6,00	16,00	37,50
40.3. BASIC AVIATION PSYCHOLOGY	10	6,00	10,00	60,00
Total	40	17,00	40,00	42,50

1

Why is hypoxia particularly dangerous during flights with one pilot?

- ☐ Night vision may be so impaired that the pilot cannot see other aircraft.
- ☒ The pilot may not be able to control the aircraft even if using oxygen.
- ☐ Symptoms of hypoxia may be difficult to recognize before the pilot's reactions are affected.

2

Hazardous attitudes which contribute to poor pilot judgment can be effectively counteracted by

- ☒ **taking meaningful steps to be more assertive with attitudes.**
- ☐ **early recognition of these hazardous attitudes.**
- ☐ **an appropriate antidote.**

3

The sensations which lead to spatial disorientation during instrument flight conditions

- ☒ **must be suppressed and complete reliance placed on the indications of the flight instruments.**
- ☐ **occur, in most instances, during the initial period of transition from visual to instrument flight.**
- ☐ **are frequently encountered by beginning instrument pilots, but never by pilots with moderate instrument experience.**

4

An abrupt change from climb to straight-and-level flight can create the illusion of

- ☐ a noseup attitude.
- ☒ tumbling backwards.
- ☐ a descent with the wings level.

5

Rapid or extra deep breathing while using oxygen can cause

☐ a build-up of carbon dioxide in the body.

☐ hyperventilation.

☒ cyanosis.

6

which of the following may more likely result into hypoxia?

- ☐ reduced barometric pressures at altitude.
- ☐ excessive nitrogen in the bloodstream.
- ☒ decreasing amount of oxygen as your altitude increases.

Candidate: Bwayo Jackson
Date of birth: 1989-01-20

Subject: 040-Human performance
Date: 2014-09-04

7

Which of the following is the first step of the Decide Model for effective risk management and Aeronautical Decision Making?

☐ Evaluate.

☒ Identify.

☐ Detect.

8

Without visual aid, a pilot often interprets centrifugal force as a sensation of

☐ turning.

☒ rising or falling.

☐ motion reversal.

9

When should a flight instructor begin teaching aeronautical decision making (ADM) to a student?

- ☒ **Beginning with the first lesson.**
- ☐ **After the student has completed the initial solo flight but before conducting cross country flights.**
- ☐ **As soon as the student is able to control the aircraft during basic maneuvers.**

10

Which use of cockpit lighting is correct for night flight?

- ☒ The use of regular white light, such as a flashlight, will not impair night adaptation.
- ☐ Reducing the interior lighting intensity to a minimum level.
- ☐ Coloration shown on maps is least affected by the use of direct red lighting.

11

How can an instrument pilot best overcome spatial disorientation?

- ☐ Rely on kinesthetic sense.
- ☒ Read and interpret the flight instruments, and act accordingly.
- ☐ Use a very rapid cross-check.

12

some of the hazardous attitudes which may occur to every pilot to some degree at some time are....

- ☐ Antiauthority, impulsivity, macho, resignation, and invulnerability.
- ☐ Poor risk management and lack of stress management.
- ☒ Poor situational awareness, snap judgments, and lack of a decision making process.

13

What physical change would most likely occur to occupants of an unpressurized aircraft flying above 15,000 feet without supplemental oxygen?

- ☐ The pressure in the middle ear becomes less than the atmospheric pressure in the cabin.
- ☒ A blue coloration of the lips and fingernails develop along with tunnel vision.
- ☐ Gases trapped in the body contract and prevent nitrogen from escaping the bloodstream.

Candidate: Bwayo Jackson
Date of birth: 1989-01-20

Subject: 040-Human performance
Date: 2014-09-04



14

A pilot using a checklist is an example of the interaction within the SHELL Concept of:

☒ L and S

☐ L and H

☒ L and E

☐ L and L

15

Hypoxia susceptibility due to inhalation of carbon monoxide increases as

- ☒ altitude increases.
- ☐ oxygen demand increases.
- ☐ humidity decreases.

16

When faced with sustained cold temperature, how does the body resist this physical stress?

- ☒ **By vasodilatation which permits a greater flow of blood to the periphery.**
- ☐ **By increasing cardiac frequency.**
- ☐ **By intense vasoconstriction.**
- ☐ **By speeding up the metabolic rate in the Autonomic Nervous System.**

17

During a rapid decompression in a 2 crew aircraft, the other pilot becomes incapacitated, your first action is to:

- ☐ call for immediate assistance from cabin crew.
- ☒ administer oxygen to the other pilot.
- ☐ commence an emergency descent.
- ☐ don your own oxygen mask.

18

What can be said concerning the following two statements?

1. Euphoria can be a symptom of hypoxia.
2. Someone in an euphoric condition is more prone to error.

- ☐ 1 and 2 are both false
- ☒ 1 and 2 are both correct
- ☐ 1 is false, 2 is correct
- ☐ 1 is correct, 2 is false

19

Symptoms of decompression sickness

- ☐ are only relevant when diving
- ☒ are flatulence and pain in the middle ear
- ☐ can only develop at altitudes of more than 40000 FT
- ☐ are bends, chokes, creeps and neurological symptoms

Candidate: Bwayo Jackson
Date of birth: 1989-01-20

Subject: 040-Human performance
Date: 2014-09-04



20

After SCUBA diving (more than 30 feet of depth) you have to wait a period of time before flying again. This period is at least:

☐ 48 hours

☐ 24 hours

☒ 12 hours

☐ 6 hours

21

The following actions are appropriate when faced with symptoms of decompression sickness:

1. climb to higher level
2. descent to the higher of 10000 ft or MSA and land as soon as possible
3. breathe 100 % oxygen
4. obtain medical advice about recompression after landing

☐ 2, 3 and 4 are correct

☐ 1 and 4 are correct

☐ 1 and 3 are correct

☒ 1, 2 and 3 are correct

22

When flying above 10.000 feet hypoxia arises because:

- ☐ composition of the air is different from sea level
- ☐ composition of the blood changes
- ☒ partial oxygen pressure is below the critical value of 55mm/Hg
- ☒ percentage of oxygen is lower than at sea level

23

Hypoxia is:

- ☒ a physical condition caused by a lack of oxygen saturation in the blood while hyperventilating.
- ☐ a physical condition caused by a lack of oxygen to meet the needs of the body tissues, leading to mental and muscular disturbances
- ☐ often produced during steep turns when pilots turn their heads in a direction opposite to the direction in which the aircraft is turning
- ☐ a condition of lacking oxygen in the brain causing the circulatory system to compensate by decreasing the heart rate.

24

To scan properly for traffic, a pilot should

- ☐ **use a series of short, regularly spaced eye movements that bring successive areas of the sky into the central visual field.**
- ☒ **concentrate on any peripheral movement detected.**
- ☐ **slowly sweep the field of vision from one side to the other at intervals.**

25

Illuminated anti-collision lights in IMC

- ☐ can cause colour-illusions
- ☐ will effect the pilots binocular vision
- ☒ can cause disorientation
- ☐ will improve the pilots depth perception

26

When focussing on near objects:

- ☐ the pupil gets larger
- ☒ the shape of lens gets more spherical
- ☐ the cornea gets smaller
- ☐ the shape of lens gets flatter

27

The ability of the human eye to read alphanumeric information is:

- ☒ limited to the foveal area of the retina
- ☐ almost equally shared by the entire retina
- ☒ governed by peripheral vision over an area of approximately 20 degrees of angle
- ☐ limited to daytime using the rod cells

28

"Pilot's vertigo"

- ☐ is the sensation of climbing caused by a strong linear acceleration
- ☐ is the sensation to keep a rotation after completing a turn
- ☒ is the condition of dizziness and/or tumbling sensation caused by contradictory impulses to the central nervous system (CNS)
- ☐ announces the beginning of airsickness

29

Flying with a "common cold":

- ☐ is permitted as long as you are on treatment with antibiotics.
- ☐ increases the risk of hypertension.
- ☐ will cause infection in other crew members if you are flying in a pressurised aircraft.
- ☒ may lead to incapacitation due to severe sinus or ear pain.

30

To prevent gastro-intestinal problems in tropical climates you should:

1. eat salad or raw vegetables
2. peel fruit when necessary
3. eat food that has been properly cooked
4. avoid ice-cream

Which of the following lists all the correct answers?

☐ 1 and 2

☐ 2 and 4

☐ 1, 2, 3 and 4

☒ 1, 2 and 3

31

To help manage cockpit stress, pilots must

- ☐ be aware of life stress situations that are similar to those in flying.
- ☐ avoid situations that will improve their abilities to handle cockpit responsibilities.
- ☒ condition themselves to relax and think rationally when stress appears.

32

What does good cockpit stress management begin with?

- ☒ **Good life stress management.**
- ☐ **Eliminating life and cockpit stress issues.**
- ☒ **Knowing what causes stress.**

33

Which of the following statements are correct?

1. The first information received determines how subsequent information will be evaluated.
2. If one has made up one's mind, contradictory information may not get the attention it really needs.
3. With increasing stress, attention is limited thereby reducing the flow of information to the central decision maker.

- ☐ 1 and 3 are correct
- ☐ 2 and 3 are correct
- ☒ 1, 2 and 3 are correct
- ☐ 1 and 2 are correct

34

The ability to monitor information which could indicate the development of a critical situation

- ☐ makes no sense because the human information processing system is limited anyway
- ☐ is dangerous, because it distracts attention from flying the aircraft
- ☒ is necessary to maintain good situational awareness
- ☐ is responsible for the development of inadequate mental models of the real world

35

**Examples of classic behavioral traps that experienced pilots may fall into are:
trying to**

- ☐ **promote situational awareness and then necessary changes in behavior.**
- ☒ **complete a flight as planned, please passengers, meet schedules, and demonstrate the 'right stuff.'**
- ☐ **assume additional responsibilities and assert PIC authority.**

36

What is the first step in neutralizing a hazardous attitude in the ADM process?

- ☐ Dealing with improper judgment.
- ☒ Recognition of invulnerability in the situation.
- ☐ Recognition of hazardous thoughts.

37

For a normal and healthy person, personality traits are:

☐ **unstable.**

☐ **easy changed by an outside influence.**

☐ **easy changeable.**

☒ **stable.**

38

Which of the following elements make up the personality of an individual?

1. Heredity
2. Childhood environment
3. Upbringing
4. Past experience

☐ 2,3

☐ 1,2,4

☒ 1,2,3,4

☐ 2,3,4

39

Personality is based on:

1. Heredity
2. Upbringing
3. Experience
4. Childhood

- ☐ 1, 2 and 4 only are correct
- ☒ 2, 3 and 4 only are correct
- ☐ 1, 2, 3 and 4 are correct
- ☐ None of the listed answers is correct

40

Contrary to a person's personality, attitudes:

- ☒ **are essentially driving forces behind changes in personality**
- ☐ **Are the product of personal disposition and past experience with reference to an object or a situation**
- ☐ **are non-evolutive adaptation procedures regardless of the result of the actions associated with them**
- ☐ **form part of personality and, as a result, cannot be changed in an adult**