
Online Examination Report

Date:	21.07.2014
Attempts:	1
Examinee:	Shyaka, Daniel
Date of birth:	5/26/1993
Subject:	070-Operational Procedures
Result:	27,5 %
Time used:	00:00:12 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	184	71. OPERATIONAL PROCEDURES		1,00	1,00
2	186	71. OPERATIONAL PROCEDURES		0,00	1,00
3	191	71. OPERATIONAL PROCEDURES		0,00	1,00
4	118	71.1.1.3 General		0,00	1,00
5	149	71.1.1.3 General		0,00	1,00
6	19	71.1.1.3 General		0,00	1,00
7	167	71.1.3.2 Transoceanic and polar flight		1,00	1,00
8	100	71.2.1 Operations Manual		1,00	1,00
9	107	71.2.1.1 Operating procedures		0,00	1,00
10	34	71.2.1.1 Operating procedures		0,00	1,00
11	112	71.2.1.1 Operating procedures		1,00	1,00
12	148	71.2.2 Icing conditions		0,00	1,00
13	3	71.2.2 Icing conditions		0,00	1,00
14	140	71.2.2.1 On ground de-/anti-icing		0,00	1,00
15	143	71.2.2.1 On ground de-/anti-icing		0,00	1,00
16	114	71.2.2.1 On ground de-/anti-icing		0,00	1,00
17	115	71.2.2.1 On ground de-/anti-icing		0,00	1,00
18	119	71.2.5 Fire/smoke		0,00	1,00
19	89	71.2.5.3 Fire in the cabin, cockpit, cargo comp		0,00	1,00
20	37	71.2.5.3 Fire in the cabin, cockpit, cargo comp		0,00	1,00
21	102	71.2.5.3 Fire in the cabin, cockpit, cargo comp		0,00	1,00
22	117	71.2.5.3 Fire in the cabin, cockpit, cargo comp		1,00	1,00
23	141	71.2.5.6 Types of extinguishers		0,00	1,00
24	5	71.2.5.6 Types of extinguishers		0,00	1,00
25	16	71.2.5.6 Types of extinguishers		1,00	1,00
26	131	71.2.5.6 Types of extinguishers		1,00	1,00
27	87	71.2.5.6 Types of extinguishers		0,00	1,00
28	11	71.2.7 Wind shear and microburst		1,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	78	71.2.7.1	Effects and recognition	0,00	1,00
30	86	71.2.7.1	Effects and recognition	1,00	1,00
31	51	71.2.8	Wake turbulence	0,00	1,00
32	166	71.2.8	Wake turbulence	0,00	1,00
33	12	71.2.8.1	Cause	0,00	1,00
34	15	71.2.8.1	Cause	0,00	1,00
35	79	71.2.9	Security (unlawful events)	0,00	1,00
36	55	71.2.9.2	Use of SSR	0,00	1,00
37	111	71.2.12	Transport of dangerous goods	1,00	1,00
38	97	71.2.12.1	ICAO Annex 18	1,00	1,00
39	154	71.2.13	Contaminated runways	0,00	1,00
40	67	71.2.13.4	Procedures	0,00	1,00
Total:28%				11,00	40,00

Attachment 2: List of result by topic

Licence

Date: 16.07.2014

Examinee: Shyaka, Daniel

Location: Uganda Civil Aviation Authority

Your Result: 11,00 from 40,00 Points (27,50 %)

Topics	Ammount of Questions	Points achieved	Maximum Points	Percent
71. OPERATIONAL PROCEDURES	40	11,00	40,00	27,50
71.1. GENERAL REQUIREMENTS	4	1,00	4,00	25,00
71.2. SPECIAL OPERATIONAL PROCEDURES	33	9,00	33,00	27,27
Total	40	11,00	40,00	27,50

1

When diverting to an alternate airport because of an emergency, pilots should

- ☐ complete all plotting, measuring, and computations involved before diverting.
- ☐ rely upon radio as the primary method of navigation.
- ☒ apply rule-of-thumb computations, estimates, and other appropriate shortcuts to divert to the new course as soon as possible.

2

Which is a necessary condition for the occurrence of a low-level temperature inversion wind shear?

- ☒ The temperature differential between the cold and warm layers must be at least 10 degrees C.
- ☐ A wind direction difference of at least 30 degrees C between the wind near the surface and the wind just above the inversion.
- ☐ A calm or light wind near the surface and a relatively strong wind just above the inversion.

3

When landing behind a large jet aircraft, at which point on the runway should you plan to land?

- ☒ **If any crosswind, land on the windward side of the runway and prior to the jet's touchdown point.**
- ☐ **Beyond the jet's touchdown point.**
- ☐ **At least 1,000 feet beyond the jet's touchdown point.**

4

90 % of bird strikes occur :

☐ between 500 and 1 000 m

☐ under 500 m

☐ above 1 000 m

☒ between 500 and 1 500 m

5

Which one of the following sets of conditions is most likely to attract birds to an aerodrome ?

- ☐ mowing and maintaining the grass long
- ☐ a refuse tip in close proximity
- ☐ the extraction of minerals such as sand and gravel
- ☒ a modern sewage tip in close proximity

6

During a night flight, an observer located in the cockpit, seeing an aircraft coming from front right on approximate opposite parallel track, will first see the:

- ☐ red light
- ☒ red and white flashing light
- ☐ green light
- ☐ white light

7

What emergency equipment is required for extended overwater operations?

- ☐ A portable survival emergency locator transmitter for each liferaft.
- ☒ A life jacket equipped with a survivor locator light, for each person on the airplane.
- ☐ A pyrotechnic signaling device for each life preserver.

8

Information concerning evacuation procedures can be found in the :

- ☐ journey logbook.
- ☐ operational flight plan.
- ☐ flight manual.
- ☒ operation manual.

9

For aircraft certified , cockpit voice recorder must keep the conversations and sound alarms recorded during the last :

- ☒ flight.
- ☐ 25 hours of operation.
- ☐ 30 minutes of operation.
- ☐ 48 hours of operation.

10

Flight crew members on the flight deck shall keep their safety belt fastened:

- ☒ only during take off and landing.
- ☐ while at their station.
- ☐ from take off to landing.
- ☒ only during take off and landing and whenever necessary by the commander in the interest of safety.

Candidate: Daniel Shyaka
Date of birth: 1993-05-26

Subject: 070-Operational Procedures
Date: 2014-07-16

11

A life jacket is mandatory for any passenger on board an aircraft flying away from the shore by more than :

☐ 200 NM

☐ 400 NM

☐ 100 NM

☒ 50 NM

12

The greatest possibility of ice buildup, while flying under icing conditions, occurs on :

- ☐ The upper and lower wingsurfaces.
- ☒ Only the pitot and static probes.
- ☐ The upper and lower rudder surfaces.
- ☐ The aircraft front areas.

Candidate: Daniel Shyaka
Date of birth: 1993-05-26

Subject: 070-Operational Procedures
Date: 2014-07-16

13

The maximum validity of a SNOWTAM is :

☐ 6 hours

☐ 3 hours

☒ 12 hours

☐ 24 hours

14

An aircraft having undergone an anti-icing procedure and having exceeded the protection time of the anti-icing fluid:

- ☐ must undergo a de-icing procedure before a new application of anti-icing fluid for take-off.
- ☒ must only undergo a new anti-icing procedure for take-off.
- ☐ must only undergo a de-icing procedure for take-off.
- ☐ need not to undergo a new anti-icing procedure for take-off.

15

For a given ambient temperature and type of de-icing fluid used, in which one of the following types of weather condition will the holdover (protection) time be shortest ?

☐ Steady snow

☐ Frost

☐ Freezing rain

☒ Freezing fog

16

The anti-icing fluid protecting film can wear off and reduce considerably the protection time:

- ☐ when the temperature of the airplane skin is close to 0 °C.
- ☒ when the outside temperature is close to 0 °C.
- ☒ during strong winds or as a result of the other aircraft engines jet wash.
- ☐ when the airplane is into the wind.

17

During an aircraft de-icing/anti-icing procedure:

- ☒ the anti-icing fluid is applied without heating and the de-icing fluid is applied hot.
- ☐ the anti-icing and de-icing fluids are applied cold.
- ☐ the de-icing fluid is applied without heating and the anti-icing fluid is applied hot.
- ☒ the anti-icing and de-icing fluids are applied hot.

18

The "NO SMOKING" sign must be illuminated :

- ☐ when oxygen is being supplied in the cabin.
- ☒ in each cabin section if oxygen is being carried.
- ☐ during take off and landing.
- ☐ during climb and descent.

19

In case of a fire due to the heating of the brakes, you fight the fire using:

1. a dry powder fire extinguisher

2. a water spray atomizer

3. a water fire-extinguisher

4. a CO2 fire-extinguisher to the maximum

The combination regrouping all the correct statements is:

☒ 1, 4

☐ 2, 3, 4

☐ 3, 4

☐ 1, 2

20

Beneath fire extinguishers the following equipment for fire fighting is on board:

- ☒ crash axes or crowbars.
- ☐ a hydraulic winch and a big box of tools.
- ☒ a big bunch of fire extinguishing blankets.
- ☐ water and all type of beverage.

21

If smoke appears in the air conditioning, the first action to take is to :

- ☐ Begin an emergency descent.
- ☐ Determine which system is causing the smoke.
- ☐ Put on the mask and goggles.
- ☒ Cut off all air conditioning units.

22

To extinguish a fire in the cockpit, you use:

- 1. a water fire-extinguisher*
- 2. a powder or chemical fire-extinguisher*
- 3. a halon fire-extinguisher*
- 4. a CO2 fire-extinguisher*

☐ 1, 2, 3, 4

☐ 2, 3, 4

☐ 1, 2

☒ 3, 4

23

A fire occurs in a wheel and immediate action is required to extinguish it. The safest extinguishant to use is :

☐ water

☐ foam

☒ CO2 (carbon dioxide)

☐ dry powder

24

You will use a powder fire-extinguisher for:

- 1. a paper fire**
- 2. a plastic fire**
- 3. a hydrocarbon fire**
- 4. an electrical fire**

The combination regrouping all the correct statements is:

☐ **2, 3**

☐ **1, 2, 3**

☐ **1, 2, 3, 4**

☒ **1, 4**

25

You will use a CO2 fire-extinguisher for :

- 1. a paper fire*
- 2. a plastic fire*
- 3. a hydrocarbon fire*
- 4. an electrical fire*

The combination regrouping all the correct statements is:

☐ 1,2,3

☒ 1,2,3,4

☐ 3,4

☐ 2,3

26

You will use a halon extinguisher for a fire of:

1 - solids (fabric, plastic, ...)

2 - liquids (alcohol, gasoline, ...)

3 - gas

4 - metals (aluminium, magnesium, ...)

The combination regrouping all the correct statements

☐ 1,2,3,4

☐ 1,2,4

☒ 1,2,3

☐ 2,3,4

27

CO2 type extinguishers are fit to fight:

1 - class A fires

2 - class B fires

3 - electrical source fires

4 - special fires: metals, gas, chemical product

Which of the following combinations contains all the correct statements:

☐ 1 - 3 - 4

☒ 1 - 2 - 4

☐ 2 - 3 - 4

☐ 1 - 2 - 3

28

One of the main characteristics of windshear is that it :

- ☒ can occur at any altitude in both the vertical and horizontal planes
- ☐ can occur at any altitude and only in the horizontal plane
- ☐ occurs only at a low altitude (2000 ft) and never in the horizontal plane
- ☐ occurs only at a low altitude (2000 ft) and never in the vertical plane

29

During a manual approach, the aeroplane is subjected to windshear with an increasing tail wind. In the absence of a pilot action, the aeroplane:

- 1- flies above the intended approach path**
- 2- flies below the intended approach path**
- 3- has an increasing true airspeed**
- 4- has a decreasing true airspeed**

The combination of correct statements is:

☐ **2, 4.**

☐ **1, 3.**

☒ **1, 4.**

☐ **2, 3.**

30

Wind shear is:

- ☐ a variation only in vertical wind velocity over a short distance.
- ☐ a variation only in horizontal wind velocity over a short distance.
- ☒ a large variation in vertical or horizontal wind velocity and / or wind direction over a short distance.
- ☐ a variation in vertical or horizontal wind velocity and / or wind direction over a large distance.

31

According with DOC 4444 (ICAO), a wake turbulence radar separation minima of 9,3 Km (5,0 NM) shall be applied when a :

- ☒ **LIGHT aircraft is crossing behind a MEDIUM aircraft, at the same altitude or less than 300 m (1 000.ft)**
- ☐ **MEDIUM aircraft is crossing behind a MEDIUM aircraft, at the same altitude or less than 300 n (1 000 ft)**
- ☐ **HEAVY aircraft is crossing behind a HEAVY aircraft, at the same altitude or less than 300 m (1 000 ft)**
- ☒ **LIGHT aircraft is crossing behind a HEAVY aircraft, at the same altitude or less than 300 m (1 000 ft)**

32

When taking-off after a widebody aircraft which has just landed, you should take-off :

- ☐ at the point where the aircraft's wheels have touched down and on the wind side of the runway .
- ☐ beyond the point where the aircraft's wheels have touched down.
- ☐ at the point where the aircraft's wheels have touched the ground and on the underwind side of the runway .
- ☒ in front of the point where the aircraft's wheels have touched down.

33

The wake turbulence caused by an aircraft is mainly the result of:

1. An aerodynamic effect (wing tip vortices).
2. The engines action (propellers rotation or engine gas exhausts).
3. The importance of the drag devices (size of the landing gear, of the flaps, etc.).

The combination regrouping all the correct statements is:

☐ 1.

☐ 2 and 3.

☐ 1, 2 and 3.

☒ 3.

34

Aeroplane wake turbulence during take off starts when:

- ☒ the take off roll commences.
- ☐ out of ground effect.
- ☐ slats and flaps are extended only.
- ☐ the nose wheel lifts off the runway.

35

What transponder code should be used to provide recognition of an aircraft which is being subjected to unlawful interference :

☒ **code 7700**

☐ **code 7500**

☐ **code 7600**

☐ **code 2000**

Candidate: Daniel Shyaka
Date of birth: 1993-05-26

Subject: 070-Operational Procedures
Date: 2014-07-16



36

What is the transponder code to be used by the commander of an aircraft that is subject to unlawful interference?

☐ A 7600

☐ A 7800

☐ A 7500

☒ A 7700

37

ICAO (International Civil Aviation Organization) Appendix 18 is a document dealing with

- ☐ the technical operational use of aircraft
- ☐ the air transport of live animals
- ☒ the safety of the air transport of dangerous goods
- ☐ the noise pollution of aircraft

38

In addition to the languages required by the State of Origin, what language should be set for the markings related to dangerous goods :

☐ Spanish

☐ English, French or Spanish

☐ French

☒ English

39

According to the civil aviation regulations a runway is considered damp when:

- ☒ it is covered with a film of water of less than 3 mm.
- ☐ its surface is not dry, and when surface moisture does not give it a shiny appearance.
- ☐ it is covered with a film of water of less than 1 mm.
- ☐ surface moisture gives it a shiny appearance.

40

In case of landing on a flooded runway and in heavy rain:

1. you increase your approach speed,
2. you land firmly in order to obtain a firm contact of the wheels with the runway and immediately land your nose gear,
3. you decrease your approach speed,
4. you use systematically all the lift dumper devices,
5. you land as smoothly as possible,
6. you brake energetically.

The combination regrouping all the correct statements is:

☒ 3, 5

☐ 1, 4, 5, 6

☐ 1, 2, 4

☐ 2, 3, 4