
Online Examination Report

Date:	12.08.2014
Attempts:	1
Examinee:	Muhanguzi, Allan
Date of birth:	2/10/1988
Subject:	010-Air Law
Result:	46,29 %
Time used:	00:30:00 (HH:MM:SS)

Attachments

1. List of result by question
2. List of result by topic
3. Detailed question result report

Attachment 1: List of result by question

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
1	216	10. AIR LAW		0,00	1,00
2	156	10. AIR LAW		0,00	1,00
3	291	10. AIR LAW		0,00	1,00
4	666	10. AIR LAW		0,00	1,00
5	124	10. AIR LAW		0,00	1,00
6	430	10. AIR LAW		1,00	1,00
7	573	10. AIR LAW		0,00	1,00
8	56	10. AIR LAW		1,00	1,00
9	498	10. AIR LAW		1,00	1,00
10	168	10. AIR LAW		1,00	1,00
11	6	10. AIR LAW		1,00	1,00
12	237	10. AIR LAW		0,00	1,00
13	389	10. AIR LAW		0,00	1,00
14	403	10. AIR LAW		1,00	1,00
15	532	10. AIR LAW		1,00	1,00
16	198	10. AIR LAW		1,00	1,00
17	232	10. AIR LAW		1,00	1,00
18	670	10. AIR LAW		0,00	1,00
19	603	10. AIR LAW		0,00	1,00
20	129	10. AIR LAW		1,00	1,00
21	249	10. AIR LAW		1,00	1,00
22	370	10. AIR LAW		0,00	1,00
23	889	10. AIR LAW		0,00	1,00
24	674	10. AIR LAW		1,00	1,00
25	881	10. AIR LAW		1,00	1,00
26	363	10. AIR LAW		0,00	1,00
27	863	10. AIR LAW		1,00	1,00
28	182	10. AIR LAW		0,00	1,00

CQB Number	Internal Number	Syllabus reference	Chapter	Points	Max. Points
29	159	10.	AIR LAW	1,00	1,00
30	690	10.	AIR LAW	0,00	1,00
31	366	10.	AIR LAW	0,00	1,00
32	266	10.	AIR LAW	1,00	1,00
33	35	10.4.2.3	CPL	1,00	1,00
34	72	10.4.2.4	ATPL	0,00	2,00
35	8	10.5.2	JAR-FCL	1,00	1,00
36	81	10.5.3	General Rules	0,00	1,00
37	17	10.6.6.1	Basic requirements and procedures	0,00	1,00
38	73	10.7.1.3	Airspace	1,00	1,00
39	98	10.9.1	General	0,00	1,00
40	112	10.10.2.3	Declared Distances	0,00	1,00
Total:46%				19,00	41,00

Attachment 2: List of result by topic

Licence

Date: 12.08.2014

Examinee: Muhanguzi, Allan

Location: Uganda Civil Aviation Authority

Your Result: 19,00 from 41,00 Points (46,34 %)

Topics	Amount of Questions	Points achieved	Maximum Points	Percent
10. AIR LAW	40	19,00	41,00	46,34
10.4. PERSONNEL LICENSING	2	1,00	3,00	33,33
10.5. PERSONNEL LICENSING	2	1,00	2,00	50,00
10.6. RULES OF THE AIR	1	0,00	1,00	0,00
10.7. PROCEDURES FOR ANS - AIRCRAFT OPERATIONS (PANS OPS)	1	1,00	1,00	100,00
10.9. AERONAUTICAL INFORMATION SERVICE	1	0,00	1,00	0,00
10.10. AERODROMES (Vol. I, Aerodrome Design and Operations)	1	0,00	1,00	0,00
Total	40	19,00	41,00	46,34

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12



1

Within how many days must the operator of an aircraft involved in an accident file a report ?

☐ 3 days.

☐ 10 days.

☒ 7 days.

2

What are the line check requirements for the pilot in command for a domestic air carrier?

- ☐ The line check is required every 12 calendar months in one of the types of airplanes to be flown.
- ☐ The line check is required every 12 months in each type aircraft in which the pilot may fly.
- ☒ The line check is required only when the pilot is scheduled to fly into special areas and airports.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12



3

Which of the following is required equipment for powered aircraft during VFR night flights?

☐ Gyroscopic bank-and-pitch indicator.

☒ Gyroscopic direction indicator.

☐ Anticollision light system.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

4

(Refer to Figure 92.) A flight is to be conducted in VFR-On-Top conditions at 12,500 feet MSL (above 1200 feet AGL). What is the in-flight visibility and distance from clouds required for operation in Class E airspace during daylight hours for area 1?

- ☐ 5 miles; (A) 1,000 feet; (B) 1 mile; (D) 1,000 feet.
- ☐ 3 miles; (A) 1,000 feet; (B) 2,000 feet; (D) 1,000 feet.
- ☒ 5 miles; (A) 1,000 feet; (B) 2,000 feet; (D) 500 feet.

See Attachments:

1. instrument_92.jpg

figure 92

(Attachment
No.1)

5

Which of the following applies to the carriage of a person in the custody of law enforcement personnel?

- ☐ No more than one person considered to be in the maximum risk category may be carried on a flight, and that person must have at least two armed law enforcement escorts.
- ☒ The air carrier is not allowed to serve beverages to the person in custody or the law enforcement escort.
- ☐ The person in custody must be seated between the escort and the aisle.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12



6

What instrument flight time may be logged by a second-in-command of an aircraft requiring two pilots?

- ☐ One-half the time the airplane is in actual IFR conditions.
- ☐ One-half the time the flight is on an IFR flight plan.
- ☒ All of the time the second-in-command is controlling the airplane solely by reference to flight instruments.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12



7

Which sources of aeronautical information, when used collectively, provide the latest status of airport conditions (e.g., runway closures, runway lighting, snow conditions)?

- ☐ Airport Facility Directory, FDC NOTAM's, and Local (L) NOTAM's.
- ☒ Aeronautical Information Manual, aeronautical charts, and Distant (D) Notice to Airmen (NOTAM's).
- ☐ Airport Facility Directory, Distant (D) NOTAM's, and Local (L) NOTAM's.

8

If carry-on baggage or cargo is carried in the passenger compartment, it must be

- ☐ placed in an approved rack, bin, or compartment installed in the aircraft.
- ☒ so located that it does not obstruct the access to, or the use of, any required emergency or regular exit.
- ☐ stowed ahead of the foremost seated passengers and secured by approved means.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

9

What action should a pilot take when a clearance is received from ATC that appears to be contrary to a regulation?

☐ Read the clearance back in its entirety.

☐ Do not accept the clearance.

☒ Request a clarification from ATC.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

10

What information must the pilot in command of a commercial flight carry to the destination airport?

- ☐ Cargo and passenger distribution information.
- ☐ Names of all crewmembers and designated pilot in command.
- ☒ Copy of the flight plan.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

11

Where is the certificate holder required to list the name and title of each person authorized to exercise operational control for a particular flight?

- ☒ Certificate holder's manual.
- ☐ Attached to the load manifest.
- ☐ Operations Specifications.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12



12

Regulations which refer to operate relate to that person who

- ☒ causes the aircraft to be used or authorizes its use.
- ☐ is the sole manipulator of the aircraft controls.
- ☒ acts as pilot in command of the aircraft.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

13

An airport has pilot controlled lighting but runways without approach lights. How many times should you key your microphone to turn on the MIRL at medium intensity?

☒ 5 clicks.

☐ None, the MIRL is left on all night.

☒ 3 clicks.

14

Which technique should a student be taught to scan for traffic to the right and left during straight-and-level flight?

- ☐ Concentrate on relative movement detected in the peripheral vision area.
- ☐ Continuous sweeping of the windshield from right to left.
- ☒ Systematically focus on different segments of the sky for short intervals.

15

Airport information signs, used to provide destination or information, have

- ☐ yellow inscriptions on a black background.
- ☒ black inscriptions on a yellow background.
- ☐ white inscriptions on a black background.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

16

Who is responsible for obtaining information on all current airport conditions, weather, and irregularities of navigation facilities for a supplemental air carrier flight?

☐ Aircraft dispatcher.

☒ Pilot in command.

☐ Director of operations or flight follower.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

17

How many days after an accident is a report to be filed with the nearest required CAA field office?

☐ 7

☐ 2

☒ 10

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

18

(Refer to Figure 92.) What is the minimum in-flight visibility and distance from clouds required for an airplane operating less than 1,200 feet AGL under special VFR during daylight hours in area 5?

- ☐ 1 mile; (I) clear of clouds; (J) clear of clouds; (L) clear of clouds.
- ☒ 3 miles; (I) clear of clouds; (J) clear of clouds; (L) 500 feet.
- ☐ 1 mile; (I) 2,000 feet; (J) 2,000 feet; (L) 500 feet.

See Attachments:

1. instrument_92.jpg

figure 92

(Attachment
No.1)

19

What service is provided by departure control to an IFR flight when operating within the outer area of Class C airspace?

- ☐ Separation from all IFR aircraft and participating VFR aircraft.
- ☐ Position and altitude of all traffic within 2 miles of the IFR pilot's line of flight and altitude.
- ☒ Separation from all aircraft.

20

Which rule applies to the use of the cockpit voice recorder erasure feature?

- ☐ All recorded information may be erased, except for the last 30 minutes prior to landing.
- ☐ All recorded information may be erased, unless the NTSB needs to be notified of an occurrence.
- ☒ Any information more than 30 minutes old may be erased.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

21

When is the pilot in command required to hold a category and class rating appropriate to the aircraft being flown?

☐ On practical tests given by an examiner or FAA Inspector.

☒ On flights when carrying another person.

☐ All solo flights.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

22

(Refer to Figure 130.) What is the runway distance remaining at 'A' for a nighttime takeoff on runway 9?

☒ 1,000 feet.

☐ 2,500 feet.

☐ 2,000 feet.

See Attachments:

1. atp_130.jpg

Figure 130

(Attachment No.2)

23

Which situation is grounds for revoking any flight engineer certificate or rating?

- ☐ Alteration of their flight engineer certificate.
- ☒ Operating during a physical deficiency.
- ☐ Flying 1,200 hours in 12 calendar months but logging only 1,000 hours.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

24

(Refer to Figure 93.) Which altitude is the upper limit for Class A airspace?

See Attachments:

1. instrument_93.jpg

figure 93

(Attachment
No.3)

☐ 18,000 feet MSL.

☐ 14,500 feet MSL.

☒ 60,000 feet MSL.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12



25

Refusal by a flight engineer to submit to an alcohol or drug test, when requested by a law enforcement officer, is grounds for

- ☒ **revocation of their flight engineer and pilot Licences**
- ☐ **denial of an application for any certificate or rating for a period of up to 5 years.**
- ☐ **suspension of their medical certificate for a period of up to 1 year.**

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

26

What does the tri-color VASI consist of?

- ☒ Three light bars; red, green, and amber.
- ☐ Three glide slopes, each a different color; red, green, and amber.
- ☐ One light projector with three colors; red, green, and amber.

27

The primary purpose of runway end identifier lights(REIL), installed at many airfields, is to provide

- ☒ rapid identification of the approach end of the runway during reduced visibility.
- ☐ rapid identification of the primary runway during reduced visibility.
- ☐ a warning of the final 3,000 feet of runway remaining as viewed from the takeoff or approach position.

28

When the forecast weather conditions for a destination and alternate airport are considered marginal for a domestic air operation, what specific action should the pilot in command take?

- ☒ List an airport where the forecast weather is not marginal as the alternate.
- ☐ List at least one additional alternate airport.
- ☐ Add 1 additional hour of fuel based on cruise power settings for the airplane in use.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

29

A crewmember who has served as second-in-command on a particular type airplane (e.g., B-727-100), may serve as pilot-in-command upon completing which training program?

- ☒ Upgrade training.
- ☐ Initial training.
- ☐ Recurrent training.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

30

ATC may assign the MOCA when certain special conditions exist, and when within

☐ 22 NM of a VOR.

☒ 30 NM of a VOR.

☐ 25 NM of a VOR.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

31

Which color on a tri-color VASI is a 'low' indication?

☒ **Amber.**

☐ **Red.**

☐ **Green.**

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12

32

What is the minimum age requirement for a person to be issued a commercial pilot certificate for the operation of gliders?

☐ 17 years.

☐ 16 years.

☒ 18 years.

33

An applicant for a commercial pilot licence shall have completed in aeroplanes not less than:

- ☐ 20 hours of instrument instruction time of which not more than 10 hours may be instrument ground time
- ☐ 20 hours of instrument instruction time of which not more than 5 hours may be instrument ground time.
- ☒ 10 hours of instrument instruction time of which not more than 5 hours may be instrument ground time
- ☐ 15 hours of instrument time of which not more than 5 hours as pilot in command

34

In accordance with Civil Aviation Authority the credit for MPA co-pilot time is:

- ☐ 50 % of the co-pilot flight time towards the total flight time required for a higher grade of pilot licence.
- ☐ 75 % of the co-pilot flight time towards, the total flight time required for a higher grade of a pilot licence.
- ☒ 100 hours of the flying time required for a higher grade of a pilot licence.
- ☐ 100 % of the co-pilot flight time towards the total flight time required for a higher grade of pilot licence.

Candidate: Allan Muhanguzi
Date of birth: 1988-02-10

Subject: 010-Air Law
Date: 2014-08-12



35

Who is in general responsible for an ATC clearance to be safe in respect to terrain clearance?

- ☒ The pilot-in-command.
- ☐ The ATC.
- ☐ The ATS reporting office accepting the flight plan.
- ☐ The aircraft operator.

36

The appropriate ATS unit has to be informed:

- ☐ if the average TAS at cruising level varies or is expected to vary by +/- 5% from that given in the flight plan.
- ☐ about any deviation in TAS.
- ☒ about any track deviation.
- ☐ if the time estimate for the next reporting point is found to be in error in excess of more than ten minutes from that notified to ATS.

37

IFR cruising levels within controlled airspace shall be given as flight level (FL)

- ☒ **if the obstacle clearance is more than 2000 feet**
- ☐ **Above the transition altitude when applicable**
- ☐ **only in airspace class A**
- ☐ **When QNH is higher than the standard pressure 1013 hPa**

38

A controlled airspace extending upwards from the surface of the earth to a specified upper limit is:

☐ Advisory airspace.

☒ Control zone.

☐ Air traffic zone.

☐ Control area.

39

What is a "barrette"?

- ☐ a CAT II or III holding position.
- ☐ a high obstacle near the runway and/or taxiway.
- ☒ three or more ground lights closely spaced together to appear as a bar of lights.
- ☒ a frangible structure on which approach lights are fixed.

40

The obligation of a carrier to transport any person away from the territory of a Contracting State shall terminate from the moment such person has been definitely admitted in other Contracting State of destination.

- ☒ **The obligation is for the Contracting State of the operator.**
- ☐ **The operator has no obligation.**
- ☐ **The stated above is correct.**
- ☐ **The obligation of the operator terminates as soon as the person leaves the aeroplane.**

Attachment No. 1

Questions 4,18

figure 92

instrument_92.jpg




Figure 92. Minimum In-Flight Visibility and Distance from Clouds © ASA

Attachment No. 2

Questions 22

Figure 130

atp_130.jpg




Figure 130. ICAO Nonprecision Approach Runway Markings and Lighting © ASA


Attachment No. 3

Questions 24

figure 93

instrument_93.jpg

New Airspace Classification



msl – mean sea level
agl – above ground level
FL – flight level

Figure 93. New Airspace Classification © ASA