

Multiple File format from one input container of blob and loaded in to different folder of output container in ADLS Gen2 based on file format

Get metadata activity

DatasetField listUser properties

Bottom canvas panel, click the activity once → Dataset tab: point to your input container/folder (no filename).

Then open the Field list tab → click + New → choose Child items.

ForEach activity

SettingsActivities

Settings tab → Items field, click it, then click Add dynamic content and paste:

```
@activity('Get Metadata1').output.childItems
```

Then double-click the ForEach box to go inside and build the Activities canvas (this is where Switch lives).

Switch activity (inside ForEach)

ActivitiesCases

On value box → dynamic content:

```
@toLower(last(split(item().name,'.')))
```

Then use + Add case to create csv, json, txt — each opens its own mini canvas where you drop a Copy activity.

Copy data activity (inside a case)

SourceSinkMapping

Source tab → File path type: Wildcard file path or set filename to @item().name.

Sink tab → ADLS Gen2 dataset, folder path parameter set to csv / json / txt depending on which case this is.

Note – Binary file format is used for handle multiple file format and same has to used in sink for csv load, json load and txt load.

Microsoft Azure | Data Factory | DATAFACTORY-BLOB-TO-ADLS | Search | kmahesh.te@gmail.com | DEFAULT DIRECTORY

» Data Factory | Validate all | Publish all | Migrate to Fabric (Preview)

Factory Resources

Filter resources by name

- Pipelines 1
 - PL_GETMETADATA
- Change Data Capture (preview) 0
- Datasets 4
 - DS_BINARY_MultiFileFormat
 - DS_Output_CSV
 - DS_Output_Json
 - DS_Output_TXT
- Data flows 0
- Power Query 0

PL_GETMETADATA

Validate | Debug | Add trigger

Parameters | Variables | Settings | **Output**

Pipeline run ID: 7b5fc4f9-5a5d-40c6-90b7-e5f8dc12d63a | Pipeline status: Succeeded | View debug run consumption

All status | List

Showing 1 - 10 of 10 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime
Copy data3	Succeeded	Copy data	7/10/2026, 9:33:55 PM	19s	AutoResolveIntegrationI

PL_GETMETADATA

Validate | Debug | Add trigger

Parameters | Variables | Settings | **Output**

Showing 1 - 10 of 10 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime
Copy data3	Succeeded	Copy data	7/10/2026, 9:33:55 PM	19s	AutoResolveIntegrationI
Copy data2	Succeeded	Copy data	7/10/2026, 9:33:55 PM	27s	AutoResolveIntegrationI
Copy data1	Succeeded	Copy data	7/10/2026, 9:33:54 PM	25s	AutoResolveIntegrationI
Copy data1	Succeeded	Copy data	7/10/2026, 9:33:54 PM	25s	AutoResolveIntegrationI
Switch1	Succeeded	Switch	7/10/2026, 9:33:53 PM	32s	

PL_GETMETADATA x DS_BINARY_MultiFile...

» ✓ Validate ▶ Debug ⚡ Add trigger

Get Metadata ✓

Get Metadata1

ForEach ✓

ForEach1

Activities

Switch1

Output

Parameters	Variables	Settings	Output
Copy data1	✓ Succeeded	Copy data	7/10/2026, 9:33:54 PM 25s AutoResolveIntegrationI
Switch1	✓ Succeeded	Switch	7/10/2026, 9:33:53 PM 32s
Switch1	✓ Succeeded	Switch	7/10/2026, 9:33:53 PM 22s
Switch1	✓ Succeeded	Switch	7/10/2026, 9:33:53 PM 28s
Switch1	✓ Succeeded	Switch	7/10/2026, 9:33:53 PM 28s
ForEach1	✓ Succeeded	ForEach	7/10/2026, 9:33:53 PM 36s
Get Metadata1	✓ Succeeded	Get Metadata	7/10/2026, 9:33:23 PM 29s AutoResolveIntegrationI

Get Metadata:

» ✓ Validate ▶ Debug ⚡ Add trigger

Get Metadata ✓

Get Metadata1

General Settings User properties

Dataset * DS_BINARY_MultiFileFormat Open + New Learn more

Field list * + New Delete

☐ Argument

☐ Child items

Filter by last modified ⓘ

Start time (UTC) End time (UTC)

For Each:

PL_GETMETADATA × DS_BINARY_MultiFile...

» ✓ Validate ▶ Debug ⚡ Add trigger

Get Metadata

Get Metadata1

ForEach

ForEach1

Activities

Switch1

General Settings Activities (1) User properties

Sequential ☐

Batch count ⓘ

Items @activity('Get Metadata1').output.chi...

PL_GETMETADATA × DS_BINARY_MultiFile...

» ✓ Validate ▶ Debug ⚡ Add trigger

Get Metadata

Get Metadata1

ForEach

ForEach1

Activities

Switch1

General Settings Activities (1) User properties

Case	Activity
ForEach	Switch1

1 Activity

Switch Case (inside for each):

Double click on For each

PL_GETMETADATA x DS_BINARY_MultiFile...

» ✓ Validate ▶ Debug ⚡ Add trigger {}

PL_GETMETADATA > ForEach1

Switch1

Default

+

csv

General Activities (3) User properties

Expression ⓘ @toLower(last(split(item().name, '.')))

+ Add case

Case ⓘ	Activity	
Default	No activities	
csv	Copy data1	

1 Activity

PL_GETMETADATA x DS_BINARY_MultiFile...

» ✓ Validate ▶ Debug ⚡ Add trigger {}

PL_GETMETADATA > ForEach1

csv

Copy data1

+

json

Copy data2

+

General Activities (3) User properties

Case ⓘ	Activity	
Default	No activities	
csv	Copy data1	
json	Copy data2	
txt	Copy data3	


1 Activity

CopyData: csv

PL_GETMETADATA x DS_BINARY_MultiFile...

» ✓ Validate ▶ Debug ⚡ Add trigger

PL_GETMETADATA > ForEach1



General **Source** Sink Mapping Settings User properties

Source dataset * DS_BINARY_MultiFileFormat Open New [Learn more](#)

File path type ☐ File path in dataset ☐ Prefix ☒ Wildcard file path ☐ List of files

Wildcard paths input / Wildcard folder path / *.csv

Filter by last modified Start time (UTC) End time (UTC)


Recursively ☒

Delete files after completion ☐

PL_GETMETADATA x DS_BINARY_MultiFile...

» ✓ Validate ▶ Debug ⚡ Add trigger

PL_GETMETADATA > ForEach1



General **Sink** Source Mapping Settings User properties

Sink dataset * DS_Output_CSV Open New [Learn more](#)

Copy behavior

Max concurrent connections

Block size (MB)

Metadata New

Json

PL_GETMETADATA × DS_BINARY_MultiFile...

» ✓ Validate ▶ Debug ⚡ Add trigger

PL_GETMETADATA > ForEach1

csv

Copy data1 → +

json

Copy data2 → +

General Source Sink Mapping Settings User properties

Source dataset * DS_BINARY_MultiFileFormat Open New Learn more

File path type ☐ File path in dataset ☐ Prefix ☒ Wildcard file path ☐ List of files ⓘ

Wildcard paths input / Wildcard folder path / *.json

Filter by last modified ⓘ

Start time (UTC) End time (UTC)

Recursively ⓘ ☒

PL_GETMETADATA × DS_BINARY_MultiFile...

» ✓ Validate ▶ Debug ⚡ Add trigger

PL_GETMETADATA > ForEach1

csv

Copy data1 → +

json

Copy data2 → +

General Source Sink Mapping Settings User properties

Sink dataset * DS_Output_Json Open New Learn more

Copy behavior ⓘ Select...

Max concurrent connections ⓘ

Block size (MB) ⓘ

Metadata ⓘ + New

Txt

PL_GETMETADATA × DS_BINARY_MultiFile...

» ✓ Validate ▶ Debug ⚡ Add trigger {} 📄

PL_GETMETADATA > ForEach1

txt

 → 

General **Source** Sink Mapping Settings User properties

Source dataset *

DS_BINARY_MultiFileFormat   [Learn more](#) 

File path type

☐ File path in dataset ☐ Prefix ☒ Wildcard file path ☐ List of files ^①

Wildcard paths

input / /

Filter by last modified ^①

Start time (UTC)

End time (UTC)

Recursively ^①

☒

PL_GETMETADATA × DS_BINARY_MultiFile...

» ✓ Validate ▶ Debug ⚡ Add trigger {} 📄

PL_GETMETADATA > ForEach1

txt

 → 

General Source **Sink** Mapping Settings User properties

Sink dataset *

DS_Output_TXT   [Learn more](#) 

Copy behavior ^①

Select... 

Max concurrent connections ^①

Block size (MB) ^①

Metadata ^①

 New