Partie 3 : Exercice Git

1. Voir l'historique des commits :
   git log

2. créer une nouvelle branche appelées Feature-xyz à partir de main :
   git checkout -b Feature-xyz main

3. Fusionner Feature-xyz dans main :
   git checkout main
   git merge feature-xyz.

4. annuler les modifications locales d'un fichie avant de le commiter :
   git restore nom-du-Fichier

5. vérifier l'état actuel du dépôt :
   git status.

```
douae@km MINGW64 ~ (master)
$ mkdir depot_local
mkdir: cannot create directory ‘depot_local’: File exists

douae@km MINGW64 ~ (master)
$ cd depot_locql
bash: cd: depot_locql: No such file or directory

douae@km MINGW64 ~ (master)
$ cd depot_local

douae@km MINGW64 ~/depot_local (gestion_partie)
$ git init
Reinitialized existing Git repository in C:/Users/khali/depot_local/.git/

douae@km MINGW64 ~/depot_local (gestion_partie)
$ git remote add origin https://github.com/kmduae/depot_local.git
error: remote origin already exists.

douae@km MINGW64 ~/depot_local (gestion_partie)
$ git remote -v
origin  https://github.com/kmduae/depot_local.git (fetch)
origin  https://github.com/kmduae/depot_local.git (push)

douae@km MINGW64 ~/depot_local (gestion_partie)
$ git add produit.html style.css script.js
fatal: pathspec 'produit.html' did not match any files

douae@km MINGW64 ~/depot_local (gestion_partie)
$ touch produit.html style.css script.js

douae@km MINGW64 ~/depot_local (gestion_partie)
$ ls
produit.html  script.js  style.css

douae@km MINGW64 ~/depot_local (gestion_partie)
$ git add produit.html style.css script.js

douae@km MINGW64 ~/depot_local (gestion_partie)
$ git commit -m "Ajout des trois fichiers initiaux"
[gestion_partie (root-commit) 0fa6b1b] Ajout des trois fichiers initiaux
 3 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 produit.html
 create mode 100644 script.js
 create mode 100644 style.css

douae@km MINGW64 ~/depot_local (gestion_partie)
$ git status
```

```
 create mode 100644 style.css

douae@km MINGW64 ~/depot_local (gestion_partie)
$ git status
On branch gestion_partie
nothing to commit, working tree clean

douae@km MINGW64 ~/depot_local (gestion_partie)
$ git log --oneline
0fa6b1b (HEAD -> gestion_partie) Ajout des trois fichiers initiaux

douae@km MINGW64 ~/depot_local (gestion_partie)
$ git branch -M master

douae@km MINGW64 ~/depot_local (master)
$ git branch
* master

douae@km MINGW64 ~/depot_local (master)
$ git checkout -b "Gestion produits"
fatal: 'Gestion produits' is not a valid branch name
hint: See 'git help check-ref-format'
hint: Disable this message with "git config set advice.refSyntax false"

douae@km MINGW64 ~/depot_local (master)
$ git branch
* master

douae@km MINGW64 ~/depot_local (master)
$ git checkout -b Gestion_produits
Switched to a new branch 'Gestion_produits'

douae@km MINGW64 ~/depot_local (Gestion_produits)
$ git branch
* Gestion_produits
  master

douae@km MINGW64 ~/depot_local (Gestion_produits)
$ echo "<h1>Liste des produits</h1>" > produit.html

douae@km MINGW64 ~/depot_local (Gestion_produits)
$ echo "body { font-family: Arial; }" > style.css

douae@km MINGW64 ~/depot_local (Gestion_produits)
$ echo "console.log('Gestion produits');" > script.js

douae@km MINGW64 ~/depot_local (Gestion_produits)
$ git add .
warning: in the working copy of 'produit.html', LF will be replaced by CRLF the next time Git touches it
```

MINGW64:/c/Users/khali/depot_local

```
douae@km MINGW64 ~/depot_local (Gestion_produits)
$ git add .
warning: in the working copy of 'produit.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'script.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'style.css', LF will be replaced by CRLF the next time Git touches it

douae@km MINGW64 ~/depot_local (Gestion_produits)
$ git commit -m "Modification du contenu des trois fichiers"
[Gestion_produits 6914b29] Modification du contenu des trois fichiers
 3 files changed, 3 insertions(+)

douae@km MINGW64 ~/depot_local (Gestion_produits)
$ git checkout master
Switched to branch 'master'

douae@km MINGW64 ~/depot_local (master)
$ git merge Gestion_produits
Updating 0fa6b1b..6914b29
Fast-forward
 produit.html | 1 +
 script.js    | 1 +
 style.css    | 1 +
 3 files changed, 3 insertions(+)

douae@km MINGW64 ~/depot_local (master)
$ git log --oneline
6914b29 (HEAD -> master, Gestion_produits) Modification du contenu des trois fichiers
0fa6b1b Ajout des trois fichiers initiaux

douae@km MINGW64 ~/depot_local (master)
$ git remote show origin
* remote origin
  Fetch URL: https://github.com/kmduae/depot_local.git
  Push  URL: https://github.com/kmduae/depot_local.git
  HEAD branch: (unknown)

douae@km MINGW64 ~/depot_local (master)
$ git push -u origin master
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (8/8), 668 bytes | 66.00 KiB/s, done.
Total 8 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/kmduae/depot_local.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

douae@km MINGW64 ~/depot_local (master)
```

```
branch 'master' set up to track 'origin/master'.

douae@km MINGW64 ~/depot_local (master)
$ git log --oneline
6914b29 (HEAD -> master, origin/master, Gestion_produits) Modification du contenu des trois fichiers
0fa6b1b Ajout des trois fichiers initiaux

douae@km MINGW64 ~/depot_local (master)
$ ^C

douae@km MINGW64 ~/depot_local (master)
$ git reset --hard 0fa6b1b
HEAD is now at 0fa6b1b Ajout des trois fichiers initiaux

douae@km MINGW64 ~/depot_local (master)
$ git push --force origin master
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/kmduae/depot_local.git
 + 6914b29...0fa6b1b master -> master (forced update)

douae@km MINGW64 ~/depot_local (master)
$ est
```