Bia Diagnostics
Laboratories

Bia Diagnostics
480 Hercules Drive Suite 101
Colchester, VT 05446

(802) 540-0148
https://www.biadiagnostics.com/
Lic# TLAB0029

sclt-0203-14-02

Sample ID: BIA250502S0027
Strain: mule fuel

Matrix: Plant
Type: Flower - Cured
Sample Size: 7.46 g
Lot#:

Produced:
Collected:
Received: 05/02/2025
Completed: 05/08/2025
Batch#:

Client
cloud 9
Lic. #
4082 Noyestar Rd
East Hardwick, VT 05836

Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	05/05/2025	Complete
Moisture	05/05/2025	10.40% - Complete
Water Activity	05/05/2025	0.531 aw - Complete
Terpenes	05/05/2025	Complete
Microbials	05/08/2025	Complete

Cannabinoids

Completed

32.41%	0.09%	38.13%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	Results	Results	Mass	
	mg/g	%	mg/g	mg/serving	
CBDVa	0.0005	<LOQ	<LOQ		
CBDV	0.0012	<LOQ	<LOQ		
CBDa	0.0008	0.10	1.0		
CBGa	0.0008	1.04	10.4		
CBG	0.0019	0.10	1.0		
CBD	0.0019	<LOQ	<LOQ		
THCV	0.0021	<LOQ	<LOQ		
CBN	0.0013	<LOQ	<LOQ		
Δ9-THC	0.0020	0.82	8.2		
Δ8-THC	0.0019	<LOQ	<LOQ		
Δ10-THC	0.0002	0.05	0.5		
CBC	0.0024	<LOQ	<LOQ		
THCa	0.0034	36.03	360.3		
Total THC		**32.41**	**324.15**		
Total CBD		**0.09**	**0.86**		
Total		**38.13**	**381.26**	**0.00**	

Analyst: 056
Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)
Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
TotalTHC=(THCAx0.877)+Δ9-THC
Total CBD = (CBDA x 0.877) + CBD Reagent
Blanks: < LOQs for all analytes
LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).
All results reflect dry weight of material, based on % moisture of the sample.
Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%
All other cannabinoid MU values are available upon request.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

Luke Emerson-Mason
Laboratory Director
05/08/2025

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. All results apply to this sample as received.

![Bia Diagnostics Laboratories]

sclt-0203-14-02

Sample ID: BIA250502S0027
Strain: mule fuel

Matrix: Plant
Type: Flower - Cured
Sample Size: 7.46 g
Lot#:

Produced:
Collected:
Received: 05/02/2025
Completed: 05/08/2025
Batch#:

Client
cloud 9
Lic. #
4082 Noyestar Rd
East Hardwick, VT 05836

Terpenes

Completed

Analyte	LOQ mg/g	Results mg/g	Results %
α-Pinene	0.010	6.582	0.658
β-Myrcene	0.010	5.110	0.511
Limonene	0.010	4.030	0.403
β-Pinene	0.010	3.209	0.321
Ocimene	0.010	2.014	0.201
β-Caryophyllene	0.010	1.682	0.168
α-Humulene	0.010	0.678	0.068
Terpinolene	0.010	0.339	0.034
Camphene	0.010	0.087	0.009
α-Bisabolol	0.010	0.036	0.004
Eucalyptol	0.010	0.034	0.003
γ-Terpinene	0.010	0.024	0.002
3-Carene	0.010	0.021	0.002
α-Terpinene	0.010	0.018	0.002
Linalool	0.010	0.016	0.002
Caryophyllene Oxide	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		**23.882**	**2.388**

Primary Aromas

Pine	Hops	Orange	Earthy	Cinnamon

Analyst: 052
LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).
Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS
Reagent Blanks: < LOQs for all analytes
All results reflect dry weight of material, based on % moisture of the sample.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

Luke E-m
Luke Emerson-Mason
Laboratory Director
05/08/2025

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. All results apply to this sample as received.

Bia Diagnostics
480 Hercules Drive Suite 101
Colchester, VT 05446

(802) 540-0148
https://www.biadiagnostics.com/
Lic# TLAB0029

QA Testing

3 of 3

Bia Diagnostics
Laboratories

sclt-0203-14-02

Sample ID: BIA250502S0027
Strain: mule fuel

Matrix: Plant
Type: Flower - Cured
Sample Size: 7.46 g
Lot#:

Produced:
Collected:
Received: 05/02/2025
Completed: 05/08/2025
Batch#:

Client
cloud 9
Lic. #
4082 Noyestar Rd
East Hardwick, VT 05836

Pathogens   Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 018
Test Methodology: Bio-Rad IQ-Check PCR Kits
cfu/g = colony forming units per gram
LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).
Reagent Blanks: <LOD for all analytes

Luke Emerson-Mason
Laboratory Director
05/08/2025