

# Discrete Assignment

Karyampudi Meghana Sai  
EE23BTECH11031

## PROBLEM STATEMENT

The ratio of the A.M and G.M of two positive numbers  $a$  and  $b$  is  $m : n$ . Show that  $a : b = (m + \sqrt{m^2 - n^2}) : (m - \sqrt{m^2 - n^2})$ .

## SOLUTION

Expressing A.M and G.M in terms of  $a$  and  $b$ :

$$\frac{a+b}{2\sqrt{ab}} = \frac{m}{n} \quad (1)$$

Let's assume that  $x = \sqrt{\frac{a}{b}}$ . Then, we have:

$$\frac{a}{b} = x^2 \quad (2)$$

Substituting the value of  $x$  in equation (1):

$$\frac{1+x^2}{2x} = \frac{m}{n} \quad (3)$$

$$\frac{1}{x} + x = \frac{2m}{n} \quad (4)$$

$$x^2 - \frac{2m}{n}x + 1 = 0 \quad (5)$$

$$\Rightarrow x = \frac{m}{n} \pm \frac{\sqrt{m^2 - n^2}}{n} \quad (6)$$

Since  $x = \sqrt{\frac{a}{b}}$ ,  $x$  must be positive.

$$x = \frac{m + \sqrt{m^2 - n^2}}{n} \quad (7)$$

Referencing the value of  $x$  from equation(2).

$$\frac{a}{b} = \left( \frac{m + \sqrt{m^2 - n^2}}{n} \right)^2 \quad (8)$$

Multiplying both the numerator and denominator with  $(m - \sqrt{m^2 - n^2})$ :

$$\frac{a}{b} = \frac{1}{n^2} \frac{(m + \sqrt{m^2 - n^2})^2 (m - \sqrt{m^2 - n^2})}{(m - \sqrt{m^2 - n^2})} \quad (9)$$

$$\Rightarrow a : b = (m + \sqrt{m^2 - n^2}) : (m - \sqrt{m^2 - n^2}) \quad (10)$$

nth term of the AP :

$$y(n) = [a + n(b - a)] u(n) \quad (11)$$

$$n^k u(n) \xrightarrow{Z} (-1)^k z^k \frac{d^k}{dz^k} U(z) \quad (12)$$

$$u(n) \xrightarrow{Z} \frac{1}{(1 - z^{-1})} \quad |z| > |1| \quad (13)$$

$$nu(n) \xrightarrow{Z} \frac{z^{-1}}{(1 - z^{-1})^2} \quad |z| > |1| \quad (14)$$

Referencing the equations from (13),(14).

$$y(n) \xrightarrow{Z} \frac{a}{(1 - z^{-1})} + \frac{(b - a) z^{-1}}{(1 - z^{-1})^2} \quad |z| > |1| \quad (15)$$

nth term of the GP :

$$y(n) = a \left( \frac{b}{a} \right)^n u(n) \quad (16)$$

$$r^n u(n) \xrightarrow{Z} \frac{1}{(1 - rz^{-1})} \quad |z| > |r| \quad (17)$$

Referencing the equation from (17).

$$y(n) \xrightarrow{Z} \frac{a^2 z^{-1}}{(a - bz^{-1})} \quad |z| > \left| \frac{b}{a} \right| \quad (18)$$