

Ideation Phase

Empathize & Discover

Date	October 3, 2026
Team ID	SWTID-2026-7210
Project Name	Script Controlled ACL: Restrict Record Access Based On Field Value
Maximum Marks	4 Marks

Empathy Map Canvas:

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes. It is a useful tool to help teams better understand their users.

Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.

Target User Persona for this Canvas: Database/Security Administrator and IT Compliance Auditor responsible for managing strict, contextual data privacy controls inside corporate applications.

What does the user THINK AND FEEL?	- 'How can I ensure restricted or highly confidential HR/Financial records don't leak to unauthorized staff?' - 'Traditional role-based access control (RBAC) is too rigid; I need a system that checks the row's dynamic field values in real-time.' - Worried that manually modifying complex system configurations will introduce visual or data security gaps. - Desires a clean, scriptable framework where access parameters are easily auditable.
What does the user HEAR?	- Management and Compliance Officers demanding strict adherence to localized data privacy laws (e.g., GDPR, HIPAA). - Developers complaining that hardcoding security rules directly into application layers creates immense technical debt. - Industry influencers highlighting the shifting trend toward Attribute-Based Access Control (ABAC) and dynamic script-controlled security layers.
What does the user SEE?	- Competitor platforms implementing dynamic script hooks for Access Control Lists (ACLs). - Auditing logs flag security anomalies because users with standard manager roles can access records outside their specific assigned field properties (e.g. out-of-region accounts). - Complex, messy conditional trees within traditional static security setups.
What does the user SAY AND DO?	- Openly advocates for moving toward scriptable runtime expressions to handle security policies. - Spends excessive manual hours auditing field changes and

	configuring complex table-level restrictions. - Constantly tests edge cases to ensure dynamic criteria accurately trigger data restrictions.
PAIN (Fears, Frustrations, Obstacles)	- High risk of system-wide performance overhead if the script-controlled ACL evaluates too slowly during heavy database fetches. - Fear of misconfigurations that could completely lock out legitimate administrative users. - Frustrated by standard rigid frameworks that do not natively support multi-field conditional runtime controls.
GAIN (Wants, Needs, Measures of success)	- Achieves bulletproof data compliance via highly flexible scriptable rule evaluations. - Drastically reduces administrative configuration surface area by handling complex conditions via clean script modules. - Complete alignment between business security rules and programmatic runtime execution.