

Project Development Phase

User Acceptance Testing (UAT)

Date	October 03,2026
Team ID	SWTID-2026-7210
Project Name	Script Controlled ACL: Restrict Record Access Based On Field Value
Maximum Marks	Evaluation Metric Standard

1. Project Overview

Project Name: Script Controlled ACL: Restrict Record Access Based On Field Value.

Project Description: A high-performance DevSecOps middleware solution designed to intercept database queries and dynamically restrict row-level record visibility based on live table field values (e.g., Status == 'Confidential') rather than relying strictly on rigid static user roles.

Project Version:

Testing Period:

2. Testing Scope

Features and Functionalities Covered:

- Database query interception gateway pipelines tracking execution flags.
- Isolated JavaScript security rules execution runtime sandbox architectures (vm2 hooks).
- Real-time dynamic conditional metrics validation dashboards display matrix.
- Asynchronous cryptographic log tracking layer executing automated access logging cores.

User Stories & Requirements Evaluated:

- USN-1: Admin dashboard interfaces can create and update structural conditional criteria parameters seamlessly.
- USN-2: Middleware transaction frameworks drop rows dynamically based on the verified field data tags.
- USN-3: Logging core engines flag unauthorized bypass attempts into corporate audit grids instantaneously.

3. Test Cases Matrix

Test Case ID	Test Scenario	Test Steps	Expected Result	Actual Result	Pass/Fail
TC-001	Verify access execution loops when target status field matches public label criteria	1. Inject standard token credentials. 2. Fire fetch database transaction loops query profile. 3. Validate visible columns rows array data parameters.	System permits data flow pipelines visibility seamlessly without row blocking gates.	All 250 data profiles containing public properties loaded under 14ms bounds grid.	Pass
TC-002	Verify access restrictions block execution loops when target status field flags confidential property	1. Authorize connection requests via employee profile tags. 2. Push extraction request over secure records. 3. Evaluate system middleware interception reaction paths.	Interceptor framework catches the execution query flow, scans the active status block metadata properties, and strips target records.	Output query structures automatically filtered raw logs data strings successfully.	Pass
TC-003	Verify dynamic visibility adjustments shift dynamically in real-time when field properties mutate values	1. Fetch default active workspace document. 2. Update target status configuration row parameter from Draft to Restricted. 3. Re-run query profiles tracking access boundaries.	Security gates update permission parameters parameters instantaneously, dropping permissions immediately.	Access gate dropped transaction loops inside <10ms intervals after execution parameters changed.	Pass

TC-004	Verify system performance thresholds ensure code loop logic drops without server thread lock anomalies	1. Inject recursive script validation block logic script manually. 2. Initialize processing jobs configurations. 3. Monitor cluster memory tracks.	Sandboxed execution runtimes track operation timeouts limits, terminate infinite script loops, and output compliance faults maps safely.	Sandbox framework threw clean termination parameters errors, system threads balance active state lines safely.	Pass
--------	--	--	--	--	------

4. Bug Tracking Matrix

Bug ID	Bug Description	Steps to Reproduce	Severity	Status	Additional Feedback
BG-001	High resource compilation latency tracking massive records data frames maps arrays without explicit pre-compiled key storage caches.	1. Clear cache storage pools configurations. 2. Upload 50,000 composite record strings variables tables. 3. Perform active verification rules scanning executions.	Medium	Closed	Performance metrics patched perfectly by injecting intermediate memory caching pipelines layer schemas structures.
BG-002	Authorization token drops credentials tracking context header metrics loops under multi-region high clustering stress environments.	1. Trigger 1,500 simultaneous query request lines payloads under 1 second intervals. 2. Extract interceptor log tracks statuses anomalies metrics.	High	In Progress	Memory cache pools limits configurations are optimized to prevent active authorization structural header payload drops layers.

5. Authorization & Sign-off Framework

Lead QA Validation Specialist Name	
Environment Signature Validation	
Date of Verification Processing	