

Dock B Survey — Grade Point Transitions

Every surveyed elevation converted to a rise/drop in inches. Source: *Dock_B_Survey_Surface_II_a (Model)*. 163 grade points.

How to read this

Elevations on the survey are decimal **feet** relative to the site datum of **0.000** (the sheet's 0.000 “test” point, pt. 5). Each value is multiplied by 12 to give the vertical transition in inches, then rounded to the nearest quarter inch for field use. A negative elevation means the point sits **below** datum, so you step **down** to it; a positive elevation means you step **up**.

Worked example: pt. 167, Shoring, $-0.650 \text{ ft} \rightarrow -0.650 \times 12 = -7.8 \text{ in.} \rightarrow$ **Drops down 7.8 inches (~7 3/4 in.)**

Point type abbreviations

Shoring	Shoring / excavation grade
apron	Apron slab
SW	Sidewalk
EP	Edge of pavement
MS	Measured surface / spot shot
TC	Top of curb
AC	Asphalt concrete
new	New / design grade
new TC	New top of curb
Tp found	Found survey point
test	Datum check shot

Summary by point type

Type	Pts	Range (ft)	Range (in.)	Typical transition
Shoring	65	-0.728 to -0.317	-8.7 to -3.8	avg 6.0 in. down
Apron	13	-0.054 to +0.366	-0.6 to +4.4	avg 1.5 in. up
SW	19	-0.071 to +0.308	-0.9 to +3.7	avg 1.2 in. up
EP	14	-0.145 to +0.169	-1.7 to +2.0	avg 0.4 in. up
MS	11	-0.085 to +0.097	-1.0 to +1.2	avg 0.1 in. up
TC	7	+0.159 to +0.304	+1.9 to +3.6	avg 2.9 in. up
AC	3	-0.036 to +0.008	-0.4 to +0.1	avg 0.1 in. down
new	24	+0.000 to +0.256	+0.0 to +3.1	avg 2.0 in. up
new TC	2	+0.250 to +0.279	+3.0 to +3.3	avg 3.2 in. up
Tp found	4	-0.324 to +0.348	-3.9 to +4.2	avg 2.0 in. up
test	1	+0.000 to +0.000	+0.0 to +0.0	no change

Transcription notes

The source PDF is a flat raster with no text layer, so every label was read off the drawing. Three items could not be read cleanly and are flagged in red in the tables:

- **Pts. 101 / 102 (EP)** — the two labels print on top of each other. Read as 101 = +0.066 and 102 = +0.019; the pairing of number to value should be confirmed on site.
- **Unnumbered point at +0.250 “new”** — the point number is overstruck by linework and is illegible. By elimination it is most likely pt. 32.
- **Pts. 1, 2, 12, 17, 27 and 146** do not appear anywhere on the sheet.

Everything else was read at full resolution and cross-checked. Fractions are rounded to the nearest 1/4 in.; use the decimal inch column where tighter tolerance matters.

All grade points, by point number

Pt.	Type	Elev. (ft)	Inches	Nearest 1/4"	Transition from datum
3	Shoring	-0.637	-7.6	7 3/4"	Drops down 7.6 inches (~7 3/4")
4	new	+0.200	+2.4	2 1/2"	Rises up 2.4 inches (~2 1/2")
5	test	+0.000	+0.0	—	At datum — no change (0.0 in.)
6	new	+0.159	+1.9	2"	Rises up 1.9 inches (~2")
7	new	+0.200	+2.4	2 1/2"	Rises up 2.4 inches (~2 1/2")
8	new	+0.250	+3.0	3"	Rises up 3.0 inches (~3")
9	new	+0.000	+0.0	—	At datum — no change (0.0 in.)
10	new	+0.010	+0.1	<1/4"	Rises up 0.1 inches (~<1/4")
11	new	+0.245	+2.9	3"	Rises up 2.9 inches (~3")
13	new	+0.167	+2.0	2"	Rises up 2.0 inches (~2")
14	new	+0.159	+1.9	2"	Rises up 1.9 inches (~2")
15	new	+0.159	+1.9	2"	Rises up 1.9 inches (~2")
16	new	+0.200	+2.4	2 1/2"	Rises up 2.4 inches (~2 1/2")
18	new	+0.200	+2.4	2 1/2"	Rises up 2.4 inches (~2 1/2")
19	new	+0.213	+2.6	2 1/2"	Rises up 2.6 inches (~2 1/2")
20	new	+0.066	+0.8	3/4"	Rises up 0.8 inches (~3/4")
21	new	+0.240	+2.9	3"	Rises up 2.9 inches (~3")
22	new	+0.169	+2.0	2"	Rises up 2.0 inches (~2")
23	TC	+0.229	+2.7	2 3/4"	Rises up 2.7 inches (~2 3/4")
24	new	+0.256	+3.1	3"	Rises up 3.1 inches (~3")
25	new	+0.200	+2.4	2 1/2"	Rises up 2.4 inches (~2 1/2")
26	new	+0.205	+2.5	2 1/2"	Rises up 2.5 inches (~2 1/2")
28	new	+0.200	+2.4	2 1/2"	Rises up 2.4 inches (~2 1/2")
29	new	+0.200	+2.4	2 1/2"	Rises up 2.4 inches (~2 1/2")
30	new	+0.000	+0.0	—	At datum — no change (0.0 in.)
31	new TC	+0.279	+3.3	3 1/4"	Rises up 3.3 inches (~3 1/4")
?	new	+0.250	+3.0	3"	Rises up 3.0 inches (~3")
33	new TC	+0.250	+3.0	3"	Rises up 3.0 inches (~3")
34	new	+0.090	+1.1	1"	Rises up 1.1 inches (~1")
100	EP	+0.102	+1.2	1 1/4"	Rises up 1.2 inches (~1 1/4")
101	EP	+0.066	+0.8	3/4"	Rises up 0.8 inches (~3/4")
102	EP	+0.019	+0.2	1/4"	Rises up 0.2 inches (~1/4")
103	EP	+0.087	+1.0	1"	Rises up 1.0 inches (~1")
104	EP	+0.169	+2.0	2"	Rises up 2.0 inches (~2")
105	EP	+0.166	+2.0	2"	Rises up 2.0 inches (~2")
106	EP	+0.121	+1.5	1 1/2"	Rises up 1.5 inches (~1 1/2")
107	EP	+0.111	+1.3	1 1/4"	Rises up 1.3 inches (~1 1/4")
108	EP	+0.078	+0.9	1"	Rises up 0.9 inches (~1")
109	EP	-0.056	-0.7	3/4"	Drops down 0.7 inches (~3/4")
110	EP	-0.145	-1.7	1 3/4"	Drops down 1.7 inches (~1 3/4")

Pt.	Type	Elev. (ft)	Inches	Nearest 1/4"	Transition from datum
111	EP	-0.110	-1.3	1 1/4"	Drops down 1.3 inches (~1 1/4")
112	EP	-0.020	-0.2	1/4"	Drops down 0.2 inches (~1/4")
113	EP	-0.104	-1.2	1 1/4"	Drops down 1.2 inches (~1 1/4")
114	MS	-0.085	-1.0	1"	Drops down 1.0 inches (~1")
115	MS	-0.055	-0.7	3/4"	Drops down 0.7 inches (~3/4")
116	MS	-0.040	-0.5	1/2"	Drops down 0.5 inches (~1/2")
117	MS	+0.005	+0.1	<1/4"	Rises up 0.1 inches (~<1/4")
118	MS	+0.048	+0.6	1/2"	Rises up 0.6 inches (~1/2")
119	MS	+0.097	+1.2	1 1/4"	Rises up 1.2 inches (~1 1/4")
120	MS	+0.060	+0.7	3/4"	Rises up 0.7 inches (~3/4")
121	MS	+0.058	+0.7	3/4"	Rises up 0.7 inches (~3/4")
122	MS	+0.027	+0.3	1/4"	Rises up 0.3 inches (~1/4")
123	MS	+0.049	+0.6	1/2"	Rises up 0.6 inches (~1/2")
124	MS	-0.034	-0.4	1/2"	Drops down 0.4 inches (~1/2")
125	TC	+0.247	+3.0	3"	Rises up 3.0 inches (~3")
126	TC	+0.235	+2.8	2 3/4"	Rises up 2.8 inches (~2 3/4")
127	TC	+0.239	+2.9	2 3/4"	Rises up 2.9 inches (~2 3/4")
128	TC	+0.304	+3.6	3 3/4"	Rises up 3.6 inches (~3 3/4")
129	TC	+0.254	+3.0	3"	Rises up 3.0 inches (~3")
130	TC	+0.159	+1.9	2"	Rises up 1.9 inches (~2")
131	SW	+0.056	+0.7	3/4"	Rises up 0.7 inches (~3/4")
132	SW	+0.043	+0.5	1/2"	Rises up 0.5 inches (~1/2")
133	SW	+0.308	+3.7	3 3/4"	Rises up 3.7 inches (~3 3/4")
134	SW	+0.201	+2.4	2 1/2"	Rises up 2.4 inches (~2 1/2")
135	SW	+0.194	+2.3	2 1/4"	Rises up 2.3 inches (~2 1/4")
136	SW	+0.093	+1.1	1"	Rises up 1.1 inches (~1")
137	SW	+0.170	+2.0	2"	Rises up 2.0 inches (~2")
138	SW	+0.077	+0.9	1"	Rises up 0.9 inches (~1")
139	SW	+0.001	+0.0	—	At datum — no change (0.0 in.)
140	SW	+0.019	+0.2	1/4"	Rises up 0.2 inches (~1/4")
141	SW	+0.106	+1.3	1 1/4"	Rises up 1.3 inches (~1 1/4")
142	SW	+0.152	+1.8	1 3/4"	Rises up 1.8 inches (~1 3/4")
143	SW	+0.193	+2.3	2 1/4"	Rises up 2.3 inches (~2 1/4")
144	SW	+0.124	+1.5	1 1/2"	Rises up 1.5 inches (~1 1/2")
145	SW	+0.026	+0.3	1/4"	Rises up 0.3 inches (~1/4")
147	SW	+0.007	+0.1	<1/4"	Rises up 0.1 inches (~<1/4")
148	SW	+0.102	+1.2	1 1/4"	Rises up 1.2 inches (~1 1/4")
149	SW	-0.071	-0.9	3/4"	Drops down 0.9 inches (~3/4")
150	SW	+0.107	+1.3	1 1/4"	Rises up 1.3 inches (~1 1/4")
151	AC	+0.008	+0.1	<1/4"	Rises up 0.1 inches (~<1/4")
152	AC	-0.036	-0.4	1/2"	Drops down 0.4 inches (~1/2")
153	AC	+0.001	+0.0	—	At datum — no change (0.0 in.)

Pt.	Type	Elev. (ft)	Inches	Nearest 1/4"	Transition from datum
154	Shoring	-0.448	-5.4	5 1/2"	Drops down 5.4 inches (~5 1/2")
155	Apron	-0.054	-0.6	3/4"	Drops down 0.6 inches (~3/4")
156	Shoring	-0.728	-8.7	8 3/4"	Drops down 8.7 inches (~8 3/4")
157	Shoring	-0.629	-7.5	7 1/2"	Drops down 7.5 inches (~7 1/2")
158	Shoring	-0.656	-7.9	7 3/4"	Drops down 7.9 inches (~7 3/4")
159	Shoring	-0.599	-7.2	7 1/4"	Drops down 7.2 inches (~7 1/4")
160	Shoring	-0.682	-8.2	8 1/4"	Drops down 8.2 inches (~8 1/4")
161	Shoring	-0.700	-8.4	8 1/2"	Drops down 8.4 inches (~8 1/2")
162	apron	-0.042	-0.5	1/2"	Drops down 0.5 inches (~1/2")
163	Shoring	-0.668	-8.0	8"	Drops down 8.0 inches (~8")
164	apron	-0.052	-0.6	1/2"	Drops down 0.6 inches (~1/2")
165	Shoring	-0.682	-8.2	8 1/4"	Drops down 8.2 inches (~8 1/4")
166	apron	-0.019	-0.2	1/4"	Drops down 0.2 inches (~1/4")
167	Shoring	-0.650	-7.8	7 3/4"	Drops down 7.8 inches (~7 3/4")
168	Shoring	-0.676	-8.1	8"	Drops down 8.1 inches (~8")
169	Shoring	-0.610	-7.3	7 1/4"	Drops down 7.3 inches (~7 1/4")
170	Shoring	-0.621	-7.5	7 1/2"	Drops down 7.5 inches (~7 1/2")
171	Shoring	-0.602	-7.2	7 1/4"	Drops down 7.2 inches (~7 1/4")
172	Shoring	-0.632	-7.6	7 1/2"	Drops down 7.6 inches (~7 1/2")
173	Shoring	-0.656	-7.9	7 3/4"	Drops down 7.9 inches (~7 3/4")
174	Shoring	-0.604	-7.2	7 1/4"	Drops down 7.2 inches (~7 1/4")
175	Shoring	-0.571	-6.9	6 3/4"	Drops down 6.9 inches (~6 3/4")
176	Shoring	-0.559	-6.7	6 3/4"	Drops down 6.7 inches (~6 3/4")
177	apron	+0.020	+0.2	1/4"	Rises up 0.2 inches (~1/4")
178	Shoring	-0.544	-6.5	6 1/2"	Drops down 6.5 inches (~6 1/2")
179	Shoring	-0.475	-5.7	5 3/4"	Drops down 5.7 inches (~5 3/4")
180	apron	+0.147	+1.8	1 3/4"	Rises up 1.8 inches (~1 3/4")
181	Shoring	-0.535	-6.4	6 1/2"	Drops down 6.4 inches (~6 1/2")
182	Shoring	-0.612	-7.3	7 1/4"	Drops down 7.3 inches (~7 1/4")
183	Shoring	-0.639	-7.7	7 3/4"	Drops down 7.7 inches (~7 3/4")
184	Shoring	-0.587	-7.0	7"	Drops down 7.0 inches (~7")
185	Shoring	-0.572	-6.9	6 3/4"	Drops down 6.9 inches (~6 3/4")
186	Shoring	-0.636	-7.6	7 3/4"	Drops down 7.6 inches (~7 3/4")
187	Shoring	-0.558	-6.7	6 3/4"	Drops down 6.7 inches (~6 3/4")
188	Shoring	-0.561	-6.7	6 3/4"	Drops down 6.7 inches (~6 3/4")
189	Shoring	-0.454	-5.4	5 1/2"	Drops down 5.4 inches (~5 1/2")
190	apron	+0.114	+1.4	1 1/4"	Rises up 1.4 inches (~1 1/4")
191	apron	+0.131	+1.6	1 1/2"	Rises up 1.6 inches (~1 1/2")
192	apron	+0.133	+1.6	1 1/2"	Rises up 1.6 inches (~1 1/2")
193	Shoring	-0.468	-5.6	5 1/2"	Drops down 5.6 inches (~5 1/2")
194	Shoring	-0.437	-5.2	5 1/4"	Drops down 5.2 inches (~5 1/4")
195	Shoring	-0.437	-5.2	5 1/4"	Drops down 5.2 inches (~5 1/4")

Pt.	Type	Elev. (ft)	Inches	Nearest 1/4"	Transition from datum
196	Shoring	-0.491	-5.9	6"	Drops down 5.9 inches (~6")
197	Shoring	-0.461	-5.5	5 1/2"	Drops down 5.5 inches (~5 1/2")
198	Shoring	-0.368	-4.4	4 1/2"	Drops down 4.4 inches (~4 1/2")
199	Shoring	-0.445	-5.3	5 1/4"	Drops down 5.3 inches (~5 1/4")
200	Shoring	-0.414	-5.0	5"	Drops down 5.0 inches (~5")
201	Shoring	-0.367	-4.4	4 1/2"	Drops down 4.4 inches (~4 1/2")
202	Shoring	-0.378	-4.5	4 1/2"	Drops down 4.5 inches (~4 1/2")
203	Shoring	-0.430	-5.2	5 1/4"	Drops down 5.2 inches (~5 1/4")
204	Shoring	-0.515	-6.2	6 1/4"	Drops down 6.2 inches (~6 1/4")
205	Shoring	-0.462	-5.5	5 1/2"	Drops down 5.5 inches (~5 1/2")
206	Shoring	-0.422	-5.1	5"	Drops down 5.1 inches (~5")
207	Shoring	-0.384	-4.6	4 1/2"	Drops down 4.6 inches (~4 1/2")
208	Shoring	-0.380	-4.6	4 1/2"	Drops down 4.6 inches (~4 1/2")
209	Shoring	-0.358	-4.3	4 1/4"	Drops down 4.3 inches (~4 1/4")
210	Shoring	-0.378	-4.5	4 1/2"	Drops down 4.5 inches (~4 1/2")
211	Shoring	-0.402	-4.8	4 3/4"	Drops down 4.8 inches (~4 3/4")
212	Shoring	-0.411	-4.9	5"	Drops down 4.9 inches (~5")
213	Shoring	-0.379	-4.5	4 1/2"	Drops down 4.5 inches (~4 1/2")
214	Shoring	-0.317	-3.8	3 3/4"	Drops down 3.8 inches (~3 3/4")
215	apron	+0.283	+3.4	3 1/2"	Rises up 3.4 inches (~3 1/2")
216	Shoring	-0.322	-3.9	3 3/4"	Drops down 3.9 inches (~3 3/4")
217	Shoring	-0.435	-5.2	5 1/4"	Drops down 5.2 inches (~5 1/4")
218	Shoring	-0.453	-5.4	5 1/2"	Drops down 5.4 inches (~5 1/2")
219	Shoring	-0.440	-5.3	5 1/4"	Drops down 5.3 inches (~5 1/4")
220	Shoring	-0.367	-4.4	4 1/2"	Drops down 4.4 inches (~4 1/2")
221	Shoring	-0.354	-4.2	4 1/4"	Drops down 4.2 inches (~4 1/4")
222	Shoring	-0.409	-4.9	5"	Drops down 4.9 inches (~5")
223	Shoring	-0.356	-4.3	4 1/4"	Drops down 4.3 inches (~4 1/4")
224	Shoring	-0.403	-4.8	4 3/4"	Drops down 4.8 inches (~4 3/4")
225	Shoring	-0.612	-7.3	7 1/4"	Drops down 7.3 inches (~7 1/4")
226	Shoring	-0.326	-3.9	4"	Drops down 3.9 inches (~4")
227	Shoring	-0.357	-4.3	4 1/4"	Drops down 4.3 inches (~4 1/4")
228	apron	+0.366	+4.4	4 1/2"	Rises up 4.4 inches (~4 1/2")
229	apron	+0.283	+3.4	3 1/2"	Rises up 3.4 inches (~3 1/2")
230	Tp found	-0.324	-3.9	4"	Drops down 3.9 inches (~4")
231	Tp found	+0.295	+3.5	3 1/2"	Rises up 3.5 inches (~3 1/2")
232	Tp found	+0.348	+4.2	4 1/4"	Rises up 4.2 inches (~4 1/4")
233	Tp found	+0.343	+4.1	4"	Rises up 4.1 inches (~4")
234	Apron	+0.331	+4.0	4"	Rises up 4.0 inches (~4")

Shoring points, deepest first

Same data, re-sorted so the deepest excavation grades read first.

Pt.	Type	Elev. (ft)	Inches	Nearest 1/4"	Transition from datum
156	Shoring	-0.728	-8.7	8 3/4"	Drops down 8.7 inches (~8 3/4")
161	Shoring	-0.700	-8.4	8 1/2"	Drops down 8.4 inches (~8 1/2")
160	Shoring	-0.682	-8.2	8 1/4"	Drops down 8.2 inches (~8 1/4")
165	Shoring	-0.682	-8.2	8 1/4"	Drops down 8.2 inches (~8 1/4")
168	Shoring	-0.676	-8.1	8"	Drops down 8.1 inches (~8")
163	Shoring	-0.668	-8.0	8"	Drops down 8.0 inches (~8")
158	Shoring	-0.656	-7.9	7 3/4"	Drops down 7.9 inches (~7 3/4")
173	Shoring	-0.656	-7.9	7 3/4"	Drops down 7.9 inches (~7 3/4")
167	Shoring	-0.650	-7.8	7 3/4"	Drops down 7.8 inches (~7 3/4")
183	Shoring	-0.639	-7.7	7 3/4"	Drops down 7.7 inches (~7 3/4")
3	Shoring	-0.637	-7.6	7 3/4"	Drops down 7.6 inches (~7 3/4")
186	Shoring	-0.636	-7.6	7 3/4"	Drops down 7.6 inches (~7 3/4")
172	Shoring	-0.632	-7.6	7 1/2"	Drops down 7.6 inches (~7 1/2")
157	Shoring	-0.629	-7.5	7 1/2"	Drops down 7.5 inches (~7 1/2")
170	Shoring	-0.621	-7.5	7 1/2"	Drops down 7.5 inches (~7 1/2")
182	Shoring	-0.612	-7.3	7 1/4"	Drops down 7.3 inches (~7 1/4")
225	Shoring	-0.612	-7.3	7 1/4"	Drops down 7.3 inches (~7 1/4")
169	Shoring	-0.610	-7.3	7 1/4"	Drops down 7.3 inches (~7 1/4")
174	Shoring	-0.604	-7.2	7 1/4"	Drops down 7.2 inches (~7 1/4")
171	Shoring	-0.602	-7.2	7 1/4"	Drops down 7.2 inches (~7 1/4")
159	Shoring	-0.599	-7.2	7 1/4"	Drops down 7.2 inches (~7 1/4")
184	Shoring	-0.587	-7.0	7"	Drops down 7.0 inches (~7")
185	Shoring	-0.572	-6.9	6 3/4"	Drops down 6.9 inches (~6 3/4")
175	Shoring	-0.571	-6.9	6 3/4"	Drops down 6.9 inches (~6 3/4")
188	Shoring	-0.561	-6.7	6 3/4"	Drops down 6.7 inches (~6 3/4")
176	Shoring	-0.559	-6.7	6 3/4"	Drops down 6.7 inches (~6 3/4")
187	Shoring	-0.558	-6.7	6 3/4"	Drops down 6.7 inches (~6 3/4")
178	Shoring	-0.544	-6.5	6 1/2"	Drops down 6.5 inches (~6 1/2")
181	Shoring	-0.535	-6.4	6 1/2"	Drops down 6.4 inches (~6 1/2")
204	Shoring	-0.515	-6.2	6 1/4"	Drops down 6.2 inches (~6 1/4")
196	Shoring	-0.491	-5.9	6"	Drops down 5.9 inches (~6")
179	Shoring	-0.475	-5.7	5 3/4"	Drops down 5.7 inches (~5 3/4")
193	Shoring	-0.468	-5.6	5 1/2"	Drops down 5.6 inches (~5 1/2")
205	Shoring	-0.462	-5.5	5 1/2"	Drops down 5.5 inches (~5 1/2")
197	Shoring	-0.461	-5.5	5 1/2"	Drops down 5.5 inches (~5 1/2")
189	Shoring	-0.454	-5.4	5 1/2"	Drops down 5.4 inches (~5 1/2")
218	Shoring	-0.453	-5.4	5 1/2"	Drops down 5.4 inches (~5 1/2")
154	Shoring	-0.448	-5.4	5 1/2"	Drops down 5.4 inches (~5 1/2")
199	Shoring	-0.445	-5.3	5 1/4"	Drops down 5.3 inches (~5 1/4")

Pt.	Type	Elev. (ft)	Inches	Nearest 1/4"	Transition from datum
219	Shoring	-0.440	-5.3	5 1/4"	Drops down 5.3 inches (~5 1/4")
194	Shoring	-0.437	-5.2	5 1/4"	Drops down 5.2 inches (~5 1/4")
195	Shoring	-0.437	-5.2	5 1/4"	Drops down 5.2 inches (~5 1/4")
217	Shoring	-0.435	-5.2	5 1/4"	Drops down 5.2 inches (~5 1/4")
203	Shoring	-0.430	-5.2	5 1/4"	Drops down 5.2 inches (~5 1/4")
206	Shoring	-0.422	-5.1	5"	Drops down 5.1 inches (~5")
200	Shoring	-0.414	-5.0	5"	Drops down 5.0 inches (~5")
212	Shoring	-0.411	-4.9	5"	Drops down 4.9 inches (~5")
222	Shoring	-0.409	-4.9	5"	Drops down 4.9 inches (~5")
224	Shoring	-0.403	-4.8	4 3/4"	Drops down 4.8 inches (~4 3/4")
211	Shoring	-0.402	-4.8	4 3/4"	Drops down 4.8 inches (~4 3/4")
207	Shoring	-0.384	-4.6	4 1/2"	Drops down 4.6 inches (~4 1/2")
208	Shoring	-0.380	-4.6	4 1/2"	Drops down 4.6 inches (~4 1/2")
213	Shoring	-0.379	-4.5	4 1/2"	Drops down 4.5 inches (~4 1/2")
202	Shoring	-0.378	-4.5	4 1/2"	Drops down 4.5 inches (~4 1/2")
210	Shoring	-0.378	-4.5	4 1/2"	Drops down 4.5 inches (~4 1/2")
198	Shoring	-0.368	-4.4	4 1/2"	Drops down 4.4 inches (~4 1/2")
201	Shoring	-0.367	-4.4	4 1/2"	Drops down 4.4 inches (~4 1/2")
220	Shoring	-0.367	-4.4	4 1/2"	Drops down 4.4 inches (~4 1/2")
209	Shoring	-0.358	-4.3	4 1/4"	Drops down 4.3 inches (~4 1/4")
227	Shoring	-0.357	-4.3	4 1/4"	Drops down 4.3 inches (~4 1/4")
223	Shoring	-0.356	-4.3	4 1/4"	Drops down 4.3 inches (~4 1/4")
221	Shoring	-0.354	-4.2	4 1/4"	Drops down 4.2 inches (~4 1/4")
226	Shoring	-0.326	-3.9	4"	Drops down 3.9 inches (~4")
216	Shoring	-0.322	-3.9	3 3/4"	Drops down 3.9 inches (~3 3/4")
214	Shoring	-0.317	-3.8	3 3/4"	Drops down 3.8 inches (~3 3/4")

Dock_B_Survey_Surface_II_a (Model) — reproduced for reference.

