



Markdown

Kaiming (Kimi) Fu

Ph.D. Candidate

📍 Davis, CA

✉️ Email

✉️ ResearchGate

LinkedIn

Github

Google Scholar

Locations of key files/directories

- Basic config options: `_config.yml`
- Top navigation bar config: `_data/navigation.yml`
- Single pages: `_pages/`
- Collections of pages are `.md` or `.html` files in:
 - `_publications/`
 - `_portfolio/`
 - `_posts/`
 - `_teaching/`
 - `_talks/`
- Footer: `_includes/footer.html`
- Static files (like PDFs): `/files/`
- Profile image (can set in `_config.yml`):
`images/profile.png`

Tips and hints

- Name a file `".md"` to have it render in markdown, name it `".html"` to render in HTML.
- Go to the [commit list](#) (on your repo) to find the last version Github built with Jekyll.

- Green check: successful build
- Orange circle: building
- Red X: error
- No icon: not built

Resources

- [Liquid syntax guide](#)

Markdown guide

Header three

Header four

Header five

Header six

Blockquotes

Single lineblockquote:

Quotes are cool.

Tables

Table 1

Entry	Item	
John Doe	2016	Description of the item in the list
Jane Doe	2019	Description of the item in the list
Doe Doe	2022	Description of the item in the list

Table 2

Header1	Header2	Header3
cell1	cell2	cell3
cell4	cell5	cell6
cell1	cell2	cell3
cell4	cell5	cell6
Foot1	Foot2	Foot3

Definition Lists

Definition List Title

Definition list division.

Startup

A startup company or startup is a company or temporary organization designed to search for a repeatable and scalable business model.

#dowork

Coined by Rob Dyrdek and his personal body guard Christopher "Big Black" Boykins, "Do Work" works as a self motivator, to motivating your friends.

Do It Live

I'll let Bill O'Reilly [explain](#) this one.

Unordered Lists (Nested)

- List item one
 - List item one
 - List item one
 - List item two
 - List item three
 - List item four
 - List item two
 - List item three
 - List item four
- List item two
- List item three
- List item four

Ordered List (Nested)

1. List item one
 1. List item one
 1. List item one
 2. List item two
 3. List item three

4. List item four
2. List item two
3. List item three
4. List item four
2. List item two
3. List item three
4. List item four

Buttons

Make any link standout more when applying the `.btn` class.

Notices

Watch out! You can also add notices by appending `{.notice}` to a paragraph.

HTML Tags

Address Tag

*1 Infinite Loop
Cupertino, CA 95014
United States*

Anchor Tag (aka. Link)

This is an example of a [link](#).

Abbreviation Tag

The abbreviation CSS stands for "Cascading Style Sheets".

Cite Tag

"Code is poetry." —*Automattic*

Code Tag

You will learn later on in these tests that `word-wrap: break-word;` will be your best friend.

Strike Tag

This tag will let you ~~strikeout text~~.

Emphasize Tag

The emphasize tag should *italicize* text.

Insert Tag

This tag should denote inserted text.

Keyboard Tag

This scarcely known tag emulates `keyboard text`, which is usually styled like the `<code>` tag.

Preformatted Tag

This tag styles large blocks of code.

```
.post-title {  
    margin: 0 0 5px;  
    font-weight: bold;  
    font-size: 38px;  
    line-height: 1.2;  
    and here's a line of some really, rea  
}  
and here's a line of some really, rea
```

Quote Tag

“Developers, developers, developers...” –Steve Ballmer

Strong Tag

This tag shows **bold text**.

Subscript Tag

Getting our science styling on with H₂O, which should push the “2” down.

Superscript Tag

Still sticking with science and Isaac Newton’s E = MC², which should lift the 2 up.

Variable Tag

This allows you to denote *variables*.

