

```

import os
from aiogram import Bot, Dispatcher, types
from aiogram.types import ReplyKeyboardMarkup, KeyboardButton
from aiogram.utils import executor

TOKEN = os.getenv("BOT_TOKEN")
ADMIN_ID = int(os.getenv("ADMIN_ID", "123456789"))

bot = Bot(token=TOKEN)
dp = Dispatcher(bot)

user_data = {}

menu = ReplyKeyboardMarkup(resize_keyboard=True)
menu.add(KeyboardButton("💧 Заказать воду"))

sizes = ReplyKeyboardMarkup(resize_keyboard=True)
sizes.add("0.5 л", "1 л")
sizes.add("5 л", "19 л")

districts = ReplyKeyboardMarkup(resize_keyboard=True)
districts.add("Центр", "Север")
districts.add("Юг", "Запад", "Восток")

times = ReplyKeyboardMarkup(resize_keyboard=True)
times.add("09:00-12:00")
times.add("12:00-16:00")
times.add("16:00-20:00")

@dp.message_handler(commands=['start'])
async def start(message: types.Message):
    await message.answer("👋 Добро пожаловать!\n💧 Закажите доставку воды", reply_

@dp.message_handler(lambda m: m.text == "💧 Заказать воду")
async def order(message: types.Message):
    user_data[message.from_user.id] = {}
    await message.answer("Выберите объём воды:", reply_markup=sizes)

@dp.message_handler(lambda m: m.text in ["0.5 л", "1 л", "5 л", "19 л"])
async def size(message: types.Message):
    user_data[message.from_user.id]["size"] = message.text

```

```

await message.answer("Сколько бутылок нужно?")

@dp.message_handler(lambda m: m.text.isdigit())
async def count(message: types.Message):
    user_data[message.from_user.id]["count"] = message.text
    await message.answer("Выберите район доставки:", reply_markup=districts)

@dp.message_handler(lambda m: m.text in ["Центр", "Север", "Юг", "Запад", "Восток"])
async def district(message: types.Message):
    user_data[message.from_user.id]["district"] = message.text
    await message.answer("Выберите время доставки:", reply_markup=times)

@dp.message_handler(lambda m: "09:" in m.text or "12:" in m.text or "16:" in m.text)
async def time(message: types.Message):
    user_data[message.from_user.id]["time"] = message.text
    await message.answer("Введите адрес доставки:")

@dp.message_handler()
async def final(message: types.Message):
    user_id = message.from_user.id

    if user_id not in user_data:
        return

    data = user_data[user_id]

    if "address" not in data:
        data["address"] = message.text
        await message.answer("Введите номер телефона:")
        return

    data["phone"] = message.text

    order_text = f"""
 НОВЫЙ ЗАКАЗ

💧 Объем: {data['size']}
📦 Кол-во: {data['count']}
📍 Район: {data['district']}
🕒 Время: {data['time']}
🏠 Адрес: {data['address']}
☎ Телефон: {data['phone']}
"""

```

```
await message.answer("✅ Заказ принят!")
await bot.send_message(ADMIN_ID, order_text)

user_data.pop(user_id, None)

if __name__ == "__main__":
    executor.start_polling(dp, skip_updates=True)
```