

Cucumber Report

29-Oct-2021, 1:18:47 PM

Start : Oct 29, 1:13:06.991 PM

End : Oct 29, 1:18:44.398 PM

Duration : 5 m 37.407 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0




FAILED - 5


SKIPPED - 0

PASSED - 5


FAILED - 5

SKIPPED - 24







#	Feature Name	T	P	F	S	Duration
1	Login application	5	0	5	0	5 m 37.407 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login application</u>	<u>Login with valid credentials -Single Test Case</u>	6	1	1	4	4 m 24.102 s
2	<u>Login application</u>	<u>Login with valid credentials - Data Driven Test Case</u>	7	1	1	5	5 m 27.949 s
3	<u>Login application</u>	<u>Login with valid credentials - Data Driven Test Case</u>	7	1	1	5	4 m 36.085 s
4	<u>Login application</u>	<u>Login with valid credentials - Data Driven Test Case</u>	7	1	1	5	5 m 19.753 s
5	<u>Login application</u>	<u>Login with valid credentials - Data Driven Test Case</u>	7	1	1	5	5 m 37.363 s


(F)- Login application

FAILED	DURATION - 5 m 37.407 s	Scenarios		Steps	
/ 1:13:06.991 PM // 1:18:44.398 PM /		Total - 5	5	Total - 34	34
		Pass - 0		Pass - 5	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 24	



(S)- Login with valid credentials -Single Test Case

<div>FAILED</div> <div>DURATION - 4 m 24.102 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 1:13:06.998 PM // 1:17:31.100 PM /</div>				
<div>Login application</div>				
<div>@Login1</div>				


#	Step / Hook Details	Status	Duration
1	Given - Given I launch url with chrome browser	PASSED	3 m 53.642 s
2	And - And I enter email address <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='icon-label user-icon-label']"} (Session info: chrome=94.0.4606.71) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MANIBHAVANI', ip: '192.168.179.184', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 94.0.4606.71, chrome: {chromedriverVersion: 94.0.4606.61 (418b78f5838ed..., userDataDir: C:\Users\kandu\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:53285}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1ca43b41f45265d40808f7bb05874ffa *** Element info: {Using=xpath, value=//*[@class='icon-label user-icon-label']}</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)</pre>	FAILED	20.408 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.remote.RemoteWebDriver\$\$FastClassBySpringCGLIB\$\$589f8ff4.invoke(<generated>) at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218) at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:688) at org.openqa.selenium.remote.RemoteWebDriver\$\$EnhancerBySpringCGLIB\$\$7b3dfe0d.findElement(<generated>) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy113.click(Unknown Source) at com.BDDCucumber.PageObjects.LoginPageObjects.clickOnSignInLink(LoginPageObjects.java:35) at com.BDDCucumber.PageObjects.LoginPageObjects\$\$FastClassBySpringCGLIB\$\$8470a818.invoke(<generated>) at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218) at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:688) at com.BDDCucumber.PageObjects.LoginPageObjects\$\$EnhancerBySpringCGLIB\$\$bfff7cf9.clickOnSignInLink(<generated>) at com.StepDefs.LoginSteps.iEnterEmailAddress(LoginSteps.java:24) at ?.I enter email address(classpath:features/LoginPage.feature:6) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - com.StepDefs.CucumberHooks.afterStep(io.cucumber.java.Scenario)	PASSED	9.921 s
	Login with valid credentials -Single Test Case		
			
3	And - And I enter password	SKIPPED	0.002 s
4	And - And I click on submit button	SKIPPED	0.002 s
5	Then - Then I verify Login is success	SKIPPED	0.001 s
6	And - And I close the browser	SKIPPED	0.001 s



(S)- Login with valid credentials - Data Driven Test Case

<div>FAILED</div> <div>DURATION - 5 m 27.949 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	
<div>/ 1:13:07.027 PM // 1:18:34.976 PM /</div>				
<div>Login application</div>				
<div>@Login1</div>				

#	Step / Hook Details	Status	Duration
1	Given - Given I launch url with "chrome" browser	PASSED	5 m 7.386 s
2	And - And I enter email address as "mani" <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='icon-label user-icon-label']"} (Session info: chrome=94.0.4606.71) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MANIBHAVANI', ip: '192.168.179.184', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 94.0.4606.71, chrome: {chromedriverVersion: 94.0.4606.61 (418b78f5838ed..., userDataDir: C:\Users\kandu\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:53280}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 002a9b0dfd1b9f75e508b44d68577989 *** Element info: {Using=xpath, value=//*[@class='icon-label user-icon-label']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.remote.RemoteWebDriver\$\$FastClassBySpringCGLIB\$\$589f8ff4.invoke(<generated>) at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218) at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:688)</pre>	FAILED	20.042 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver\$\$EnhancerBySpringCGLIB\$\$7b3dfe0d.findElement(<generated>) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy113.click(Unknown Source) at com.BDDCucumber.PageObjects.LoginPageObjects.clickOnSignInLink(LoginPageObjects.java:35) at com.BDDCucumber.PageObjects.LoginPageObjects\$\$FastClassBySpringCGLIB\$\$8470a818.invoke(<generated>) at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218) at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:688) at com.BDDCucumber.PageObjects.LoginPageObjects\$\$EnhancerBySpringCGLIB\$\$bfff7cf9.clickOnSignInLink(<generated>) at com.StepDefs.LoginSteps.iEnterEmailAddressAs(LoginSteps.java:57) at ?.I enter email address as "mani"(classpath:features/LoginPage.feature:16) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - com.StepDefs.CucumberHooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.481 s
	Login with valid credentials - Data Driven Test Case		
			
3	And - And I enter password as "mani@123"	SKIPPED	0.000 s
4	And - And I click on submit button	SKIPPED	0.000 s
5	Then - Then I verify Login is success	SKIPPED	0.000 s
6	And - And I print the 12	SKIPPED	0.000 s
7	And - And I close the browser	SKIPPED	0.000 s

(S)- Login with valid credentials - Data Driven Test Case



<div>FAILED</div> <div>DURATION - 4 m 36.085 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 1:13:07.031 PM // 1:17:43.116 PM /</div>				
<div>Login application</div>				
<div>@Login1</div>				

#	Step / Hook Details	Status	Duration
1	Given - Given I launch url with "chrome" browser	PASSED	4 m 10.224 s


#	Step / Hook Details	Status	Duration
2	<p>And - And I enter email address as "mani"</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='icon-label user-icon-label']"} (Session info: chrome=94.0.4606.71) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MANIBHAVANI', ip: '192.168.179.184', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 94.0.4606.71, chrome: {chromedriverVersion: 94.0.4606.61 (418b78f5838ed..., userDataDir: C:\Users\kandu\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:53283}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 19932ce8d408c0a25768139f0bb20eee *** Element info: {Using=xpath, value=//*[@class='icon-label user-icon-label']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.remote.RemoteWebDriver\$\$FastClassBySpringCGLIB\$\$589f8ff4.invoke(<generated>) at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218) at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:688) at org.openqa.selenium.remote.RemoteWebDriver\$\$EnhancerBySpringCGLIB\$\$7b3dfe0d.findElement(<generated>) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy113.click(Unknown Source) at com.BDDCucumber.PageObjects.LoginPageObjects.clickOnSignInLink(LoginPageObjects.java:35) at com.BDDCucumber.PageObjects.LoginPageObjects\$\$FastClassBySpringCGLIB\$\$8470a818.invoke(<generated>) at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218) at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:688) at com.BDDCucumber.PageObjects.LoginPageObjects\$\$EnhancerBySpringCGLIB\$\$bfff7cf9.clickOnSignInLink(<generated>) at com.StepDefs.LoginSteps.iEnterEmailAddressAs(LoginSteps.java:57) at ?.I enter email address as "mani"(classpath:features/LoginPage.feature:16) </pre> <p>* Not displayable characters are replaced by '?'. *</p>	FAILED	20.054 s
	AFTER_STEP - com.StepDefs.CucumberHooks.afterStep(io.cucumber.java.Scenario)	PASSED	5.758 s

#	Step / Hook Details	Status	Duration
	Login with valid credentials - Data Driven Test Case 		
3	And - And I enter password as "mani@123"	SKIPPED	0.000 s
4	And - And I click on submit button	SKIPPED	0.001 s
5	Then - Then I verify Login is success	SKIPPED	0.001 s
6	And - And I print the 12	SKIPPED	0.000 s
7	And - And I close the browser	SKIPPED	0.000 s



(S)- Login with valid credentials - Data Driven Test Case

<div>FAILED</div> <div>DURATION - 5 m 19.753 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 1:13:07.032 PM // 1:18:26.785 PM /</div>				
<div>Login application</div>				
<div>@Login1</div>				


#	Step / Hook Details	Status	Duration
1	Given - Given I launch url with "firefox" browser	PASSED	4 m 54.865 s
2	And - And I enter email address as "Bhavani" <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='icon-label user-icon-label']"} (Session info: chrome=94.0.4606.71) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MANIBHAVANI', ip: '192.168.179.184', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 94.0.4606.71, chrome: {chromedriverVersion: 94.0.4606.61 (418b78f5838ed..., userDataDir: C:\Users\kandu\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:53282}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c5e557d09f929f54e667d798fbadc9dc *** Element info: {Using=xpath, value=//*[@class='icon-label user-icon-label']}</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</pre>	FAILED	20.054 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.remote.RemoteWebDriver\$\$FastClassBySpringCGLIB\$\$589f8ff4.invoke(<generated>) at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218) at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:688) at org.openqa.selenium.remote.RemoteWebDriver\$\$EnhancerBySpringCGLIB\$\$7b3dfe0d.findElement(<generated>) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy113.click(Unknown Source) at com.BDDCucumber.PageObjects.LoginPageObjects.clickOnSignInLink(LoginPageObjects.java:35) at com.BDDCucumber.PageObjects.LoginPageObjects\$\$FastClassBySpringCGLIB\$\$8470a818.invoke(<generated>) at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218) at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:688) at com.BDDCucumber.PageObjects.LoginPageObjects\$\$EnhancerBySpringCGLIB\$\$bfff7cf9.clickOnSignInLink(<generated>) at com.StepDefs.LoginSteps.iEnterEmailAddressAs(LoginSteps.java:57) at ?.I enter email address as "Bhavani"(classpath:features/LoginPage.feature:16) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - com.StepDefs.CucumberHooks.afterStep(io.cucumber.java.Scenario)	PASSED	4.798 s
	Login with valid credentials - Data Driven Test Case		
			
3	And - And I enter password as "mani@143"	SKIPPED	0.001 s
4	And - And I click on submit button	SKIPPED	0.000 s
5	Then - Then I verify Login is success	SKIPPED	0.000 s
6	And - And I print the 14	SKIPPED	0.000 s
7	And - And I close the browser	SKIPPED	0.000 s

(S)- Login with valid credentials - Data Driven Test Case

FAILED	DURATION - 5 m 37.363 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:13:07.035 PM // 1:18:44.398 PM /				
Login application				
@Login1				

#	Step / Hook Details	Status	Duration
1	Given - Given I launch url with "firefox" browser	PASSED	5 m 15.231 s
2	And - And I enter email address as "Bhavani" <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='icon-label user-icon-label']"} (Session info: chrome=94.0.4606.71) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'MANIBHAVANI', ip: '192.168.179.184', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.12' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 94.0.4606.71, chrome: {chromedriverVersion: 94.0.4606.61 (418b78f5838ed..., userDataDir: C:\Users\kandu\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:53284}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6866940f7e4b7ac7f0bb635188ab7e90 *** Element info: {Using=xpath, value=//*[@class='icon-label user-icon-label']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.remote.RemoteWebDriver\$\$FastClassBySpringCGLIB\$\$589f8ff4.invoke(<generated>) at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218) at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:688)</pre>	FAILED	20.084 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver\$\$EnhancerBySpringCGLIB\$\$7b3dfe0d.findElement(<generated>) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy113.click(Unknown Source) at com.BDDCucumber.PageObjects.LoginPageObjects.clickOnSignInLink(LoginPageObjects.java:35) at com.BDDCucumber.PageObjects.LoginPageObjects\$\$FastClassBySpringCGLIB\$\$8470a818.invoke(<generated>) at org.springframework.cglib.proxy.MethodProxy.invoke(MethodProxy.java:218) at org.springframework.aop.framework.CglibAopProxy\$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:688) at com.BDDCucumber.PageObjects.LoginPageObjects\$\$EnhancerBySpringCGLIB\$\$bfff7cf9.clickOnSignInLink(<generated>) at com.StepDefs.LoginSteps.iEnterEmailAddressAs(LoginSteps.java:57) at ?.I enter email address as "Bhavani"(classpath:features/LoginPage.feature:16) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - com.StepDefs.CucumberHooks.afterStep(io.cucumber.java.Scenario)	PASSED	2.029 s
	Login with valid credentials - Data Driven Test Case		
			
3	And - And I enter password as "mani@143"	SKIPPED	0.000 s
4	And - And I click on submit button	SKIPPED	0.001 s
5	Then - Then I verify Login is success	SKIPPED	0.000 s
6	And - And I print the 14	SKIPPED	0.000 s
7	And - And I close the browser	SKIPPED	0.000 s

(Step) AFTER_STEP - com.StepDefs.
CucumberHooks.afterStep(io.cucumber.
java.Scenario)

(S) Login with valid credentials -Single
Test Case

(F) Login application



Don't have an account?

[Sign up](#)



Login to your account

E-mail or Phone

Example: john@gmail.com

Password

Your Password

[Forgot Password?](#)

Continue



Don't have an account?

[Sign up](#)



Login to your account

E-mail or Phone

Example: john@gmail.com

Password

Your Password

[Forgot Password?](#)

Continue

(Step) AFTER_STEP - com.StepDefs.
CucumberHooks.afterStep(io.cucumber.
java.Scenario)

(S) Login with valid credentials - Data
Driven Test Case

(F) Login application

(Step) AFTER_STEP - com.StepDefs.
CucumberHooks.afterStep(io.cucumber.
java.Scenario)

(S) Login with valid credentials - Data
Driven Test Case

(F) Login application



Don't have an account?

[Sign up](#)



Login to your account

E-mail or Phone

Example: john@gmail.com

Password

Your Password

[Forgot Password?](#)

Continue



Don't have an account?

[Sign up](#)



Login to your account

E-mail or Phone

Example: john@gmail.com

Password

Your Password

[Forgot Password?](#)

Continue

(Step) AFTER_STEP - com.StepDefs.
CucumberHooks.afterStep(io.cucumber.
java.Scenario)

(S) Login with valid credentials - Data
Driven Test Case

(F) Login application

(Step) AFTER_STEP - com.StepDefs.
CucumberHooks.afterStep(io.cucumber.
java.Scenario)

(S) Login with valid credentials - Data
Driven Test Case

(F) Login application



Don't have an account?

[Sign up](#)



Login to your account

E-mail or Phone

Example: john@gmail.com

Password

Your Password



[Forgot Password?](#)

Continue

