## EUROPEAN ORGANISATION FOR NUCLEAR RESEARCH (CERN)



Phys. Lett. B 847 (2023) 138315 DOI: 10.1016/j.physletb.2023.138315



18th December 2023

# Measurement of the Higgs boson mass with $H \rightarrow \gamma \gamma$ decays in 140 fb<sup>-1</sup> of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector

#### The ATLAS Collaboration

The mass of the Higgs boson is measured in the  $H \to \gamma \gamma$  decay channel, exploiting the high resolution of the invariant mass of photon pairs reconstructed from the decays of Higgs bosons produced in proton-proton collisions at a centre-of-mass energy  $\sqrt{s} = 13$  TeV. The dataset was collected between 2015 and 2018 by the ATLAS detector at the Large Hadron Collider, and corresponds to an integrated luminosity of 140 fb<sup>-1</sup>. The measured value of the Higgs boson mass is  $125.17 \pm 0.11$  (stat.)  $\pm 0.09$  (syst.) GeV and is based on an improved energy scale calibration for photons, whose impact on the measurement is about four times smaller than in the previous publication. A combination with the corresponding measurement using 7 and 8 TeV pp collision ATLAS data results in a Higgs boson mass measurement of  $125.22 \pm 0.11$  (stat.)  $\pm 0.09$  (syst.) GeV. With an uncertainty of 1.1 per mille, this is currently the most precise measurement of the mass of the Higgs boson from a single decay channel.

#### **Contents**

1	Introduction	2
2	The ATLAS detector	3
3	Data and simulation samples 3.1 Data 3.2 Simulation samples	<b>4</b> 4 4
4	Event selection and classification	5
5	Mass measurement procedure	8
6	Systematic uncertainties	10
7	Results	12
8	Conclusion	15

#### 1 Introduction

After the ATLAS and CMS collaborations at the Large Hadron Collider (LHC) discovered in 2012 [1, 2] a particle H with properties consistent with those of the Higgs boson in the Standard Model (SM) of particle physics, the precise determination of its mass became one of the primary goals of their physics programmes. The Higgs boson mass  $m_H$  is a fundamental parameter of the SM and the only unknown parameter of the scalar sector of the Standard Model prior to the Higgs boson discovery. Its measurement is of paramount importance for several reasons. Firstly, its value determines the Higgs boson production rates and decay branching ratios [3]. It is also the value assumed by the experimental collaborations when estimating the acceptances, efficiencies and signal models used in their analyses and to report their measured rates. Knowledge of the Higgs boson mass is therefore mandatory for a coherent test of its coupling structure. Secondly, the Higgs boson mass is one of the inputs in global fits to the measurements of electroweak observables [4]. Knowing its value therefore plays a key role in verifying the internal consistency of the SM, especially through the interplay between the masses of the top quark and the W and Higgs bosons. Finally, the stability of the electroweak vacuum, and thus the fate of our universe, depends on the value of the Higgs boson mass [5]. By measuring  $m_H$ , one can infer whether the universe is in a global, and thus stable, minimum-energy state of the Higgs field potential, or in a local metastable one, from which it could decay to the ground state in the future [6].

Measurements of the Higgs boson mass were performed separately by the ATLAS [7] and CMS [8] collaborations using Higgs boson decays to the high-resolution four-lepton  $(4\ell, \ell = e, \mu)$  and diphoton  $(\gamma\gamma)$  final states reconstructed during the first data-taking phase of the LHC (Run 1). The data consisted of 25 fb<sup>-1</sup> of proton–proton (pp) collisions recorded at centre-of-mass energies  $\sqrt{s} = 7$  and 8 TeV in 2011 and 2012. The combination of the ATLAS and CMS results led to a measurement of the Higgs boson mass with an uncertainty of 0.19%,  $m_H = 125.09 \pm 0.24$  GeV [9].

Updated measurements of the Higgs boson mass were performed by both experiments using pp collisions collected at  $\sqrt{s} = 13$  TeV between 2015 and 2018 during the second data-taking phase of the LHC (Run 2). Using both  $H \to ZZ^* \to 4\ell$  and  $H \to \gamma\gamma$  decays selected in a partial Run 2 dataset (36 fb<sup>-1</sup> of pp collisions recorded before 2017), the ATLAS Collaboration measured  $m_H = 124.86 \pm 0.27$  GeV [10]. Combined with the ATLAS Run 1 results from Ref. [7], this study led to a Higgs boson mass measurement of  $m_H = 124.97 \pm 0.24$  GeV. Using a dataset of equivalent size and both the four-lepton and diphoton final states, the CMS Collaboration found  $m_H = 125.46 \pm 0.16$  GeV [11], whose combination with the Run 1 results from Ref. [8] led to the most precise determination of  $m_H$  to date, with a 0.11% uncertainty:  $m_H = 125.38 \pm 0.14$  GeV. Recently, the ATLAS Collaboration released an updated measurement of  $m_H$  using  $H \to ZZ^* \to 4\ell$  decays in the full Run 2 dataset [12], consisting of 140 fb<sup>-1</sup> of pp collisions. The result,  $m_H = 124.99 \pm 0.19$  GeV, combined with that of the corresponding analysis using Run 1 data, yields a single-channel Higgs boson mass measurement with an uncertainty of 0.14%,  $m_H = 124.94 \pm 0.18$  GeV.

This Letter reports a measurement of the Higgs boson mass in the diphoton channel using the full Run 2 dataset. Compared with that in Ref. [10], the analysis presented here profits from a larger data sample, a new photon reconstruction algorithm with better energy resolution [13], an improved estimation of the photon energy scale with reduced uncertainties [14], and an optimised event classification strategy. The selected events are required to contain two energetic photons fulfilling strict identification and isolation criteria. The invariant mass  $(m_{\gamma\gamma})$  distribution of the selected photon pairs exhibits a peak near  $m_H$ , arising from resonant Higgs boson decays, over a smoothly falling distribution from background events mainly due to non-resonant diphoton production. The Higgs boson mass is determined from the position of the peak in data through a profile-likelihood fit to the  $m_{\gamma\gamma}$  distribution. Simulated signal and background event samples are used to optimise the analysis criteria, to define the signal and background  $m_{\gamma\gamma}$  models used in the fit, and to estimate the impact of the systematic uncertainties in  $m_H$ . To increase the sensitivity of the measurement, the selected events are classified into mutually exclusive categories with different diphoton invariant mass resolutions and signal-to-background ratios which are analysed simultaneously. Finally, a combination with the ATLAS Run 1 measurement [9] is performed.

The rest of the Letter is organised as follows. The ATLAS detector is described briefly in Section 2. The data and simulated event samples used in the analysis are summarised in Section 3. The photon reconstruction and the event selection and classification are discussed in Section 4. The statistical tools used in the measurement and the methods used to assess the systematic uncertainties are presented in Sections 5 and 6, leading to the results described in Section 7. The conclusions of this study are summarised in Section 8.

### 2 The ATLAS detector

The ATLAS experiment [15] at the LHC is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near  $4\pi$  coverage in solid angle. It consists of an inner tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadron calorimeters, and a muon spectrometer. The inner tracking detector covers the pseudorapidity

ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the *z*-axis along the beam pipe. The *x*-axis points from the IP to the centre of the LHC ring, and the *y*-axis points upwards. Cylindrical coordinates  $(r, \phi)$  are used in the transverse plane,  $\phi$  being the azimuthal angle around the *z*-axis. The pseudorapidity is defined in terms of the polar angle  $\theta$  as  $\eta = -\ln \tan(\theta/2)$ . Angular distance is measured in units of  $\Delta R \equiv \sqrt{(\Delta \eta)^2 + (\Delta \phi)^2}$ . The transverse energy is defined as  $E_T = E \sin(\theta)$ .

range  $|\eta| < 2.5$ . It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A steel/scintillator-tile hadron calorimeter covers the central pseudorapidity range ( $|\eta| < 1.7$ ). The endcap and forward regions are instrumented with LAr calorimeters for both the EM and hadronic energy measurements up to  $|\eta| = 4.9$ . The muon spectrometer surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. The muon spectrometer includes a system of precision chambers for tracking and fast detectors for triggering.

A two-level trigger system is used to select events. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate below 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions.

An extensive software suite [16] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

## 3 Data and simulation samples

#### 3.1 Data

The measurement uses the full pp collision dataset collected at  $\sqrt{s} = 13$  TeV by the ATLAS detector during Run 2 of the LHC. Events were recorded using unprescaled diphoton and single-photon triggers [17]. The photon transverse momentum thresholds were 35 GeV and 25 GeV for the diphoton triggers throughout the whole of Run 2, and 120 (140) GeV for single-photon triggers in 2015–2016 (2017–2018). Shower-shape requirements looser than those used in the offline analysis were applied to the photon candidates at the trigger level. The integrated luminosity of the dataset after trigger and data-quality requirements [18] is  $140.1 \pm 1.2$  fb<sup>-1</sup> [19, 20]. The efficiency of the trigger system for signal events passing the full selection is close to 100% [17].

#### 3.2 Simulation samples

Monte Carlo (MC) simulated event samples of Higgs bosons produced by pp collisions and decaying into diphotons, as well as samples of the main background processes for the same final state, were produced with the set-up described in Ref. [21]. Simulated hard-scattering events were overlaid with simulated inelastic proton–proton events generated with Pythia 8.1 [22], to model the effect of multiple 'pile-up' interactions in the same and neighbouring bunch crossings.

Signal samples were produced for the main Higgs boson production modes: gluon-gluon fusion (ggF), vector-boson fusion (VBF), and associated production with a vector boson (VH, V=W, Z), a top-quark pair ( $t\bar{t}H$ ), a bottom-quark pair ( $b\bar{b}H$ ) or a single top quark (tH). Signal event samples were produced with either the Powheg Box [23] or (for tH only) MadGraph5\_aMC@NLO [24] event generator, using matrix element calculations at the highest available order of accuracy in the strong coupling constant  $\alpha_s$ : next-to-next-to-leading order (NNLO) for ggF, next-to-leading order (NLO) for VBF, WH,  $q\bar{q} \rightarrow ZH$ ,  $t\bar{t}H$ ,  $b\bar{b}H$  and tH, and leading order (LO) for  $gg \rightarrow ZH$ . The event generators were interfaced to Pythia 8.2 [25] for the modelling of the parton shower and the underlying event. In the analysis the

samples are normalised to the integrated luminosity of the data, using state-of-the-art Standard Model calculations for the Higgs boson production cross-sections and branching ratios at the hypothesised Higgs boson mass [3]. The generated signal samples were passed through a detailed simulation of the response of the ATLAS detector [26] based on Geant [27].

The nominal signal samples were generated assuming a Higgs boson mass of 125 GeV. The Higgs boson width  $\Gamma$  in all signal samples was set to the SM prediction for  $m_H = 125$  GeV,  $\Gamma = 4.07$  MeV, which is much narrower than the experimental resolution. Systematic uncertainties related to the modelling of the parton shower are studied with alternative samples produced with the same matrix-element generator as used for the nominal ones but with the Herwig 7.1.3 parton shower algorithm [28]. The parameterisations of the expected signal yields and diphoton invariant mass distributions as a function of the Higgs boson mass are obtained by interpolation between results from signal samples with  $m_H$  set to 110, 122, 123, 124, 125, 126, 127, 130 or 140 GeV, as described in Section 5. The same set-up as that for the nominal samples was used.

Background events from non-resonant  $pp \to \gamma\gamma + n$  parton  $(n \ge 0)$  production were also simulated, using the Sherpa 2.2.4 event generator [29] with NLO-accurate matrix elements for up to one parton, and leading-order (LO) accurate matrix elements for up to three partons. Due to its large size, the  $pp \to \gamma\gamma$  sample was processed by a fast simulation of the ATLAS detector [30], based on a parameterisation of the response of the calorimeter. Since the diphoton background is estimated from the sidebands in the diphoton invariant mass distribution in data, the background simulation is only used to select the background model and the systematic uncertainty associated with this choice, and for this the fast simulation was found to be sufficiently accurate.

The effect of interference between resonant signal production and non-resonant background diphoton production is studied using samples of simulated diphoton events including contributions from both processes (produced by either the gg or qg partonic channels) and their interference. The accuracy of the calculations is NLO for the gg-interference and LO for the qg-interference samples. The events were generated using Sherpa 2.2.11 and passed through the Geant4 detector simulation.

#### 4 Event selection and classification

The event reconstruction and selection closely resemble those used in the latest ATLAS measurement of Higgs boson production cross-sections using the diphoton channel and the full Run 2 dataset [21]. The main differences are the use of an updated photon energy calibration [14] with reduced systematic uncertainties, and the classification of events into categories that are optimised to minimise the uncertainty in the measured Higgs boson mass rather than in the Higgs boson production cross-sections.

Compared with the previous mass measurement [10], which used photon candidates reconstructed from a fixed-size cluster of energy deposits in the electromagnetic calorimeter identified by a sliding-window algorithm, this measurement relies on photon candidates that are reconstructed from dynamic, variable-size clusters, called superclusters. The main advantages of this algorithm are improvements in the reconstruction efficiency and energy measurement of converted photons ( $\gamma \to e^+e^-$ ), and a lower rate of misclassifying unconverted photons as converted photon candidates [13].

The photon energy is determined from the signals due to energy deposited in the electromagnetic calorimeter, after applying the calibration scheme detailed in Ref. [14]. The photon direction is calculated from the positions of the supercluster and the pp collision vertex that is chosen from among the reconstructed

primary vertex candidates by a neural-network (NN) algorithm [31]. The NN inputs are the directions of the two  $p_{\rm T}$ -leading photon candidates in the event, determined only from the conversion vertices and the longitudinal sampling of the calorimeter, and vertex candidate information such as the transverse momenta and directions of the associated tracks.

The selection retains events with at least two photon candidates with pseudorapidity in the range  $|\eta| < 1.37$  or  $1.52 < |\eta| < 2.37$ , meeting *tight* identification and *loose* isolation criteria [13], matched to the online photon candidates that passed the trigger selection. Events are kept if the  $p_T$ -leading and  $p_T$ -subleading photon candidates have invariant mass  $m_{\gamma\gamma}$  in the range 105–160 GeV and transverse momenta that exceed 0.35 and 0.25 times  $m_{\gamma\gamma}$ , respectively. When more than two photon candidates pass those requirements, only the  $p_T$ -leading and  $p_T$ -subleading candidates are considered for further analysis.

About 1.2 million events in the data pass the selection. The expected efficiency for the signal for  $m_H = 125$  GeV is close to 36%, leading to an expected signal yield of about 6200 events.

To increase the precision of the mass measurement, the selected events are classified into 14 categories with different signal-to-background ratios, diphoton invariant mass resolutions and photon energy scale uncertainties. The observables and the thresholds used to define the categories are optimised by minimising the expected total Higgs boson mass uncertainty for  $m_H = 125.09$  GeV using a simplified version of the maximum-likelihood fit described in the next section, including the statistical uncertainties and the dominant systematic uncertainties from the photon energy scale calibration. The final choice of observables and thresholds for the categories used in the measurement is the following:

- The number of reconstructed converted photon candidates: events with no photon conversion candidates ('U'-type events) are considered separately from events with one or two  $\gamma \to e^+e^-$  candidates ('C'-type events).
- The absolute value of the pseudorapidity  $|\eta_{S2}|$  of each of the two energy clusters reconstructed in the electromagnetic calorimeter and associated with the photon candidates. The pseudorapidity  $\eta_{S2}$  is determined from the position of the barycentre of the cluster in the second sampling layer of the calorimeter and from the origin of the ATLAS coordinate system. Both the U-type and C-type events are separated into three subsamples: 'central barrel' (both photons have  $|\eta_{S2}| < 0.8$ ), 'outer-barrel' (both photons have  $|\eta_{S2}| < 1.37$  and at least one of these has  $|\eta_{S2}| \ge 0.8$ ), and 'endcap' (at least one photon has  $1.52 \le |\eta_{S2}| < 2.37$ ).
- The magnitude  $p_{\mathrm{Tt}}^{\gamma\gamma}=|\vec{p}_{\mathrm{T}}^{\gamma\gamma}\times\hat{t}|$  of the component of the diphoton transverse momentum that is orthogonal to the thrust axis, defined as  $\hat{t}=(\vec{p}_{\mathrm{T}}^{\gamma_1}-\vec{p}_{\mathrm{T}}^{\gamma_2})/|\vec{p}_{\mathrm{T}}^{\gamma_1}-\vec{p}_{\mathrm{T}}^{\gamma_2}|$ . Low  $(p_{\mathrm{Tt}}^{\gamma\gamma}<70~\mathrm{GeV})$ , medium  $(70~\mathrm{GeV}< p_{\mathrm{Tt}}^{\gamma\gamma}<130~\mathrm{GeV})$  and high  $(p_{\mathrm{Tt}}^{\gamma\gamma}>130~\mathrm{GeV})$   $p_{\mathrm{Tt}}^{\gamma\gamma}$  categories are defined for U-type and C-type central-barrel and outer-barrel events.

For each category, the narrowest diphoton invariant mass window, with half-width denoted by  $\sigma_{90}^{\gamma\gamma}$ , containing 90% of the signal events is listed in Table 1. The expected signal  $(S_{90})$  and background  $(B_{90})$  yields in each category in that interval are also reported, where  $B_{90}$  is determined from the integral of an exponentiated second-order polynomial function fitted to the data  $m_{\gamma\gamma}$  distribution after excluding the range  $120 < m_{\gamma\gamma} < 130$  GeV from the interval. The table also indicates the expected fraction of signal events  $f_{90} = S_{90}/(S_{90} + B_{90})$ , and the signal significance  $Z_{90} = \sqrt{2\left[(S_{90} + B_{90})\ln{(1 + S_{90}/B_{90})} - S_{90}\right]}$  [32].

The invariant mass resolution  $\sigma_{90}^{\gamma\gamma}$  for C-type events is 10%–20% worse than for U-type events, due to asymmetric  $\gamma \to e^+e^-$  conversions producing a low-energy electron or positron, and to bremsstrahlung photons emitted by the  $e^+e^-$  pair. In both cases, such soft electrons, positrons or bremsstrahlung photons

Table 1: The expected signal  $(S_{90})$  and background  $(B_{90})$  yields, the signal yield as a percentage of the total  $(f_{90})$ , and the signal significance  $(Z_{90})$  in a diphoton invariant mass window whose half-width  $\sigma_{90}^{\gamma\gamma}$  is chosen in such a way that it is the narrowest interval containing 90% of signal events. All quantities are given for each analysis category and for the inclusive case.

Category	$\sigma_{90}^{\gamma\gamma}[\text{GeV}]$	$S_{90}$	$B_{90}$	f <sub>90</sub> [%]	$Z_{90}$
U, Central-barrel, high $p_{\text{Tt}}^{\gamma\gamma}$	1.88	42	65	39.1	4.7
U, Central-barrel, medium $p_{\text{Tr}}^{\gamma\gamma}$	2.34	102	559	15.4	4.2
U, Central-barrel, low $p_{Tt}^{\gamma\gamma}$	2.63	837	13226	6.0	7.2
U, Outer-barrel, high $p_{Tt}^{\gamma\dot{\gamma}}$	2.16	31	83	27.4	3.3
U, Outer-barrel, medium $p_{Tt}^{\gamma\gamma}$	2.63	108	981	9.9	3.4
U, Outer-barrel, low $p_{Tt}^{\gamma\gamma}$	3.00	869	22919	3.7	5.7
U, Endcap	3.33	759	29383	2.5	4.4
C, Central-barrel, high $p_{Tt}^{\gamma\gamma}$	2.10	26	44	37.3	3.6
C, Central-barrel, medium $p_{Tt}^{\gamma\gamma}$	2.62	62	389	13.8	3.1
C, Central-barrel, low $p_{Tt}^{\gamma\gamma}$	3.00	508	9726	5.0	5.1
C, Outer-barrel, high $p_{Tt}^{\gamma\dot{\gamma}}$	2.56	34	103	25.0	3.2
C, Outer-barrel, medium $p_{Tt}^{\gamma\gamma}$	3.20	114	1353	7.8	3.1
C, Outer-barrel, low $p_{Tt}^{\gamma\gamma}$	3.71	914	30121	2.9	5.2
C, Endcap	4.04	1 249	52 160	2.3	5.5
Inclusive	3.32	5 6 5 3	128774	4.2	15.6

can escape the supercluster and the calibration procedure may not be fully efficient in recovering the energy of the original photon. The resolution is 6%–20% better in the central-barrel categories than in the corresponding outer-barrel categories, due to the smaller amount of material upstream of the electromagnetic calorimeter in the central region of the detector. Events with high  $p_{\text{Tt}}^{\gamma\gamma}$  have about 15%–20% (30%) better  $m_{\gamma\gamma}$  resolution than events with medium (low)  $p_{\text{Tt}}^{\gamma\gamma}$ , due to poorer photon energy resolution at lower photon transverse momentum. The signal fraction  $f_{90}$  also depends on the same quantities: it is larger for U-type events and central-barrel events, and increases with  $p_{\text{Tt}}^{\gamma\gamma}$  since the main background process, continuum diphoton production arising mostly from t-channel  $q\bar{q} \to \gamma\gamma$  and  $gg \to \gamma\gamma$  scattering, has a softer  $p_{\text{Tt}}^{\gamma\gamma}$  spectrum than the signal. The photon energy scale uncertainty is smaller for C-type events and central-barrel events than for U-type events and outer-barrel or endcap events; it increases with  $p_{\text{Tt}}^{\gamma\gamma}$  due to uncertainties in the linearity of the response and in the extrapolation to photons in the energy scale calibration, which is mainly determined using electron and positron candidates with relatively low transverse momentum from  $Z \to e^+e^-$  decays.

The chosen categorisation reduces the expected uncertainty in  $m_H$  from statistical and photon energy scale systematic uncertainties by about 17% compared with a measurement based on the inclusive sample passing the event selection, and by 6% compared with the use of the event classification strategy in Ref. [10]. Compared with the 101 event categories developed in Ref. [21] for the measurement of the Higgs boson production-mode cross-sections times branching ratio to diphotons using the same dataset, the 14 categories used in this analysis lead to a small increase (+3%) in the expected statistical uncertainty and to a larger decrease (-14%) in the systematic uncertainty of  $m_H$ , yielding an overall expected decrease (-3%) in the total uncertainty.

## 5 Mass measurement procedure

The Higgs boson mass  $m_H$  is measured using the statistical methods described in Ref. [10]. The diphoton invariant mass distribution of the data is used to define a likelihood function L depending on  $m_H$  and on additional parameters  $\theta$  describing the signal and background normalisations, their  $m_{\gamma\gamma}$  models, and corresponding systematic uncertainties. The profile likelihood ratio [32, 33] is then:

$$\Lambda(m_H) = \frac{L(m_H, \hat{\hat{\boldsymbol{\theta}}}(m_H))}{L(\hat{m}_H, \hat{\boldsymbol{\theta}})},\tag{1}$$

where  $\hat{\theta}$  and  $\hat{m}_H$  denote the values of the parameters that maximise the likelihood function L, while  $\hat{\theta}(m_H)$  represent the values of the parameters  $\theta$  that maximise L for a given value of the parameter  $m_H$ . A numerical fit procedure determines the central value  $\hat{m}_H$  of the measurement and its 68% confidence interval, defined by all values of  $m_H$  for which  $-2 \ln \Lambda(m_H) < 1$ . The fit uses the event counts in 25-MeV-wide bins of the  $m_{\gamma\gamma}$  distribution in each category.

The likelihood function L is computed from the product of individual likelihood functions for the observed diphoton invariant mass spectra in each category and distributions representing auxiliary measurements that constrain the nuisance parameters associated with the systematic uncertainties. The model assumes that the observed distribution arises from the sum of a signal and a background component, whose shape and normalisation are inferred from the data themselves, with some input from the simulation.

The  $m_{\gamma\gamma}$  distribution of the simulated signal in each category is found to be properly described, for any value of the Higgs boson mass in the range [110, 140] GeV, by a double-sided Crystal Ball [34] probability density function, i.e. a function with a Gaussian core and power-law tails. The parameters  $(\alpha_{\pm}, n_{\pm})$  describing the tails of the model do not depend on  $m_H$ , while the parameters  $\mu_{CB}$  and  $\sigma_{CB}$  describing the peak position and the resolution of the core Gaussian component scale linearly with  $m_H$ ,  $\mu_{CB} = m_H + a_{\mu} + b_{\mu}(m_H - 125 \text{ GeV})$  and  $\sigma_{CB} = a_{\sigma} + b_{\sigma}(m_H - 125 \text{ GeV})$ . The nominal values of the parameters  $a_{\mu}$ ,  $b_{\mu}$ ,  $a_{\sigma}$ ,  $b_{\sigma}$ ,  $\alpha_{\pm}$  and  $n_{\pm}$  in each category are determined by a simultaneous fit to the simulated diphoton invariant mass spectra in that category for different  $m_H$  hypotheses. As a cross-check, the fit is repeated after removing the  $m_H = 125$  GeV distribution from the input and new values of the  $a_{\mu}$ ,  $b_{\mu}$ ,  $a_{\sigma}$ ,  $b_{\sigma}$ ,  $\alpha_{\pm}$  and  $n_{\pm}$  parameters are obtained. The signal model for  $m_H = 125$  GeV predicted by this parameterisation is then compared with the model determined from a single fit, with a Crystal-Ball lineshape with floating  $\mu_{CB}$ ,  $\sigma_{CB}$ ,  $\alpha_{\pm}$  and  $n_{\pm}$  parameters, to the  $m_H = 125$  GeV simulated signal events. Good agreement is observed. The nominal signal models for the categories with the best and worst expected resolutions for a Higgs boson mass  $m_H = 125$  GeV are shown in Figure 1.

The normalisations of the signal, one for each category c, are free parameters of the fit and are expressed as the product of a per-category signal-strength factor  $\mu_c$  and the expected number  $S_c$  of Higgs boson events in the same analysis region. The expected signal yield  $S_c$  is determined from the integrated luminosity, the SM values of the Higgs boson cross-section and  $H \to \gamma \gamma$  branching ratio, and the simulation-predicted event selection efficiency in that category. The dependence of  $S_c$  on  $m_H$  in each category c is modelled with a second-order polynomial whose parameters are determined by a fit to the expected yields in that category, calculated for nine discrete values of  $m_H$  between 110 and 140 GeV using the simulated signal samples described in Section 3.

The background  $m_{\gamma\gamma}$  distribution in each category is represented by either an exponential function, a power-law function or an exponentiated second-order polynomial. The background model is chosen in




Figure 1: Invariant mass distributions of simulated  $H \to \gamma \gamma$  events reconstructed in the categories with the best (U-type, central-barrel, high- $p_{\text{Tt}}^{\gamma \gamma}$ : open circles) and the worst (C-type, endcap: open squares) experimental resolutions. The signal model derived from a fit of the simulated events is superimposed (solid lines).

an empirical way [21], using the results obtained by fitting the diphoton invariant mass distribution of a background template with models with free parameters for the signal and background yields. The background template is obtained by summing the  $m_{\gamma\gamma}$  distributions of simulated non-resonant diphoton events and data samples enriched in photon+jet and dijet events. The photon+jet and dijet enriched samples are obtained using a selection similar to that in the previous section, the exception being that one or both photon candidates must fail the nominal identification and isolation requirements while passing looser ones. The three distributions are normalised to the yields of the respective contributions estimated in situ. Among all considered background models whose  $\chi^2$  probability is greater than 1% when fitted to the background template, and for which the fitted signal yield (the 'spurious signal') is less than 10% of the expected signal yield, the one with the fewest degrees of freedom is selected. A value of 10% is chosen for the threshold so that the spurious signal, considered as a systematic uncertainty in the signal yield, is small compared to the statistical uncertainty. The background yield in each category and the parameters describing the shape of the background model are free parameters of the likelihood function.

Systematic uncertainties and their correlations are modelled by including, among the parameters  $\theta$ , nuisance parameters described by likelihood functions associated with estimates of the corresponding effects. The statistical uncertainty of  $m_H$  is estimated by determining the confidence interval when all nuisance parameters associated with systematic uncertainties are fixed to their best-fit values, and all other parameters are left unconstrained. The total systematic uncertainty is estimated as the square root of the difference of the squares of the total uncertainty and the statistical uncertainty. Similarly, the contribution from a group of uncertainties is determined from the difference of the squares of the total uncertainty and the uncertainty from a fit in which the associated nuisance parameters are fixed to their best-fit values.

The expected statistical uncertainty of 120 MeV in  $m_H$  is a factor of 2.1 less than in the previous measurement [10], due to the present dataset being almost four times larger and improvements in the

photon reconstruction algorithm and event classification.

## 6 Systematic uncertainties

The main sources of systematic uncertainty in  $m_H$  are the uncertainties in the photon energy scale, the uncertainty from the background modelling and the effect of interference between the signal and the  $\gamma\gamma$  continuum background. They are described below, together with their expected pre-fit impact on  $m_H$ .

The photon energy scale uncertainty is modelled by using 67 independent components. The effect of every component is evaluated for each analysis category by comparing the nominal signal MC diphoton invariant mass distribution with the one obtained by varying the energy of each photon by the uncertainty under study. The shifts induced in the peak parameters  $\mu_{CB}$  of the Crystal Ball signal models are then included as nuisance parameters in the likelihood function, fully correlated among the categories. The 67 independent sources of uncertainty in the photon energy scale can be classified roughly into four main groups. The first group  $(Z \to e^+e^- \ calibration)$  is related to the determination of the  $\eta$ -dependent energy scale factors for electrons and positrons from Z boson decays, effectively constraining their energy scale for a transverse energy  $E_{\rm T} \approx 45$  GeV. The second group ( $E_{\rm T}$ -dependent electron energy scale) includes uncertainties in the  $E_{\rm T}$ -dependence of the energy scale from sources such as the calorimeter readout non-linearity, the calorimeter layer intercalibration, and the amount of material upstream of the calorimeter. The third group  $(e^{\pm} \rightarrow \gamma \ extrapolation)$  includes the uncertainties in the extrapolation of the energy scale from electrons to photons, arising, for instance, from potential mismodelling of differences in lateral shower development between electrons and photons in the calorimeter. Finally, the fourth group (conversion modelling) contains the uncertainties related to the accuracy of the photon conversion modelling in the simulation. Since the simulation-based photon energy calibration [14] is trained and applied separately for unconverted and converted photon candidates, any mismodelling of the conversion reconstruction performance in the simulation may affect the calibrated photon energy scale.

The results presented in this Letter profit from a new auxiliary measurement (linearity fit) of the data-to-MC electron energy scale corrections as a function of the electron  $E_{\rm T}$ . In the photon energy scale calibration used in the previous Higgs boson mass measurement [10], only  $\eta$ -dependent energy scale factors were derived from 2015–2016 data. These were obtained by comparing the position of the peak of the invariant mass distribution of  $e^+e^-$  pairs from Z boson decays with that predicted by the simulation. The possible E<sub>T</sub>-dependence of the data-to-MC energy scale correction was accounted for as a systematic uncertainty, arising from the various sources belonging to the  $E_{\rm T}$ -dependent electron energy scale group, calculated as described in Ref. [35]. The new approach used in Ref. [14] exploits the larger sample of  $Z \to e^+e^-$  decays collected in 2015–2018 to derive residual data-to-MC energy scale factors in bins of electron transverse energy within broad  $\eta$  regions. The measurement of these additional scale factors is used to constrain the E<sub>T</sub>-dependent electron energy scale systematic uncertainties. The additional constraints and correlation of the systematic uncertainties from the linearity fit are propagated to the Higgs boson mass measurement by implementing in the likelihood function a multivariate Gaussian constraint term whose covariance is that returned by the linearity fit. The impact of the photon energy scale systematic uncertainties, including the effect of the linearity fit, was found to be independent of  $m_H$  for Higgs boson mass values in the range 124-126 GeV, and is expected to be approximately  $\pm 83$  MeV (with contributions of 60, 43, 30 and 23 MeV, respectively, from the four individual groups of  $Z \to e^+e^-$  calibration,  $E_T$ -dependent electron energy scale,  $e^{\pm} \rightarrow \gamma$  extrapolation and conversion modelling uncertainties). Compared to the results in Ref. [10], the simulation's more accurate description [13] of material upstream of the EM calorimeter and the lower

sensitivity of the new clustering algorithm to the effects of interactions with detector material reduced the associated systematic uncertainty by a factor close to three. In addition, the larger dataset allowed a more precise study of the  $e^{\pm} \rightarrow \gamma$  extrapolation procedure [14], and its impact on the expected  $m_H$  uncertainty is reduced by a factor larger than three. Furthermore, the contribution of the  $E_T$ -dependent electron energy scale uncertainties to the total expected  $m_H$  uncertainty has been reduced by a factor of two thanks to more precise dedicated measurements. Finally, the linearity fit constrains the expected uncertainty in the Higgs boson mass from the group of  $E_T$ -dependent energy scale uncertainties by a further factor of four.

The effect of interference between the  $gg \to H \to \gamma\gamma$  signal and the  $gg \to \gamma\gamma$  continuum background and between  $gq \to H \to \gamma\gamma$  and  $gq \to \gamma\gamma$  is not included in the simulated event samples used to study the nominal signal model. In the Standard Model, this interference is expected to change the signal cross-section by 1%–2% [36] and to shift the position of the peak in the diphoton invariant mass distribution by a few tens of MeV [37]. The size of this effect is treated as a systematic uncertainty, which is quantified by fitting the nominal signal-plus-background model to the sum of the  $m_{\gamma\gamma}$  distributions predicted by the nominal signal and background models and the  $m_{\gamma\gamma}$  distribution arising from such interference in simulated events. The relative differences between the nominal Higgs boson mass and the fitted mass in the various analysis categories are included in the likelihood function as a single nuisance parameter affecting the 14 categories coherently. The impact of the interference term on the determination of  $m_H$  is expected to be approximately  $\pm 24$  MeV.

The effect of a possible bias in the measured  $m_H$  value, due to mismodelling of the continuum background  $m_{\gamma\gamma}$  distribution, is evaluated by fitting the signal-plus-background model to the sum of the  $m_{\gamma\gamma}$  distribution of the background template described in the previous section and the  $m_{\gamma\gamma}$  distribution predicted by the signal model for  $m_H = 125$  GeV. The relative differences between the nominal Higgs boson mass and the fitted mass in the various analysis categories are then included in the likelihood function as 14 additional uncorrelated nuisance parameters, one per category. The impact of the background modelling uncertainty on the measurement of  $m_H$  is expected to be approximately  $\pm 18$  MeV.

The systematic uncertainty related to the selection of the diphoton production vertex is evaluated in a  $Z \to e^+e^-$  control sample. The directions of the selected electrons and positrons and thus their invariant mass are calculated using either the primary vertex candidate with the largest sum of the squared transverse momenta of the tracks associated to the vertex (which includes also the  $e^\pm$  tracks), or the primary vertex selected by the NN algorithm described in Section 4, where the electron and positron tracks are ignored. The separation between the peak positions of the two  $e^+e^-$  invariant mass distributions is evaluated separately in data and simulation. The maximum difference (5 MeV) between the separation observed in data and that observed in the simulation is taken as an additional systematic uncertainty in  $m_H$ .

Uncertainties from the chosen parameterisation of the nominal signal model are propagated to the final result by including 14 additional uncorrelated nuisance parameters in the likelihood function. They are determined by fitting the nominal signal-plus-background model to the sum of the  $m_{\gamma\gamma}$  distribution of simulated  $m_H = 125$  GeV signal events and that predicted by the nominal background model. The impact of the signal modelling uncertainty on the measurement of  $m_H$  is expected to be approximately  $\pm 5$  MeV.

The effect of the photon energy resolution uncertainty is included in the signal model as five nuisance parameters that affect the resolution parameter  $\sigma_{CB}$  of the Crystal Ball function and are treated as being correlated among categories. The impact of the five independent sources of photon energy resolution uncertainty is evaluated by comparing the nominal signal invariant mass distribution in each category with the ones obtained by varying the energy resolution of each photon according to its uncertainties. The sum in quadrature of the different components of the photon energy resolution uncertainty ranges from 4.5% for

C-type, outer-barrel, low- $p_{\text{Tt}}^{\gamma\gamma}$  events to 17% for U-type, central-barrel, high- $p_{\text{Tt}}^{\gamma\gamma}$  events. The impact of the photon energy resolution uncertainty on  $m_H$  is expected to be approximately  $\pm 3$  MeV.

Yield uncertainties from the Higgs boson branching ratio to diphotons and the integrated luminosity of the data, and uncertainties in the migrations of events between categories, from various experimental and theoretical sources, are included in the model. Experimental uncertainties in the efficiency of photon conversion reconstruction, photon identification, photon isolation and the photon triggers, as well as in the impact of the simulation's modelling of pile-up are considered. Theoretical uncertainties that are taken into account are those in the signal production cross-sections, in the modelling of the underlying event and parton shower, in the value of the strong coupling constant and in the parton distribution functions of the proton. All the uncertainties described in this paragraph are included in the fit, although their expected impact on the measurement of  $m_H$  was found to be below 1 MeV.

In summary, compared to the previous publication [10] based on 36 fb<sup>-1</sup> of ATLAS Run 2 data, the improvements in the photon energy calibration [14] and the optimised event classification lead to an expected fourfold reduction of the dominant systematic uncertainty in  $m_H$  (from the photon energy scale and resolution), from 320 MeV to 80 MeV, and a similar reduction of the total expected systematic uncertainty, from 330 MeV to 90 MeV.

### 7 Results

The  $m_{\gamma\gamma}$  distribution of the data, overlaid with the sum of the signal and background models corresponding to the maximum-likelihood estimates of the parameters of the likelihood function, is shown in Figure 2. All event categories are included. For illustration purposes, events in each category are weighted by a factor  $\ln(1+S_{90}^{\rm obs}/B_{90}^{\rm obs})$ , where  $S_{90}^{\rm obs}$  and  $B_{90}^{\rm obs}$  are the fitted signal and background yields in the smallest  $m_{\gamma\gamma}$  interval containing 90% of the signal.

The profile likelihood ratio as a function of  $m_H$  is shown in Figure 3(a). The value of the Higgs boson mass determined by fitting the profile likelihood ratio in Eq. (1) to the diphoton invariant mass distribution in data is:

$$m_H = 125.17 \pm 0.11(\text{stat.}) \pm 0.09(\text{syst.})$$
 GeV = 125.17 ± 0.14 GeV.

The statistical and systematic uncertainties are in good agreement with the values of 120 MeV and 90 MeV expected for a SM Higgs boson with the observed mass. The main sources of systematic uncertainty and their impact on the measurement are summarised in Table 2.

The signal strength  $\mu_c$  in each category c is compatible with the SM prediction  $\mu_c = 1$ , with the largest difference being 2.2 standard deviations ( $\sigma$ ) for the C-type, central-barrel, medium- $p_{\text{Tt}}^{\gamma\gamma}$  category. The global significance of this difference, taking into account a trial factor of 14, is less than  $1\sigma$ . The best-fit  $m_H$  values for the individual categories are in good agreement with each other, with a global p-value of 8%. If the same signal strength  $\mu$  is used for each category, the central value of  $m_H$  is shifted by -35 MeV, and the fitted value of  $\mu$  is in agreement with the SM prediction within 1.4 standard deviations. If the signal  $m_{\gamma\gamma}$  model is modified to account for the expected shift induced by interference with non-resonant background diphoton production, the measured value of the Higgs boson mass is increased by approximately 26 MeV.

The present measurement is combined with the previous one,  $m_H = 126.02 \pm 0.43 \text{(stat.)} \pm 0.27 \text{(syst.)}$  GeV, obtained by ATLAS in the diphoton channel using 25 fb<sup>-1</sup> of proton–proton collisions recorded at  $\sqrt{s} = 7$  and 8 TeV during Run 1 of the LHC in 2011–2012 [9]. The combination of ATLAS Run 1 and Run 2




Figure 2: Diphoton invariant mass distribution of all selected data events (black dots with error bars), overlaid with the result of the fit (solid red line). For both the data and the fit, each category is weighted by a factor  $\ln(1+S_{90}^{\text{obs}}/B_{90}^{\text{obs}})$ , where  $S_{90}^{\text{obs}}$  and  $B_{90}^{\text{obs}}$  are the fitted signal and background yields in the smallest  $m_{\gamma\gamma}$  interval containing 90% of the expected signal. The dotted line describes the background component of the model.

Table 2: Estimated impact of the main sources of systematic uncertainty on the  $m_H$  measurement with Run 2 data.

Source	Impact [MeV]
Photon energy scale	83
$Z \rightarrow e^+e^-$ calibration	59
$E_{\mathrm{T}}$ -dependent electron energy scale	44
$e^{\pm} \rightarrow \gamma$ extrapolation	30
Conversion modelling	24
Signal-background interference	26
Resolution	15
Background model	14
Selection of the diphoton production vertex	5
Signal model	1
Total	90




Figure 3: (a) Value of  $-2 \ln \Lambda$  as a function of  $m_H$  for the combined fit to all  $H \to \gamma \gamma$  categories. The intersections of the  $-2 \ln \Lambda$  curve with the horizontal lines labelled  $1\sigma$  and  $2\sigma$  provide the 68.3% and 95.5% confidence intervals. (b) Summary of the Higgs boson mass measurements from the analysis of  $H \to \gamma \gamma$  decays in ATLAS Run 2 data and combined Run 1 + Run 2 data presented in this Letter, compared with the combined Run 1 ATLAS result in the diphoton channel and with the Run 1 measurement by ATLAS and CMS [9] combining the diphoton and four-lepton channels. The statistical, systematic and total uncertainties are indicated with horizontal yellow-shaded bands, pink-shaded bands and black error bars, respectively. The vertical dashed line and grey shaded band around it indicate the central value and total uncertainty of the  $H \to \gamma \gamma$  ATLAS Run 1 + Run 2 measurement.

results is performed by simultaneously fitting a single  $m_H$  parameter to the two datasets. The nominal model including the 14 signal strengths  $\mu_c$  of the reconstructed categories is used for the Run 2 dataset, while two separate signal strengths, one each for production processes involving Higgs boson couplings to either fermions or vector bosons, are used for the Run 1 dataset. All 16 signal-strength parameters are profiled in the combined fit for  $m_H$ . Almost all the nuisance parameters, especially the  $E_T$ -dependent photon energy scale parameters affected by the linearity measurement and the parameters describing the extrapolation of the energy scale from electrons to photons, are assumed to be uncorrelated between the two measurements because of differences in the reconstruction algorithms and in the calibration procedures and control samples. The  $Z \to e^+e^-$  scale uncertainties and some of the resolution uncertainties, estimated in the same way for the two measurements, are treated as being fully correlated between the two data-taking periods. The combination with the Run 1 ATLAS measurement in the diphoton channel produces a small shift (+50 MeV) of the central value and a slight reduction (<10 MeV) of the statistical uncertainty, leading to:

$$m_H = 125.22 \pm 0.11$$
(stat.)  $\pm 0.09$ (syst.) GeV =  $125.22 \pm 0.14$  GeV.

The individual ATLAS Run 1 and Run 2 measurements in the diphoton channel and their combination are shown in Figure 3(b), together with the ATLAS+CMS Run 1 measurement [9] using  $H \to \gamma\gamma$  and  $H \to 4\ell$  decays.

### **8 Conclusion**

A measurement of the Higgs boson mass in the diphoton channel has been performed using the Run 2 pp collision data recorded by the ATLAS experiment at the CERN Large Hadron Collider at a centre-of-mass energy of 13 TeV, corresponding to an integrated luminosity of 140 fb<sup>-1</sup>. Compared to a previous measurement in the same decay channel, which was based on a four times smaller dataset at the same energy, this measurement has a systematic (total) uncertainty that is reduced by a factor close to four (three). The reduction in systematic uncertainty is mainly due to an improved photon energy scale calibration, with better energy resolution, and smaller  $E_T$ -dependent and  $e^{\pm} \rightarrow \gamma$  extrapolation uncertainties.

The Higgs boson mass is measured to be  $m_H = 125.17 \pm 0.14$  GeV. Combined with the Run 1 ATLAS result in the same decay channel, it yields a value  $m_H = 125.22 \pm 0.14$  GeV. With an uncertainty of 1.1 per mille, this is currently the most precise measurement of the Higgs boson mass from a single channel.

## Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [38].

### References

- [1] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B **716** (2012) 1, arXiv: 1207.7214 [hep-ex].
- [2] CMS Collaboration,

  Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC,

  Phys. Lett. B 716 (2012) 30, arXiv: 1207.7235 [hep-ex].
- [3] D. de Florian et al., Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs Sector, (2016), arXiv: 1610.07922 [hep-ph].
- [4] J. Haller et al., *Update of the global electroweak fit and constraints on two-Higgs-doublet models*, Eur. Phys. J. C **78** (2018) 675, arXiv: 1803.01853 [hep-ph].
- [5] M. Sher, Electroweak Higgs Potentials and Vacuum Stability, Phys. Rept. 179 (1989) 273.
- [6] G. Degrassi et al., *Higgs mass and vacuum stability in the Standard Model at NNLO*, JHEP **08** (2012) 098, arXiv: 1205.6497 [hep-ph].
- [7] ATLAS Collaboration,

  Measurement of the Higgs boson mass from the  $H \to \gamma \gamma$  and  $H \to ZZ^* \to 4\ell$  channels in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector,

  Phys. Rev. D **90** (2014) 052004, arXiv: 1406.3827 [hep-ex].
- [8] CMS Collaboration, *Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV*, Eur. Phys. J. C **75** (2015) 212, arXiv: 1412.8662 [hep-ex].
- [9] ATLAS and CMS Collaborations, Combined Measurement of the Higgs Boson Mass in pp Collisions at  $\sqrt{s} = 7$  and 8 TeV with the ATLAS and CMS Experiments, Phys. Rev. Lett. **114** (2015) 191803, arXiv: 1503.07589 [hep-ex].
- [10] ATLAS Collaboration, Measurement of the Higgs boson mass in the  $H \to ZZ^* \to 4\ell$  and  $H \to \gamma\gamma$  channels with  $\sqrt{s} = 13$  TeV pp collisions using the ATLAS detector, Phys. Lett. B **784** (2018) 345, arXiv: 1806.00242 [hep-ex].
- [11] CMS Collaboration, A measurement of the Higgs boson mass in the diphoton decay channel, Phys. Lett. B **805** (2020) 135425, arXiv: 2002.06398 [hep-ex].
- [12] ATLAS Collaboration, Measurement of the Higgs boson mass in the  $H \to ZZ^* \to 4\ell$  decay channel using 139 fb<sup>-1</sup> of  $\sqrt{s} = 13$  TeV pp collisions recorded by the ATLAS detector at the LHC, Phys. Lett. B **843** (2023) 137880, arXiv: 2207.00320 [hep-ex].
- [13] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, JINST **14** (2019) P12006, arXiv: 1908.00005 [hep-ex].
- [14] ATLAS Collaboration,

  Electron and photon energy calibration with the ATLAS detector using LHC Run 2 data,

  CERN-EP-2023-128 (2023), arXiv: 2309.05471 [hep-ex].
- [15] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, JINST **3** (2008) S08003.

- [16] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, url: https://cds.cern.ch/record/2767187.
- [17] ATLAS Collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run 2*, Eur. Phys. J. C **80** (2020) 47, arXiv: 1909.00761 [hep-ex].
- [18] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, JINST **15** (2020) P04003, arXiv: 1911.04632 [physics.ins-det].
- [19] ATLAS Collaboration,

  Luminosity determination in pp collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector at the LHC,

  Eur. Phys. J. C **83** (2023) 982, arXiv: 2212.09379 [hep-ex].
- [20] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, JINST **13** (2018) P07017.
- [21] ATLAS Collaboration, Measurement of the properties of Higgs boson production at  $\sqrt{s} = 13$  TeV in the  $H \rightarrow \gamma \gamma$  channel using 139 fb<sup>-1</sup> of pp collision data with the ATLAS experiment, JHEP **07** (2023) 088, arXiv: 2207.00348 [hep-ex].
- [22] T. Sjöstrand, S. Mrenna and P. Skands, *A brief introduction to PYTHIA 8.1*, Comput. Phys. Commun. **178** (2008) 852, arXiv: 0710.3820 [hep-ph].
- [23] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, JHEP **06** (2010) 043, arXiv: 1002.2581 [hep-ph].
- [24] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, JHEP **07** (2014) 079, arXiv: 1405.0301 [hep-ph].
- [25] T. Sjöstrand et al., *An introduction to PYTHIA* 8.2, Comput. Phys. Commun. **191** (2015) 159, arXiv: 1410.3012 [hep-ph].
- [26] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, Eur. Phys. J. C **70** (2010) 823, arXiv: 1005.4568 [physics.ins-det].
- [27] S. Agostinelli et al., Geant 4 a simulation toolkit, Nucl. Instrum. Meth. A 506 (2003) 250.
- [28] J. Bellm et al., *Herwig 7.1 Release Note*, (2017), arXiv: 1705.06919 [hep-ph].
- [29] E. Bothmann et al., Event generation with Sherpa 2.2, SciPost Phys. 7 (2019) 034, arXiv: 1905.09127 [hep-ph].
- [30] ATLAS Collaboration,

  The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim,

  ATL-PHYS-PUB-2010-013, 2010, URL: https://cds.cern.ch/record/1300517.
- [31] ATLAS Collaboration, Measurement of Higgs boson production in the diphoton decay channel in pp collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector, Phys. Rev. D **90** (2014) 112015, arXiv: 1408.7084 [hep-ex].
- [32] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, Eur. Phys. J. C **71** (2011) 1554, arXiv: **1007.1727** [physics.data-an], Erratum: Eur. Phys. J. C **73** (2013) 2501.
- [33] ATLAS Collaboration, Combined search for the Standard Model Higgs boson in pp collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector, Phys. Rev. D **86** (2012) 032003, arXiv: 1207.0319 [hep-ex].

- [34] M. Oreglia, A Study of the Reactions  $\psi' \to \gamma \gamma \psi$ , Appendix D, (1980), URL: http://www-public.slac.stanford.edu/sciDoc/docMeta.aspx?slacPubNumber=slac-r-236.html.
- [35] ATLAS Collaboration, *Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton–proton collision data*, JINST **14** (2019) P03017, arXiv: 1812.03848 [hep-ex].
- [36] L. Dixon and M. S. Siu, Resonance-Continuum Interference in the Diphoton Higgs Signal at the LHC, Phys. Rev. Lett. **90** (2003) 252001, arXiv: hep-ph/0302233.
- [37] ATLAS Collaboration, Estimate of the  $m_H$  shift due to interference between signal and background processes in the  $H \to \gamma \gamma$  channel, for the  $\sqrt{s} = 8$  TeV dataset recorded by ATLAS, ATL-PHYS-PUB-2016-009, 2016, URL: https://cds.cern.ch/record/2146386.
- [38] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, URL: https://cds.cern.ch/record/2869272.

#### The ATLAS Collaboration

```
G. Aad 10102, B. Abbott 10120, K. Abeling 1055, N.J. Abicht 1049, S.H. Abidi 1029, A. Aboulhorma 1035e,
H. Abramowicz 151, H. Abreu 150, Y. Abulaiti 117, B.S. Acharya 169a,69b,m, C. Adam Bourdarios 4,
L. Adamczyk 686a, S.V. Addepalli 626, M.J. Addison 6101, J. Adelman 6115, A. Adiguzel 621c,
T. Adye 134, A.A. Affolder 136, Y. Afik 36, M.N. Agaras 13, J. Agarwala 73a,73b,
A. Aggarwal \mathbb{D}^{100}, C. Agheorghiesei \mathbb{D}^{27c}, A. Ahmad \mathbb{D}^{36}, F. Ahmadov \mathbb{D}^{38,y}, W.S. Ahmed \mathbb{D}^{104},
S. Ahuja (1995), X. Ai (1962a), G. Aielli (1976a,76b), A. Aikot (1916a), M. Ait Tamlihat (1935e), B. Aitbenchikh (1935a),
I. Aizenberg 169, M. Akbiyik 100, T.P.A. Åkesson 98, A.V. Akimov 37, D. Akiyama 168,
N.N. Akolkar (D<sup>24</sup>, K. Al Khoury (D<sup>41</sup>, G.L. Alberghi (D<sup>23b</sup>, J. Albert (D<sup>165</sup>, P. Albicocco (D<sup>53</sup>),
G.L. Albouy 60, S. Alderweireldt 52, M. Aleksa 536, I.N. Aleksandrov 538, C. Alexa 5276,
T. Alexopoulos (10), F. Alfonsi (12), M. Algren (15), M. Alhroob (120), B. Ali (13), H.M.J. Ali (19),
S. Ali 148, S.W. Alibocus 192, M. Aliev 145, G. Alimonti 171a, W. Alkakhi 155, C. Allaire 166,
B.M.M. Allbrooke <sup>146</sup>, J.F. Allen <sup>52</sup>, C.A. Allendes Flores <sup>137f</sup>, P.P. Allport <sup>20</sup>, A. Aloisio <sup>72a,72b</sup>,
F. Alonso <sup>690</sup>, C. Alpigiani <sup>6138</sup>, M. Alvarez Estevez <sup>699</sup>, A. Alvarez Fernandez <sup>6100</sup>,
M. Alves Cardoso 656, M.G. Alviggi 672a,72b, M. Aly 6101, Y. Amaral Coutinho 83b, A. Ambler 6104,
C. Amelung<sup>36</sup>, M. Amerl <sup>1010</sup>, C.G. Ames <sup>1010</sup>, D. Amidei <sup>1010</sup>, S.P. Amor Dos Santos <sup>10130</sup>a,
K.R. Amos © 163, V. Ananiev © 125, C. Anastopoulos © 139, T. Andeen © 11, J.K. Anders © 36,
S.Y. Andrean (D<sup>47a,47b</sup>, A. Andreazza (D<sup>71a,71b</sup>, S. Angelidakis (D<sup>9</sup>, A. Angerami (D<sup>41,ab</sup>,
A.V. Anisenkov (1937), A. Annovi (1974a), C. Antel (1956), M.T. Anthony (19139), E. Antipov (19145).
M. Antonelli ©<sup>53</sup>, F. Anulli ©<sup>75a</sup>, M. Aoki ©<sup>84</sup>, T. Aoki ©<sup>153</sup>, J.A. Aparisi Pozo ©<sup>163</sup>, M.A. Aparo ©<sup>146</sup>,
L. Aperio Bella <sup>648</sup>, C. Appelt <sup>618</sup>, A. Apyan <sup>626</sup>, N. Aranzabal <sup>636</sup>, S.J. Arbiol Val <sup>687</sup>,
C. Arcangeletti \mathbb{D}^{53}, A.T.H. Arce \mathbb{D}^{51}, E. Arena \mathbb{D}^{92}, J-F. Arguin \mathbb{D}^{108}, S. Argyropoulos \mathbb{D}^{54},
J.-H. Arling (D<sup>48</sup>, O. Arnaez (D<sup>4</sup>, H. Arnold (D<sup>114</sup>, G. Artoni (D<sup>75a,75b</sup>, H. Asada (D<sup>111</sup>, K. Asai (D<sup>118</sup>),
S. Asai 10153, N.A. Asbah 1061, K. Assamagan 1029, R. Astalos 1028a, S. Atashi 10160, R.J. Atkin 1033a,
M. Atkinson<sup>162</sup>, H. Atmani<sup>35f</sup>, P.A. Atmasiddha <sup>106</sup>, K. Augsten <sup>132</sup>, S. Auricchio <sup>72a,72b</sup>,
A.D. Auriol 620, V.A. Austrup 6101, G. Avolio 636, K. Axiotis 656, G. Azuelos 6108, D. Babal 6286,
H. Bachacou 135, K. Bachas 152,p, A. Bachiu 34, F. Backman 47a,47b, A. Badea 61, T.M. Baer 106,
P. Bagnaia (D75a,75b), M. Bahmani (D18), A.J. Bailey (D163), V.R. Bailey (D162), J.T. Baines (D134), L. Baines (D94),
O.K. Baker 172, E. Bakos 15, D. Bakshi Gupta 8, V. Balakrishnan 120, R. Balasubramanian 114,
E.M. Baldin ^{\odot 37}, P. Balek ^{\odot 86a}, E. Ballabene ^{\odot 23b,23a}, F. Balli ^{\odot 135}, L.M. Baltes ^{\odot 63a}, W.K. Balunas ^{\odot 32},
J. Balz 100, E. Banas 187, M. Bandieramonte 129, A. Bandyopadhyay 124, S. Bansal 124,
L. Barak 151, M. Barakat 48, E.L. Barberio 105, D. Barberis 576,57a, M. Barbero 102,
M.Z. Barel © 114, K.N. Barends © 33a, T. Barillari © 110, M-S. Barisits © 36, T. Barklow © 143, P. Baron © 122,
D.A. Baron Moreno (D101), A. Baroncelli (D62a), G. Barone (D29), A.J. Barr (D126), J.D. Barr (D96),
L. Barranco Navarro (D<sup>47a,47b</sup>, F. Barreiro (D<sup>99</sup>, J. Barreiro Guimarães da Costa (D<sup>14a</sup>, U. Barron (D<sup>151</sup>),
M.G. Barros Teixeira 130a, S. Barsov 137, F. Bartels 163a, R. Bartoldus 143, A.E. Barton 191,
P. Bartos (D<sup>28a</sup>, A. Basan (D<sup>100</sup>, M. Baselga (D<sup>49</sup>, A. Bassalat (D<sup>66,b</sup>, M.J. Basso (D<sup>156a</sup>, C.R. Basson (D<sup>101</sup>),
R.L. Bates \bigcirc^{59}, S. Batlamous ^{35e}, J.R. Batley \bigcirc^{32}, B. Batool \bigcirc^{141}, M. Battaglia \bigcirc^{136}, D. Battulga \bigcirc^{18},
M. Bauce \bigcirc^{75a,75b}, M. Bauer \bigcirc^{36}, P. Bauer \bigcirc^{24}, L.T. Bazzano Hurrell \bigcirc^{30}, J.B. Beacham \bigcirc^{51},
T. Beau © 127, J.Y. Beaucamp © 90, P.H. Beauchemin © 158, F. Becherer © 54, P. Bechtle © 24,
H.P. Beck (19,0), K. Becker (167), A.J. Beddall (182), V.A. Bednyakov (1838), C.P. Bee (1845),
L.J. Beemster 15, T.A. Beermann 36, M. Begalli 83d, M. Begel 29, A. Behera 145, J.K. Behr 48,
J.F. Beirer 055, F. Beisiegel 024, M. Belfkir 0159, G. Bella 0151, L. Bellagamba 023b, A. Bellerive 034,
P. Bellos (D<sup>20</sup>, K. Beloborodov (D<sup>37</sup>, D. Benchekroun (D<sup>35a</sup>, F. Bendebba (D<sup>35a</sup>, Y. Benhammou (D<sup>151</sup>),
M. Benoit <sup>©29</sup>, J.R. Bensinger <sup>©26</sup>, S. Bentvelsen <sup>©114</sup>, L. Beresford <sup>©48</sup>, M. Beretta <sup>©53</sup>,
```

```
E. Bergeaas Kuutmann 161, N. Berger 4, B. Bergmann 132, J. Beringer 17a, G. Bernardi 5,
C. Bernius 143, F.U. Bernlochner 24, F. Bernon 36,102, A. Berrocal Guardia 13, T. Berry 55,
P. Berta (133), A. Berthold (150), I.A. Bertram (191), S. Bethke (110), A. Betti (175a,75b), A.J. Bevan (194),
N.K. Bhalla <sup>654</sup>, M. Bhamjee <sup>633c</sup>, S. Bhatta <sup>6145</sup>, D.S. Bhattacharya <sup>6166</sup>, P. Bhattarai <sup>6143</sup>,
V.S. Bhopatkar (D<sup>121</sup>, R. Bi<sup>29,ai</sup>, R.M. Bianchi (D<sup>129</sup>, G. Bianco (D<sup>23b,23a</sup>, O. Biebel (D<sup>109</sup>, R. Bielski (D<sup>123</sup>,
M. Biglietti \bigcirc^{77a}, M. Bindi \bigcirc^{55}, A. Bingul \bigcirc^{21b}, C. Bini \bigcirc^{75a,75b}, A. Biondini \bigcirc^{92}, C.J. Birch-sykes \bigcirc^{101},
G.A. Bird (D<sup>20</sup>,134), M. Birman (D<sup>169</sup>), M. Biros (D<sup>133</sup>), S. Biryukov (D<sup>146</sup>), T. Bisanz (D<sup>49</sup>),
E. Bisceglie (D43b,43a, J.P. Biswal (D134, D. Biswas (D141, A. Bitadze (D101, K. Bjørke (D125, I. Bloch (D48,
C. Blocker (D<sup>26</sup>, A. Blue (D<sup>59</sup>, U. Blumenschein (D<sup>94</sup>, J. Blumenthal (D<sup>100</sup>, G.J. Bobbink (D<sup>114</sup>,
V.S. Bobrovnikov \bigcirc^{37}, M. Boehler \bigcirc^{54}, B. Boehm \bigcirc^{166}, D. Bogavac \bigcirc^{36}, A.G. Bogdanchikov \bigcirc^{37},
C. Bohm (D<sup>47</sup>a), V. Boisvert (D<sup>95</sup>), P. Bokan (D<sup>48</sup>), T. Bold (D<sup>86</sup>a), M. Bomben (D<sup>5</sup>), M. Bona (D<sup>94</sup>),
M. Boonekamp <sup>135</sup>, C.D. Booth <sup>95</sup>, A.G. Borbély <sup>59</sup>, I.S. Bordulev <sup>37</sup>, H.M. Borecka-Bielska <sup>108</sup>,
G. Borissov (D<sup>91</sup>, D. Bortoletto (D<sup>126</sup>, D. Boscherini (D<sup>23b</sup>, M. Bosman (D<sup>13</sup>, J.D. Bossio Sola (D<sup>36</sup>),
K. Bouaouda (D35a), N. Bouchhar (D163), J. Boudreau (D129), E.V. Bouhova-Thacker (D91), D. Boumediene (D40),
R. Bouquet 165, A. Boveia 119, J. Boyd 36, D. Boye 29, I.R. Boyko 38, J. Bracinik 20,
N. Brahimi 62d, G. Brandt 171, O. Brandt 32, F. Braren 48, B. Brau 103, J.E. Brau 123,
R. Brener 169, L. Brenner 114, R. Brenner 161, S. Bressler 169, D. Britton 159, D. Britzger 110,
I. Brock ^{\odot}2^4, G. Brooijmans ^{\odot}4^1, W.K. Brooks ^{\odot}1^{37f}, E. Brost ^{\odot}2^9, L.M. Brown ^{\odot}1^{65}, L.E. Bruce ^{\odot}6^1, T.L. Bruckler ^{\odot}1^{26}, P.A. Bruckman de Renstrom ^{\odot}8^7, B. Brüers ^{\odot}4^8, A. Bruni ^{\odot}2^{3b}, G. Bruni ^{\odot}2^{3b},
M. Bruschi (D<sup>23b</sup>, N. Bruscino (D<sup>75a,75b</sup>, T. Buanes (D<sup>16</sup>, Q. Buat (D<sup>138</sup>, D. Buchin (D<sup>110</sup>, A.G. Buckley (D<sup>59</sup>),
O. Bulekov \bigcirc^{37}, B.A. Bullard \bigcirc^{143}, S. Burdin \bigcirc^{92}, C.D. Burgard \bigcirc^{49}, A.M. Burger \bigcirc^{40},
B. Burghgrave <sup>108</sup>, O. Burlayenko <sup>1054</sup>, J.T.P. Burr <sup>1032</sup>, C.D. Burton <sup>1011</sup>, J.C. Burzynski <sup>10142</sup>,
E.L. Busch (D<sup>41</sup>, V. Büscher (D<sup>100</sup>, P.J. Bussey (D<sup>59</sup>, J.M. Butler (D<sup>25</sup>, C.M. Buttar (D<sup>59</sup>),
J.M. Butterworth <sup>6</sup>96, W. Buttinger <sup>6</sup>134, C.J. Buxo Vazquez <sup>6</sup>107, A.R. Buzykaev <sup>37</sup>7,
S. Cabrera Urbán (163), L. Cadamuro (166), D. Caforio (158), H. Cai (129), Y. Cai (144,14e), Y. Cai (144,14e), Y. Cai (154,14e), Y. Cai (1
V.M.M. Cairo (1036), O. Cakir (103a), N. Calace (1036), P. Calafiura (1017a), G. Calderini (10127), P. Calfayan (1068),
G. Callea 59, L.P. Caloba 83b, D. Calvet 640, S. Calvet 640, T.P. Calvet 10102, M. Calvetti 74a,74b,
R. Camacho Toro 127, S. Camarda 36, D. Camarero Munoz 26, P. Camarri 76a,76b,
M.T. Camerlingo (D<sup>72a,72b</sup>, D. Cameron (D<sup>36</sup>, C. Camincher (D<sup>165</sup>, M. Campanelli (D<sup>96</sup>, A. Camplani (D<sup>42</sup>),
V. Canale (D<sup>72a,72b</sup>, A. Canesse (D<sup>104</sup>, J. Cantero (D<sup>163</sup>, Y. Cao (D<sup>162</sup>, F. Capocasa (D<sup>26</sup>, M. Capua (D<sup>43b,43a</sup>,
A. Carbone \bigcirc^{71a,71b}, R. Cardarelli \bigcirc^{76a}, J.C.J. Cardenas \bigcirc^{8}, F. Cardillo \bigcirc^{163}, G. Carducci \bigcirc^{43b,43a},
T. Carli <sup>10</sup> <sup>36</sup>, G. Carlino <sup>17</sup> <sup>2a</sup>, J.I. Carlotto <sup>13</sup>, B.T. Carlson <sup>129,q</sup>, E.M. Carlson <sup>165,156a</sup>,
L. Carminati (D<sup>71a,71b</sup>, A. Carnelli (D<sup>135</sup>, M. Carnesale (D<sup>75a,75b</sup>, S. Caron (D<sup>113</sup>, E. Carquin (D<sup>137f</sup>,
S. Carrá (D<sup>71a</sup>, G. Carratta (D<sup>23b,23a</sup>, F. Carrio Argos (D<sup>33g</sup>, J.W.S. Carter (D<sup>155</sup>, T.M. Carter (D<sup>52</sup>),
M.P. Casado (D13,i), M. Caspar (D48), F.L. Castillo (D4), L. Castillo Garcia (D13), V. Castillo Gimenez (D163),
N.F. Castro (D130a,130e), A. Catinaccio (D36), J.R. Catmore (D125), V. Cavaliere (D29), N. Cavalli (D23b,23a),
V. Cavasinni ©<sup>74a,74b</sup>, Y.C. Cekmecelioglu ©<sup>48</sup>, E. Celebi ©<sup>21a</sup>, F. Celli ©<sup>126</sup>, M.S. Centonze ©<sup>70a,70b</sup>,
V. Cepaitis 656, K. Cerny 122, A.S. Cerqueira 83a, A. Cerri 146, L. Cerrito 76a,76b, F. Cerutti 17a,
B. Cervato 141, A. Cervelli 23b, G. Cesarini 53, S.A. Cetin 82, Z. Chadi 35a, D. Chakraborty 115,
J. Chan 6 170, W.Y. Chan 6 153, J.D. Chapman 6 22, E. Chapon 6 135, B. Chargeishvili 6 149b,
D.G. Charlton (D<sup>20</sup>, T.P. Charman (D<sup>94</sup>, M. Chatterjee (D<sup>19</sup>, C. Chauhan (D<sup>133</sup>, S. Chekanov (D<sup>6</sup>),
S.V. Chekulaev 156a, G.A. Chelkov 138,a, A. Chen 10106, B. Chen 151, B. Chen 10165, H. Chen 1014c,
H. Chen (D<sup>29</sup>, J. Chen (D<sup>62c</sup>, J. Chen (D<sup>142</sup>, M. Chen (D<sup>126</sup>, S. Chen (D<sup>153</sup>, S.J. Chen (D<sup>14c</sup>, X. Chen (D<sup>62c</sup>, 135),
X. Chen (D<sup>14b</sup>,ae), Y. Chen (D<sup>62a</sup>, C.L. Cheng (D<sup>170</sup>), H.C. Cheng (D<sup>64a</sup>, S. Cheong (D<sup>143</sup>), A. Cheplakov (D<sup>38</sup>),
E. Cheremushkina <sup>648</sup>, E. Cherepanova <sup>6114</sup>, R. Cherkaoui El Moursli <sup>635e</sup>, E. Cheu <sup>67</sup>, K. Cheung <sup>65</sup>,
L. Chevalier 135, V. Chiarella 53, G. Chiarelli 74a, N. Chiedde 102, G. Chiodini 70a,
A.S. Chisholm <sup>©20</sup>, A. Chitan <sup>©27b</sup>, M. Chitishvili <sup>©163</sup>, M.V. Chizhov <sup>©38</sup>, K. Choi <sup>©11</sup>,
```

```
A.R. Chomont <sup>1075a,75b</sup>, Y. Chou <sup>10103</sup>, E.Y.S. Chow <sup>10113</sup>, T. Chowdhury <sup>1033g</sup>, K.L. Chu<sup>169</sup>,
M.C. Chu (10<sup>64a</sup>, X. Chu (10<sup>14a,14e</sup>, J. Chudoba (10<sup>131</sup>, J.J. Chwastowski (10<sup>87</sup>, D. Cieri (10<sup>110</sup>, K.M. Ciesla (10<sup>86a</sup>,
V. Cindro (1993), A. Ciocio (1917a), F. Cirotto (1972a,72b), Z.H. Citron (19169,k), M. Citterio (1971a),
D.A. Ciubotaru<sup>27b</sup>, B.M. Ciungu <sup>155</sup>, A. Clark <sup>56</sup>, P.J. Clark <sup>52</sup>, C. Clarry <sup>155</sup>,
J.M. Clavijo Columbie <sup>648</sup>, S.E. Clawson <sup>648</sup>, C. Clement <sup>647a,47b</sup>, J. Clercx <sup>648</sup>, L. Clissa <sup>623b,23a</sup>,
Y. Coadou D<sup>102</sup>, M. Cobal D<sup>69a,69c</sup>, A. Coccaro D<sup>57b</sup>, R.F. Coelho Barrue D<sup>130a</sup>,
R. Coelho Lopes De Sa 103, S. Coelli 171a, H. Cohen 151, A.E.C. Coimbra 171a, 71b, B. Cole 141,
J. Collot 60, P. Conde Muiño 130a,130g, M.P. Connell 33c, S.H. Connell 33c, I.A. Connelly 59,
E.I. Conroy 126, F. Conventi 72a,ag, H.G. Cooke 20, A.M. Cooper-Sarkar 126,
A. Cordeiro Oudot Choi 127, L.D. Corpe 40, M. Corradi 75a,75b, F. Corriveau 10104,w,
A. Cortes-Gonzalez 18, M.J. Costa 16, F. Costanza 4, D. Costanzo 13, B.M. Cote 11,
G. Cowan 695, K. Cranmer 6170, D. Cremonini 623b,23a, S. Crépé-Renaudin 600, F. Crescioli 6127,
M. Cristinziani 141, M. Cristoforetti 78a,78b, V. Croft 14, J.E. Crosby 121, G. Crosetti 43b,43a,
A. Cueto <sup>199</sup>, T. Cuhadar Donszelmann <sup>160</sup>, H. Cui <sup>14a,14e</sup>, Z. Cui <sup>7</sup>, W.R. Cunningham <sup>59</sup>,
F. Curcio (D43b,43a), P. Czodrowski (D36), M.M. Czurylo (D63b), M.J. Da Cunha Sargedas De Sousa (D57b,57a),
J.V. Da Fonseca Pinto (D83b), C. Da Via (D101), W. Dabrowski (D86a), T. Dado (D49), S. Dahbi (D33g),
T. Dai 100, D. Dal Santo 1019, C. Dallapiccola 1010, M. Dam 1042, G. D'amen 1029, V. D'Amico 10109,
J. Damp 100, J.R. Dandoy 128, M.F. Daneri 30, M. Danninger 142, V. Dao 36, G. Darbo 57b,
S. Darmora 6, S.J. Das 629,ai, S. D'Auria 671a,71b, C. David 6156b, T. Davidek 6133,
B. Davis-Purcell <sup>©34</sup>, I. Dawson <sup>©94</sup>, H.A. Day-hall <sup>©132</sup>, K. De <sup>©8</sup>, R. De Asmundis <sup>©72a</sup>.
N. De Biase (D<sup>48</sup>, S. De Castro (D<sup>23b,23a</sup>, N. De Groot (D<sup>113</sup>, P. de Jong (D<sup>114</sup>, H. De la Torre (D<sup>115</sup>),
A. De Maria 1014c, A. De Salvo 1075a, U. De Sanctis 1076a,76b, A. De Santo 10146,
J.B. De Vivie De Regie \bigcirc^{60}, D.V. Dedovich<sup>38</sup>, J. Degens \bigcirc^{114}, A.M. Deiana \bigcirc^{44}, F. Del Corso \bigcirc^{23b,23a}, J. Del Peso \bigcirc^{99}, F. Del Rio \bigcirc^{63a}, F. Deliot \bigcirc^{135}, C.M. Delitzsch \bigcirc^{49}, M. Della Pietra \bigcirc^{72a,72b},
D. Della Volpe <sup>56</sup>, A. Dell'Acqua <sup>36</sup>, L. Dell'Asta <sup>71a,71b</sup>, M. Delmastro <sup>4</sup>, P.A. Delsart <sup>60</sup>,
S. Demers \bigcirc^{172}, M. Demichev \bigcirc^{38}, S.P. Denisov \bigcirc^{37}, L. D'Eramo \bigcirc^{40}, D. Derendarz \bigcirc^{87}, F. Derue \bigcirc^{127},
P. Dervan (5)24, K. Desch (5)24, C. Deutsch (5)24, F.A. Di Bello (5)57b,57a, A. Di Ciaccio (5)76a,76b,
L. Di Ciaccio <sup>64</sup>, A. Di Domenico <sup>675a,75b</sup>, C. Di Donato <sup>672a,72b</sup>, A. Di Girolamo <sup>636</sup>,
G. Di Gregorio (b)36, A. Di Luca (b)78a,78b, B. Di Micco (b)77a,77b, R. Di Nardo (b)77a,77b, C. Diaconu (b)102,
M. Diamantopoulou <sup>134</sup>, F.A. Dias <sup>114</sup>, T. Dias Do Vale <sup>142</sup>, M.A. Diaz <sup>137a,137b</sup>,
F.G. Diaz Capriles (D<sup>24</sup>, M. Didenko (D<sup>163</sup>, E.B. Diehl (D<sup>106</sup>, L. Diehl (D<sup>54</sup>, S. Díez Cornell (D<sup>48</sup>,
C. Diez Pardos 141, C. Dimitriadi 161,24,161, A. Dimitrievska 17a, J. Dingfelder 17a, J. 
S.J. Dittmeier (1063b), F. Dittus (1036), F. Djama (1012), T. Djobava (10149b), J.I. Djuvsland (1016), C. Doglioni (10149b), A. Dohnalova (1028a), J. Dolejsi (10133), Z. Dolezal (10133), K.M. Dona (1039),
M. Donadelli <sup>©83c</sup>, B. Dong <sup>©107</sup>, J. Donini <sup>©40</sup>, A. D'Onofrio <sup>©77a,77b</sup>, M. D'Onofrio <sup>©92</sup>,
J. Dopke 134, A. Doria 72a, N. Dos Santos Fernandes 130a, P. Dougan 101, M.T. Dova 99,
A.T. Doyle <sup>59</sup>, M.A. Draguet <sup>126</sup>, E. Dreyer <sup>169</sup>, I. Drivas-koulouris <sup>10</sup>, M. Drnevich <sup>117</sup>,
A.S. Drobac <sup>158</sup>, M. Drozdova <sup>56</sup>, D. Du <sup>62a</sup>, T.A. du Pree <sup>114</sup>, F. Dubinin <sup>37</sup>, M. Dubovsky <sup>28a</sup>,
E. Duchovni 10169, G. Duckeck 10109, O.A. Ducu 1027b, D. Duda 1052, A. Dudarev 1036, E.R. Duden 1026,
M. D'uffizi 10101, L. Duflot 1066, M. Dührssen 1036, C. Dülsen 10171, A.E. Dumitriu 1027b, M. Dunford 1063a,
S. Dungs <sup>1049</sup>, K. Dunne <sup>1047a,47b</sup>, A. Duperrin <sup>102</sup>, H. Duran Yildiz <sup>103a</sup>, M. Düren <sup>1058</sup>,
A. Durglishvili (149b), B.L. Dwyer (115), G.I. Dyckes (17a), M. Dyndal (186a), B.S. Dziedzic (187),
Z.O. Earnshaw 146, G.H. Eberwein 126, B. Eckerova 128a, S. Eggebrecht 155,
E. Egidio Purcino De Souza 127, L.F. Ehrke 56, G. Eigen 16, K. Einsweiler 17a, T. Ekelof 161,
P.A. Ekman <sup>6</sup> <sup>98</sup>, S. El Farkh <sup>6</sup> <sup>35b</sup>, Y. El Ghazali <sup>6</sup> <sup>35b</sup>, H. El Jarrari <sup>6</sup> <sup>35e,148</sup>, A. El Moussaouy <sup>6</sup> <sup>108</sup>,
V. Ellajosyula © 161, M. Ellert © 161, F. Ellinghaus © 171, N. Ellis © 36, J. Elmsheuser © 29, M. Elsing © 36,
D. Emeliyanov 134, Y. Enari 153, I. Ene 17a, S. Epari 13, J. Erdmann 149, P.A. Erland 187,
```

```
M. Errenst ^{\bullet 171}, M. Escalier ^{\bullet 66}, C. Escobar ^{\bullet 163}, E. Etzion ^{\bullet 151}, G. Evans ^{\bullet 130a}, H. Evans ^{\bullet 68},
L.S. Evans (D<sup>95</sup>, M.O. Evans (D<sup>146</sup>, A. Ezhilov (D<sup>37</sup>, S. Ezzarqtouni (D<sup>35a</sup>, F. Fabbri (D<sup>59</sup>, L. Fabbri (D<sup>23b,23a</sup>,
G. Facini ©96, V. Fadeyev ©136, R.M. Fakhrutdinov ©37, S. Falciano ©75a, L.F. Falda Ulhoa Coelho ©36,
P.J. Falke (D<sup>24</sup>, J. Faltova (D<sup>133</sup>, C. Fan (D<sup>162</sup>, Y. Fan (D<sup>14a</sup>, Y. Fang (D<sup>14a,14e</sup>, M. Fanti (D<sup>71a,71b</sup>,
M. Faraj 69a,69b, Z. Farazpay 697, A. Farbin 68, A. Farilla 677a, T. Farooque 6107, S.M. Farrington 652,
F. Fassi 635e, D. Fassouliotis 69, M. Faucci Giannelli 676a,76b, W.J. Fawcett 632, L. Fayard 666,
P. Federic 133, P. Federicova 131, O.L. Fedin 37,a, G. Fedotov 37, M. Feickert 170,
L. Feligioni (102), D.E. Fellers (123), C. Feng (162b), M. Feng (14b), Z. Feng (114), M.J. Fenton (160),
A.B. Fenyuk<sup>37</sup>, L. Ferencz <sup>648</sup>, R.A.M. Ferguson <sup>691</sup>, S.I. Fernandez Luengo <sup>6137f</sup>,
P. Fernandez Martinez 13, M.J.V. Fernoux 10, J. Ferrando 14, A. Ferrari 16, P. Ferrari 114,113,
R. Ferrari \mathbb{D}^{73a}, D. Ferrere \mathbb{D}^{56}, C. Ferretti \mathbb{D}^{106}, F. Fiedler \mathbb{D}^{100}, P. Fiedler \mathbb{D}^{132}, A. Filipčič \mathbb{D}^{93},
E.K. Filmer <sup>1</sup>, F. Filthaut <sup>113</sup>, M.C.N. Fiolhais <sup>130a,130c,c</sup>, L. Fiorini <sup>163</sup>, W.C. Fisher <sup>107</sup>,
T. Fitschen 10101, P.M. Fitzhugh 135, I. Fleck 10141, P. Fleischmann 10106, T. Flick 10171, M. Flores 1033d,ac,
L.R. Flores Castillo 64a, L. Flores Sanz De Acedo 536, F.M. Follega 78a,78b, N. Fomin 616,
J.H. Foo (155), B.C. Forland<sup>68</sup>, A. Formica (153), A.C. Forti (150), E. Fortin (153), A.W. Fortman (154),
M.G. Foti \bigcirc^{17a}, L. Fountas \bigcirc^{9,j}, D. Fournier \bigcirc^{66}, H. Fox \bigcirc^{91}, P. Francavilla \bigcirc^{74a,74b}, S. Francescato \bigcirc^{61},
S. Franchellucci (D<sup>56</sup>, M. Franchini (D<sup>23b,23a</sup>, S. Franchino (D<sup>63a</sup>, D. Francis<sup>36</sup>, L. Franco (D<sup>113</sup>),
V. Franco Lima 636, L. Franconi 648, M. Franklin 661, G. Frattari 626, A.C. Freegard 694,
W.S. Freund <sup>683b</sup>, Y.Y. Frid <sup>6151</sup>, J. Friend <sup>659</sup>, N. Fritzsche <sup>650</sup>, A. Froch <sup>654</sup>, D. Froidevaux <sup>636</sup>,
J.A. Frost <sup>126</sup>, Y. Fu <sup>62a</sup>, S. Fuenzalida Garrido <sup>137f</sup>, M. Fujimoto <sup>102</sup>, E. Fullana Torregrosa <sup>163,*</sup>,
K.Y. Fung 64a, E. Furtado De Simas Filho 83b, M. Furukawa 6153, J. Fuster 6163, A. Gabrielli 623b,23a,
A. Gabrielli 155, P. Gadow 56, G. Gagliardi 576, L.G. Gagnon 17a, E.J. Gallas 126,
B.J. Gallop 134, K.K. Gan 119, S. Ganguly 153, Y. Gao 52, F.M. Garay Walls 137a,137b, B. Garcia,
C. García 163, A. Garcia Alonso 114, A.G. Garcia Caffaro 172, J.E. García Navarro 163,
M. Garcia-Sciveres <sup>17a</sup>, G.L. Gardner <sup>128</sup>, R.W. Gardner <sup>39</sup>, N. Garelli <sup>158</sup>, D. Garg <sup>80</sup>,
R.B. Garg 143,n, J.M. Gargan<sup>52</sup>, C.A. Garner<sup>155</sup>, C.M. Garvey 33a, P. Gaspar 83b, V.K. Gassmann<sup>158</sup>,
G. Gaudio 173a, V. Gautam<sup>13</sup>, P. Gauzzi 175a,75b, I.L. Gavrilenko 137, A. Gavrilyuk 137, C. Gay 164,
G. Gaycken (D<sup>48</sup>, E.N. Gazis (D<sup>10</sup>, A.A. Geanta (D<sup>27b</sup>, C.M. Gee (D<sup>136</sup>, A. Gekow<sup>119</sup>, C. Gemme (D<sup>57b</sup>),
M.H. Genest \bigcirc^{60}, S. Gentile \bigcirc^{75a,75b}, A.D. Gentry \bigcirc^{112}, S. George \bigcirc^{95}, W.F. George \bigcirc^{20}, T. Geralis \bigcirc^{46},
P. Gessinger-Befurt 636, M.E. Geyik 6171, M. Ghani 6167, M. Ghneimat 6141, K. Ghorbanian 694,
A. Ghosal (D<sup>141</sup>, A. Ghosh (D<sup>160</sup>, A. Ghosh (D<sup>7</sup>, B. Giacobbe (D<sup>23b</sup>, S. Giagu (D<sup>75a,75b</sup>, T. Giani (D<sup>114</sup>,
P. Giannetti 10<sup>74a</sup>, A. Giannini 10<sup>62a</sup>, S.M. Gibson 10<sup>95</sup>, M. Gignac 10<sup>136</sup>, D.T. Gil 10<sup>86b</sup>, A.K. Gilbert 10<sup>86a</sup>,
B.J. Gilbert <sup>1</sup>0<sup>41</sup>, D. Gillberg <sup>1</sup>0<sup>34</sup>, G. Gilles <sup>1</sup>1<sup>4</sup>, N.E.K. Gillwald <sup>1</sup>0<sup>48</sup>, L. Ginabat <sup>1</sup>2<sup>7</sup>,
D.M. Gingrich (D<sup>2</sup>,af), M.P. Giordani (D<sup>69a,69c</sup>), P.F. Giraud (D<sup>135</sup>), G. Giugliarelli (D<sup>69a,69c</sup>), D. Giugni (D<sup>71a</sup>),
F. Giuli 0^{36}, I. Gkialas 0^{9,j}, L.K. Gladilin 0^{37}, C. Glasman 0^{99}, G.R. Gledhill 0^{123}, G. Glemža 0^{48},
M. Glisic<sup>123</sup>, I. Gnesi (D<sup>43b,f</sup>, Y. Go (D<sup>29,ai</sup>, M. Goblirsch-Kolb (D<sup>36</sup>, B. Gocke (D<sup>49</sup>, D. Godin<sup>108</sup>,
B. Gokturk <sup>©21a</sup>, S. Goldfarb <sup>©105</sup>, T. Golling <sup>©56</sup>, M.G.D. Gololo<sup>33g</sup>, D. Golubkov <sup>©37</sup>,
J.P. Gombas © 107, A. Gomes © 130a,130b, G. Gomes Da Silva © 141, A.J. Gomez Delegido © 163,
R. Gonçalo 130a,130c, G. Gonella 123, L. Gonella 20, A. Gongadze 149c, F. Gonnella 20,
J.L. Gonski \mathbb{D}^{41}, R.Y. González Andana \mathbb{D}^{52}, S. González de la Hoz \mathbb{D}^{163}, S. Gonzalez Fernandez \mathbb{D}^{13},
R. Gonzalez Lopez <sup>192</sup>, C. Gonzalez Renteria <sup>17a</sup>, M.V. Gonzalez Rodrigues <sup>48</sup>,
R. Gonzalez Suarez 1616, S. Gonzalez-Sevilla 56, G.R. Gonzalvo Rodriguez 1616, L. Goossens 56,
B. Gorini (D<sup>36</sup>, E. Gorini (D<sup>70a,70b</sup>, A. Gorišek (D<sup>93</sup>, T.C. Gosart (D<sup>128</sup>, A.T. Goshaw (D<sup>51</sup>, M.I. Gostkin (D<sup>38</sup>),
S. Goswami (D<sup>121</sup>, C.A. Gottardo (D<sup>36</sup>, S.A. Gotz (D<sup>109</sup>, M. Gouighri (D<sup>35b</sup>, V. Goumarre (D<sup>48</sup>,
A.G. Goussiou 138, N. Govender 33c, I. Grabowska-Bold 86a, K. Graham 34, E. Gramstad 125,
S. Grancagnolo (D<sup>70a,70b</sup>, M. Grandi (D<sup>146</sup>, C.M. Grant<sup>1,135</sup>, P.M. Gravila (D<sup>27f</sup>, F.G. Gravili (D<sup>70a,70b</sup>),
H.M. Gray 17a, M. Greco 70a,70b, C. Grefe 24, I.M. Gregor 48, P. Grenier 143, S.G. Grewe 110,
```

```
C. Grieco 13, A.A. Grillo 136, K. Grimm 31, S. Grinstein 13, J.-F. Grivaz 66, E. Gross 169,
J. Grosse-Knetter <sup>55</sup>, C. Grud <sup>106</sup>, J.C. Grundy <sup>126</sup>, L. Guan <sup>106</sup>, W. Guan <sup>29</sup>, C. Gubbels <sup>164</sup>,
J.G.R. Guerrero Rojas (10) 163, G. Guerrieri (10) 69a,69c, F. Guescini (10) 110, R. Gugel (10) J.A.M. Guhit (10) 106,
A. Guida 18, T. Guillemin 4, E. Guilloton 167,134, S. Guindon 36, F. Guo 14a,14e, J. Guo 162c,
L. Guo (1048), Y. Guo (1016), R. Gupta (1048), R. Gupta (10129), S. Gurbuz (1024), S.S. Gurdasani (1054),
G. Gustavino <sup>1036</sup>, M. Guth <sup>1056</sup>, P. Gutierrez <sup>120</sup>, L.F. Gutierrez Zagazeta <sup>128</sup>, M. Gutsche <sup>150</sup>,
C. Gutschow \mathbb{D}^{96}, C. Gwenlan \mathbb{D}^{126}, C.B. Gwilliam \mathbb{D}^{92}, E.S. Haaland \mathbb{D}^{125}, A. Haas \mathbb{D}^{117},
M. Habedank \mathbb{D}^{48}, C. Haber \mathbb{D}^{17a}, H.K. Hadavand \mathbb{D}^{8}, A. Hadef \mathbb{D}^{100}, S. Hadzic \mathbb{D}^{110}, A.I. Hagan<sup>91</sup>,
J.J. Hahn (D<sup>141</sup>, E.H. Haines (D<sup>96</sup>, M. Haleem (D<sup>166</sup>, J. Haley (D<sup>121</sup>, J.J. Hall (D<sup>139</sup>, G.D. Hallewell (D<sup>102</sup>),
L. Halser (D<sup>19</sup>, K. Hamano (D<sup>165</sup>, M. Hamer (D<sup>24</sup>, G.N. Hamity (D<sup>52</sup>, E.J. Hampshire (D<sup>95</sup>, J. Han (D<sup>62b</sup>)
K. Han 62a, L. Han 614c, L. Han 62a, S. Han 617a, Y.F. Han 6155, K. Hanagaki 684, M. Hance 6136,
D.A. Hangal ^{\bullet 41,ab}, H. Hanif ^{\bullet 142}, M.D. Hank ^{\bullet 128}, R. Hankache ^{\bullet 101}, J.B. Hansen ^{\bullet 42},
J.D. Hansen \mathbb{D}^{42}, P.H. Hansen \mathbb{D}^{42}, K. Hara \mathbb{D}^{157}, D. Harada \mathbb{D}^{56}, T. Harenberg \mathbb{D}^{171}, S. Harkusha \mathbb{D}^{37},
M.L. Harris © 103, Y.T. Harris © 126, J. Harrison © 13, N.M. Harrison © 119, P.F. Harrison 167,
N.M. Hartman (D10), N.M. Hartmann (D10), Y. Hasegawa (D140), R. Hauser (D107), C.M. Hawkes (D20),
R.J. Hawkings 636, Y. Hayashi 6153, S. Hayashida 6111, D. Hayden 6107, C. Hayes 6106,
R.L. Hayes 114, C.P. Hays 126, J.M. Hays 194, H.S. Hayward 192, F. He 162a, M. He 14a,14e,
Y. He 154, Y. He 154, N.B. Heatley 1594, V. Hedberg 1598, A.L. Heggelund 1515, N.D. Hehir 1594,
C. Heidegger <sup>54</sup>, K.K. Heidegger <sup>54</sup>, W.D. Heidorn <sup>81</sup>, J. Heilman <sup>54</sup>, S. Heim <sup>48</sup>, T. Heim <sup>17a</sup>,
J.G. Heinlein 128, J.J. Heinrich 123, L. Heinrich 110,ad, J. Hejbal 131, L. Helary 48, A. Held 170.
S. Hellesund 16, C.M. Helling 164, S. Hellman 1647a, 47b, R.C.W. Henderson 191, L. Henkelmann 1632,
A.M. Henriques Correia<sup>36</sup>, H. Herde <sup>©98</sup>, Y. Hernández Jiménez <sup>©145</sup>, L.M. Herrmann <sup>©24</sup>,
T. Herrmann \bigcirc^{50}, G. Herten \bigcirc^{54}, R. Hertenberger \bigcirc^{109}, L. Hervas \bigcirc^{36}, M.E. Hesping \bigcirc^{100},
N.P. Hessey (D<sup>156a</sup>, H. Hibi (D<sup>85</sup>, E. Hill (D<sup>155</sup>, S.J. Hillier (D<sup>20</sup>, J.R. Hinds (D<sup>107</sup>, F. Hinterkeuser (D<sup>24</sup>,
M. Hirose 124, S. Hirose 157, D. Hirschbuehl 171, T.G. Hitchings 101, B. Hiti 193, J. Hobbs 145,
R. Hobincu 127e, N. Hod 169, M.C. Hodgkinson 139, B.H. Hodkinson 132, A. Hoecker 136,
D.D. Hofer 6, J. Hofer 48, T. Holm 6, M. Holzbock 6, L.B.A.H. Hommels 6, 2,
B.P. Honan (101), J. Hong (102), T.M. Hong (101), B.H. Hooberman (101), W.H. Hopkins (101), Y. Horii (101), S. Hou (101), A.S. Howard (101), J. Howarth (101), J. Hoya (101), M. Hrabovsky (101), A. Hrynevich (101), A. Hrynevich
T. Hryn'ova 64, P.J. Hsu 65, S.-C. Hsu 6138, Q. Hu 662a, Y.F. Hu 614a,14e, S. Huang 664b,
X. Huang 14a, X. Huang 14a, 14e, Y. Huang 139, Y. Huang 14a, Z. Huang 1011, Z. Hubacek 132,
M. Huebner ^{\odot 24}, F. Huegging ^{\odot 24}, T.B. Huffman ^{\odot 126}, C.A. Hugli ^{\odot 48}, M. Huhtinen ^{\odot 36},
S.K. Huiberts \bigcirc^{16}, R. Hulsken \bigcirc^{104}, N. Huseynov \bigcirc^{12}, J. Huston \bigcirc^{107}, J. Huth \bigcirc^{61}, R. Hyneman \bigcirc^{143},
G. Iacobucci <sup>56</sup>, G. Iakovidis <sup>29</sup>, I. Ibragimov <sup>141</sup>, L. Iconomidou-Fayard <sup>66</sup>, P. Iengo <sup>72a,72b</sup>,
R. Iguchi 153, T. Iizawa 126, Y. Ikegami 184, N. Ilic 155, H. Imam 135a, M. Ince Lezki 156,
T. Ingebretsen Carlson (D47a,47b), G. Introzzi (D73a,73b), M. Iodice (D77a), V. Ippolito (D75a,75b), R.K. Irwin (D92),
M. Ishino 153, W. Islam 170, C. Issever 18,48, S. Istin 21a,4k, H. Ito 168, J.M. Iturbe Ponce 64a,
R. Iuppa (1078a,78b), A. Ivina (10169), J.M. Izen (1045), V. Izzo (1072a), P. Jacka (10131,132), P. Jackson (1014),
R.M. Jacobs (D<sup>48</sup>, B.P. Jaeger (D<sup>142</sup>, C.S. Jagfeld (D<sup>109</sup>, G. Jain (D<sup>156a</sup>, P. Jain (D<sup>54</sup>, K. Jakobs (D<sup>54</sup>,
T. Jakoubek <sup>169</sup>, J. Jamieson <sup>59</sup>, K.W. Janas <sup>86a</sup>, M. Javurkova <sup>103</sup>, F. Jeanneau <sup>135</sup>,
L. Jeanty 123, J. Jejelava 149a,z, P. Jenni 54,g, C.E. Jessiman 54, S. Jézéquel 4, C. Jia62b, J. Jia 145,
X. Jia 61, X. Jia 14a,14e, Z. Jia 14c, S. Jiggins 648, J. Jimenez Pena 613, S. Jin 614c, A. Jinaru 627b,
O. Jinnouchi 154, P. Johansson 139, K.A. Johns 7, J.W. Johnson 136, D.M. Jones 32, E. Jones 48,
P. Jones (532), R.W.L. Jones (591), T.J. Jones (592), H.L. Joos (55,36), R. Joshi (5119), J. Jovicevic (515),
X. Ju 17a, J.J. Junggeburth 17a, T. Junkermann 16a, A. Juste Rozas 13a, M.K. Juzek 87,
S. Kabana © 137e, A. Kaczmarska © 87, M. Kado © 110, H. Kagan © 119, M. Kagan © 143, A. Kahn<sup>41</sup>,
A. Kahn \mathbb{D}^{128}, C. Kahra \mathbb{D}^{100}, T. Kaji \mathbb{D}^{153}, E. Kajomovitz \mathbb{D}^{150}, N. Kakati \mathbb{D}^{169}, I. Kalaitzidou \mathbb{D}^{54},
```

```
C.W. Kalderon (D<sup>29</sup>, A. Kamenshchikov (D<sup>155</sup>, N.J. Kang (D<sup>136</sup>, D. Kar (D<sup>33g</sup>, K. Karava (D<sup>126</sup>),
M.J. Kareem (D156b), E. Karentzos (D54), I. Karkanias (D152), O. Karkout (D114), S.N. Karpov (D38),
Z.M. Karpova 638, V. Kartvelishvili 691, A.N. Karyukhin 637, E. Kasimi 6152, J. Katzy 648, S. Kaur 634,
K. Kawade 1<sup>140</sup>, M.P. Kawale 1<sup>120</sup>, C. Kawamoto 1<sup>88</sup>, T. Kawamoto 1<sup>135</sup>, E.F. Kay 1<sup>36</sup>, F.I. Kaya 1<sup>158</sup>,
S. Kazakos (D<sup>107</sup>, V.F. Kazanin (D<sup>37</sup>, Y. Ke (D<sup>145</sup>, J.M. Keaveney (D<sup>33a</sup>, R. Keeler (D<sup>165</sup>, G.V. Kehris (D<sup>61</sup>),
J.S. Keller <sup>134</sup>, A.S. Kelly<sup>96</sup>, J.J. Kempster <sup>146</sup>, K.E. Kennedy <sup>41</sup>, P.D. Kennedy <sup>100</sup>, O. Kepka <sup>131</sup>,
B.P. Kerridge <sup>167</sup>, S. Kersten <sup>171</sup>, B.P. Kerševan <sup>93</sup>, S. Keshri <sup>66</sup>, L. Keszeghova <sup>28a</sup>,
S. Ketabchi Haghighat 155, R.A. Khan 129, M. Khandoga 127, A. Khanov 121, A.G. Kharlamov 137,
T. Kharlamova 637, E.E. Khoda 6138, M. Kholodenko 637, T.J. Khoo 618, G. Khoriauli 6166,
J. Khubua (D)<sup>149b</sup>, Y.A.R. Khwaira (D)<sup>66</sup>, A. Kilgallon (D)<sup>123</sup>, D.W. Kim (D)<sup>47a,47b</sup>, Y.K. Kim (D)<sup>39</sup>,
N. Kimura 696, M.K. Kingston 55, A. Kirchhoff 55, C. Kirfel 624, F. Kirfel 624, J. Kirk 134,
A.E. Kiryunin \mathbb{D}^{110}, C. Kitsaki \mathbb{D}^{10}, O. Kivernyk \mathbb{D}^{24}, M. Klassen \mathbb{D}^{63a}, C. Klein \mathbb{D}^{34}, L. Klein \mathbb{D}^{166},
M.H. Klein (10) 106, M. Klein (10) 29, S.B. Klein (10) 56, U. Klein (10) 29, P. Klimek (10) 36, A. Klimentov (10) 29,
T. Klioutchnikova ^{\bigcirc 36}, P. Kluit ^{\bigcirc 114}, S. Kluth ^{\bigcirc 110}, E. Kneringer ^{\bigcirc 79}, T.M. Knight ^{\bigcirc 155}, A. Knue ^{\bigcirc 49},
R. Kobayashi <sup>688</sup>, D. Kobylianskii <sup>6169</sup>, S.F. Koch <sup>6126</sup>, M. Kocian <sup>6143</sup>, P. Kodyš <sup>6133</sup>,
D.M. Koeck (123), P.T. Koenig (124), T. Koffas (134), O. Kolay (150), M. Kolb (135), I. Koletsou (14),
T. Komarek 122, K. Köneke 54, A.X.Y. Kong 11, T. Kono 118, N. Konstantinidis 56,
P. Kontaxakis <sup>56</sup>, B. Konya <sup>98</sup>, R. Kopeliansky <sup>68</sup>, S. Koperny <sup>86a</sup>, K. Korcyl <sup>87</sup>, K. Kordas <sup>152,e</sup>,
G. Koren (D<sup>151</sup>, A. Korn (D<sup>96</sup>, S. Korn (D<sup>55</sup>, I. Korolkov (D<sup>13</sup>, N. Korotkova (D<sup>37</sup>, B. Kortman (D<sup>114</sup>,
O. Kortner 110, S. Kortner 110, W.H. Kostecka 1115, V.V. Kostyukhin 1141, A. Kotsokechagia 115,
A. Kotwal <sup>1</sup>0<sup>51</sup>, A. Koulouris <sup>1</sup>0<sup>36</sup>, A. Kourkoumeli-Charalampidi <sup>1</sup>0<sup>73a,73b</sup>, C. Kourkoumelis <sup>1</sup>0<sup>9</sup>,
E. Kourlitis 110,ad, O. Kovanda 1146, R. Kowalewski 1165, W. Kozanecki 1135, A.S. Kozhin 1137,
V.A. Kramarenko (D<sup>37</sup>, G. Kramberger (D<sup>93</sup>, P. Kramer (D<sup>100</sup>, M.W. Krasny (D<sup>127</sup>, A. Krasznahorkay (D<sup>36</sup>,
J.W. Kraus 171, J.A. Kremer 48, T. Kresse 50, J. Kretzschmar 92, K. Kreul 18, P. Krieger 155,
S. Krishnamurthy 10103, M. Krivos 10133, K. Krizka 1020, K. Kroeninger 1049, H. Kroha 10110, J. Kroll 10131,
J. Kroll <sup>128</sup>, K.S. Krowpman <sup>107</sup>, U. Kruchonak <sup>38</sup>, H. Krüger <sup>24</sup>, N. Krumnack M.C. Kruse <sup>51</sup>,
J.A. Krzysiak <sup>687</sup>, O. Kuchinskaia <sup>37</sup>, S. Kuday <sup>3</sup>a, S. Kuehn <sup>36</sup>, R. Kuesters <sup>54</sup>, T. Kuhl <sup>48</sup>,
V. Kukhtin \mathbb{D}^{38}, Y. Kulchitsky \mathbb{D}^{37,a}, S. Kuleshov \mathbb{D}^{137d,137b}, M. Kumar \mathbb{D}^{33g}, N. Kumari \mathbb{D}^{48},
A. Kupco 131, T. Kupfer, A. Kupich 37, O. Kuprash 54, H. Kurashige 58, L.L. Kurchaninov 156a,
O. Kurdysh 66, Y.A. Kurochkin 537, A. Kurova 537, M. Kuze 5154, A.K. Kvam 5103, J. Kvita 5122,
T. Kwan 10<sup>104</sup>, N.G. Kyriacou 10<sup>106</sup>, L.A.O. Laatu 10<sup>102</sup>, C. Lacasta 10<sup>163</sup>, F. Lacava 10<sup>75a,75b</sup>,
H. Lacker 18, D. Lacour 127, N.N. Lad 196, E. Ladygin 138, B. Laforge 127, T. Lagouri 137e,
F.Z. Lahbabi \mathbb{D}^{35a}, S. Lai \mathbb{D}^{55}, I.K. Lakomiec \mathbb{D}^{86a}, N. Lalloue \mathbb{D}^{60}, J.E. Lambert \mathbb{D}^{165}, S. Lammers \mathbb{D}^{68},
W. Lampl <sup>107</sup>, C. Lampoudis <sup>152,e</sup>, A.N. Lancaster <sup>115</sup>, E. Lançon <sup>129</sup>, U. Landgraf <sup>154</sup>,
M.P.J. Landon <sup>694</sup>, V.S. Lang <sup>54</sup>, R.J. Langenberg <sup>6103</sup>, O.K.B. Langrekken <sup>6125</sup>, A.J. Lankford <sup>6160</sup>,
F. Lanni D<sup>36</sup>, K. Lantzsch D<sup>24</sup>, A. Lanza D<sup>73a</sup>, A. Lapertosa D<sup>57b,57a</sup>, J.F. Laporte D<sup>135</sup>, T. Lari D<sup>71a</sup>,
F. Lasagni Manghi (D<sup>23b</sup>, M. Lassnig (D<sup>36</sup>, V. Latonova (D<sup>131</sup>, A. Laudrain (D<sup>100</sup>, A. Laurier (D<sup>150</sup>),
S.D. Lawlor (139), Z. Lawrence (1011), R. Lazaridou 167, M. Lazzaroni (1714,716), B. Le 101,
E.M. Le Boulicaut <sup>1051</sup>, B. Leban <sup>1093</sup>, A. Lebedev <sup>1081</sup>, M. LeBlanc <sup>1010</sup>, F. Ledroit-Guillon <sup>1060</sup>,
A.C.A. Lee<sup>96</sup>, S.C. Lee <sup>148</sup>, S. Lee <sup>47a,47b</sup>, T.F. Lee <sup>92</sup>, L.L. Leeuw <sup>33c</sup>, H.P. Lefebvre <sup>95</sup>,
M. Lefebvre <sup>165</sup>, C. Leggett <sup>17a</sup>, G. Lehmann Miotto <sup>36</sup>, M. Leigh <sup>56</sup>, W.A. Leight <sup>103</sup>,
W. Leinonen 113, A. Leisos 152,r, M.A.L. Leite 83c, C.E. Leitgeb 48, R. Leitner 133,
K.J.C. Leney \mathbb{D}^{44}, T. Lenz \mathbb{D}^{24}, S. Leone \mathbb{D}^{74a}, C. Leonidopoulos \mathbb{D}^{52}, A. Leopold \mathbb{D}^{144}, C. Leroy \mathbb{D}^{108},
R. Les 107, C.G. Lester 32, M. Levchenko 37, J. Levêque 4, D. Levin 106, L.J. Levinson 169,
M.P. Lewicki <sup>1087</sup>, D.J. Lewis <sup>104</sup>, A. Li <sup>105</sup>, B. Li <sup>1062b</sup>, C. Li <sup>162a</sup>, C-Q. Li <sup>1062c</sup>, H. Li <sup>1062a</sup>, H. Li <sup>1062b</sup>,
H. Li \bigcirc 14c, H. Li \bigcirc 14b, H. Li \bigcirc 62c, K. Li \bigcirc 13s, L. Li \bigcirc 62c, M. Li \bigcirc 14a, 14e, Q.Y. Li \bigcirc 62a,
S. Li 614a,14e, S. Li 62d,62c,d, T. Li 55, X. Li 6104, Z. Li 6126, Z. Li 6104, Z. Li 6104,
```

```
S. Liang 14a,14e, Z. Liang 14a, M. Liberatore 135, B. Liberti 76a, K. Lie 64c, J. Lieber Marin 83b,
H. Lien \bigcirc^{68}, K. Lin \bigcirc^{107}, R.E. Lindley \bigcirc^{7}, J.H. Lindon \bigcirc^{2}, E. Lipeles \bigcirc^{128}, A. Lipniacka \bigcirc^{16},
A. Lister 164, J.D. Little 4, B. Liu 14a, B.X. Liu 142, D. Liu 162d, J.B. Liu 162a, J.K.K. Liu 1632,
K. Liu 62d,62c, M. Liu 62a, M.Y. Liu 62a, P. Liu 614a, Q. Liu 62d,138,62c, X. Liu 62a, Y. Liu 614d,14e,
Y.L. Liu 6<sup>62b</sup>, Y.W. Liu 6<sup>62a</sup>, J. Llorente Merino 6<sup>142</sup>, S.L. Lloyd 6<sup>94</sup>, E.M. Lobodzinska 6<sup>48</sup>,
P. Loch <sup>1</sup>0<sup>7</sup>, T. Lohse <sup>18</sup>, K. Lohwasser <sup>139</sup>, E. Loiacono <sup>48</sup>, M. Lokajicek <sup>131,*</sup>, J.D. Lomas <sup>20</sup>,
J.D. Long 162, I. Longarini 160, L. Longo 170a,70b, R. Longo 162, I. Lopez Paz 167,
A. Lopez Solis (D<sup>48</sup>, J. Lorenz (D<sup>109</sup>, N. Lorenzo Martinez (D<sup>4</sup>, A.M. Lory (D<sup>109</sup>),
G. Löschcke Centeno (D)146, O. Loseva (D)37, X. Lou (D)47a,47b, X. Lou (D)14a,14e, A. Lounis (D)66, J. Love (D)6,
P.A. Love (1991), G. Lu (1914a,14e), M. Lu (1980), S. Lu (1912e), Y.J. Lu (1965), H.J. Lubatti (1913e), C. Luci (1975a,75b),
F.L. Lucio Alves <sup>14c</sup>, A. Lucotte <sup>60</sup>, F. Luehring <sup>68</sup>, I. Luise <sup>145</sup>, O. Lukianchuk <sup>66</sup>,
O. Lundberg (D<sup>144</sup>, B. Lund-Jensen (D<sup>144</sup>, N.A. Luongo (D<sup>123</sup>, M.S. Lutz (D<sup>151</sup>, A.B. Lux (D<sup>25</sup>, D. Lynn (D<sup>29</sup>),
H. Lyons<sup>92</sup>, R. Lysak <sup>131</sup>, E. Lytken <sup>98</sup>, V. Lyubushkin <sup>38</sup>, T. Lyubushkina <sup>38</sup>, M.M. Lyukova <sup>145</sup>,
H. Ma 629, K. Ma<sup>62a</sup>, L.L. Ma 62b, W. Ma 62a, Y. Ma 121, D.M. Mac Donell 165,
G. Maccarrone ©53, J.C. MacDonald ©100, P.C. Machado De Abreu Farias ©83b, R. Madar ©40,
W.F. Mader (D<sup>50</sup>), T. Madula (D<sup>96</sup>), J. Maeda (D<sup>85</sup>), T. Maeno (D<sup>29</sup>), H. Maguire (D<sup>139</sup>), V. Maiboroda (D<sup>135</sup>),
A. Maio (D130a,130b,130d), K. Maj (D86a), O. Majersky (D48), S. Majewski (D123), N. Makovec (D66),
V. Maksimovic <sup>15</sup>, B. Malaescu <sup>127</sup>, Pa. Malecki <sup>87</sup>, V.P. Maleev <sup>37</sup>, F. Malek <sup>60</sup>, M. Mali <sup>93</sup>,
D. Malito <sup>10</sup>95, U. Mallik <sup>10</sup>80, S. Maltezos <sup>10</sup>, S. Malyukov <sup>38</sup>, J. Mamuzic <sup>13</sup>, G. Mancini <sup>15</sup>3,
G. Manco (D<sup>73a,73b</sup>, J.P. Mandalia (D<sup>94</sup>, I. Mandić (D<sup>93</sup>, L. Manhaes de Andrade Filho (D<sup>83a</sup>),
I.M. Maniatis (169), J. Manjarres Ramos (102,aa), D.C. Mankad (169), A. Mann (109), B. Mansoulie (10135),
S. Manzoni 636, L. Mao 662c, X. Mapekula 633c, A. Marantis 6152,r, G. Marchiori 65,
M. Marcisovsky (D<sup>131</sup>, C. Marcon (D<sup>71a</sup>, M. Marinescu (D<sup>20</sup>, M. Marjanovic (D<sup>120</sup>, E.J. Marshall (D<sup>91</sup>),
Z. Marshall 1017a, S. Marti-Garcia 10163, T.A. Martin 10167, V.J. Martin 1052, B. Martin dit Latour 1016,
L. Martinelli (D<sup>75a,75b</sup>, M. Martinez (D<sup>13,s</sup>, P. Martinez Agullo (D<sup>163</sup>, V.I. Martinez Outschoorn (D<sup>103</sup>,
P. Martinez Suarez 13, S. Martin-Haugh 134, V.S. Martoiu 27b, A.C. Martyniuk 96, A. Marzin 36,
D. Mascione \bigcirc^{78a,78b}, L. Masetti \bigcirc^{100}, T. Mashimo \bigcirc^{153}, J. Masik \bigcirc^{101}, A.L. Maslennikov \bigcirc^{37},
L. Massa (D<sup>23b</sup>, P. Massarotti (D<sup>72a,72b</sup>, P. Mastrandrea (D<sup>74a,74b</sup>, A. Mastroberardino (D<sup>43b,43a</sup>,
T. Masubuchi 153, T. Mathisen 161, J. Matousek 133, N. Matsuzawa 153, J. Maurer 27b, B. Maček 193,
D.A. Maximov (D37), R. Mazini (D148), I. Maznas (D152), M. Mazza (D107), S.M. Mazza (D136),
E. Mazzeo (1071a,71b), C. Mc Ginn (1029), J.P. Mc Gowan (10104), S.P. Mc Kee (10106), E.F. McDonald (10105),
A.E. McDougall <sup>114</sup>, J.A. Mcfayden <sup>146</sup>, R.P. McGovern <sup>128</sup>, G. Mchedlidze <sup>149b</sup>,
R.P. Mckenzie <sup>33g</sup>, T.C. Mclachlan <sup>48</sup>, D.J. Mclaughlin <sup>96</sup>, S.J. McMahon <sup>134</sup>,
C.M. Mcpartland (D92, R.A. McPherson (D165,w), S. Mehlhase (D109), A. Mehta (D92, D. Melini (D150),
B.R. Mellado Garcia (D<sup>33g</sup>, A.H. Melo (D<sup>55</sup>, F. Meloni (D<sup>48</sup>, A.M. Mendes Jacques Da Costa (D<sup>101</sup>)
H.Y. Meng (D<sup>155</sup>, L. Meng (D<sup>91</sup>, S. Menke (D<sup>110</sup>, M. Mentink (D<sup>36</sup>, E. Meoni (D<sup>43b,43a</sup>, G. Mercado (D<sup>115</sup>),
C. Merlassino © 126, L. Merola © 72a,72b, C. Meroni © 71a,71b, G. Merz 106, O. Meshkov © 37, J. Metcalfe © 6,
A.S. Mete 66, C. Meyer 68, J-P. Meyer 135, R.P. Middleton 134, L. Mijović 52, G. Mikenberg 169,
M. Mikestikova 131, M. Mikuž 193, H. Mildner 100, A. Milic 136, C.D. Milke 144, D.W. Miller 139,
L.S. Miller (1934), A. Milov (19169), D.A. Milstead (1947), T. Min (1940), A.A. Minaenko (1937),
I.A. Minashvili 149b, L. Mince 59, A.I. Mincer 117, B. Mindur 86a, M. Mineev 38, Y. Mino 88,
L.M. Mir D<sup>13</sup>, M. Miralles Lopez D<sup>163</sup>, M. Mironova D<sup>17a</sup>, A. Mishima M.C. Missio D<sup>113</sup>,
A. Mitra 10167, V.A. Mitsou 10163, Y. Mitsumori 10111, O. Miu 10155, P.S. Miyagawa 1094,
T. Mkrtchyan 663a, M. Mlinarevic 696, T. Mlinarevic 696, M. Mlynarikova 636, S. Mobius 619,
P. Moder <sup>1048</sup>, P. Mogg <sup>1099</sup>, A.F. Mohammed <sup>14a,14e</sup>, S. Mohapatra <sup>1041</sup>, G. Mokgatitswane <sup>1033g</sup>,
L. Moleri 6, B. Mondal 6, S. Mondal 6, K. Mönig 64, E. Monnier 6,
L. Monsonis Romero<sup>163</sup>, J. Montejo Berlingen <sup>13</sup>, M. Montella <sup>119</sup>, F. Montereali <sup>77a,77b</sup>,
```

```
F. Monticelli (1990), S. Monzani (1969a,69c), N. Morange (1966), A.L. Moreira De Carvalho (19130a),
M. Moreno Llácer 163, C. Moreno Martinez 56, P. Morettini 57b, S. Morgenstern 36, M. Morii 61,
M. Morinaga <sup>153</sup>, A.K. Morley <sup>36</sup>, F. Morodei <sup>75a,75b</sup>, L. Morvaj <sup>36</sup>, P. Moschovakos <sup>36</sup>,
B. Moser (D<sup>36</sup>, M. Mosidze (D<sup>149b</sup>, T. Moskalets (D<sup>54</sup>, P. Moskvitina (D<sup>113</sup>, J. Moss (D<sup>31,1</sup>),
E.J.W. Moyse 103, O. Mtintsilana 133g, S. Muanza 102, J. Mueller 129, D. Muenstermann 191,
R. Müller 19, G.A. Mullier 161, A.J. Mullin 32, J.J. Mullin 128, D.P. Mungo 155, D. Munoz Perez 163,
F.J. Munoz Sanchez (D<sup>101</sup>, M. Murin (D<sup>101</sup>, W.J. Murray (D<sup>167,134</sup>, A. Murrone (D<sup>71a,71b</sup>, M. Muškinja (D<sup>17a</sup>,
C. Mwewa (D<sup>29</sup>, A.G. Myagkov (D<sup>37</sup>,a, A.J. Myers (D<sup>8</sup>, G. Myers (D<sup>68</sup>, M. Myska (D<sup>132</sup>, B.P. Nachman (D<sup>17a</sup>,
O. Nackenhorst <sup>1049</sup>, A. Nag <sup>1050</sup>, K. Nagai <sup>10126</sup>, K. Nagano <sup>1084</sup>, J.L. Nagle <sup>1029,ai</sup>, E. Nagy <sup>10102</sup>,
A.M. Nairz 10<sup>36</sup>, Y. Nakahama 10<sup>84</sup>, K. Nakamura 10<sup>84</sup>, K. Nakkalil 10<sup>5</sup>, H. Nanjo 10<sup>124</sup>, R. Narayan 10<sup>44</sup>,
E.A. Narayanan 112, I. Naryshkin 137, M. Naseri 134, S. Nasri 159, C. Nass 124, G. Navarro 122a,
J. Navarro-Gonzalez 6163, R. Nayak 6151, A. Nayaz 618, P.Y. Nechaeva 637, F. Nechansky 648,
L. Nedic (126), T.J. Neep (120), A. Negri (120), M. Negrini (120), C. Nellist (121), C. Nelson (120),
K. Nelson 6106, S. Nemecek 6131, M. Nessi 636,h, M.S. Neubauer 6162, F. Neuhaus 6100,
J. Neundorf (D48), R. Newhouse (D164), P.R. Newman (D20), C.W. Ng (D129), Y.W.Y. Ng (D48), B. Ngair (D35e),
H.D.N. Nguyen 108, R.B. Nickerson 126, R. Nicolaidou 135, J. Nielsen 136, M. Niemeyer 155,
J. Niermann <sup>655,36</sup>, N. Nikiforou <sup>636</sup>, V. Nikolaenko <sup>637,a</sup>, I. Nikolic-Audit <sup>6127</sup>, K. Nikolopoulos <sup>620</sup>,
P. Nilsson (D<sup>29</sup>, I. Ninca (D<sup>48</sup>, H.R. Nindhito (D<sup>56</sup>, G. Ninio (D<sup>151</sup>, A. Nisati (D<sup>75a</sup>, N. Nishu (D<sup>2</sup>),
R. Nisius (10, J-E. Nitschke (10, 50), E.K. Nkadimeng (10, 33g), T. Nobe (10, 51), D.L. Noel (10, 32),
T. Nommensen 147, M.B. Norfolk 139, R.R.B. Norisam 96, B.J. Norman 34, J. Novak 93,
T. Novak (D<sup>48</sup>, L. Novotny (D<sup>132</sup>, R. Novotny (D<sup>112</sup>, L. Nozka (D<sup>122</sup>, K. Ntekas (D<sup>160</sup>),
N.M.J. Nunes De Moura Junior <sup>683b</sup>, E. Nurse<sup>96</sup>, J. Ocariz <sup>6127</sup>, A. Ochi <sup>685</sup>, I. Ochoa <sup>6130a</sup>,
S. Oerdek (D48, J.T. Offermann (D39), A. Ogrodnik (D133), A. Oh (D101), C.C. Ohm (D144), H. Oide (D84),
R. Oishi 153, M.L. Ojeda 148, M.W. O'Keefe, Y. Okumura 153, L.F. Oleiro Seabra 130a,
S.A. Olivares Pino 137d, D. Oliveira Damazio 29, D. Oliveira Goncalves 83a, J.L. Oliver 160,
Ö.O. Öncel (D<sup>54</sup>, A.P. O'Neill (D<sup>19</sup>, A. Onofre (D<sup>130a,130e</sup>, P.U.E. Onyisi (D<sup>11</sup>, M.J. Oreglia (D<sup>39</sup>),
G.E. Orellana (5)90, D. Orestano (5)77a,77b, N. Orlando (5)13, R.S. Orr (5)155, V. O'Shea (5)59,
L.M. Osojnak 128, R. Ospanov 62a, G. Otero y Garzon 30, H. Otono 89, P.S. Ott 63a,
G.J. Ottino 17a, M. Ouchrif 35d, J. Ouellette 29, F. Ould-Saada 125, M. Owen 59, R.E. Owen 134,
K.Y. Oyulmaz (D<sup>21a</sup>, V.E. Ozcan (D<sup>21a</sup>, F. Ozturk (D<sup>87</sup>, N. Ozturk (D<sup>8</sup>), S. Ozturk (D<sup>82</sup>, H.A. Pacey (D<sup>126</sup>),
A. Pacheco Pages ©13, C. Padilla Aranda ©13, G. Padovano ©75a,75b, S. Pagan Griso ©17a,
G. Palacino 68, A. Palazzo 70a,70b, S. Palestini 636, J. Pan 6172, T. Pan 64a, D.K. Panchal 611,
C.E. Pandini 114, J.G. Panduro Vazquez 595, H.D. Pandya 11, H. Pang 14b, P. Pani 48,
G. Panizzo (69a,69c), L. Paolozzi (556), C. Papadatos (5108), S. Parajuli (544), A. Paramonov (56),
C. Paraskevopoulos \bigcirc^{10}, D. Paredes Hernandez \bigcirc^{64b}, K.R. Park \bigcirc^{41}, T.H. Park \bigcirc^{155}, M.A. Parker \bigcirc^{32},
F. Parodi ©57b,57a, E.W. Parrish ©115, V.A. Parrish ©52, J.A. Parsons ©41, U. Parzefall ©54,
B. Pascual Dias 108, L. Pascual Dominguez 151, E. Pasqualucci 175a, S. Passaggio 157b, F. Pastore 195,
P. Pasuwan (D<sup>47</sup>a,47b), P. Patel (D<sup>87</sup>, U.M. Patel (D<sup>51</sup>, J.R. Pater (D<sup>101</sup>, T. Pauly (D<sup>36</sup>, J. Pearkes (D<sup>143</sup>),
M. Pedersen 125, R. Pedro 130a, S.V. Peleganchuk 37, O. Penc 36, E.A. Pender 52,
K.E. Penski 10109, M. Penzin 1037, B.S. Peralva 1083d, A.P. Pereira Peixoto 1060, L. Pereira Sanchez 1047a,47b,
D.V. Perepelitsa (D<sup>29</sup>,ai, E. Perez Codina (D<sup>156a</sup>, M. Perganti (D<sup>10</sup>, L. Perini (D<sup>71a,71b,*</sup>, H. Pernegger (D<sup>36</sup>,
O. Perrin \mathbb{D}^{40}, K. Peters \mathbb{D}^{48}, R.F.Y. Peters \mathbb{D}^{101}, B.A. Petersen \mathbb{D}^{36}, T.C. Petersen \mathbb{D}^{42}, E. Petit \mathbb{D}^{102},
V. Petousis 132, C. Petridou 152,e, A. Petrukhin 141, M. Pettee 17a, N.E. Pettersson 36,
A. Petukhov  <sup>137</sup>, K. Petukhova <sup>133</sup>, R. Pezoa <sup>137</sup>f, L. Pezzotti <sup>36</sup>, G. Pezzullo <sup>172</sup>, T.M. Pham <sup>170</sup>,
T. Pham 105, P.W. Phillips 134, G. Piacquadio 145, E. Pianori 15a, F. Piazza 15a, R. Piegaia 15a,
D. Pietreanu (D<sup>27b</sup>, A.D. Pilkington (D<sup>101</sup>, M. Pinamonti (D<sup>69a,69c</sup>, J.L. Pinfold (D<sup>2</sup>),
B.C. Pinheiro Pereira 130a, A.E. Pinto Pinoargote 100,135, L. Pintucci 69a,69c, K.M. Piper 146,
```

```
A. Pirttikoski 656, D.A. Pizzi 634, L. Pizzimento 64b, A. Pizzini 6114, M.-A. Pleier 629, V. Plesanovs 54,
V. Pleskot 133, E. Plotnikova 6, G. Poddar 4, R. Poettgen 198, L. Poggioli 127, I. Pokharel 55,
S. Polacek (D133), G. Polesello (D73a), A. Poley (D142,156a), R. Polifka (D132), A. Polini (D23b), C.S. Pollard (D167),
Z.B. Pollock 119, V. Polychronakos 29, E. Pompa Pacchi 75a,75b, D. Ponomarenko 113,
L. Pontecorvo (D<sup>36</sup>, S. Popa (D<sup>27a</sup>, G.A. Popeneciu (D<sup>27d</sup>, A. Poreba (D<sup>36</sup>, D.M. Portillo Quintero (D<sup>156a</sup>).
S. Pospisil 132, M.A. Postill 139, P. Postolache 27c, K. Potamianos 167, P.A. Potepa 86a,
I.N. Potrap (^{38}, C.J. Potter (^{32}, H. Potti (^{1}, T. Poulsen (^{48}, J. Poveda (^{163}, M.E. Pozo Astigarraga (^{36},
A. Prades Ibanez 163, J. Pretel 54, D. Price 101, M. Primavera 70a, M.A. Principe Martin 99,
R. Privara 122, T. Procter 59, M.L. Proffitt 138, N. Proklova 128, K. Prokofiev 64c, G. Proto 110,
S. Protopopescu <sup>©29</sup>, J. Proudfoot <sup>©6</sup>, M. Przybycien <sup>©86a</sup>, W.W. Przygoda <sup>©86b</sup>, J.E. Puddefoot <sup>©139</sup>,
D. Pudzha (D<sup>37</sup>, D. Pyatiizbyantseva (D<sup>37</sup>, J. Qian (D<sup>106</sup>, D. Qichen (D<sup>101</sup>, Y. Qin (D<sup>101</sup>, T. Qiu (D<sup>52</sup>),
A. Quadt <sup>55</sup>, M. Queitsch-Maitland <sup>101</sup>, G. Quetant <sup>56</sup>, R.P. Quinn <sup>164</sup>, G. Rabanal Bolanos <sup>61</sup>,
D. Rafanoharana <sup>54</sup>, F. Ragusa <sup>71a,71b</sup>, J.L. Rainbolt <sup>39</sup>, J.A. Raine <sup>56</sup>, S. Rajagopalan <sup>29</sup>,
E. Ramakoti <sup>©37</sup>, I.A. Ramirez-Berend <sup>©34</sup>, K. Ran <sup>©48,14e</sup>, N.P. Rapheeha <sup>©33g</sup>, H. Rasheed <sup>©27b</sup>,
V. Raskina © 127, D.F. Rassloff © 63a, S. Rave © 100, B. Ravina © 55, I. Ravinovich © 169, M. Raymond © 36,
A.L. Read (125), N.P. Readioff (139), D.M. Rebuzzi (173a,73b), G. Redlinger (129), A.S. Reed (110),
K. Reeves © 26, J.A. Reidelsturz © 171, D. Reikher © 151, A. Rej © 49, C. Rembser © 36, A. Renardi © 48,
M. Renda © 27b, M.B. Rendel 110, F. Renner © 48, A.G. Rennie © 160, A.L. Rescia © 48, S. Resconi © 71a, M. Ressegotti © 57b,57a, S. Rettie © 36, J.G. Reyes Rivera © 107, E. Reynolds © 17a, O.L. Rezanova © 37,
P. Reznicek (D133), N. Ribaric (D91), E. Ricci (D78a,78b), R. Richter (D110), S. Richter (D47a,47b),
E. Richter-Was 666, M. Ridel 127, S. Ridouani 535d, P. Rieck 117, P. Riedler 36, E.M. Riefel 47a,47b,
J.O. Rieger 114, M. Rijssenbeek 145, A. Rimoldi 73a,73b, M. Rimoldi 36, L. Rinaldi 23b,23a,
T.T. Rinn \mathbb{D}^{29}, M.P. Rinnagel \mathbb{D}^{109}, G. Ripellino \mathbb{D}^{161}, I. Riu \mathbb{D}^{13}, P. Rivadeneira \mathbb{D}^{48},
J.C. Rivera Vergara 6165, F. Rizatdinova 6121, E. Rizvi 694, B.A. Roberts 6167, B.R. Roberts 617a,
S.H. Robertson 104,w, D. Robinson 1032, C.M. Robles Gajardo 137f, M. Robles Manzano 10100,
A. Robson <sup>1</sup>D<sup>59</sup>, A. Rocchi <sup>1</sup>D<sup>76a,76b</sup>, C. Roda <sup>1</sup>D<sup>74a,74b</sup>, S. Rodriguez Bosca <sup>1</sup>D<sup>63a</sup>, Y. Rodriguez Garcia <sup>1</sup>D<sup>22a</sup>, A. Rodriguez Rodriguez <sup>1</sup>D<sup>54</sup>, A.M. Rodríguez Vera <sup>1</sup>D<sup>156b</sup>, S. Roe<sup>36</sup>, J.T. Roemer <sup>1</sup>D<sup>160</sup>,
A.R. Roepe-Gier (136), J. Roggel (171), O. Røhne (125), R.A. Rojas (103), C.P.A. Roland (127),
J. Roloff (D<sup>29</sup>), A. Romaniouk (D<sup>37</sup>), E. Romano (D<sup>73a,73b</sup>), M. Romano (D<sup>23b</sup>), A.C. Romero Hernandez (D<sup>162</sup>),
N. Rompotis (D<sup>92</sup>, L. Roos (D<sup>127</sup>, S. Rosati (D<sup>75a</sup>, B.J. Rosser (D<sup>39</sup>, E. Rossi (D<sup>126</sup>, E. Rossi (D<sup>72a,72b</sup>,
L.P. Rossi © 57b, L. Rossini © 54, R. Rosten © 119, M. Rotaru © 27b, B. Rottler © 54, C. Rougier © 102,aa,
D. Rousseau 666, D. Rousso 32, A. Roy 162, S. Roy-Garand 155, A. Rozanov 102,
Z.M.A. Rozario <sup>59</sup>, Y. Rozen <sup>150</sup>, X. Ruan <sup>33g</sup>, A. Rubio Jimenez <sup>163</sup>, A.J. Ruby <sup>92</sup>,
V.H. Ruelas Rivera <sup>18</sup>, T.A. Ruggeri <sup>1</sup>, A. Ruggiero <sup>126</sup>, A. Ruiz-Martinez <sup>163</sup>, A. Rummler <sup>36</sup>,
Z. Rurikova 654, N.A. Rusakovich 638, H.L. Russell 6165, G. Russo 675a,75b, J.P. Rutherfoord 67,
S. Rutherford Colmenares \mathbb{D}^{32}, K. Rybacki<sup>91</sup>, M. Rybar \mathbb{D}^{133}, E.B. Rye \mathbb{D}^{125}, A. Ryzhov \mathbb{D}^{44},
J.A. Sabater Iglesias <sup>656</sup>, P. Sabatini <sup>6163</sup>, L. Sabetta <sup>675a,75b</sup>, H.F-W. Sadrozinski <sup>6136</sup>,
F. Safai Tehrani ©<sup>75a</sup>, B. Safarzadeh Samani ©<sup>134</sup>, M. Safdari ©<sup>143</sup>, S. Saha ©<sup>165</sup>, M. Sahinsoy ©<sup>110</sup>,
M. Saimpert (135), M. Saito (153), T. Saito (153), D. Salamani (136), A. Salnikov (143), J. Salt (163),
A. Salvador Salas 151, D. Salvatore 43b,43a, F. Salvatore 146, A. Salzburger 36, D. Sammel 54,
D. Sampsonidis 6152,e, D. Sampsonidou 6123, J. Sánchez 6163, A. Sanchez Pineda 64,
V. Sanchez Sebastian (D<sup>163</sup>, H. Sandaker (D<sup>125</sup>, C.O. Sander (D<sup>48</sup>, J.A. Sandesara (D<sup>103</sup>, M. Sandhoff (D<sup>171</sup>),
C. Sandoval (D<sup>22b</sup>, D.P.C. Sankey (D<sup>134</sup>, T. Sano (D<sup>88</sup>, A. Sansoni (D<sup>53</sup>, L. Santi (D<sup>75a,75b</sup>, C. Santoni (D<sup>40</sup>),
H. Santos (130a,130b), S.N. Santpur (17a), A. Santra (169), K.A. Saoucha (116b), J.G. Saraiva (130a,130d),
J. Sardain <sup>107</sup>, O. Sasaki <sup>1084</sup>, K. Sato <sup>10157</sup>, C. Sauer <sup>63b</sup>, F. Sauerburger <sup>1054</sup>, E. Sauvan <sup>104</sup>,
P. Savard 155,af, R. Sawada 153, C. Sawyer 154, L. Sawyer 1597, I. Sayago Galvan 163, C. Sbarra 1523b,
A. Sbrizzi (D<sup>23b,23a</sup>, T. Scanlon (D<sup>96</sup>, J. Schaarschmidt (D<sup>138</sup>, P. Schacht (D<sup>110</sup>, U. Schäfer (D<sup>100</sup>),
```

```
A.C. Schaffer 66,44, D. Schaile 10, R.D. Schamberger 145, C. Scharf 18, M.M. Schefer 19,
V.A. Schegelsky \mathbb{D}^{37}, D. Scheirich \mathbb{D}^{133}, F. Schenck \mathbb{D}^{18}, M. Schernau \mathbb{D}^{160}, C. Scheulen \mathbb{D}^{55},
C. Schiavi ©57b,57a, E.J. Schioppa ©70a,70b, M. Schioppa ©43b,43a, B. Schlag ©143,n, K.E. Schleicher ©54,
S. Schlenker ^{\odot 36}, J. Schmeing ^{\odot 171}, M.A. Schmidt ^{\odot 171}, K. Schmieden ^{\odot 100}, C. Schmitt ^{\odot 100}, N. Schmitt ^{\odot 100}, S. Schmitt ^{\odot 48}, L. Schoeffel ^{\odot 135}, A. Schoening ^{\odot 63b}, P.G. Scholer ^{\odot 54}, E. Schopf ^{\odot 126},
M. Schott <sup>100</sup>, J. Schovancova <sup>36</sup>, S. Schramm <sup>56</sup>, F. Schroeder <sup>171</sup>, T. Schroer <sup>56</sup>,
H-C. Schultz-Coulon 63a, M. Schumacher 54, B.A. Schumm 136, Ph. Schune 135, A.J. Schuy 138,
H.R. Schwartz (136), A. Schwartzman (143), T.A. Schwarz (106), Ph. Schwemling (135),
R. Schwienhorst \bigcirc^{107}, A. Sciandra \bigcirc^{136}, G. Sciolla \bigcirc^{26}, F. Scuri \bigcirc^{74a}, C.D. Sebastiani \bigcirc^{92}, K. Sedlaczek \bigcirc^{115}, P. Seema \bigcirc^{18}, S.C. Seidel \bigcirc^{112}, A. Seiden \bigcirc^{136}, B.D. Seidlitz \bigcirc^{41}, C. Seitz \bigcirc^{48},
J.M. Seixas (D83b), G. Sekhniaidze (D72a), S.J. Sekula (D44), L. Selem (D60), N. Semprini-Cesari (D23b,23a),
D. Sengupta 656, V. Senthilkumar 6163, L. Serin 666, L. Serkin 69a,69b, M. Sessa 76a,76b,
H. Severini © 120, F. Sforza © 57b,57a, A. Sfyrla © 56, E. Shabalina © 55, R. Shaheen © 144,
J.D. Shahinian <sup>128</sup>, D. Shaked Renous <sup>169</sup>, L.Y. Shan <sup>14a</sup>, M. Shapiro <sup>17a</sup>, A. Sharma <sup>36</sup>,
A.S. Sharma (D<sup>164</sup>, P. Sharma (D<sup>80</sup>, S. Sharma (D<sup>48</sup>, P.B. Shatalov (D<sup>37</sup>, K. Shaw (D<sup>146</sup>, S.M. Shaw (D<sup>101</sup>),
A. Shcherbakova (D<sup>37</sup>, Q. Shen (D<sup>62c,5</sup>, P. Sherwood (D<sup>96</sup>, L. Shi (D<sup>96</sup>, X. Shi (D<sup>14a</sup>, C.O. Shimmin (D<sup>172</sup>),
J.D. Shinner <sup>©95</sup>, I.P.J. Shipsey <sup>©126</sup>, S. Shirabe <sup>©56,h</sup>, M. Shiyakova <sup>©38,u</sup>, J. Shlomi <sup>©169</sup>,
M.J. Shochet <sup>139</sup>, J. Shojaii <sup>105</sup>, D.R. Shope <sup>125</sup>, B. Shrestha <sup>120</sup>, S. Shrestha <sup>119,aj</sup>
E.M. Shrif <sup>©33g</sup>, M.J. Shroff <sup>©165</sup>, P. Sicho <sup>©131</sup>, A.M. Sickles <sup>©162</sup>, E. Sideras Haddad <sup>©33g</sup>,
A. Sidoti <sup>©23b</sup>, F. Siegert <sup>©50</sup>, Dj. Sijacki <sup>©15</sup>, R. Sikora <sup>©86a</sup>, F. Sili <sup>©90</sup>, J.M. Silva <sup>©20</sup>,
M.V. Silva Oliveira (^{29}, S.B. Silverstein (^{47}), S. Simion (^{66}, R. Simoniello (^{36}), E.L. Simpson (^{59}),
H. Simpson (106), L.R. Simpson (106), N.D. Simpson (108), S. Simsek (108), S. Sindhu (105), P. Sinervo (105),
S. Singh (D<sup>155</sup>, S. Sinha (D<sup>48</sup>, S. Sinha (D<sup>101</sup>, M. Sioli (D<sup>23b,23a</sup>, I. Siral (D<sup>36</sup>, E. Sitnikova (D<sup>48</sup>,
S.Yu. Sivoklokov 0^{37,*}, J. Sjölin 0^{47a,47b}, A. Skaf 0^{55}, E. Skorda 0^{20}, P. Skubic 0^{120}, M. Slawinska 0^{87},
V. Smakhtin<sup>169</sup>, B.H. Smart <sup>134</sup>, J. Smiesko <sup>36</sup>, S.Yu. Smirnov <sup>37</sup>, Y. Smirnov <sup>37</sup>,
L.N. Smirnova (D<sup>37</sup>,a, O. Smirnova (D<sup>98</sup>, A.C. Smith (D<sup>41</sup>, E.A. Smith (D<sup>39</sup>, H.A. Smith (D<sup>126</sup>,
J.L. Smith \mathbb{D}^{92}, R. Smith \mathbb{D}^{143}, M. Smizanska \mathbb{D}^{91}, K. Smolek \mathbb{D}^{132}, A.A. Snesarev \mathbb{D}^{37}, S.R. Snider \mathbb{D}^{155},
H.L. Snoek 114, S. Snyder 29, R. Sobie 165, A. Soffer 151, C.A. Solans Sanchez 36,
E.Yu. Soldatov \bigcirc^{37}, U. Soldevila \bigcirc^{163}, A.A. Solodkov \bigcirc^{37}, S. Solomon \bigcirc^{26}, A. Soloshenko \bigcirc^{38},
K. Solovieva 654, O.V. Solovyanov 640, V. Solovyev 637, P. Sommer 636, A. Sonay 613,
W.Y. Song 6156b, J.M. Sonneveld 6114, A. Sopczak 6132, A.L. Sopio 696, F. Sopkova 628b,
I.R. Sotarriva Alvarez 154, V. Sothilingam 3a, O.J. Soto Sandoval 137c,137b, S. Sottocornola 58,
R. Soualah (D<sup>116b</sup>, Z. Soumaimi (D<sup>35e</sup>, D. South (D<sup>48</sup>, N. Soybelman (D<sup>169</sup>, S. Spagnolo (D<sup>70a,70b</sup>, M. Spalla (D<sup>110</sup>, D. Sperlich (D<sup>54</sup>, G. Spigo (D<sup>36</sup>, S. Spinali (D<sup>91</sup>, D.P. Spiteri (D<sup>59</sup>, M. Spousta (D<sup>133</sup>,
E.J. Staats ©<sup>34</sup>, A. Stabile ©<sup>71a,71b</sup>, R. Stamen ©<sup>63a</sup>, A. Stampekis ©<sup>20</sup>, M. Standke ©<sup>24</sup>, E. Stanecka ©<sup>87</sup>,
M.V. Stange <sup>©50</sup>, B. Stanislaus <sup>©17a</sup>, M.M. Stanitzki <sup>©48</sup>, B. Stapf <sup>©48</sup>, E.A. Starchenko <sup>©37</sup>,
G.H. Stark 136, J. Stark 102,aa, D.M. Starko 156b, P. Staroba 131, P. Starovoitov 163a, S. Stärz 104,
R. Staszewski •87, G. Stavropoulos •46, J. Steentoft •161, P. Steinberg •29, B. Stelzer •142,156a,
H.J. Stelzer (D<sup>129</sup>, O. Stelzer-Chilton (D<sup>156a</sup>, H. Stenzel (D<sup>58</sup>, T.J. Stevenson (D<sup>146</sup>, G.A. Stewart (D<sup>36</sup>),
J.R. Stewart <sup>121</sup>, M.C. Stockton <sup>36</sup>, G. Stoicea <sup>27b</sup>, M. Stolarski <sup>130a</sup>, S. Stonjek <sup>110</sup>,
A. Straessner <sup>50</sup>, J. Strandberg <sup>144</sup>, S. Strandberg <sup>47a,47b</sup>, M. Stratmann <sup>171</sup>, M. Strauss <sup>120</sup>,
T. Strebler \mathbb{D}^{102}, P. Strizenec \mathbb{D}^{28b}, R. Ströhmer \mathbb{D}^{166}, D.M. Strom \mathbb{D}^{123}, L.R. Strom \mathbb{D}^{48},
R. Stroynowski \mathbb{D}^{44}, A. Strubig \mathbb{D}^{47a,47b}, S.A. Stucci \mathbb{D}^{29}, B. Stugu \mathbb{D}^{16}, J. Stupak \mathbb{D}^{120}, N.A. Styles \mathbb{D}^{48},
D. Su 143, S. Su 162a, W. Su 162d, X. Su 162a, 66, K. Sugizaki 153, V.V. Sulin 1637, M.J. Sullivan 1692,
D.M.S. Sultan (D<sup>78a,78b</sup>, L. Sultanaliyeva (D<sup>37</sup>, S. Sultansoy (D<sup>3b</sup>, T. Sumida (D<sup>88</sup>, S. Sun (D<sup>106</sup>, S. Sun (D<sup>170</sup>),
O. Sunneborn Gudnadottir <sup>161</sup>, N. Sur <sup>102</sup>, M.R. Sutton <sup>146</sup>, H. Suzuki <sup>157</sup>, M. Svatos <sup>131</sup>,
M. Swiatlowski (D<sup>156a</sup>, T. Swirski (D<sup>166</sup>, I. Sykora (D<sup>28a</sup>, M. Sykora (D<sup>133</sup>, T. Sykora (D<sup>133</sup>, D. Ta (D<sup>100</sup>),
```

```
K. Tackmann \mathbb{D}^{48,t}, A. Taffard \mathbb{D}^{160}, R. Tafirout \mathbb{D}^{156a}, J.S. Tafoya Vargas \mathbb{D}^{66}, E.P. Takeva \mathbb{D}^{52},
Y. Takubo (D84), M. Talby (D102), A.A. Talyshev (D37), K.C. Tam (D64b), N.M. Tamir (151), A. Tanaka (D153),
J. Tanaka 10153, R. Tanaka 1066, M. Tanasini 1057b,57a, Z. Tao 10164, S. Tapia Araya 10137f,
S. Tapprogge 100, A. Tarek Abouelfadl Mohamed 107, S. Tarem 150, K. Tariq 14a, G. Tarna 1012,27b,
G.F. Tartarelli (D<sup>71a</sup>, P. Tas (D<sup>133</sup>, M. Tasevsky (D<sup>131</sup>, E. Tassi (D<sup>43b,43a</sup>, A.C. Tate (D<sup>162</sup>, G. Tateno (D<sup>153</sup>),
Y. Tayalati \bigcirc^{35e,v}, G.N. Taylor \bigcirc^{105}, W. Taylor \bigcirc^{156b}, A.S. Tee \bigcirc^{170}, R. Teixeira De Lima \bigcirc^{143},
P. Teixeira-Dias (1995), J.J. Teoh (1915), K. Terashi (1915), J. Terron (1999), S. Terzo (1913), M. Testa (1953),
R.J. Teuscher 155,w, A. Thaler 79, O. Theiner 56, N. Themistokleous 52, T. Theveneaux-Pelzer 1012,
O. Thielmann (D171, D.W. Thomas 95, J.P. Thomas (D20, E.A. Thompson (D17a, P.D. Thompson (D20,
E. Thomson 6128, Y. Tian 655, V. Tikhomirov 637, Yu.A. Tikhonov 637, S. Timoshenko 37,
D. Timoshyn (D<sup>133</sup>, E.X.L. Ting (D<sup>1</sup>, P. Tipton (D<sup>172</sup>, S.H. Tlou (D<sup>33g</sup>, A. Tnourji (D<sup>40</sup>, K. Todome (D<sup>154</sup>,
S. Todorova-Nova 6133, S. Todt 50, M. Togawa 684, J. Tojo 689, S. Tokár 628a, K. Tokushuku 684,
O. Toldaiev 68, R. Tombs 32, M. Tomoto 84,111, L. Tompkins 6143,n, K.W. Topolnicki 866,
E. Torrence 123, H. Torres 1010, aa, E. Torró Pastor 163, M. Toscani 150, C. Tosciri 1539, M. Tost 1511,
D.R. Tovey 139, A. Traeet 16, I.S. Trandafir 27b, T. Trefzger 166, A. Tricoli 29, I.M. Trigger 156a,
S. Trincaz-Duvoid (D127), D.A. Trischuk (D26), B. Trocmé (D60), C. Troncon (D71a), L. Truong (D33c),
M. Trzebinski \mathbb{D}^{87}, A. Trzupek \mathbb{D}^{87}, F. Tsai \mathbb{D}^{145}, M. Tsai \mathbb{D}^{106}, A. Tsiamis \mathbb{D}^{152,e}, P.V. Tsiareshka<sup>37</sup>,
S. Tsigaridas 156a, A. Tsirigotis 152,r, V. Tsiskaridze 155, E.G. Tskhadadze 149a,
M. Tsopoulou 152,e, Y. Tsujikawa 88, I.I. Tsukerman 37, V. Tsulaia 17a, S. Tsuno 84, O. Tsur<sup>150</sup>,
K. Tsuri 118, D. Tsybychev 145, Y. Tu 64b, A. Tudorache 27b, V. Tudorache 27b, A.N. Tuna 36,
S. Turchikhin <sup>©</sup><sup>57b,57a</sup>, I. Turk Cakir <sup>©</sup><sup>3a</sup>, R. Turra <sup>©</sup><sup>71a</sup>, T. Turtuvshin <sup>©</sup><sup>38,x</sup>, P.M. Tuts <sup>©</sup><sup>41</sup>,
S. Tzamarias © 152,e, P. Tzanis © 10, E. Tzovara © 100, F. Ukegawa © 157, P.A. Ulloa Poblete © 137c,137b.
E.N. Umaka (D<sup>29</sup>, G. Unal (D<sup>36</sup>, M. Unal (D<sup>11</sup>, A. Undrus (D<sup>29</sup>, G. Unel (D<sup>160</sup>, J. Urban (D<sup>28b</sup>),
P. Urquijo (105, P. Urrejola (137a), G. Usai (18, R. Ushioda (154, M. Usman (108, Z. Uysal (12b),
V. Vacek 10 132, B. Vachon 10 104, K.O.H. Vadla 10 125, T. Vafeiadis 10 36, A. Vaitkus 10 96, C. Valderanis 10 109,
E. Valdes Santurio (D47a,47b), M. Valente (D156a), S. Valentinetti (D23b,23a), A. Valero (D163),
E. Valiente Moreno (163), A. Vallier (102,aa), J.A. Valls Ferrer (163), D.R. Van Arneman (114),
T.R. Van Daalen 138, A. Van Der Graaf 49, P. Van Gemmeren 6, M. Van Rijnbach 125,36,
S. Van Stroud 696, I. Van Vulpen 614, M. Vanadia 676a,76b, W. Vandelli 636, M. Vandenbroucke 6135,
E.R. Vandewall [b121], D. Vannicola [b151], L. Vannoli [b57b,57a], R. Vari [b75a], E.W. Varnes [b7],
C. Varni 1017b, T. Varol 10148, D. Varouchas 1066, L. Varriale 10163, K.E. Varvell 10147, M.E. Vasile 1027b,
L. Vaslin<sup>84</sup>, G.A. Vasquez 165, A. Vasyukov 1838, F. Vazeille 1840, T. Vazquez Schroeder 1856,
J. Veatch <sup>©31</sup>, V. Vecchio <sup>©101</sup>, M.J. Veen <sup>©103</sup>, I. Veliscek <sup>©126</sup>, L.M. Veloce <sup>©155</sup>, F. Veloso <sup>©130a,130c</sup>, S. Veneziano <sup>©75a</sup>, A. Ventura <sup>©70a,70b</sup>, S. Ventura Gonzalez <sup>©135</sup>, A. Verbytskyi <sup>©110</sup>,
M. Verducci (D<sup>74a,74b</sup>, C. Vergis (D<sup>24</sup>, M. Verissimo De Araujo (D<sup>83b</sup>, W. Verkerke (D<sup>114</sup>,
J.C. Vermeulen 114, C. Vernieri 143, M. Vessella 1013, M.C. Vetterli 142, A. Vgenopoulos 152, e,
N. Viaux Maira 137f, T. Vickey 139, O.E. Vickey Boeriu 139, G.H.A. Viehhauser 126, L. Vigani 163b,
M. Villa (D<sup>23b,23a</sup>, M. Villaplana Perez (D<sup>163</sup>, E.M. Villhauer<sup>52</sup>, E. Vilucchi (D<sup>53</sup>, M.G. Vincter (D<sup>34</sup>,
G.S. Virdee \mathbb{D}^{20}, A. Vishwakarma \mathbb{D}^{52}, A. Visibile \mathbb{D}^{14}, C. Vittori \mathbb{D}^{36}, I. Vivarelli \mathbb{D}^{146},
E. Voevodina <sup>110</sup>, F. Vogel <sup>109</sup>, J.C. Voigt <sup>50</sup>, P. Vokac <sup>132</sup>, Yu. Volkotrub <sup>86a</sup>, J. Von Ahnen <sup>48</sup>,
E. Von Toerne <sup>©24</sup>, B. Vormwald <sup>©36</sup>, V. Vorobel <sup>©133</sup>, K. Vorobev <sup>©37</sup>, M. Vos <sup>©163</sup>, K. Voss <sup>©141</sup>,
J.H. Vossebeld <sup>192</sup>, M. Vozak <sup>114</sup>, L. Vozdecky <sup>194</sup>, N. Vranjes <sup>15</sup>, M. Vranjes Milosavljevic <sup>15</sup>,
M. Vreeswijk 114, R. Vuillermet 36, O. Vujinovic 100, I. Vukotic 39, S. Wada 157, C. Wagner 3,
J.M. Wagner (10) 17a, W. Wagner (10) 171, S. Wahdan (10) 171, H. Wahlberg (10) 90, M. Wakida (10) 111, J. Walder (10) 134,
R. Walker 10 109, W. Walkowiak 11 141, A. Wall 128, T. Wamorkar 16, A.Z. Wang 11 16, C. Wang 10 100,
C. Wang 62c, H. Wang 617a, J. Wang 64a, R.-J. Wang 6100, R. Wang 61, R. Wang 66,
S.M. Wang 6148, S. Wang 62b, T. Wang 62a, W.T. Wang 680, W. Wang 614a, X. Wang 614c,
```

```
X. Wang 162, X. Wang 162c, Y. Wang 162d, Y. Wang 164c, Z. Wang 161d, Z. Wang 162d, 51,62c,
Z. Wang 106, A. Warburton 104, R.J. Ward 1020, N. Warrack 1059, A.T. Watson 1020, H. Watson 1059,
M.F. Watson (D<sup>20</sup>, E. Watton (D<sup>59,134</sup>, G. Watts (D<sup>138</sup>, B.M. Waugh (D<sup>96</sup>, C. Weber (D<sup>29</sup>, H.A. Weber (D<sup>18</sup>,
M.S. Weber • S.M. Weber • S.M. Weingarten • A.R. Weidberg • A.R. Weidberg • E.J. Weik • 117, J. Weingarten • M. Weirich • M. Weirich • C. Weiser • A.R. Weidberg • A.R. Weidberg • E.J. Weik • 117, J. Weingarten • M. Weirich • M. Weirich • M. Weirich • M. Weingarten • M. 
T. Wengler <sup>10</sup>36, N.S. Wenke <sup>110</sup>, N. Wermes <sup>24</sup>, M. Wessels <sup>63</sup>a, A.M. Wharton <sup>91</sup>, A.S. White <sup>61</sup>,
A. White <sup>1</sup>08, M.J. White <sup>1</sup>01, D. Whiteson <sup>1</sup>00, L. Wickremasinghe <sup>1</sup>0124, W. Wiedenmann <sup>1</sup>0170,
C. Wiel 50, M. Wielers 134, C. Wiglesworth 42, D.J. Wilbern 120, H.G. Wilkens 36,
D.M. Williams (D41, H.H. Williams 128, S. Williams (D32, S. Willocq (D103, B.J. Wilson (D101,
P.J. Windischhofer <sup>©39</sup>, F.I. Winkel <sup>©30</sup>, F. Winklmeier <sup>©123</sup>, B.T. Winter <sup>©54</sup>, J.K. Winter <sup>©101</sup>,
M. Wittgen<sup>143</sup>, M. Wobisch <sup>1097</sup>, Z. Wolffs <sup>114</sup>, J. Wollrath <sup>160</sup>, M.W. Wolter <sup>187</sup>, H. Wolters <sup>130a,130c</sup>,
A.F. Wongel <sup>648</sup>, E.L. Woodward <sup>641</sup>, S.D. Worm <sup>648</sup>, B.K. Wosiek <sup>687</sup>, K.W. Woźniak <sup>687</sup>,
S. Wozniewski <sup>55</sup>, K. Wraight <sup>59</sup>, C. Wu <sup>20</sup>, J. Wu <sup>14a,14e</sup>, M. Wu <sup>64a</sup>, M. Wu <sup>6113</sup>, S.L. Wu <sup>170</sup>,
X. Wu 1056, Y. Wu 1062a, Z. Wu 10135, J. Wuerzinger 10110,ad, T.R. Wyatt 10101, B.M. Wynne 1052,
S. Xella (D<sup>42</sup>, L. Xia (D<sup>14c</sup>, M. Xia (D<sup>14b</sup>, J. Xiang (D<sup>64c</sup>, M. Xie (D<sup>62a</sup>, X. Xie (D<sup>62a</sup>, S. Xin (D<sup>14a,14e</sup>,
A. Xiong 123, J. Xiong 17a, D. Xu 14a, H. Xu 162a, L. Xu 162a, R. Xu 128, T. Xu 161b, Y. Xu 164b,
Z. Xu D<sup>52</sup>, Z. Xu<sup>14c</sup>, B. Yabsley D<sup>147</sup>, S. Yacoob D<sup>33a</sup>, Y. Yamaguchi D<sup>154</sup>, E. Yamashita D<sup>153</sup>,
H. Yamauchi 157, T. Yamazaki 17a, Y. Yamazaki 185, J. Yan 12c, S. Yan 12c, Z. Yan 12c,
H.J. Yang 662c,62d, H.T. Yang 662a, S. Yang 662a, T. Yang 664c, X. Yang 636, X. Yang 614a, Y. Yang 644,
Y. Yang<sup>62a</sup>, Z. Yang <sup>62a</sup>, W-M. Yao <sup>17a</sup>, Y.C. Yap <sup>48</sup>, H. Ye <sup>14c</sup>, H. Ye <sup>55</sup>, J. Ye <sup>14a</sup>, S. Ye <sup>29</sup>,
X. Ye 6<sup>22</sup>a, Y. Yeh 6<sup>96</sup>, I. Yeletskikh 6<sup>38</sup>, B.K. Yeo 6<sup>17</sup>b, M.R. Yexley 6<sup>96</sup>, P. Yin 6<sup>41</sup>, K. Yorita 6<sup>168</sup>,
S. Younas © 27b, C.J.S. Young © 36, C. Young © 143, C. Yu © 14a, 14e, ah, Y. Yu © 62a, M. Yuan © 106,
R. Yuan 62b, L. Yue 696, M. Zaazoua 62a, B. Zabinski 87, E. Zaid 2, Z.K. Zak 687,
T. Zakareishvili 149b, N. Zakharchuk 34, S. Zambito 56, J.A. Zamora Saa 137d,137b, J. Zang 153,
D. Zanzi 654, O. Zaplatilek 6132, C. Zeitnitz 6171, H. Zeng 614a, J.C. Zeng 6162, D.T. Zenger Jr 626,
O. Zenin (D<sup>37</sup>, T. Ženiš (D<sup>28a</sup>, S. Zenz (D<sup>94</sup>, S. Zerradi (D<sup>35a</sup>, D. Zerwas (D<sup>66</sup>, M. Zhai (D<sup>14a,14e</sup>,
B. Zhang 14c, D.F. Zhang 139, J. Zhang 162b, J. Zhang 66, K. Zhang 14a, 14e, L. Zhang 1614c,
P. Zhang 14a,14e, R. Zhang 170, S. Zhang 106, S. Zhang 164, T. Zhang 153, X. Zhang 162c,
X. Zhang (b<sup>62b</sup>, Y. Zhang (b<sup>62c,5</sup>, Y. Zhang (b<sup>96</sup>, Y. Zhang (b<sup>14c</sup>, Z. Zhang (b<sup>17a</sup>, Z. Zhang (b<sup>66</sup>,
H. Zhao 138, P. Zhao 51, T. Zhao 52b, Y. Zhao 136, Z. Zhao 52a, A. Zhemchugov 38,
J. Zheng 14c, K. Zheng 162, X. Zheng 162a, Z. Zheng 143, D. Zhong 162, B. Zhou 166, H. Zhou 7,
N. Zhou 62c, Y. Zhou, C.G. Zhu 62b, J. Zhu 6106, Y. Zhu 662c, Y. Zhu 662a, X. Zhuang 614a,
K. Zhukov \bigcirc^{37}, V. Zhulanov \bigcirc^{37}, N.I. Zimine \bigcirc^{38}, J. Zinsser \bigcirc^{63b}, M. Ziolkowski \bigcirc^{141}, L. Živković \bigcirc^{15},
A. Zoccoli (23b,23a), K. Zoch (51, T.G. Zorbas (5139), O. Zormpa (546), W. Zou (541), L. Zwalinski (536).
```

<sup>&</sup>lt;sup>1</sup>Department of Physics, University of Adelaide, Adelaide; Australia.

<sup>&</sup>lt;sup>2</sup>Department of Physics, University of Alberta, Edmonton AB; Canada.

<sup>&</sup>lt;sup>3(a)</sup>Department of Physics, Ankara University, Ankara; <sup>(b)</sup>Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

<sup>&</sup>lt;sup>4</sup>LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

<sup>&</sup>lt;sup>5</sup>APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

<sup>&</sup>lt;sup>6</sup>High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

<sup>&</sup>lt;sup>7</sup>Department of Physics, University of Arizona, Tucson AZ; United States of America.

<sup>&</sup>lt;sup>8</sup>Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

<sup>&</sup>lt;sup>9</sup>Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

<sup>&</sup>lt;sup>10</sup>Physics Department, National Technical University of Athens, Zografou; Greece.

<sup>&</sup>lt;sup>11</sup>Department of Physics, University of Texas at Austin, Austin TX; United States of America.

- <sup>12</sup>Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- <sup>13</sup>Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.
- <sup>14(a)</sup>Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; <sup>(b)</sup>Physics Department, Tsinghua University, Beijing; <sup>(c)</sup>Department of Physics, Nanjing University, Nanjing; <sup>(d)</sup>School of Science, Shenzhen Campus of Sun Yat-sen University; <sup>(e)</sup>University of Chinese Academy of Science (UCAS), Beijing; China.
- <sup>15</sup>Institute of Physics, University of Belgrade, Belgrade; Serbia.
- <sup>16</sup>Department for Physics and Technology, University of Bergen, Bergen; Norway.
- <sup>17(a)</sup>Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; <sup>(b)</sup>University of California, Berkeley CA; United States of America.
- <sup>18</sup>Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.
- <sup>19</sup>Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.
- <sup>20</sup>School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- <sup>21(a)</sup>Department of Physics, Bogazici University, Istanbul; <sup>(b)</sup>Department of Physics Engineering, Gaziantep University, Gaziantep; <sup>(c)</sup>Department of Physics, Istanbul University, Istanbul; Türkiye.
- <sup>22(a)</sup>Facultad de Ciencias y Centro de Investigaciónes, Universidad Antonio Nariño,
- Bogotá; (b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- <sup>23(a)</sup>Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; <sup>(b)</sup>INFN Sezione di Bologna; Italy.
- <sup>24</sup>Physikalisches Institut, Universität Bonn, Bonn; Germany.
- <sup>25</sup>Department of Physics, Boston University, Boston MA; United States of America.
- <sup>26</sup>Department of Physics, Brandeis University, Waltham MA; United States of America.
- $^{27(a)}$ Transilvania University of Brasov, Brasov;  $^{(b)}$ Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest;  $^{(c)}$ Department of Physics, Alexandru Ioan Cuza University of Iasi,
- Iasi;  $^{(d)}$ National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;  $^{(e)}$ University Politehnica Bucharest, Bucharest;  $^{(f)}$ West University in Timisoara, Timisoara;  $^{(g)}$ Faculty of Physics, University of Bucharest, Bucharest; Romania.
- <sup>28(a)</sup> Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; <sup>(b)</sup> Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- <sup>29</sup>Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- <sup>30</sup>Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- <sup>31</sup>California State University, CA; United States of America.
- <sup>32</sup>Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- $^{33(a)}$ Department of Physics, University of Cape Town, Cape Town;  $^{(b)}$ iThemba Labs, Western

Cape: (c) Department of Mechanical Engineering Science, University of Johannesburg,

Johannesburg; (d) National Institute of Physics, University of the Philippines Diliman

(Philippines); (e) University of South Africa, Department of Physics, Pretoria; (f) University of Zululand,

KwaDlangezwa; (g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa.

- <sup>34</sup>Department of Physics, Carleton University, Ottawa ON; Canada.
- <sup>35(a)</sup>Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies Université Hassan II, Casablanca; (b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; (e) Faculté des sciences, Université Mohammed V, Rabat; (f) Institute of Applied

- Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- <sup>36</sup>CERN, Geneva; Switzerland.
- <sup>37</sup> Affiliated with an institute covered by a cooperation agreement with CERN.
- <sup>38</sup>Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- <sup>39</sup>Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- <sup>40</sup>LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- <sup>41</sup>Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- <sup>42</sup>Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- $^{43(a)}$ Dipartimento di Fisica, Università della Calabria, Rende; $^{(b)}$ INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- <sup>44</sup>Physics Department, Southern Methodist University, Dallas TX; United States of America.
- <sup>45</sup>Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- <sup>46</sup>National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- <sup>47(a)</sup>Department of Physics, Stockholm University; <sup>(b)</sup>Oskar Klein Centre, Stockholm; Sweden.
- <sup>48</sup>Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- <sup>49</sup>Fakultät Physik , Technische Universität Dortmund, Dortmund; Germany.
- <sup>50</sup>Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- <sup>51</sup>Department of Physics, Duke University, Durham NC; United States of America.
- <sup>52</sup>SUPA School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- <sup>53</sup>INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- <sup>54</sup>Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- <sup>55</sup>II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- <sup>56</sup>Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- <sup>57(a)</sup>Dipartimento di Fisica, Università di Genova, Genova; <sup>(b)</sup>INFN Sezione di Genova; Italy.
- <sup>58</sup>II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- <sup>59</sup>SUPA School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- <sup>60</sup>LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- <sup>61</sup>Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- <sup>62(a)</sup> Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; <sup>(b)</sup> Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; <sup>(c)</sup> School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; <sup>(d)</sup> Tsung-Dao Lee Institute, Shanghai; China. <sup>63(a)</sup> Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Heidelberg; <sup>(b)</sup> Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- <sup>64</sup>(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (b) Department of Physics, University of Hong Kong, Hong Kong; (c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- <sup>65</sup>Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- <sup>66</sup>IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- <sup>67</sup>Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.
- <sup>68</sup>Department of Physics, Indiana University, Bloomington IN; United States of America.
- $^{69(a)}$ INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; $^{(b)}$ ICTP, Trieste; $^{(c)}$ Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- <sup>70(a)</sup>INFN Sezione di Lecce; <sup>(b)</sup>Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- <sup>71(a)</sup>INFN Sezione di Milano; <sup>(b)</sup>Dipartimento di Fisica, Università di Milano, Milano; Italy.

- <sup>72(a)</sup>INFN Sezione di Napoli; <sup>(b)</sup>Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- $^{73(a)}$ INFN Sezione di Pavia;  $^{(b)}$ Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- <sup>74(a)</sup>INFN Sezione di Pisa; <sup>(b)</sup>Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- <sup>75(a)</sup>INFN Sezione di Roma; <sup>(b)</sup>Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- <sup>76(a)</sup>INFN Sezione di Roma Tor Vergata; <sup>(b)</sup>Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- $^{77(a)}$ INFN Sezione di Roma Tre; $^{(b)}$ Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- <sup>78(a)</sup>INFN-TIFPA; <sup>(b)</sup>Università degli Studi di Trento, Trento; Italy.
- <sup>79</sup>Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- <sup>80</sup>University of Iowa, Iowa City IA; United States of America.
- <sup>81</sup>Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- <sup>82</sup>Istinye University, Sariyer, Istanbul; Türkiye.
- <sup>83(a)</sup> Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; <sup>(b)</sup> Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; <sup>(c)</sup> Instituto de Física, Universidade de São Paulo, São Paulo; <sup>(d)</sup> Rio de Janeiro State University, Rio de Janeiro; Brazil.
- <sup>84</sup>KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- <sup>85</sup>Graduate School of Science, Kobe University, Kobe; Japan.
- <sup>86</sup>(a) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- <sup>87</sup>Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- <sup>88</sup>Faculty of Science, Kyoto University, Kyoto; Japan.
- <sup>89</sup>Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan.
- <sup>90</sup>Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- <sup>91</sup>Physics Department, Lancaster University, Lancaster; United Kingdom.
- <sup>92</sup>Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- <sup>93</sup>Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- <sup>94</sup>School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- <sup>95</sup>Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- <sup>96</sup>Department of Physics and Astronomy, University College London, London; United Kingdom.
- <sup>97</sup>Louisiana Tech University, Ruston LA; United States of America.
- <sup>98</sup>Fysiska institutionen, Lunds universitet, Lund; Sweden.
- <sup>99</sup>Departamento de Física Teorica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- <sup>100</sup>Institut für Physik, Universität Mainz, Mainz; Germany.
- <sup>101</sup>School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- <sup>102</sup>CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- <sup>103</sup>Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- <sup>104</sup>Department of Physics, McGill University, Montreal OC; Canada.
- <sup>105</sup>School of Physics, University of Melbourne, Victoria; Australia.
- <sup>106</sup>Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- <sup>107</sup>Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- <sup>108</sup>Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- <sup>109</sup>Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- <sup>110</sup>Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.

- <sup>111</sup>Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- <sup>112</sup>Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- <sup>113</sup>Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.
- <sup>114</sup>Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- <sup>115</sup>Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- <sup>116</sup>(a)</sup>New York University Abu Dhabi, Abu Dhabi; <sup>(b)</sup>University of Sharjah, Sharjah; United Arab Emirates.
- <sup>117</sup>Department of Physics, New York University, New York NY; United States of America.
- <sup>118</sup>Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- <sup>119</sup>Ohio State University, Columbus OH; United States of America.
- <sup>120</sup>Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- <sup>121</sup>Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- <sup>122</sup>Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- <sup>123</sup>Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- <sup>124</sup>Graduate School of Science, Osaka University, Osaka; Japan.
- <sup>125</sup>Department of Physics, University of Oslo, Oslo; Norway.
- <sup>126</sup>Department of Physics, Oxford University, Oxford; United Kingdom.
- <sup>127</sup>LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- <sup>128</sup>Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- <sup>129</sup>Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- <sup>130</sup>(a) Laboratório de Instrumentação e Física Experimental de Partículas LIP, Lisboa; (b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Departamento de Física, Universidade de Coimbra, Coimbra; (d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (e) Departamento de Física, Universidade do Minho, Braga; (f) Departamento de Física Teórica y
- del Cosmos, Universidade de Granada, Granada (Spain); (g) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- <sup>131</sup>Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- <sup>132</sup>Czech Technical University in Prague, Prague; Czech Republic.
- <sup>133</sup>Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- <sup>134</sup>Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- <sup>135</sup>IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- <sup>136</sup>Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- <sup>137</sup>(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; (c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena: (d) Universidad Andres Bello, Department of Physics, Santiago; (e) Instituto de Alta Investigación
- Serena; (d) Universidad Andres Bello, Department of Physics, Santiago; (e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; (f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- <sup>138</sup>Department of Physics, University of Washington, Seattle WA; United States of America.
- <sup>139</sup>Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- <sup>140</sup>Department of Physics, Shinshu University, Nagano; Japan.

- <sup>141</sup>Department Physik, Universität Siegen, Siegen; Germany.
- <sup>142</sup>Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- <sup>143</sup>SLAC National Accelerator Laboratory, Stanford CA; United States of America.
- <sup>144</sup>Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- <sup>145</sup>Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- <sup>146</sup>Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- <sup>147</sup>School of Physics, University of Sydney, Sydney; Australia.
- <sup>148</sup>Institute of Physics, Academia Sinica, Taipei; Taiwan.
- $^{149}(a)$ E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi;  $^{(b)}$ High Energy Physics Institute, Tbilisi State University, Tbilisi;  $^{(c)}$ University of Georgia, Tbilisi; Georgia.
- <sup>150</sup>Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- <sup>151</sup>Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- <sup>152</sup>Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- <sup>153</sup>International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- <sup>154</sup>Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- <sup>155</sup>Department of Physics, University of Toronto, Toronto ON; Canada.
- $^{156(a)}$ TRIUMF, Vancouver BC;  $^{(b)}$ Department of Physics and Astronomy, York University, Toronto ON; Canada.
- <sup>157</sup>Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- <sup>158</sup>Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- <sup>159</sup>United Arab Emirates University, Al Ain; United Arab Emirates.
- <sup>160</sup>Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
- <sup>161</sup>Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- <sup>162</sup>Department of Physics, University of Illinois, Urbana IL; United States of America.
- <sup>163</sup>Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia CSIC, Valencia; Spain.
- <sup>164</sup>Department of Physics, University of British Columbia, Vancouver BC; Canada.
- <sup>165</sup>Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- <sup>166</sup>Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- <sup>167</sup>Department of Physics, University of Warwick, Coventry; United Kingdom.
- <sup>168</sup>Waseda University, Tokyo; Japan.
- <sup>169</sup>Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- <sup>170</sup>Department of Physics, University of Wisconsin, Madison WI; United States of America.
- <sup>171</sup>Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- <sup>172</sup>Department of Physics, Yale University, New Haven CT; United States of America.
- <sup>a</sup> Also Affiliated with an institute covered by a cooperation agreement with CERN.
- <sup>b</sup> Also at An-Najah National University, Nablus; Palestine.
- <sup>c</sup> Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- <sup>d</sup> Also at Center for High Energy Physics, Peking University; China.
- <sup>e</sup> Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
- <sup>f</sup> Also at Centro Studi e Ricerche Enrico Fermi; Italy.
- <sup>g</sup> Also at CERN, Geneva; Switzerland.

- <sup>h</sup> Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- <sup>i</sup> Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona; Spain.
- <sup>j</sup> Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- <sup>k</sup> Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.
- <sup>1</sup> Also at Department of Physics, California State University, Sacramento; United States of America.
- <sup>m</sup> Also at Department of Physics, King's College London, London; United Kingdom.
- <sup>n</sup> Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- <sup>o</sup> Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- <sup>p</sup> Also at Department of Physics, University of Thessaly; Greece.
- <sup>q</sup> Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- <sup>r</sup> Also at Hellenic Open University, Patras; Greece.
- <sup>s</sup> Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- <sup>t</sup> Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- <sup>u</sup> Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- <sup>ν</sup> Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- <sup>w</sup> Also at Institute of Particle Physics (IPP); Canada.
- <sup>x</sup> Also at Institute of Physics and Technology, Ulaanbaatar; Mongolia.
- <sup>y</sup> Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- <sup>z</sup> Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- aa Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ab Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- ac Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ad Also at Technical University of Munich, Munich; Germany.
- ae Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- af Also at TRIUMF, Vancouver BC; Canada.
- ag Also at Università di Napoli Parthenope, Napoli; Italy.
- ah Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
- ai Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- aj Also at Washington College, Chestertown, MD; United States of America.
- ak Also at Yeditepe University, Physics Department, Istanbul: Türkiye.
- \* Deceased